FORM A2.
BRITISH RAINFALL.
12 MAR 1912

REC

DITCHEAT
RECTORY

SOMERSET
1911-14, 16 ~ 1920

Kept at Ditcheat

in the County of Som

by Rev C E Levi

in.
round ft. in.
ea Level ft.

Name

Distance Direction

IMPORTANT NOT the result entered to the previous day. If an Obs rsal rule, he is earnestly requested to add the read ar in the space provided for it at the end of this ent of rain, the selection and placing tish Rainfall Organization are given in application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.05	.06							.11	.02	1
2			.01	.64	.47			.20		.03	.29	.11	2
3	.02		.01					.10				.10	3
4			.10			1.30				03	.27	.41	4
5	.09		.05					.75		.09	.15	.04	5
6	.22		.13					.03			.21	.45	6
7	.02		.01									.01	7
8	.07		.16								.30	.42	8
9	.18		.02								.09	.41	9
10	.12	.10	31		.90							.20	10
11	.28		.01		.07						.51	.19	11
12			85								.10	.30	12
13		.02			.04				.20	.02	.04	.39	13
14		.11								.02		.74	14
15		.06									.19	.01	15
16						.20					.59	.24	16
17		.02				.08					.14	.29	17
18		.28		.09		.36				.02	.06	.30	18
19		.12	.03	.04		.25			.38	.20	.02	.54	19
20	.03	.28	.08	.15						.05		.48	20
21			.10					.19		.37		.16	21
22	.07		.32	.08						.75		.35	22
23		.10	.19			22			.11	.10		.15	23
24		24				.84				.83		.16	24
25		.07		.23		.14		.05	.03	07		.26	25
26		.14		.30	.05			.04		.10		.32	26
27		.70	.10	.11				.11	.18		.04	.34	27
28		.23		.30				.17				.01	28
29				.55		.35	.03		.06	.59	.05		29
30						05				.16	.05	.04	30
31													31
Total	1·15	2·47	2·53	2·55	1·53	3·79	.03	1·64	.96	3·43	3·21	7·44	TOTAL 30·73
No. of Rain Days.	11	15	18	11	6	10	1	9	7	16	18	29	151

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

REC

Kept at Ditcheat

in the County of Somerset 2

by Rev C E Levi H a Boys

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.03		.05	.06							.11	.02	1
2			.01	.64	} .47			.20		.03	.29	.11	2
3	.02		.01					.10				.10	3
4			.10			1.30				03	.27	.41	4
5	.09		.05					.75		.09	.15	.04	5
6	.22		.13					.03			.21	.45	6
7	.02		.01									.01	7
8	.07		.16								.30	.42	8
9	.18		.02								.09	.41	9
10	.12	.10	31		.90							.20	10
11	.28		.01		.07						.51	.19	11
12			85								.10	.36	12
13		.02			.04				.20	.02	.04	.39	13
14		.11								.02		.74	14
15		.06									.19	.01	15
16						.20					.59	.24	16
17		.02				.08					.14	.29	17
18		.28		.09		.36				.02	.06	.30	18
19		.12	.03	.04		.25			} .38	.20	.02	.54	19
20	.03	} .28	.08	.15						.05		.48	20
21			.10					.19		.37		.16	21
22	07		.32	.08						.75		.35	22
23		.10	.19			.22			.11	.10		.15	23
24		24				.84				.83		.16	24
25		.07		.23		.14		.05	.03	07		.26	25
26		.14		.30	.05			.04		.10		.32	26
27		.70	.10	.11				.11	.18		.04	.34	27
28		.23		.30				.17				.01	28
29				.55		.35	.03		.06	.59	.05		29
30						05				.16	.05	.04	30
31													31
Total	1·15	2·47	2·53	2·55	1·53	3·79	.03	1·64	.96	3·43	3·21	7·44	TOTAL for year 30·73
No. of Rain Days.	11	15	18	11	6	10	1	9	7	16	18	29	151

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

10 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Ditcheat E4 RA

in the County of Somerset 2

by Rev C. E. Lein Rev H. A. Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			.04			.36	.16		.02	.66		.46	1
2	.01		.29			.14	.43				.02		2
3			.05			.27	.12	.47				.07	3
4	.15		.52		.03	16					.36		4
5	.60	.19	.17					.30				.43	5
6	.56	.08	.60		.19		.25	.37				.02	6
7		.24			.19	.85		.12				.10	7
8	.28	.13		.05		.15	.15	.28	.03			.04	8
9	.02	.02	.39	.08		.03	.05	.05			.01	.55	9
10	.09	.08	02			.02		.22			.07	.19	10
11	.05	.08	.21									.43	11
12	.04	.48	.08	.06			.02						12
13	.01		.03			.05		.18				.03	13
14	.17		.50		.06	.05		.10				.03	14
15	.08	.11	.05	.02	.24	.73		.07				.82	15
16	.68	.01	.30		.05	.01		.20		.07	.08	.07	16
17	.44		.03			.04		.59			.05	.08	17
18	.22		.28					.16		.04		.09	18
19	.26	.11	.10			.07	.07	.12			.05		19
20	.07	.06	.52		.08	.09	.04	.29		.49	.02		20
21		25	.43		.10			.08		.40			21
22	.33		.05		.72		.12	.30		.09		.04	22
23	.14	.33	.24					1.18			.28	.45	23
24	.13	.03	.02			.46		.07		.20			24
25	.05					.08		.49		.11	.24	.52	25
26							.14	.26		.24	.31	.17	26
27						.10	.80			1.58		.39	27
28		.08				.08	.01	.25	06		.52	.51	28
29		.05					.26	.08	.49	.38		.02	29
30					.03	.02	.19	.08	.23?	.28			30
31			.42		.20		.19			.02		.09	31
Total	4.38	2.33	5.34	.21	1.89	3.76	3.00	6.31	.83	4.16	2.01	5.60	YEAR'S TOTAL 39.82
Rain Days.	21	18	24	4	11	20	16	24	5	14	12	24	193

W. 7,500, XI. 12

~~From~~
Mid Wessex

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913.

Ex. Mf

8 APR 1914

Kept at Ditcheat, Evercreech.
in the County of Somerset. Z
by Rev. C. E. Leir
Rev H A Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·38	·13	·04	·11	–	–	–	·30	–	·10	·37	1
2	·03	·09	·03	·10	·11	–	·05	–	·04	·11	·08	–	2
3	·12	·02	·06	·06	·31	–	–	–	–	·02	–	·09	3
4	·72	–	·02	–	·38	–	·05	–	·98	·06	·05	·24	4
5	–	·04	–	–	·32	·36	·02	–	·33	–	–	·10	5
6	·04	·04	·08	–	·03	·16	·08	–	–	·75	–	·59	6
7	–	·10	–	–	·22	–	·04	–	–	·48	·21	·03	7
8	–	–	–	–	·20	–	·07	–	·03	·02	–	·03	8
9	–	·05	–	–	·07	·12	·28	·36	–	–	·09	·03	9
10	·18	–	·02	–	·04	–	–	–	–	·23	·17	–	10
11	·60		–	·34	·13	–	–	–	–	·05	·40	–	11
12	·03	·02	–	·03	–	·08	–	–	–	–	·25	–	12
13	–	–	15	–	–	·02	–	·05	·58	–		–	13
14	·11	–	·17	–	–	–	–	–	·31	·14	·65	–	14
15	·21	·05	·20	·42	–	–	·04	–	·06	–	·04	–	15
16	·17	–	·49	·11	–	–	·08	–	–	–	–	–	16
17	·03	–	·02	–	·05	–	–	–	–	–	–	–	17
18	·07	–	·22	·17	·20	–	·07	–	–	–	·20	–	18
19	·59	–	·08	–	·09	·28	–	–	·49	–	–	–	19
20	·03	–	·17	·05	–	–	·13	–	–	·10	·15	–	20
21	–	–	–	–	·28	–	–	–	–	·04	·60	–	21
22	·81	–	·26	·25	–	·10	–	·07	·26	–	–	–	22
23	·01	–	·04	–	–	–	–	–	–	–	·04	·57	23
24	·05	·02	–	·10	–	–	–	·14	–	–	–	–	24
25	–	·10	–	·14	–	–	–	–	–	–	·05	·03	25
26	–	–	–	·23	–	–	–	·28	–	·02	–	·26	26
27	·05	–	·19	·22	–	–	–	–	–	·64	–	–	27
28	·14	–	·10	·28	–	–	–	–	–	·20	–	·12	28
29	·06		·31	·30	–	–	–	·10	–	·56	–	–	29
30	·44		–	–	–	–	–	–	–	·34	·04	–	30
31	·14		–		–		–	·48		·01		–	31
Total	4·53	·91	2·74	2·84	2·54	1·12	·79	1·48	3·38	3·17	3·12	2·46	YEAR'S TOTAL 29·08
Rain Days.	22	13	19	16	15	7	11	7	10	17	17	12	166

W.7,000, XI. 13

From Mid-Wessex Assoc:

cord. by Boys

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

23 MAR 1915

Kept at Ditcheat

in the County of Somerset. 2.

by Rev. C. E. Lev

Rev. H. A. Boys.

Lat. Long.

Nearest Railway Station

Time of Observation

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	·10	·05	-	-	·37	·38	-	-	·11	·02	1
2	-	-	-	·03	-	-	·60	·05	-	-	·91	·34	2
3	-	-	-	·14	·31	-	·01	·87	-	·03	·12	·03	3
4	·16	-	·43	·17	·05	-	·15	·16	-	-	·69	·39	4
5	*	-	·35	·45	·20	-	(·16) ?	·01	-	-	·04	- (·02)	5
6	?	·12	·07	·22	·04	-	(1·02) 1·18	-	-	-	·12	- (·20)	6
7	·30	·30		·17	·58	·06	·48	·27	-	-	-	·37 (·15)	7
8	·10	-	1·50	-	·20	·30	-	·06	-	-	-	~~·64~~ (·04)	8
9	·28	-		·22	·07	1·22	-	·14	·62	-	-	-	9
10	·11	·08	·03	·03	·10	-	-	-	·36	-	-	-	10
11	-	·09	·70	-	·03	·18	·09	-	·50	-	·07	·38	11
12	-	·10	·27	-	-	-	-	-	·30	·16	·14	·21	12
13	-	·18	·22	-	-	-	-	-	·15	·25	·19	·60	13
14	-	·09	·14	-	-	·08	-	·36	·02	-	·27	-	14
15	-	-	·13	-	-	-	·60	·28	·04	-	·21	-	15
16	-	-	-	-	-	-	·08	-	·13	-	-	-	16
17	-	·27	·14	-	-	-	(·03)	-	·03	-	-	·60	17
18	-	·03	·65	-	-	-	(·42) ·45	-	-	-	-	- (·31)	18
19	-	·09	-	-	-	-	·83	-	-	-	-	·31 (·20)	19
20	-	·33	·26	-	-	-	-	-	-	-	-	·20 (·27)	20
21	-	·55	·06	-	-	·39	-	·12	-	·10	-	·27	21
22	-	·08	-	-	·15	·26	-	·04	-	·32	-	-	22
23	-	·08	·20	-	·09	-	-	-	-	·29	-	-	23
24	-	·07	·13	-	·12	-	·54	-	-	·15	·16	·05	24
25	·08	-	·11	-	-	-	·16	·26	-	·27	·18	·38	25
26	-	-	-	-	-	-	·08	·02	-	·03	·08	·41	26
27	·16	-	-	-	-	-	-	-	-	·20	·14	·11	27
28	-	·08	·17	-	·01	-	·19	-	-		·26	·91	28
29	·11		·08	-	·08	-	-	-	-	·19	·11	·03	29
30	-		·02	-	-	-	-	-	-	·14	·43	·60	30
31	-		-		-		·12	-		·32		·13	31
Total	1·30	2·54	5·76	1·48	2·03	2·49	5·93	3·02	2·15	2·45	4·23	~~6·98~~ (6·38)	(39·76) TOTAL for year ~~40·56~~
No. of Rain Days	8 (7)	16	23	9	~~15~~ (14)	7	16 (18)?	15 (14)?	9	14	18	~~21~~ (23)	...

* Adjustments in red ink made by Mr. Boys

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

for Mid Wessex m   End RL

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Ditcheat
in the County of Somersetshire 2
by Rev H A Boys Ch. Leir

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.12								.17	.75	.04		1
2	.15									.42	.15		2
3		.84			.44				.09	.40	.07		3
4		.10	.03			.74			.26	.19			4
5	.37				.32	.49				.02	1.10		5
6	.18	.25			.09	.04	.60				.50		6
7		.05	.26		.16		.11			.04	.45	.12	7
8		.25				.07					.07	.17	8
9		.32				.07	.04			.12	.09	.04	9
10		.50		07	.68					.08		.10	10
11	.03												11
12			.09	.41			.21			.10			12
13	.17	.30	.12					.88					13
14	.02	.40		.09	.20			.07		.04			14
15		.17	.07										15
16	.06			27			.04	.77					16
17	.08	.43							.63	.58	.19		17
18		.06							.06	.11	.22	.08	18
19	.18		.57	.26				.02			.21	.04	19
20	10	.15									.15	1.05	20
21	05		.64				.06						21
22				.05	.08	.09				.41	.04	.68	22
23				.08		.06		.18		.05	.06		23
24		38			.60	.10		.04		.85	.02	.22	24
25								.47	.14		.13		25
26	03	.70			.09	.33		.05	.50	.56			26
27			1.10			.04		.23	.55	.11	16		27
28		.30	.07					1.00?		.44		.26	28
29		.27				.23		.30	.89	.40		.30	29
30		X	.03					.06		.34			30
31		X		X		X			X	.57	X	.11	31
Total	1.54	5.47	2.98	1.23	2.66	2.26	1.06	4.07?	3.29	6.58	3.65	3.17	YEAR'S TOTAL 37.96
Rain Days.	14	20	14	...	...	11	6	~~12~~ 13	10	~~22~~ 21	18	14	

W. 8,000, VIII. 16

from M.S. and months

REGISTER OF RAINFALL IN 19/7

1959

FORM A.
BRITISH RAINFALL
2 APR 1919

Kept at Ditcheat, Everead,
in the County of Somerset
by Rev. C. E. Leir. per HA Boys. Rev H H Tripp from Nov

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	·20				·79			·10		1
2				·18		·05					·01		2
3							1·24				·02		3
4			·17					·05			·01		4
5	·20		·12	·25		·11					·05		5
6			·17								·25		6
7	·15	·14					·08	1·19				·01	7
8			·12	·13			·60				·27	·09	8
9	·57							·24			·30		9
10	·13		·25	·14				·78					10
11	·20		·60	·40	·05								11
12					·25			·12					12
13			·15					·33				·01	13
14			·10	·14			·14	·10					14
15							·28	·25				·25	15
16		·18		·11	·06		·04					·10	16
17				·29			·55	·06			·02		17
18							·10				·02		18
19		·57	·08										19
20	·04	·07			·29	·10					·01		20
21			·42			·04							21
22			·03										22
23		·20						·45			·07		23
24						·36	·19	·19					24
25			·03					·06					25
26					·33			·78			·02		26
27					·97	4·75		·74				·02	27
28		·12				·18		·73				·02	28
29			·19		·07		·08	·05				·12	29
30		X	·25				·27	·06					30
31		X	·07	X		X			X		X	·01	31
Total	1·29	1·28	2·84	1·84	2·02	5·59	3·57	6·97 6·97			1·15	·63	YEAR'S TOTAL
Rain Days.	6		16	9	7	8	11	18			13	9	

W. 8,000, IX. 17.

from Original [illegible] Rev H. a Boys

Ex RL

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Ditcheat Rectory

in the County of Somersetshire

by Rev H. H Tripp Rev H. a Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.10			.56	.06	.01	.53	.02	1
2		.01		.15				.49	.35	.01	.03	.11	2
3		.03	.01	.07	.16				.01	.02	.02	.03	3
4		.02		.05				.06	.03	.07	.49	.07	4
5			.03		.07			.35	.10	.11		.03	5
6	.06	.45		.22				.21	.06	.18	.01	.15	6
7	.23	.21		.02	.45			.06	.12	.15	.37	.01	7
8	.01	.06						.02	.31	.33		.07	8
9	.01	.11		.23		.29	.45		.03	.08	.11	25	9
10	.06			.12			.50		.11	.17		.51	10
11			.07				.07		.30	.13	.02	.13	11
12		.03	.12		.31		.48		.21	.05		.01	12
13	.30	.03			.04		.65		.66	.04		.18	13
14	.13		.01		.01	.09	.14		.11	.17		.15	14
15	1.03			.48	.05	.03	.30		.01	.01		.09	15
16	.43			.33			.03		.21			.24	16
17	.22			.16			.31	.12	.04			.10	17
18	.72					.57	.15		.28	.01		.37	18
19	.10		.10	.01		.03	.52	.05	.07	.01	.01	.16	19
20	.03	.13		.19			.24		.11	.03			20
21	.02	.07				.15	29		.65	.03		.11	21
22	.01	.02			.12		.52	.02	.11	.01		.30	22
23	.10	.01			.32		.40		.11	.01	.03	.04	23
24		.13				.03	.03	.03	.09		.16	.01	24
25							.12	.97			.03	.01	25
26							.55		.03	.04	.18	.34	26
27		.22	.01					.17	.27	.02	.15	.05	27
28		.08	.13								.28	.20	28
29			.06						1.03		.01	.05	29
30	.01	✕	} .30					.17	.03	.01	10	.04	30
31		✕	24	✕		✕		.19	✕	.02	✕		31
Total	3.47	1.61	1.08	2.03	1.63	1.19	5.75	3.47	5.50	1.72	2.53	3.83	YEAR'S TOTAL 33.81
Rain Days.	17	16	11	12	10	7	18	15	28	25	17	29	205

W. 6,500. VII. 18. W W C

W DL Cor. for auth. 1830

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

20 MAR 20

Kept at Ditcheat Rectory, Evercreech

in the County of Somersetshire

by Rev H. H. Tripp

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·57		·07		·08		·60			·18		1·07	1
2	·07		·01		·15				·20		·05	·18	2
3	·79		·22		·16		·08		·15			·56	3
4	·13	·15	·58			·09		·10	·25		·03		4
5	·01	·43	·69		·07				·34		·13	·51	5
6	·42	·09	·13		·02							·25	6
7	·21		·31	·12									7
8	·12		·19								·01	·01	8
9	·16		·04	·12							·04		9
10	·12		·06	·07	·01					·04	·01	·13	10
11	·03		·15	·20	·17		·28					·07	11
12	·07		·01			·17	·01			·20	·13	·09	12
13	·03		·02	·32			·11					·01	13
14	·43	·06		·58	·11		·24			·05		·08	14
15	·12			·01						·04		·23	15
16	·07	·54						·02			·19	·01	16
17	·02	·22						·05			·29		17
18	·04	·02	·55				·22	·23			·18	·02	18
19	·38	·15	·96			·07	·70	·38	·27		·20	·13	19
20	·31	·08	·14			·34		·22	·03			·07	20
21		·51					·62		·02			·11	21
22	·01	·17					·16		·16		·06	·33	22
23								·02	·08	·55	·01	·14	23
24				·06		·04	·02			·95	·05	·35	24
25	·13	·02		·04		·20		·72		·01	·02	·15	25
26	·09		·11	·10		·02		·52	·16			·25	26
27	·21	·18		·31		·01	·05	·45			·01	·04	27
28			·42					·38			·36	·46	28
29				·03				·09		·10	·01	·04	29
30				·26		·10		·32		·01	·38	·26	30
31			·04				·04					·24	31
TOTAL	4·54	2·62	4·70	2·22	·77	1·04	3·13	3·50	1·66	2·13	2·16	5·79	YEAR'S TOTAL ~~34·34~~ 34·26
Days with ·01 in. or more	24	13	19	13	8	9	13	13	10	10	19	28	179

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

ExDL

1747

[illegible] MAR [illegible]

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ditcheat Rectory, Evercreech

in the County of Somersetshire

by Rev H. H. Tripp per Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form. moved 50 yds SW

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08		·01	·16	·29		·20	·05	·10	·11	·30	·49	1
2	·19			·18			·11	·40	·22	·06		·09	2
3	·07	·05	·01		·06		·79			·63			3
4			·05	·08			·27	·40		·16			4
5			·06	·05	·29		·67	·11		·15			5
6			·18		·08		·07			·04			6
7	·02		·04	·63			·23						7
8	·07	·16		·41	·07		·44						8
9	·54	·17	·04	·12		·12	·03						9
10	·44	·28	·10	·05		·16	·29						10
11	·31		·08	·46	·33		·10						11
12	·28		·02	·09		·60	·03				·05		12
13	·25	·06	·38	·15									13
14	·09	·01	·24	·30		·03			·13	·53	·17		14
15	·01	·09	·04	·08	·07	·15	·01		·04	·32	·03		15
16			·11	·03			·24		·26	·05	·05		16
17	·04		·01	·26	·26	·18			·34				17
18	·10		·03	·03	·08	·04	·03	·44	·28				18
19	·08			·18	·02	·17			·03				19
20	·07	·19		·07		·48	·01					·18	20
21				·02			·14			·03		·17	21
22	·05			·19			·01	·06		·01		·30	22
23							·67					·23	23
24	·04		·10	·02							·06	·06	24
25		·05	·07		·10	·01	·27						25
26	·21		·12		·01	·03	·07				·10	·10	26
27	·20	·02	·03	·42		·42	·04					·16	27
28	·87		·07	·02	·12	·02	·06					·02	28
29	·12	·01	·09		·04	·01						·11	29
30	·02	X		·06	·13	·19	·41		·24		·34	·19	30
31	·20	X	·28	X		X	·05		X	·77	X	·18	31
TOTAL	4·35	1·09	2·16	4·06	1·95	2·61	5·24	1·46	1·64	2·86	1·10	2·28	YEAR'S TOTAL (30·80)
Days with ·01 in. or more	24	11	23	24	15	15	25	6	9	12	8	13	(185)
Days with ·04 in. or more	21	8	17	19	13	10	19	6	8	10	7	12	(150)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DOWNSIDE ABBEY

SOMERSET
1911- 1920

RE

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

Kept at Downsid

in the County of Som

by (Rev) G. N. K

ricks (Maker)
8 in.
Ground 1 ft. - in.
Sea Level 600 ft.
A.M.
Name Chilcompton
Distance ¾ Mile Direction N. West

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this ent of rain, the selection and placin tish Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·08	·09	·01	—	—	·10	—	—	·08	·03	1
2	·01	—	·01	·13	·56	—	—	·18	—	·03	·36	·26	2
3	—	·01	·02	—	·39	—	—	·04	—	—	·16	·03	3
4	—	·01	·13	·01	—	—	—	·03	—	·04	·29	·49	4
5	·14	—	·03	·01	—	—	—	·45	—	·04	·39	—	5
6	·64	—	·09	—	—	—	—	·02	—	—	·28	·66	6
7	·01	—	—	—	—	—	—	—	—	—	·53	—	7
8	·11	—	·28	—	—	—	—	—	—	—	·01	·39	8
9	·04	—	·04	—	—	—	—	—	—	—	·12	·58	9
10	·25	·04	·43	—	·31	—	—	—	—	—	·02	·45	10
11	·49	—	—	—	·16	—	—	—	—	—	·44	·32	11
12	—	—	p-s. ·46	—	—	—	—	—	·03	—	·59	·28	12
13	—	—	·02	—	·04	—	—	—	·31	·24	·20	·41	13
14	—	·08	—	—	—	—	—	—	—	·01	·03	·92	14
15	—	·10	·02	—	—	·04	—	—	—	—	·54	·10	15
16	—	·04	—	—	—	·24	—	—	—	—	·53	·53	16
17	—	·03	—	—	—	·12	—	—	—	—	·04	·48	17
18	—	·38	·14	·15	—	·34	—	—	—	·03	·03	·44	18
19	—	·09	—	·05	—	·16	—	—	·55	·25	·04	·48	19
20	·02	·05	·11	·49	—	—	—	—	·18	·22	—	·41	20
21	—	·34	·04	·02	—	—	—	1·10	—	·54	—	·30	21
22	·05	·03	·26	·04	—	·09	—	—	—	·55	—	·68	22
23	—	·18	·16	·01	—	·16	—	—	·14	·16	·02	·34	23
24	—	·36	—	—	—	·35	—	·15	—	·69	—	·31	24
25	—	·19	—	·42	—	·09	—	·03	·01	·03	—	·40	25
26	—	·04	—	·62	·02	—	—	·03	—	·21	p-s. ·02	·53	26
27	—	·65	·21	·08	·05	—	—	·12	·08	—	·02	·14	27
28	—	·42	—	·42	·01	—	—	·49	—	—	·05	—	28
29	—		—	·32	—	·48	·01	—	·26	·44	—	—	29
30	—		—	·10	—	·03	—	—	—	·24	·05	·01	30
31	—		—		—		—	—		·24		—	31
Total	1·85	3·40	3·43	2·99	1·55	2·16	·01	3·04	1·56	4·35	5·20	10·24	TOTAL for year 39·51
No. of Rain Days	11	18	18	16	9	11	1	12	8	14	24	26	141

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

Kept at Downside Abbey

in the County of Somerset

by (Rev) G. D. Kindersley

RAIN GAUGE
Pattern J. J. Hicks (Maker)
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 600 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Chilcompton
Distance ¾ mile Direction N. West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03	—	·08	·09	·01	—	—	·10	—	—	·08	·03	1
2	·01	—	·01	·13	·56	—	—	·18	—	·03	·36	·26	2
3	—	·01	·02	—	·39	—	—	·04	—	—	·16	·03	3
4	—	·01	·13	·01	—	—	—	·03	—	·04	·29	·49	4
5	·14	—	·03	·01	—	—	—	·45	—	·04	·39	—	5
6	·64	—	·09	—	—	—	—	·02	—	—	·28	·66	6
7	·01	—	—	—	—	—	—	—	—	—	·53	—	7
8	·11	—	·28	—	—	—	—	—	—	—	·01	·39	8
9	·04	—	·04	—	—	—	—	—	—	—	·12	·58	9
10	·25	·04	·43	—	·31	—	—	—	—	—	·02	·45	10
11	·49	—	—	—	·16	—	—	—	—	—	·44	·32	11
12	—	—	p-s. ·46	—	—	—	—	—	·03	—	·59	·28	12
13	—	—	·02	—	·04	—	—	—	·31	·24	·20	·41	13
14	—	·08	—	—	—	—	—	—	—	·01	·03	·92	14
15	—	·10	·02	—	—	·04	—	—	—	—	·54	·10	15
16	—	·04	—	—	—	·24	—	—	—	—	·53	·53	16
17	—	·03	—	—	—	·12	—	—	—	—	·04	·48	17
18	—	·38	·14	·15	—	·34	—	—	—	·03	·03	·44	18
19	—	·09	—	·05	—	·16	—	—	·55	·25	·04	·48	19
20	·02	·05	·11	·49	—	—	—	—	·18	·22	—	·41	20
21	—	·34	·04	·02	—	—	—	1·10	—	·54	—	·30	21
22	·05	·03	·26	·04	—	·09	—	—	—	·55	—	·68	22
23	—	·18	·16	·01	—	·16	—	—	·14	·16	·02	·34	23
24	—	·36	—	—	—	·35	—	·15	—	·69	—	·31	24
25	—	·19	—	·42	—	·09	—	·03	·01	·03	—	·40	25
26	—	·04	—	·62	·02	—	—	·03	—	·21	p-s. ·02	·53	26
27	—	·65	·21	·08	·05	—	—	·12	·08	—	·02	·14	27
28	—	·42	—	·42	·01	—	—	·49	—	—	·05	—	28
29	—		—	·32	—	·48	·01	—	·26	·77	—	—	29
30	—		—	·10	—	·03	—	—	—	·24	·05	·01	30
31	—		—		—		—	—		·24		—	31
Total	1·85	3·40	3·43	2·99	1·55	2·16	·01	3·04	1·56	4·35	5·20	10·24	TOTAL for year 39·51
No. of Rain Days	11	18	18	16	9	11	1	12	8	14	24	26	141

9,000, IX. '10.

Ex. Dd

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Downside Abbey
in the County of Somerset.
by G. A. Kindersley

Lat. 51° 15 N Long. 2° 29 W
Time of Observation 9 A.M.
Nearest Railway Station Chilcompton
Diameter of Rain Gauge 8 ins
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·13	—	—	·12	·39	—	·02	·70	—	·40	1
2	—	—	·30	—	—	·23	·28	—	—	—	·02	—	2
3	·01	—	·10	—	—	·28	·10	·64	·12	—	·03	·18	3
4	·27	—	1·12	—	·05	·28	—	·01	—	—	·13	—	4
5	·52	·07	·29	—	·03	—	—	·47	—	—	·01	·30	5
6	·60	·26	·05	—	·20	·07	·09	1·14	—	—	—	·24	6
7	·02	·28	·21	—	·16	·64	—	·04	—	—	·01	·10	7
8	·37	·25	·84	·01	—	·17	·19	·35	·02	—	—	·13	8
9	·06	·05	·56	·14	—	·04	—	·02	—	—	·01	·93	9
10	·03	·10	—	—	—	·13	—	·08	—	—	·09	·12	10
11	·08	·09	—	—	—	—	—	—	—	—	—	·52	11
12	·07	·65	·20	·04	—	·01	·03	—	—	—	—	·09	12
13	—	·01	·02	—	—	·01	—	·01	—	—	·02	·19	13
14	·17	—	·77	—	·21	—	—	·44	—	—	—	·07	14
15	·05	·14	·01	·01	·15	·75	—	·03	—	—	—	·98	15
16	·78	·01	·76	—	·07	·02	—	·28	—	·14	·03	·11	16
17	·87	—	·08	—	—	·06	—	·94	—	—	·03	·11	17
18	·16	—	·87	—	—	—	—	·09	—	·05	·01	·12	18
19	·06	·12	·18	—	—	·03	·09	·25	—	·17	—	·02	19
20	·04	·01	·44	—	·08	—	·06	1·42	—	·70	—	—	20
21	·01	·22	·53	—	·44	—	·01	·07	—	·37	—	—	21
22	·47	·29	·04	—	·13	—	·11	·33	—	·06	·02	·12	22
23	·23	·41	·40	—	—	·10	—	·99	—	·08	·25	·41	23
24	·08	·04	·04	—	—	·42	·03	·07	—	·16	—	·22	24
25	—	—	—	—	—	·21	—	·61	—	·05	·58	·72	25
26	—	·03	—	—	—	—	·16	·09	—	·49	·62	·23	26
27	—	·03	—	—	—	·20	1·02	—	—	1·27	·04	·80	27
28	—	·13	—	—	—	·11	·05	·58	·17	·63	·63	·63	28
29	—	·10	·01	—	—	·05	·38	·03	·45	·55	—	·07	29
30	—		—	—	·01	·06	·22	—	·18	·27	—	—	30
31	—		·38		—		·23	·05		·03		·50	31
Total	4·95	3·29	8·33	·20	1·53	3·99	3·44	9·03	·96	5·72	2·53	8·31	YEAR'S TOTAL 52·28
Rain Days.	21	21	24	4	11	22	17	25	6	16	17	26	210

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
-9 JAN 1914

Kept at Downside Abbey

in the County of Somerset

by G. A. Kindersley (Rev)

Lat. 51° 15 N Long. 2° 29 W

Time of Observation 9 A.M.

Nearest Railway Station Chilcompton

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·32	·23	·08	·03	—	—	—	·31	·01	·19	·22	1
2	·10	·09	·03	·09	·08	—	·06	—	—	·23	·15	·04	2
3	·14	·01	·17	—	·47	—	—	—	—	—	—	·21	3
4	1·34	—	·11	—	·64	·01	—	—	·68	·17	·03	·21	4
5	·02	·04	·01	—	·17	·52	·06	—	·44	—	·04	·10	5
6	·14	·05	·16	—	·13	·24	·06	—	—	·62	·04	·56	6
7	·02	·49	·03	—	·29	·15	·12	—	—	·62	·22	·01	7
8	·01	·10	—	—	·29	·05	—	—	—	·15	—	·02	8
9	—	·11	·10	·01	·08	·23	·01	·32	·07	—	·13	·05	9
10	—	—	(·09)	·03	—	—	·02	·01	—	·36	·16	—	10
11	·71	—	·02	·13	·35	·05	—	—	—	·01	·95	·05	11
12	·01	—	—	—	·27	—	—	—	·06	—	·13	—	12
13	·04	—	·10	—	—	·01	·01	·05	·71	—	·26	—	13
14	·15	·02	·20	·20	—	—	—	·01	·05	·06	·33	·01	14
15	·30	·15	·45	·54	—	—	—	·02	·04	—	·40	·05	15
16	·16	—	·77	·15	—	—	—	—	—	—	—	—	16
17	·13	—	·01	·08	—	—	·05	—	·02	—	·07	·01	17
18	·08	—	·46	—	—	·04	—	—	—	—	·07	—	18
19	·80	—	·03	—	·06	·24	·03	—	·51	—	—	—	19
20	·26	—	·26	·03	—	—	—	—	—	19	·17	—	20
21	—	—	·23	·11	·10	—	·10	01	—	—	·48	—	21
22	·73	—	·46	·07	·03	·09	—	·08	·20	—	—	—	22
23	—	—	—	—	—	·03	—	·07	—	—	·07	·40	23
24	·06	·03	—	·07	—	—	—	·07	—	—	·03	—	24
25	—	·11	—	·18	—	—	—	—	—	—	·03	·09	25
26	—	·04	—	·47	—	—	—	·29	—	·01	—	·22	26
27	·03	—	·19	·53	—	—	—	—	—	·10	—	·05	27
28	·10	—	·12	·37	—	—	—	—	—	·09	·01	·09	28
29	·05	—	·71	·40	—	—	—	·12	—	·32	·02	—	29
30	·72	—	—	·01	—	—	—	—	—	·42	·09	—	30
31	·12		·05		—	—	—	·45		·01		—	31
Total	6·28	1·56	4·99	3·55	2·99	1·66	·52	1·50	3·09	3·37	4·07	2·39	YEAR'S TOTAL 35·97
Rain Days.	24	13	24	19	14	12	10	12	11	16	23	18.	196

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Downside Abbey
in the County of Somerset
by V. Rev. G. A. Kindersley

Lat. 51° 15 N. Long. 2° 29 W
Time of Observation 9 A.M.
Nearest Railway Station Chilcompton
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·61

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·03			·18	·40			·06	·05	1
2				·12	·01		·54	·18			1·24	·42	2
3			·17	·23	·34		·03	·30			·12	·12	3
4	·14		·31	·43	·14		·25	·53			·72	·86	4
5	p.s. ·20		·25	·61	·19		·10				·05	·31	5
6		·16	·05	·36	·06		·20	·20			·02	·33	6
7	·03	·65	·31	·33	·35		·28	·17				·13	7
8	·22	·05	1·43	·05	·18	·37		·30					8
9	·25		p.s. ·39	·32	·03	·77		·07	·32				9
10		·12		·07	·15				·65		·01	·01	10
11		·20	·85	·02	·06	·18	·05		·17		·06	·49	11
12		·16	·21						·32		·15	·31	12
13		·38	·46						·30	·18	·30	·79	13
14		·27	·56					·24	·04	·27	·26		14
15		·03	·35				·02	·66	·04	·02	·15		15
16							·10		·35				16
17		1·44	·35				·01		·01	·01		·75	17
18		·04	·06				·51		·03			·68	18
19		·10	·46				·92				·03	·35	19
20		·47	·16									·15	20
21		·59	·01			·25				·11	·01		21
22		·03	·02		·11	·36		·08		·48			22
23		·16	·28		·05	·02				·23			23
24			·06		·01					·49	·30	·04	24
25	·04		·11		·04		·05	·45		·65	·01	·45	25
26							·04	·04		·10	·46	·60	26
27	·08									·12	·10	·25	27
28	·04	·25	·27							·09	·44	1·24	28
29	·47		·18		·06		·07			·19	·45	·01	29
30			·03							·24	·52	1·13	30
31	·02						·27			·34		·07	31
Total	1·49	5·10	7·34	2·57	1·78	1·95	3·62	3·62	2·23	3·52	5·46	9·54	YEAR'S TOTAL 48·22
Rain Days.	10	17	25	11	15	6	17	13	~~8~~ 10	15	21	23	183.

W. 8,000. X. 14.

2070

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Downside Abbey
in the County of Somerset
by (Rev) G. B. Hicks

Lat. 51° 15′ N Long. 2° 29 W.
Time of Observation 9 A.M.
Nearest Railway Station Chilcompton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·23

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·61	·31			·08			·24	·43	·28		·32	1
2	·42	·35	·34	·30		·04		·73	·09	·08		·39	2
3	·31	·08	·25	·07	·18		·03					·40	3
4	·02	·02			·07							·46	4
5	·09	·85						·11				·40	5
6	·46	·05		·48			·54	·04				·33	6
7	·32	·51		·04	·31		·19	·01				·36	7
8	·45	·53		·02				·10			·11	·02	8
9	·01	·12		·18				·01			·58	·90	9
10	·52	·03	·07	·01				·20			·81	·11	10
11	·03		·05	·01				·32		·02	·33	·08	11
12	·15	·38		·16	·60			·38		·07	·02		12
13	·02	1·17			1·32			·01	·10			·02	13
14	·09	·03					·03	·89	·15	·09		1·63	14
15	·49	·02			·17		·13	·02	·02		·12	·10	15
16		1·30			·43		1·23	·03				·15	16
17		·98			·85							·02	17
18		·28			·02								18
19	·01				·08		·31						19
20	·43			·09						·02		·09	20
21	Snow ·07	·19					·01			·07		·18	21
22	h.$ ·09	h.$ ·32	·46	·05		·02	·74					·35	22
23		$·03	·11				·18		·09	1·06		·41	23
24				·06			·42		·33	·86		·43	24
25			·02	·03		·14	·09					·23	25
26		·07					·19					·67	26
27		·04				·13	·26			·52			27
28		·10	$·01						·81	·06			28
29		X				·18		·02	·11		·12	·05	29
30	Lt Snow ·26	X				·10				·62	·35	·49	30
31	·08	X		X		X	·09	·01	X	1·20	X	·27	31
Total	4·93	7·76	1·31	1·50	4·11	·61	4·44	3·12	2·13	4·95	2·44	8·86	YEAR'S TOTAL 46·16.
Rain Days.	21	23	8	13	11	6	15	16	9	13	8	26	169.

W. 8,000. X. 15.

[illegible] 2012

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

18. JAN 1917

Kept at Downside Abbey
in the County of Somerset
by G. B. Hicks (Rev.)

Lat. 51° 15 N Long. 2° 29 W.
Time of Observation 9 A.M.
Nearest Railway Station Chilcompton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23				·43	·08	·27		·07	·40	·26		1
2	·80	·11	·02		·04		·02			·75	·09		2
3	·01	1·20			·10	·10			·12	·54	·22		3
4	·22	·08		·01		·75			·28	·08	·62		4
5	·04	·01	·03		·40	·20				·04	·51		5
6	·09	·26	·01		·24	·06	·61			·14	·79		6
7	·08	·06	·18		·02	·02				·25	·55	·15	7
8		·08	·01		·29	·18					·02	·20	8
9					·18					·16	·06	·07 h.s.	9
10		·32	·02	·06			·01			·06	·02	·15 h.s.	10
11	·02		·02	·16		·18			·02				11
12	·09	·20	·04	·06	·26		·27	·05		·12	·01		12
13		·43	·20					·34					13
14		·48	·02		·12			·64		·05			14
15		·30	·09	·40				·19		·07			15
16	·04	·15		·38	·02			·61		·02			16
17	·26	·14		·02				·04	·59	·52	·08 s.		17
18	·04	·04	·18	·10					·07	·08	·30	·09	18
19	·28		·48								·16 h.s.	·02	19
20	·21	·02 h.s.	·52								·21	·92 h.s.	20
21	·10	·10 s.	·40		·08		·13					·41 h.s.	21
22	·03					·05				·43	·06	·61 h.s.	22
23	·02	·04 s.				·03		·21		·43	·53	·14	23
24		·13 s.		·72	·86	·12		·06		·61	·03	·30 h.s.	24
25		·26 s.			·03			·65			·24	·07	25
26	·02	·02 s.	·15			·22		·29	·59	·42	·03		26
27	·03	·24 s.	1·57 h.s.			·01		·19	·42	·33		·02	27
28		·25 s.	·24			·08		·05	·25	·35	·02	·98	28
29		·44 h.s.	·14			·61		2·91	·12	1·05	·02	·77	29
30		×	·01							·41		·03	30
31		×		×		×		·17	×	·24	×	·07	31
Total	2·61	5·36	4·33	1·91	3·07	2·69	1·31	6·31	2·53	7·55	4·83	5·00	YEAR'S TOTAL 47·50
Rain Days.	19	24	20	9	14	15	6	14	10	24	22	17	194

W. 8,000. X. 15.

1922

FORM A.
BRITISH RAINFALL.

16. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Downside Abbey
in the County of Somerset
by Rev G. B. Hicks

Lat. 51° 15N Long. 2° 29 W
Time of Observation 9 A.M.
Nearest Railway Station Chilcompton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	* S ·01	·13	S ·24		·17		1·06	·41		·02		1
2	·03			p.s. ·24		·24		·12			·03		2
3	·09			S. ·02			·52	·02		·96	·15		3
4		S. ·14	·12				·11	·10	·01	·28			4
5	·30		·23	·57		·15			·47	·35	·18		5
6			·42							·20	·19	·03	6
7	·45						·19	·39		·28	·02	·05	7
8	·26		S ·15	·11			·72	·73		·83	·23	·06	8
9			·06		05		·01	·29	·04	·33	·19		9
10	* p.s. ·16		·33	p.s ·15				·22	·12	·02		·02	10
11	·03		·60	S ·34				·30	·03	·38	·01		11
12			·01		·52	·02		·55	·25	·98			12
13			·13	·01				·24		·01			13
14				·11				·70	·13			·01	14
15			·22				·35	·01		·40		·22	15
16	·01	·08		·35	·03		·07			·46	·02	·10	16
17				·18	·12		·44	·13	·47	·06	·01		17
18	·03	·04		·01	·01	·02	·41		·73		·02		18
19	·02	·49	·11			·04			·09				19
20		·04	·05		·29	·11		·39	·05			S ·01	20
21		·02	p.s. ·28			·13		·01		·07			21
22			p.s. ·02			·03		·12		·15			22
23		·09			·14			·91		·03	·02	·02	23
24		·03	·01			·26	·08	·21		·39	·03		24
25		·07	·04				·37	·01	·06	·61			25
26					·21			1·10	·44	·35	·06		26
27					1·00	·06		1·37		·02	·01		27
28			·15		·13	3·65		·57			·03	p.s. ·05	28
29			S ·20			·45	·07	·07		·48	·01	p.s ·19	29
30		X	S ·11				·29	·28		·12			30
31		X	p.s. ·19	X		X		·03	X	·08	X	S ·03	31
Total	1·39	1·01	3·56	2·33	2·50	5·33	3·63	9·93	3·30	7·84	1·23	·79	YEAR'S TOTAL 42·84
Rain Days.	11	10	21	12	10	13	13	26	14	24	18	12	184

*. ps means part snow. S means Snow.

W. 8,000, IX. 17.

Ex MH

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL 14.1.19

Kept at Downside Abbey

in the County of Somerset

by (Rev.) G. B. Hicks

Lat. 51° 15 N Long. 2° 29 W

Time of Observation 9 A.M.

Nearest Railway Station Chilcompton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 1·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·03		·04	·04			·46		·02	·66	·58	1
2		·03		·39				·52		·03	·06	·02	2
3		·06	·02	·17	·15			·03	·04	·07	·02		3
4		·05	·02	·04				·06		·15	·79	·11	4
5				·04	·12			·47	·04	·42	·01	·02	5
6	·13	·92		·46				·01	·01	·12		·16	6
7		·28		·02	·58			·02	·29	·24	·28	·03	7
8		·03							·65	·29		·03	8
9		·29		·36		·20	·73		·53	·16	·01	·41	9
10	·04	·01		·10			·80		·42	·16	·03	·58	10
11	·03	·11	·08	·02			·28		·24	·02	·06	·29	11
12		·26	·10		·48		·35		·14			·11	12
13	·26 s	·01			·05	·02	·25		·82	·09		·31	13
14	·25		·04		·01	·09	·52		·42	·14		·15	14
15	n.s. 1·23			·39	·07	·10	·42		·03			·38	15
16	n.s ·40		·05	·60			·03		·27	·01			16
17	·31		·02	·15	·04		·22		·05	·01		·26	17
18	·92					·82	·55		·28	·02		·42	18
19	·08		·09	·02			·09	·10	·37	·05		·18	19
20	·03	·38		·06		·01	·73		·19	·05			20
21	·04	·10				·01	·09		·98	·03		·10	21
22	·01				·06		·59		·39	·03		·44	22
23	·45				·49	·01	·44	·08			·06	[illegible]	23
24		·17				·02	·05	·01	·21		·07		24
25	·01						·23	1·13		·01	·03	·01	25
26							·73		·06	·04	·21	·41	26
27		·05	·03					·27	·37		·17	·27	27
28		·07	·25	·01						·01	·15	·34	28
29	·01		·13						1·04		·01	·05	29
30			·47					·16	·03	·05	·08	·05	30
31			·32					·01		·03			31
Total	4·20	2·85	1·62	2·87	2·09	1·28	7·10	3·33	7·87	2·25	2·70	5·71	YEAR'S TOTAL 43·87
Rain Days.	16	17	13	16	11	9	18	14	24	25	17	25	205

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

Box. H66 1798

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

23 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Downside Abbey, Nr Bath
in the County of Somerset.
by

Lat. 51° 15 N Long. 2° 29 W
Time of Observation 9 am
Nearest Railway Station Chilcompton. M & S.W.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·03		·09		·45		·40			·15	·01	1·24	1
2	·23		·03		·07		·04		·30		·10	·25	2
3	·26		·24		·04				·16		·04	·69	3
4	·10	·36	·53			·04		·11	·49			·10	4
5	·64	·26	·99		·06		·34		·50		·06	·65	5
6	·49	·11	·38									·16	6
7	·28		·55	·10									7
8	·22		·10			·02							8
9	·05		·05	·12	·02						·32		9
10	·03		·13	·03						·04		·32	10
11	·07		·40	·18	·39	·01	·33					·05	11
12			·13	·05		·28	·01			·11	s. ·10	·05	12
13	·16		·06	·41			·03			·01		·09	13
14	·61	·13		1·01	·05		·14		·03			·12	14
15	·14			·01						·10		·36	15
16	·10	1·08									·17	·01	16
17		·54				·01		·04			·62	·04	17
18	·04		·44				·16	·42	·04		·32	·08	18
19	·36	·34	1·13			·11	·66	·32	·26		·42	·08	19
20	·52	·19	·15			·31		·27				·24	20
21		·43	·01				·20	·02	·02		·01	·22	21
22		·36				·01	·09		·37		·04	·34	22
23										·53	·16	·15	23
24				·03		·22			·08	1·17	·09	·55	24
25	·22					·02		·78	·01		·06	·14	25
26	·02	·02	·37	·01		·01		·67	·15			·46	26
27			·08	·49				·58				·09	27
28			·32 s	·01				·56			s. ·44	·60	28
29				·06		·01		·02		·09		·06	29
30				·17		·15		·27		·03	·53	·81	30
31							·01					·25	31
TOTAL	5·60	4·12	6·18	2·98	1·08	1·20	2·41	4·06	2·36	2·23	3·49	8·50	YEAR'S TOTAL 44·51
Days with ·01 in. or more	20	11	20	14	7	13	12	12	12	9	17	28	145.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 1717

19 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1921.

Kept at Downside Abbey.
in the County of Somerset.
by Rev: G. B. Hicks.

Lat. 51°15N Long. 2°29W
Time of Observation 9 am
Nearest Railway Station Chilcompton M & S. W.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·20	·39		·39	·06	·11	·22	·24	·55	1
2	·10			·10			·39	·51		·17		·10	2
3	·10	·05		·08	·03		·81		·08	·67		·04	3
4			·06	·10			·11	·81		·19			4
5			·12	·02	·27		·48	·03		·21			5
6			·45	·03	·77		·33			·13		·01	6
7	·09		p.s. ·09	·23			·15				·01	·02	7
8	·07	·09		·60	·07		·67			·02			8
9	1·07	·16	·02	·51		·15	·05	·05					9
10	·98	·52	·33	·09		·19	·83					S 02	10
11	·41		·18	·68	·37		·11					S ·02	11
12	·34	·03	·02	·15		·67	·07				·21		12
13	·20	·15	·53	·23							·01		13
14	·21	·03	·32	·73			·01		·14	·37	·54		14
15	·03	·17	·03	·39	·04	·05			·16	·39	·10		15
16			·01	·09		·29	·37		·10	·11	·12		16
17	·11		·08	·16	·34	·45		·01	·36			·02	17
18	·10	·01		·12	·02	·03	·01	·43	·35			·01	18
19	·03	·05		·39	·06	·04						·01	19
20	·02	·16		·25	·09	·44	·01					·70	20
21				·01			·15		·02	·03		·15	21
22	·02			·16		·01	·09	·12	·01			·45	22
23	·02						·80	·02				·61	23
24	·04		·24	·04								·11	24
25	·01	·15	·07		·25		·42				·10		25
26	·34		·22				·03				·10	·15	26
27	·30	·04	·07	·42		·70	·02					·34	27
28	1·06	·02	·16		·31		·15					·04	28
29	·33	·01	·15		·06	·04	·03				·26	·35	29
30	·19	X	·02	·12	·05	·45	·32		·41	·01	·43	·26	30
31	·24	X	·25	X	·01	X			X	·68	X	·21	31
TOTAL	6·45	1·64	3·42	5·90	3·13	3·51	6·80	2·04	1·74	3·20	2·12	4·17	YEAR'S TOTAL 44·12
Days with ·01 in. or more	26	15	21	25	16	13	25	9	10	13	11	21	205
Days with ·04 in. or more	20	10	16	22	13	11	19	6	8	10	9	14	158

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

DOULTING
MANOR FARM
SOMERSET
1911-12

REGIST

Kept at Manor Farm D

in the County of Somerse

by A. A. Hodges

in.
Ground ft. in.
Sea Level ft.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2											.42		2
3											.12		3
4											.31		4
5											.21		5
6											.16		6
7											.35		7
8													8
9											.05		9
10											.02		10
11											.76		11
12											.29		12
13											.14		13
14													14
15											.40		15
16											.72		16
17											.08		17
18											.04		18
19											.02		19
20													20
21													21
22													22
23													23
24													24
25													25
26											.01		26
27											.05		27
28											.06		28
29													29
30											.07		30
31													31
Total											4.28		TOTAL for year
No. of Rain Days.											20		

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

REGISTER OF RAINFALL IN 19

E4 R1

Kept at Manor Farm Doulting

in the County of Somerset

by A. A. Hodges H. A. Bry

RAIN GAUGE
Pattern
Diameter of top ..... in.
Height of top above Ground ..... ft. ..... in.
" " " Sea Level ..... ft.

Time of Observation

Nearest Railway Station
Name
Distance ..... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2											.42		2
3											.12		3
4											.31		4
5											.21		5
6											.16		6
7											.35		7
8													8
9											.05		9
10											.02		10
11											.76		11
12											.29		12
13											.14		13
14													14
15											.40		15
16											.72		16
17											.08		17
18											.04		18
19											.02		19
20													20
21													21
22													22
23													23
24													24
25													25
26											.01		26
27											.05		27
28											.06		28
29													29
30											.07		30
31													31
Total											4.28		TOTAL for year
No. of Rain Days.											20		

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 MAR 1913

Kept at Doulting

in the County of Somerset

by A. A. Hodges Rev H. A. Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.10										1
2			.36										2
3	.04		.15										3
4	.38		.71										4
5	.62		.35										5
6	.95	.36											6
7	.07	.24	.11										7
8	.44	.29	.51										8
9	.04	.04	.58										9
10	.04	.13											10
11	.13	.08											11
12	.08	.60	.20										12
13		.02	.08										13
14	.23		.75										14
15	.09	.15	.01										15
16	.93	.03	.62										16
17	.90		.13										17
18	.12		.77										18
19	.05	.24	.09										19
20	.12	.04	.54										20
21	.02	.26	.37										21
22	.37	.34	.08										22
23	.33	.58	.52										23
24	.12	.04	08										24
25	03	.03											25
26		.02											26
27		.01											27
28		.15											28
29		.06											29
30													30
31			.62										31
Total	6.10	3.71	7.73										YEAR'S TOTAL
Rain Days.	22	21	22										

W. 7,500, XI. '12

81/ 324

FORM A2.
BRITISH RAINFALL
26 JAN 1912

REG

Kept at Exebridge

in the County of S. D Somers

by T. F. Tracy

5 in.

round 1 ft. in.

a Level 410 ft.

me

stance Direction

DULVERTON

EXE VALLEY FISHERIES

SOMERSET

1911 - 1920

IMPORTANT NOTE. … the result entered to the previous day. If an Obs… rsal rule, he is earnestly requested to add the readi… in the space provided for it at the end of this … nt of rain, the selection and placing … sh Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·06	·29	·04						·03		1
2			·04		·35			·30		·20	·29	·25	2
3			·05		·37				·02		·17	·04	3
4			·05					·06		·18	·32	·59	4
5	·30		·19		·02			·43		·03	·33	·05	5
6	·30		·19								·28	·52	6
7	·08										·76		7
8	·14		·17								·08	·96	8
9	·09										·57	·62	9
10	·10	·02	·52		·69							·40	10
11	·25										·50	·24	11
12			·93					·02	·07		·25	·40	12
13			·02						·41		·13	·48	13
14		·13			·01					·02		·95	14
15		·07	·04			·11					·42	·12	15
16		·03				·31					·12	·34	16
17		·09	·10	·05		·22				·15	·09	·56	17
18		·60	·10	·45		·37					·19	·49	18
19		·05		·16		·57			·33	·09	·19	·98	19
20	·03	·09	·06	·17		·05			·29	·35		·58	20
21		·26				·02		·14	·28	·48		·20	21
22	·08	·07		·12		·11			·18	·46		1·03	22
23	·03	·24				·06			·18	·40	·04	·15	23
24	·02	·66				·35		·11		·46		·19	24
25	·03	·17	·01	·15		·03			·10	·17		·31	25
26		·16		·42			·23	·05		·24	·07	·46	26
27		·40	·06	·07				·30	·16	·30		·23	27
28		·27		·48	·05	·02					·20		28
29				·41		·49	·20	·02	·29	·35			29
30						·05	·14			·27	·22	·06	30
31							·07			·22		·02	31
Total	1·47	3·31	2·59	2·77	1·53	2·76	·64	1·43	2·31 2·31	4·37	5·25	11·22 11·22	TOTAL for year 39·65
No. of Rain Days	13	16	16	11	7	14	4	9	11	17	21	27	166

9,000, IX. '10.

88/ 324

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REC

Kept at Exebridge

in the County of S ~~Devon~~ Somerset ~~A~~ 5

by T. F. Tracy

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 410 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·06	·29	·04						·03		1
2			·04		·35			·30		·20	·29	·25	2
3			·05		·37				·02		·17	·04	3
4			·05					·06		·18	·32	·59	4
5	·30		·19		·02			·43		·03	·33	·05	5
6	·30		·19								·28	·52	6
7	·08										·76		7
8	·14		·17								·08	·96	8
9	·09										·57	·62	9
10	·10	·02	·52	—	·69							·40	10
11	·25	—									·50	·24	11
12			·93					·02	·07		·25	·40	12
13			·02						·41		·13	·48	13
14		·13			·01					·02		·95	14
15		·07	·04			·11					·42	·12	15
16		·03				·31					·12	·34	16
17		·09	·10	·05		·22				·15	·09	·56	17
18		·60	·10	·45		·37					·19	·49	18
19		·05		·16		·57			·33	·09	·19	·98	19
20	·03	·09	·06	·17	—	·05			·29	·35		·58	20
21		·26				·02		·14	·28	·48		·20	21
22	·08	·07		·12		·11	—		·18	·46		1·03	22
23	·03	·24				·06			·18	·40	·04	·15	23
24	·02	·66				·35		·11		·46		·19	24
25	·03	·17	·01	·15		·03			·10	·17	—	·31	25
26		·16		·42			·23	·05		·24	·07	·46	26
27		·40	·06	·07				·30	·16	·30		·23	27
28		·27		·48	·05	·02		—			·20		28
29				·41		·49	·20	·02	·29	·35	—		29
30						·05	·14			·27	·22	·06	30
31							·07			·22		·02	31
Total	1·47	3·31	2·59	2·77	1·53	2·76	·64	1·43	2·31 2·~~3~~1	4·37	5·25	11·22 11·22	TOTAL for year 39·65
No. of Rain Days	13	16	16	11	7	14	4	9	11	17	21	27	166

9,000, IX. '10.

8L wrote for Jan 25 II 13

Conf for auth 25.11.13

317

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Exebridge

in the County of ~~Devon~~ Somerset 5

by J. F. Tracy

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·25		·04	·90	·11	·05	·11	1·00		·49	1
2			·26	·03		·14	·06	·04		·04			2
3	·03		·10		·02	·13	·11	·90	·15			·03	3
4	·34		1·56			·27		·08			·36		4
5	·68	·13	·35		·02		·02	·40	·02				5
6	·94	·16	·02		·30		·26	1·67			·04	·19	6
7	·06	·64	·10		·33	·67	·03	·45	·07		·03	·07	7
8	·60	·24	·40	·02		·14		·27	·15				8
9	·03	·17	·62	·18		·70	·02					·46	9
10	·31	·14	·07			·14		·05	·03		·22	·14	10
11	·03	·11					·02				·20	·51	11
12	·03	·34	·27		·03		·12					·21	12
13	·36							·07		·04		·33	13
14	·16		·64		·09	·07		·16				·07	14
15	·56	·05	·06		·21	·88						·62	15
16	·58		·25		·02	·04		·19		·17		·10	16
17	·20		·16		·03			·65				·16	17
18			·41					·76		·15		·15	18
19	·03	·20	·15			·03	·13	·66		·13	·07	·06	19
20	·16	·08	·51		·29	·07	·06	·64		·70	·07		20
21		·20	·49		·80		·02	·41		·33			21
22	·35	·20	·19		·04		·27	·53		·13		·10	22
23	·42	·49	·35			·06	·12	1·26		·07	·12		23
24		·05	·14			·35		·02				·30	24
25	·19					·37		·51		·10	·37	·50	25
26		·07						·05		·50	·46	·25	26
27			·02			·48	·56			1·48		·56	27
28			·02			·08	·07	·82	·36	·25	·41	·66	28
29		·25				·43	·32	·04	·65	·36		·12	29
30			·06		·03	·16	·48		·11	·40		·02	30
31			·59				·28	·03		·05		·29	31
Total	6·06	3·52	8·04	·23	2·25	6·15 6·11	3·06	10·71 10·71	1·65	5·90	2·35	6·39	TOTAL for year 56·27
No. of Rain Days.	20	17	26	3	14	20	19	25	9	17	11	24	205

W. 8,000, X. '11.

82 Written for Nov. 26·11·14

FORM A. BRITISH RAINFALL. 329

28 JAN 1914

REGISTER OF RAINFALL IN 1913

cnd for auth 26·III·14

Kept at Exebridge W D11

in the County of ~~S. Devonshire~~ Somerset 5

by T. F. Tracy

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·03	·27	·26						·08		·25	·47	1
2	·10	·21	·03	·17	·54				·03	·11	·20	·05	2
3	·32		·14	·06	·33				·05	·15	-	·34	3
4	1·21		·10		·10	·05			·23	·17	·07	·37	4
5	·08	·03			·18	·58	·10		·25	·06	·10	·41	5
6	·07	·11	·14		·12	·09	·12			·50	·05	·21	6
7	·03	·43			·86	·17	·14			·52	·24	·03	7
8	·04	·12	·03		·53	·04	·01			·06	-		8
9		·06	·15		·10	·20	·04	·21			·59		9
10	·70		·12	·03	·28	·04		·07		·42	·30	·08	10
11	·85		·05	·20	·46	·11			·04	·04	1·31	·07	11
12	·05				·08	·02			·02		·50		12
13	·08		·07				·03	·17	·16		·13		13
14	·35		·30	·04					·14	·06	·24	·06	14
15	·09	·03	·73	1·00				·15	·30		·36		15
16	·27		·71	·06		·01	·05		·28		·05		16
17	·10		·06	·16			·03		·02		·03		17
18	·35		·27	·16		·01					·15		18
19	·49		·14		·12	·15	·05		·32	·08	-		19
20	·66		·17	·21					·01	·05	·34		20
21			·19	·02	·08			·02			·30		21
22	1·44	-	1·00		·06	·20	·03	·07			-	·12	22
23	·02		·01		-			·06	·11		·08	·67	23
24	·08	·06		·16				·04			·09		24
25		·05		·14						·04	·08	·11	25
26				1·03				·06	·10		-	·40	26
27	·23		·33	·26				·16		·86	-	·07	27
28	·21			·45	·08					·64	-	·22	28
29	·07	-	·75	·46	·02			·02	-	·39	-		29
30	·64				·05					·65	·13		30
31	·36		·25		·19			·80			-		31
Total	8·92	1·37	6·00	4·61 4·61	4·18	1·67	·60	1·83	2·14	4·80	5·69	3·65	YEAR'S TOTAL 45·49
Rain Days.	27	10	23	17	18	13	10	12	16	17	22	16	201

W. 7,500, XI. ·12

82 ✓

340

FORM A.
BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at *Exebridge*
in the County of *Somersetshire* 5
by *T. F. Tracy*

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·07	·16		·23	·53	·37			·19	·15	1
2				·12			·85				·26	·83	2
3	·06		·51	·15	·58			·05				·17	3
4	·15		·34	·40	·23		·46	·13			·33	·94	4
5	·17		·34	·54	·07		·05	·04			·02	·13	5
6		·18	·16	·35	·09		·30	·07	·05		·12	·37	6
7	·03	·44	·25	·15	·25	·25	·35	·26	·06			·14	7
8	·23		1·21	·05	·38	·65		·10	·02			·02	8
9	·12	·01	·30	·12	·08	·64		·12	·66				9
10	·06	·28		·25	·10	·05			·58			·02	10
11		·24	·78		·07	·24					·20	·65	11
12		·60	·13						·40	·03	·11	·46	12
13		·36	·41						·65	·22	·52	·22	13
14		·15	·53			·32		·68		·25	·42	·02	14
15		·06	·32				·10	·89	·10	·06	·24	·08	15
16			·08				·10		·29			·02	16
17		·31	·43				·03					·86	17
18		·21	·21				·03		·12			·40	18
19		·13	·56				2·18		·08		·18	·18	19
20		·39	·22			·39						·26	20
21		·55						·03		·30		·05	21
22		·04	·02		·20	·59		·03		·96			22
23		·09	·18				·07			·24			23
24		·06	·05		·11			·06			·34		24
25	·23		·40				·15	·56		·48	·02	·25	25
26	·09		·18				·11	·11		·05	·28	·66	26
27	·02	·02								·21	·23	·54	27
28		·10	·18		·06					·32	·13	·96	28
29	·20		·19		·12					·35	·37	·08	29
30	·05		·09							·25	·44	1·00	30
31	·02				·03		·52			·85		·57	31
Total	1·43	4·22	8·14	2·29	2·37	3·36	5·83	3·50	3·01	4·57	4·40	10·03	YEAR'S TOTAL 53·15
Rain Days.	13	19	26	10	14	9	15 ~~16~~	15	11	14	18	27	191

W.7,000, XI. 13

8L

2202
~~333~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Exebridge Fishery

in the County of Somersetshire

by T. F. Tracy

5

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.43	.21			.05			.54	17	.52	.07	.10	1
2	.14	.38	.34	.09		.07		.55		.12		.85	2
3		.07	.15	.29	.17		.10					.60	3
4	.15	.17	.07		.07		.07					.38	4
5	.18	.66	.02	12				.41				.63	5
6	.81	.11		.32			.36	.05				.22	6
7	.38	.62		.16	19		.17	.05			.02	.44	7
8	.37	.41						.11			.12	.10	8
9	.02	.21		.19				.02			.46	1.02	9
10	.48	.39	.07	.05				.14		.30	.11	.05	10
11	.15	.30					.09	.04		.05	1.06	.05	11
12	.29	.63		.05	.63			.25		.10	.65		12
13	.04	.63			.74		.06	.06	.10		.26	.08	13
14	.12						.15	.36	.14	.17	.04	1.10	14
15	.28	.03			.38		.16		.09		.20	.07	15
16	.02	1.20			.13		1.40						16
17		.18			.10								17
18		.44											18
19	.02	.02		.04	.21		.21						19
20	.70			.06		.07				.30		.05	20
21	.33	.11					.05		.01	.27		.14	21
22	.08		.37	.13		.12	.28		.03	.12		.42	22
23	.01	.15	.11			.05	.37		.04	.92		.90	23
24							.40		.05	.33		.55	24
25						.76	.55					.22	25
26	.03	.16				.42	.11		.06			.68	26
27		.12				.30	.35			.61		.02	27
28		.04				.02			.58	.17	.02	.07	28
29						.24			.01		.16	.22	29
30	.25	✗				.02				.81	.37	.50	30
31	.04	✗		✗		✗	.14	.03	✗	.72	✗	.21	31
Total	5.32	7.24	1.13	1.50	2.67	2.07	5.02	2.61	1.28	5.51	3.54	9.67	YEAR'S TOTAL 47.56
Rain Days.	23	23	7	11	10	10	18	13	11	15	13	26	180

W. 8,000. X. 14.

Exe Dul

2137

FORM A.
BRITISH RAINFALL.

5. JAN

REGISTER OF RAINFALL IN 1916

Kept at Exe Valley Fishery. Exebridge.
in the County of Somerset
by T. F. Tracy.

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Dulverton G. W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level about 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		·05 Snow.		·97	·10	·29		·04	·34	·07		1
2	·47	·06	·06		·07				·04	·43	·21		2
3		·70			·31	·05	·27		·07	·48	·40	·05	3
4	·32	·11		·03	·25	·64	·61 (1.15 to 2.30 P.M.)		·03	·20	1·01		4
5	·22	·04	·11 Snow.		·22	·11				·06	·73		5
6	·11	·26	·03 Snow		·16	·19	·49			·13	·54		6
7	·05	·30	·53 Snow.		·23	Hail ·18	·08			·02	1·00	·15	7
8		·20	·12 Snow.		·32						·35	·10	8
9		·05			·15	·10	·09			·15	·10	·24	9
10	·04	·70		·10	·07	·02				·04	·02	·18	10
11		·01		·32	·04	·02			·04				11
12		·15	·09	·13	·21		·12	·04		·23			12
13	·09	·55	·06	·09	·20			·39	·01	·03			13
14	·04	·61		·01				·26	·02	·12			14
15	·01	·28	·11	·14				·52		·01			15
16	·09	·25		·30	·01		·05	·47		·21			16
17	·09	·41		·16					·72	·24	·70 Snow.		17
18	·05	·79	·31	·15					·35	·18			18
19	·15	·10	·19	·24							·20		19
20	·10	·52	·27								·20	·72	20
21	·15		·19		·05							·20 Snow.	21
22						·13				1·10	·02	·68	22
23	·03	·25 Snow		·09		·07		·35		·08	·19	·43	23
24		·13 Snow.		·08	·57	·06		·08		·63	·03	·25	24
25		·73 Snow.	·24		·05			·42			·48	·02	25
26	·03	·28 Snow			·01	·24		·21	1·32	1·04	·03		26
27	·08		1·59 Snow.		·02	·15		·13	·32	1·05			27
28		·12 Snow			·02			·06	·12	·67		·62	28
29		·38 Snow.	·24 Snow			·50		1·86	·10	·53		·45	29
30		X			·02			·09		·36		·06	30
31		X		X		X		·05	X	·21	X	·25	31
Total	2·30	7·98	4·19	1·84	3·95	2·56	2·00	4·93	3·18	8·48	6·28	4·40	YEAR'S TOTAL 52·09
Rain Days.	19	25	16	13	20	15	8	14	13	25	18	15	2·02

W. 8,000, VIII. 16

✓ 2042

FORM A.

BRITISH RAINFALL.

7 JAN 1910

REGISTER OF RAINFALL IN 1917

Kept at Exebridge Fishery

in the County of Somerset.

by J. J. Tracey.

Lat. Long.

Time of Observation 9. AM

Nearest Railway Station Dulverton G.W.Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·07	·35 snow		·35		·62	·10		·08	·01	1
2	·11			·24 snow		·14					·04		2
3	·10	·24 snow		·09 snow			·40	·01		·89	·85		3
4			·45				·01		·02	·56		·02	4
5	·27		·42	·34		·21			·08	·32	·19		5
6			·14			·02		·01		·06	·33	·01	6
7	·45						·03	·22		·61	·09	·09	7
8	·09		·16 snow	·18		·20	·62	·56	·02	·98	·25	·15	8
9			·05	·07 snow.	·02		·01	·11		·59	·22		9
10	·19		·39	·26 snow		·06		·17		·04	·04		10
11			·65	·54 snow				·43	·06	·31	·13		11
12	·13.		·01		·53			·06		1·17			12
13	·03		·25	·07		·07		·67	·38	·29		·01	13
14			·02	·06				·16	·01	·01		·02	14
15							·01	·02	·02	·20		·19 snow	15
16		·06		·12			·03			·20		·55 snow	16
17		·03		·21			·44	·07	·44	·15			17
18		·04			·02	·02	·38	·04	·65				18
19		·45	·08			·32			·01		·13		19
20		·08			·38	·06		·04			·06	·01	20
21			·10 snow			·07			·01	·04	·03		21
22								·53		·12			22
23		·28			·11			·68		·12	·05		23
24						·08	·16	·22		·44	·19	·01	24
25		·13	·05					·05	·02	·18	·15		25
26					·44	·21		1·00	·20	·07	·19		26
27					·27	·13		1·34	·02	·15.	·02		27
28		·12	·17		·07	3·98		·55			·02	·02 snow	28
29			·29 snow.			·35.	·01	·05		·34	·04	·18	29
30		✗	·06 snow				·32	·16		·19			30
31		✗	·05 snow	✗	·12	✗		·08	✗	·23	✗	·02 snow	31
Total	1·44	1·43	3·41	2·53.	1·96	6·27	2·42	7·85	2·04	8·26	3·10	1·29	YEAR'S TOTAL 42·00
Rain Days.	9	10	18	12	9	16	12	25	15	25	20	14	185 ✓

✓

W. 8,000, IX. 17.

126

FORM A.
BRITISH RAINFALL
8.3.19

REGISTER OF RAINFALL IN 1918.

Kept at Exebridge Fishery.

in the County of Somerset.

by T. F. Tracy.

Lat. .... Long. ....

Time of Observation 9. Am.

Nearest Railway Station Dulverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level about 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. 1·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·17		·14	·06			1·11	·02	·03	1·24	·07	1
2		·08						·21	·01	·01		·26	2
3		·16		·18	·06				·09	·07	·07	·06	3
4		·05						·06	·05	·05	·98	·28	4
5			·10	·10				·61	·55	·25	·01	·08	5
6	·19	·42		·38					·01	·25		·10	6
7		·15		·02	·18			·03	·70	·20	·41	·09	7
8	} ·25 Snow	·06					·04		·31	·31	·03	·01	8
9		·23		·07		·32	·16		·56	·16	·01	·40	9
10	·15			·22		·03	·65		·40	·10		·62	10
11	·10	·10	·16	·01			·28		·27	·10	·07	·43	11
12		·19	·06		·32		·17		·21			·15	12
13	·42 Snow				·02	·03	·04		·55	·16		·43	13
14	·55				·03	·06	·20		·34	·05		10	14
15	1·95			·03	·02	·10	·46		·02	·06		·54	15
16	·24 Snow	·04		1·00 Snow			·03	·08	·40			·19	16
17	·54		·01	·16			·17	·07	·04			·31	17
18	1·04		·12			·87	·25		1·02	·21		·36	18
19	·11	·04	·14	·02			·08	·05	·10	·01			19
20	·12	·24		·04		·09	·08		·29	·03		·35	20
21	·10	·05				·04	·07		·87			·35	21
22		·02			·21		·81		·18			·83	22
23	·12				·18		·27		·15		·04	·26	23
24		·16					·11	·12	·20		·33	·07	24
25					·11		·33	·56	·01	·03	·16	·03	25
26		·06					·85	·04	·14	·06	·35	·47	26
27			·07					·20	·48	·01	·39	·35	27
28		·15 Snow	·19			·02			·02	·01	·23	·62	28
29			·10						1·24		·09	·17	29
30		X	·42					·08	·04	·02	·12	·25	30
31		X	·36	X		X		·30	X	·04	X		31
Total	5·88	2·37	1·73	2·37	1·19	1·56	5·05	3·52	9·27	2·22	4·53	8·23	YEAR'S TOTAL 47·92
Rain Days.	15	18	11	13	10	9	19	14	30	23	16	29	207

W, 6,500, VII. 18. W W C

copied from C.

1916

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Exbridge Fishery
in the County of Somerset
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·00		·10	·16	·28		·22		·05	·45		1·00	1
2	·26		·09		·07		·02		·36		·03	·17	2
3	·11		·32		·10	·05			·05		·15	·73	3
4	·34	·61	·61				·19	·04	·53			·04	4
5	·04	·41	·82				·14					·56	5
6	·87	·21	·23									·49	6
7	·36		·22	·13		·05						·14	7
8	·35		·21	·02									8
9	·28		·05	·18	·20						·22		9
10			·48	·03	·01					·06	·08	·17	10
11	·10		·34	·17	·19		·09					·23	11
12	·37			·03		·33				·19	·09	·10	12
13	·05	·01	·14	·55						·07	·05		13
14	·54	·12		·97	·51		·02		·05	·09		·32	14
15	·40	·07		·24						·15		·47	15
16	·35	·81						·03			·33		16
17		·89				·04		·07			·99		17
18	·12	·11	·64				·02	·22	·04		·52	·06	18
19	·37	·46	·40			·05	·68	·35	·66		·37	·04	19
20	·50	·14	·32			·13		·12	·08		·06	·22	20
21	·02	·95	·01				·53	·05	·05		·17	·21	21
22		·08				·02	·07		·19		·19	·39	22
23			·01							(·85)	·17	·18	23
24						·20			·03	1·13	·16	·84	24
25	·13	·02		·02		·02		·75		·01	·06	·13	25
26	·15		·18	·20				·05	·19	·04		·48	26
27	·32		·12	·32				·96				·10	27
28			·46					·10			·28	·74	28
29			·04	·15				·15		·03		·20	29
30		×	·04	·09		·07		·28	·04	·02	·57	·72	30
31	·06	×	·03	×		×	·01		×		×	·42	31
TOTAL	7·09	4·89	5·86	3·26	1·36	·96	1·99	3·17	2·32	3·09	4·49	9·15	YEAR'S TOTAL 47·63 ✓
Days with ·01 in. or more	23	14	24	15	7	10	11	13	13	12	18	26	186

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1829

Exe Bh

MAY 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Exe Valley Fishery Exbridge

in the County of W. Somerset

by Theo. F. Tracy.

Lat. Long.

Time of Observation 9. AM

Nearest Railway Station Dulverton G. W. Rly ·/4 mile.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level abt 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·48

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·05	·19		·35	·26	·15	·31	·14	·92	1
2	·35		·01	·18			1·05	·28	·11	·10		·13	2
3	·16	·01		·06	·03		·08		·03	1·00		·35	3
4			·04	·01			·09	·71		·17			4
5			·19	·02	·25		·45	·05		·28			5
6			·20	·06	·24		·06	·15		·31			6
7	·04			·26			·74				·04		7
8	·12	·06		·45	·08		·49	·01				·13	8
9	1·29	·51	·05	·11		·22	·24	·02					9
10	1·47	·55	·24	·29		·33	·38				·05		10
11	·43	·01	·16	·57	·29	·09	·22						11
12	·38	·11	·04	·79	·04	·05	·06				·14		12
13	·40	·11	·55	·09						·03	·01		13
14	·20	·06	·67	·85			·04		·13	·27	·65	·06	14
15	·02	·16	·07	·41	·07	·09	·12		·12	·70	·07		15
16			·14	·02		·42		·02	·26	·27			16
17	·15		·06	·52	·46	·16	02		·59				17
18	·12	·01	·02	·02	·06	·09		·36	·18				18
19	·10	·12		·38		·24	·01					·01	19
20	·06	·03		·54	·10	·10						·30	20
21				·04		·10	·24		·11	·09		·22	21
22	·05			·06		·03	·05	·04				·65	22
23			·02				·53					·61	23
24	·09		·25	·02							·13	·18	24
25	·04	·10	·20	·01		·01	·71					·01	25
26	·30		·28		·03	·03	·05		·01		·33	·15	26
27	·29	·07	·14	·14	·31	·59	·05				·84	·37	27
28	·65	·01	·10	·17		·08	·12				·05	·05	28
29	·28	·01	·50	·05	·10	·03	·10				·22	·24	29
30	·27	✕		·08	·06	·42	·13		·65	·05	·35	·45	30
31	·15	✕	·33	✕		✕	·03	·01	✕	·90	✕	·17	31
Total	7·46	1·93	4·26	6·25	2·31	3·08	6·41	1·91	2·34	4·48	3·02	5·00	Year's Total 48·45
Days with ·01 in. or more	25 1	16 6	22 3	20 6	15 2	18 4	26 3	11 4	11 2	13 1	13 1	18 2	216 35
Days with ·04 in. or more	24	10	19	22	13	14	23	7	9	12	12	16	184

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DUNKERTON
RECTORY
SOMERSET
1912 - 1918

REGIST 2

FORM A.
BRITISH RAINFALL.
1 FEB 1913

Kept at Dunkerton ndW of Bath.
9. a.m.
in the County of Somer on Dunkerton G.W.R.
ge 5 in.
by Rev F. C. Ne above Ground 1 ft. — in.
„ Sea Level about 300 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Obser universal rule, he is earnestly requested to add the reading year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			11						2	67	1	24	1
2			20			8	25					46	2
3			4			14	8	42	7		3		3
4	36	25	68		15			13			20		4
5		3	25		4	62	15	63				20	5
6	96	20	16		11	6		91				7	6
7	8	25	50		4	45		5				13	7
8	30	10	40	13		18		22	2			5	8
9	13	-	15			19		2				27	9
10	13	-				14		5				16	10
11	5	-		5		4						39	11
12	3	48	7.								4	17	12
13	Nil							2			3	16	13
14	-	4	43	3	35			23			3	7	14
15	160	5	1		15		10	4		3		67	15
16	40		22		1	3		15		7		8	16
17	32		15			4		50	5			18	17
18	3		94				4	11		5	1	14	18
19	7		10		1	2	12	27		25			19
20	3	4	26		8	3	7	26		56			20
21	5		25		66		9	3		30			21
22	39	24	5				11	18		3	5		22
23	34	41	30				21	57		11		60	23
24	-	1	6			3	3	19		26		20	24
25	-	10				25	2	62		10		55	25
26	-	4					27	31		35	20	20	26
27	-					28	104	52		95	85	47	27
28	10.			4		5		3		48		73	28
29		10				4	24		50	20		4	29
30						10		2	15	46		~~5~~	30
31					2.		46	2				15	31
													YEAR'S TOTAL
Total	5.37	2.34	5.33	0.25	1.62	2.77	3.26	6.50	0.81	4.87	1.45	6.38	40.95
Rain Days.	18	15	21	4	11	19	15	26	6	16	10	24	185

W. 7,500, XI. 12

REGIST[illegible]2

FORM A.
BRITISH RAINFALL.
1 FEB 1913

Kept at Dunkerton Rectory
in the County of Somerset.
by Rev F. C. NEWBERY

Lat. 5 miles Long. S.W. of Bath.
Time of Observation 9. a.m.
Nearest Railway Station Dunkerton G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			11						2	67	1	24	1
2			20			8	25					46	2
3			4			14	8	42	7		3		3
4	36	25	68		15			13			20		4
5		3	25		4	62	15	63				20	5
6	96	20	16		11	6		91				7	6
7	8	25	50		4	45		5				13	7
8	30	10	40	13		18		22	2			5	8
9	13	-	15			19		2				27	9
10	13	-				14		5				16	10
11	5	-		5		4						39	11
12	3	48	7.								4	17	12
13	[illegible]							2			3	16	13
14	-	4	43	3	35			23			3	7	14
15	160	5	1		15		10	4		3		67	15
16	40		22		1	3		15		7		8	16
17	32		15			4		50	5			18	17
18	3		94				4	11		5	1	14	18
19	7		10		1	2	12	27		25			19
20	3	4	26		8	3	7	26		56			20
21	5		25		66		9	3		30			21
22	39	24	5				11	18		3	5		22
23	34	41	30				21	57		11		60	23
24	-	1	6			3	3	19		26		20	24
25	-	10				25	[illegible]	62		10		55	25
26	-	4					27	31		35	20	20	26
27	-					28	104	52		95	85	47	27
28	10.			4		5		3		48		73	28
29		10				4	24		50	20		4	29
30						10		2	15	46		~~5~~	30
31					2.		46	2				15	31
Total	5.37	2.34	5.33	0.25	1.62	2.77	326	6.50	0.81	4.87	1.45	6.38	YEAR'S TOTAL 40.95
Rain Days.	18	15	21	4	11	19	15	26	6	16	10	24	185

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

27 MAR. 1914

REGISTER OF RAINFALL IN 1913.

Kept at Dunkerton Rectory Bath

in the County of Somerset.

by Rev F. C. Newbery.

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Dunkerton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·4	20	-	15	9	-	-	-	40.	-	20	16	1
2	·7	9	20	.	4	-	10	-	-	7	19	2	2
3	·6	1	15	-	64	-	-	-	-	21	3.	44	3
4	·91.	-	7	-	53.	-	-	-	99	13	4	16	4
5	·1	4	2	-	11	30	25	-	32	-	3	10	5
6	·3	5	20	-	12	13	2	-	-	62	6	48	6
7	·2	41	-	-	41.	10	8	1	-	56	17	2	7
8	·8	6	-	-	11	13.	-	-	-	6	-	3	8
9	·3.	14	-	2	5	11	2	23	9	-	11	4	9
10	·17	-	8	-	-	-	-	-	-	31	10	2-	10
11	·77	-	11	12	31	3.	-	-	-	6	52	2	11
12	·8.	-	-	-	13.	-	-	-	-	-	13	3.	12
13	·3.	-	-	-	-	-	2	-	15	-	18	-	13
14	7	-	28	-	4	-	2	3	-	11	14	-	14
15	30	-	45	59	-	-	-	-	4	-	24	4	15
16	15	-	70	16	-	-	2	-	2	-	-	-	16
17	5	-	-	6	-	2	6	-	2	-	5	-	17
18	7	-	7	18	-	3	2	-	-	-	9	-	18
19	61	-	17	-	4	2	2	-	34	-	-	-	19
20	10	-	8	8	-	-	-	-	-	11.	3	-	20
21	nil	-	25	23	12	-	10	-	-	-	52	-	21
22	71.	-	50	16	2	9	-	3	21	2	-	-	22
23	·0.	-	1	-	-	-	-	10	-	-	6	30	23
24	·0	-	-	2	-	-	-	-	-	-	-	-	24
25	0	-	-	14	-	-	-	-	-	-	3	9.	25
26	0	-	23	36	-	-	-	21	-	-	-	31	26
27	7.	5	4	47	-	-	-	-	-	10.	-	2	27
28	19	-	15	29	-	-	-	-	-	11	-	-	28
29	3		5	50	-	-	-	18	-	36	-	-	29
30	55		15	3	-	-	-	-	-	39	15	-	30
31	13.				-	-	-	41.		-		-	31
Total	5·33	1·05	3·96	3·50	2·76	0·96	0·73	1·19	2·58	3·22	3·07	2·26	YEAR'S TOTAL 30·61
Rain Days.	~~27~~ 26	9	21	17	15	10	12	7	10	15	21	16	~~180~~ 179

W. 7,500, XII 12

written 13·III·15

Cd. for Day of entry 11·III·15

Exd J.S.S.

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

18 JAN 1915

Kept at Dunkerton Rectory

in the County of Somerset

by Rev F. C. Newbery

Lat. 2¼ Long. 51⅓

Time of Observation 9. a m

Nearest Railway Station Dunkerton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level abt 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	(-)	-	-	.05 6	-	-	.95 60	.30 24	-	-	.17 48	.04 46	1
2	-	-	5	21	29	-	-	28	-	-	12	18	2
3	10	-	16	32·32	15	-	21	27	-	-	59	70	3
4	9	-	21	50	3	-	30	3	-	-	8	24	4
5	-	9	7	35	7	3	13	11	-	-	3	27	5
6	-	49	11	38	39	13	28	5	-	-	-	12	6
7	8	5	50	7	5	40	14	4	5	-	-	-	7
8	18	-	70	18	3	50	-	5	18	-	-	-	8
9	3	13	-	9	7	-	-	2	38	-	3	-	9
10	-	17	35	-	11	31	15	-	-	-	6	51	10
11	-	20	12	-	-	-	8	-	27	3	16	31	11
12	-	24	41	-	-	-	-	-	24	19	5	52	12
13	-	42	34	-	-	2	-	20	3	28	21	-	13
14	-	3	24	-	-	-	-	40	3	5	20	-	14
15	-	-	-	-	-	-	16	10	31	-	-	3	15
16	-	50	19	-	-	-	-	-	3	-	-	89	16
17	-	2	-	-	-	-	31	-	3	-	-	33	17
18	-	15	18	-	-	-	62	-	-	-	5	13	18
19	-	41	24	-	-	-	-	-	-	-	-	19	19
20	-	49	-	-	-	4	-	-	-	12	3	-	20
21	-	-	-	-	11	32	-	4	-	20	-	-	21
22	-	8	30 20	-	10	-	-	-	-	18	-	-	22
23	-	-	3	-	5	-	14	-	-	23	11	-	23
24	4	-	12	-	-	-	4	30	-	38	2	25	24
25	-	-	-	-	-	-	9	11	-	8	50	55	25
26	4	-	-	-	-	-	-	-	-	6	9	13	26
27	-	6	12	-	4	-	-	-	-	7	36	98	27
28	21	-	11	-	6	-	6	-	-	18	37	-	28
29	-		3	-	-	-	-	-	-	29	50	76	29
30	-	X	-	-	2	5	19	-	-	32	4	12	30
31	-	X	5	X	-	X	30	-	X	17	X	~~43~~	31
Total	0·77	3·53	~~4·63~~ 4·58	~~2·16~~ 2·21	1·57	~~1·80~~ 1·75	~~3·80~~ 3·55	~~2·24~~ 2·54	1·55	~~2·83~~ 2·66	~~4·08~~ 4·21	~~8·10~~ 7·71	YEAR'S TOTAL ~~37·06~~ 36·63
Rain Days.	8	16	~~22~~ 21	~~9~~ 10	15	~~9~~ 8	17	~~15~~ 16	10	~~16~~ 15	21	21	~~179~~ 178

W. 8,000. X. 14.

59 61 6

2084

FORM A.
BRITISH RAINFALL.

6 JUN 1916

REGISTER OF RAINFALL IN 1915

Kept at Dunkerton Rectory
in the County of Somerset.
by Rev F. C. Newbery

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Dunkerton GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level abt 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	43	10	-	-	8	-	-	6	21	32	2	17	1
2	39	28	13	14	-	-	-	86	23	6	-	36	2
3	60	9	8	10	17	-	4	6	-	-	-	27	3
4	3	2	-	-	2	-	-	-	-	-	-	42	4
5	13	75	-	-	-	-	-	15	-	-	-	29	5
6	35	5	-	38	-	-	41	4	-	-	-	13	6
7	42	47	-	6	68	-	28	3	-	-	-	23	7
8	38	33	-	5	-	-	3	10	-	-	8	-	8
9	-	8	-	10	-	-	-	2	-	-	42	92	9
10	13	-	9	3	-	-	-	13	-	-	-	5	10
11	3	-	7	2	2	-	-	10	-	-	99	6	11
12	18	33	-	15	52	-	-	40	-	2	22	-	12
13	2	60	-	-	86	-	-	2	14	-	-	-	13
14	8	3	-	-	-	-	12	52	6	4	-	97	14
15	45	2	-	2	18	-	9	11	4	9	28	13	15
16	-	109	-	-	43	-	92	2	-	-	-	11	16
17	-	87	-	-	45	-	-	18	-	-	-	2	17
18	3	25	-	-	2	-	-	-	-	-	5	-	18
19	-	2	-	-	7	-	40	-	-	-	-	~~22~~	19
20	26	-	-	13	2	-	-	-	-	3	-	12	20
21	-	19	-	-	-	-	3	-	-	7	-	26	21
22	15	49	49	8	-	-	61	-	2	-	-	12	22
23	-	51	11	-	-	-	35	-	13	89	-	35	23
24	-	-	2	9	-	-	64	-	43	93	-	23	24
25	-	-	-	2	-	36	12	-	-	-	-	14	25
26	2	17	-	-	-	15	17	-	2	~~25~~	-	48	26
27	-	4	-	-	-	19	7	-	-	25	-	-	27
28	-	13	3	-	-	3	-	-	78	4	-	-	28
29	-	-	-	-	-	20	-	3	-	-	11	3	29
30	23	X	-	-	-	32	-	-	-	48	29	35	30
31	-	X	-	X	-	X	6	35	X	105	X	19	31
Total	4·31	6·91	1·02	1·37	3·52	1·25	4·34	3·18	2·06	4·27	2·46	6·40	YEAR'S TOTAL 41·09
Rain Days.	19	23	8	14	13	6	16	18	10	13	9	24	173

W. 8,000. X. 15.

~~W.~~ CFE cond for aults

2028

FORM A.
BRITISH RAINFALL.

15. MAR 1917.

REGISTER OF RAINFALL IN 1916

Kept at Dunkerton Rectory.

in the County of Somerset.

by the Rev F. C. NEWBERY

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Dunkerton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ~~300~~ 300 about ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	9	-	-	-	18	10	25	-	6	34	36	-	1
2	69	7	3	-	5	-	3	-	-	89	12	-	2
3	-	85	-	-	14	-	-	-	12	45	18	-	3
4	19	6	-	2	5	73	-	-	43	12	81	-	4
5	2	3	4	-	29	20	-	-	-	3	29	-	5
6	11	21	3	-	18	25	32	-	-	13	97	-	6
7	2	12	15	-	3	-	-	-	-	16	43	20	7
8	-	11	6	-	22	5	-	-	-	-	3	23	8
9	-	-	-	-	13	23	3	-	-	7	3	3	9
10	-	39	4	13	2	3	-	-	-	8	2	4	10
11	2	3	4	14	-	17	-	-	2	-	-	-	11
12	8	7	3	5	20	-	9	-	-	12	-	-	12
13	-	42	12	-	-	-	-	17	-	-	-	-	13
14	-	49	6	6	21	-	-	28	-	10	-	-	14
15	2	35	5	7	3	-	-	23	-	3	-	-	15
16	6	7	-	22	2	-	14	59	-	4	-	-	16
17	5	16	-	3	-	-	-	8	61	46	7	-	17
18	2	3	12	6	-	-	-	-	4	12	23	10	18
19	21	-	40	28	-	-	-	-	-	-	24	-	19
20	23	5	48	2	-	-	-	-	-	-	10	82	20
21	14	3	55	-	14	-	-	-	-	-	-	50	21
22	2	-	-	3	4	5	-	-	-	32	3	61	22
23	3	20	-	8	-	3	-	35	-	26	22	15	23
24	-	3	-	2	52	2	-	4	-	62	2	25	24
25	-	9	11	-	3	2	-	42	-	-	28	12	25
26	3	8	15	-	-	30	-	99	27	59	-	-	26
27	8	5	98	-	16	-	24	32	48	45	-	-	27
28	-	6	21	-	-	35	-	5	4	85	-	57	28
29	-	64	11	-	-	30	-	185	3	80	-	76	29
30	-	X	-	-	-	-	-	2	-	61	-	-	30
31	-	X	-	X	-	X	-	4	X	28	X	4	31
Total	2·11 ✓	4·69 ✓ 4·69	3·76 ✓	1·21 ✓	2·64 ✓	2·83 ✓	1·10 ✓	5·43 ✓	2·10 ✓	7·92 ✓	4·43 ✓	4·42 ✓	YEAR'S TOTAL 42·64 42·64
Rain Days.	19	25	20 ✓	14 ✓	19 ✓	15 ✓	7 ✓	14 ✓	10 ✓	24	18 ✓	14 ✓	199

W. 8,000, VIII. 16

1937

FORM A.
BRITISH RAINFALL.
11 JUL 1918

REGISTER OF RAINFALL IN 1917

Kept at Dunkerton Rectory
in the County of Somerset
by the Rev F. C. Newbery

Lat. 4 miles S. of Bath ~~Long.~~
Time of Observation 9 a.m.
Nearest Railway Station Bath. G.W.R. M
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			-			13	-	88	40	-	5	-	1
2						24	-	11	2	-	6	-	2
3						-	50	4	-	78	3	-	3
4						-	12	16	2	23	-	-	4
5						20	-	-	59	39	15	-	5
6						-	-	-	-	18	22	-	6
7						-	19	23	-	19	1	1	7
8						-	41	55	3	42	9	9	8
9						-	2	40	10	12	15	-	9
10			-			-	-	25	17	3	-	1	10
11						-	-	67	4	18	1		11
12						-	-	33	-	57	2		12
13						4	-	37	18	8	-		13
14						-	2	69	5	-	-		14
15						-	100	13	-	11	-	4	15
16						-	43	-	1	32	-	21	16
17						7	47	14	57	7	2	28	17
18						2	35	2	56	-	-	~~27~~	18
19						5	-	1	8	-	1	-	19
20						15	-	13	2	-	1	-	20
21						4	-	-	-	2	-	-	21
22						2	-	9	-	6	-	-	22
23						-	-	39	-	2	1	-	23
24						38	10	16	-	16	-	-	24
25						-	-	4	2	59	2	-	25
26						-	-	57	18	37	3	-	26
27						5	-	142	-	2	-	-	27
28						265	-	69	1	-	3	-	28
29						21	8	16	-	45	1	21	29
30		X				-	24	17	-	32	-	-	30
31		X		X		X	-	12	X	5	X	-	31
Total						4·25	3·93	8·92	3·05	5·73	0·83	0·85	YEAR'S TOTAL 27·56
Rain Days.						14	13	27	18	24	18	7	127

Record unfortunately destroyed as notified in a previous letter but the half year readings are forwarded with much regret at the untoward loss.
F. C. Newbery

W. 8,000, IX. 17.

~~escape~~ adjusted by [illegible]

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

8. 1.

Kept at Dunkerton Rectory. Bath
in the County of Somerset.
by Rev F. C. Newbery

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Dunkerton (closed for traffic) : Bath G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 300 (c) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								.33	.				
1	-		-	5	3	-	-	55	10	-	49	20	1
2	-	2	-	10	-	-	-	30	-	-	3	30	2
3	-	1	-	15	20	-	-	10	5	-	1	1	3
4	-	6	-	6	-	-	-	15	.	10	78	17	4
5	-	-	-	9	-	-	-	-	25	-	10	7	5
6	11	35	-	20	47	-	-	-	.	25	20	10	6
7	.	23	-	9	76	-	-	-	50	20	-	8	7
8	-	8	-	-	-	-	-	-	36	30	-	35	8
9	3 Snow	27	-	40	-	39	50 Thunder	-	-	20	.	20	9
10	-	10	-	10	-	-	46	-	[illegible]	4	-	55	10
11	5	12	-	7	-	-	17	-	5	-	3	25	11
12	-	1	10	.	28	.	75	-	40	-	.	12	12
13	20 Snow	-	-	-	10	7	15	-	10	-	-	8	13
14	40 Rain	-	3	-	-	21	36	-	15	-	-	10	14
15	10 Snow Rain	-	-	100	-	1	32	-	17	-	-	10	15
16	59 S/R	-	7	20	-	-	-	-	9	-	-	50	16
17	157 S/R Floods	-	-	7	-	55	-	-	25	-	-	-	17
18	70 R	-	-	.	-	-	15	-	65	-	-	5	18
19	8	-	11	3	-	-	3	-	7	-	-	28	19
20	2	9	-	13	-	-	2	-	102	1	.	5	20
21	4	5	-	-	-	-	8	-	30	-	-	8	21
22		Gale	-	-	20 Thunder	-	80	-	-	8	-	35	22
23	2	-	-	-	10 "	-	30	-	-	-	1	2	23
24	7	13	-	-	-	-	30	-	-	1	2	10	24
25	-	-	-	-	-	-	39	-	15	5	10	3	25
26	.	-	-	-	-	-	-	25	25	.	2	10	26
27	-		6	-	-	-	-	-	.	-	8	12	27
28	-	15 S/R	15	-	-	-	-	-	119	1	3	15	28
29	-	-	5	-	-	-	-	3	2	3	5	15	29
30	-	×	-	-	-	-	-	3	4	.	10	10	30
31	-	×	37	×	-	×	33	.	×	10	×	6	31
Total	3·98	1·67	0·94	2·74	2·14	1·23	~~5·11~~ 4·78	~~1·41~~ 1·74	6·16	1·38	2·05	4·82	YEAR'S TOTAL 33·63
Rain Days.	14	14	8	15	8	5	~~16~~ 15	~~7~~ 8	21	13	15	30	166

W. 8,000, IX. 17.

2098

DUNSTER COUNCIL SCHOOL

1916 - 20

REC

FORM A.
BRITISH RAINFALL.

6 JAN 1917

Kept at The Hall, 27 W

nster

in the County of Somerse

by F. E. Proth

Gauge 5 in.

Ground 1 ft. 4·08 in.

Sea Level 120 ft.

IMPORTANT NO the result entered to the previous day. If an O ot to conform to this almost ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	0	—	—	·16	·07	·17	—	·02	·37	·05	—	1
2	·45	·01	—	—	·04	—	—	—	·03	·47	·11	—	2
3	—	·80	—	—	·21	·02	·06	—	·06	·35	·19	—	3
4	·37	·10	—	·01	·43	·20	—	—	·13	·13	·74	—	4
5	—	·03	·15	—	·11	·50	—	—	—	·02	·40	—	5
6	·03	·29	—	—	·09	·24	·47	—	—	·13	·57	·01	6
7	·12	·14	·03	—	·43	—	·07	—	—	—	·58	·26	7
8	—	·31	·03	—	·19	(·15)	—	—	—	—	·40	·08	8
9	—	·10	—	—	·21	·01	—	—	—	·03	·05	·11	9
10	—	·45	·02	·08	—	—	—	—	—	·04	—	·05	10
11	—	—	—	·18	·02	—	—	—	—	—	—	—	11
12	·01	·05	·08	—	·14	—	·05	—	—	—	—	—	12
13	—	·45	·20	·01	—	—	—	·10	—	—	·01	—	13
14	—	·68	·04	—	·02	—	—	·29	—	·13	—	—	14
15	—	·35	·12	·23	—	—	—	·32	—	·04	—	—	15
16	·01	·14	—	·13	—	—	—	·90	·01	·09	—	—	16
17	·04	·29	—	·07	—	—	—	—	·36	·16	·39	—	17
18	—	·50	·29	·15	—	—	—	—	·16	·04	·01	·13	18
19	·17	·02	·23	·17	—	—	—	—	—	—	·24	—	19
20	·22	·40	·30	—	—	—	—	—	—	—	·20	·53	20
21	·15	·15	·31	—	·04	—	·01	—	—	—	—	·15	21
22	·01	—	—	—	—	·05	—	—	—	·57	—	·65	22
23	·01	·07	—	·01	—	·06	—	·19	—	·04	·24	·26	23
24	—	·19	—	·02	·38	·01	—	·02	—	·63	—	·20	24
25	—	·22	·27	—	—	·01	—	·48	·02	—	·12	·01	25
26	—	·07	·21	—	—	·13	—	·05	·62	·75	—	—	26
27	·02	·01	snow 1·42	—	—	·04	—	·02	·35	·86	—	·01	27
28	—	·46 snow	·03	—	—	—	—	·05	·08	·44	—	·26	28
29	—	·49	—	—	—	·22	—	3·66	·29	·34	—	—	29
30	—	✕	—	—	—	—	—	—	—	·31	—	·10	30
31	—	✕	—	✕		✕		·01	✕	·23	✕	·4	31
Total	1·68	6·77	3·73	1·06	2·47	1·71 ✓	·83	6·09	2·13	6·17	4·24	2·82 2·82	YEAR'S TOTAL 38·70
Rain Days.	14	26	16	11	14	14 ✓	6	12	12	22	16	16	179 ✓

W. 8,000. X. 15.

REC

Lat. Long. 27 W

FORM A.
BRITISH RAINFALL.
6 JAN 1917

Kept at The Hall, Dunster
in the County of Somerset
by F. E. Prothero

Time of Observation 9 am
Nearest Railway Station Dunster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4·08 in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	0	—	—	·16	·07	·17	—	·02	·37	·05	—	1
2	·45	·01	—	—	·04	—	—	—	·03	·47	·11	—	2
3	—	·80	—	—	·21	·02	·06	—	·06	·35	·19	—	3
4	·37	·10	—	·01	·43	·20	—	—	·13	·13	·74	—	4
5	—	·03	·15	—	·11	·50	—	—	—	·02	·40	—	5
6	·03	·29	—	—	·09	·24	·47	—	—	·43	·51	·01	6
7	·12	·14	·03	—	·43	—	·07	—	—	—	·58	·26	7
8	—	·31	·03	—	·19	(·15)	—	—	—	—	·40	·08	8
9	—	·10	—	—	·21	·01	—	—	—	·03	·05	·11	9
10	—	·45	·02	·08	—	—	—	—	—	·04	—	·05	10
11	—	—	—	·18	·02	—	—	—	—	—	—	—	11
12	·01	·05	·08	—	·14	—	·05	—	—	—	—	—	12
13	—	·45	·20	·01	—	—	—	·10	—	—	·01	—	13
14	—	·68	·04	—	·02	—	—	·29	—	·13	—	—	14
15	—	·35	·12	·23	—	—	—	·32	—	·04	—	—	15
16	·01	·14	—	·13	—	—	—	·90	·01	·09	—	—	16
17	·04	·29	—	·07	—	—	—	—	·36	·16	·39	—	17
18	—	·50	·29	·15	—	—	—	—	·16	·04	·01	·13	18
19	·17	·02	·23	·17	—	—	—	—	—	—	·24	—	19
20	·22	·40	·30	—	—	—	—	—	—	—	·20	·53	20
21	·15	·15	·31	—	·04	—	·01	—	—	—	—	·15	21
22	·01	—	—	—	—	·05	—	—	—	·57	—	·65	22
23	·01	·07	—	·01	—	·06	—	·19	—	·04	·24	·26	23
24	—	·19	—	·02	·38	·01	—	·02	—	·63	—	·20	24
25	—	·22	·27	—	—	·01	—	·48	·02	—	·12	·01	25
26	—	·07	·21	—	—	·13	—	·05	·62	·75	—	—	26
27	·02	·01	snow 1·42	—	—	·04	—	·02	·35	·86	—	·01	27
28	—	·41 snow	·03	—	—	—	—	·05	·08	·44	—	·26	28
29	—	·49	—	—	—	·22	—	3·66	·29	·34	—	—	29
30	—	╳	—	—	—	—	—	—	—	·31	—	·16	30
31	—	╳	—	╳		╳		·01	╳	·23	╳	·4	31
Total	1·68	6·77	3·73	1·06	2·47	1·71 ✓	·83	6·09	2·13	6·17	4·24	2·82 2·82	YEAR'S TOTAL 39·70
Rain Days.	14	26	16	11	14	14 ✓	6	12	12	22	16	16	179 ✓

W. 8,000. X. 15.

2038

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Dunster
in the County of Somerset
by E G Cantle

Lat. 51 Long. 3 W.
Time of Observation 9. a.m
Nearest Railway Station Dunster
Diameter of Funnel of Rain Gauge 4 5/6 in.
Height of top of Gauge above Ground 1 ft ft. – in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·05	·07		·09			·03		·13	·02	1
2	·02		·18	·35		·15		1·04	·14			·01	2
3	·03			·15		·13		·02			·03		3
4	·01			·18			·85			1·00	·43		4
5		·12	·17				·11		·04	·33			5
6	·08		·41	·18		·05			·09	·12	·12		6
7			·12							·06	·41		7
8	·11						·03	·21		·36	·03	·02	8
9	·06		·10	·20		·07	·95	·35		·47	·11	·06	9
10			·02	·05	·01			·15	·12	·78	·21		10
11	·37		·20	·40				·09			·03		11
12	·04		·44	·34				·21		·14	·08		12
13	·11				·57			·15	·11	·75			13
14	·11		·20	·10		·04		·41	·05	·05			14
15			·05	·10				·22		·05			15
16							·01			·19		·04	16
17		·07		·07			·11			·06		·20	17
18			·01	·19	·04		·18	·07	·14	·07		·19	18
19		·02			·02	·04	·21		·66		·02		19
20		·23	·04			·56			·13				20
21	·01	·02	·03		·84	·02	·08	·08			·03		21
22			·08			·34		·01		·01			22
23								·44		·12	·01		23
24		·18			·08			·54		·08		·02	24
25						·02	·19	·15		·23	·08		25
26		·18	·04					·06	·05	·30	·06		26
27					·17			·35		·16	·04		27
28					·28	·23		·96		·17			28
29			·06		·03	2·63		·31				·25	29
30		X	·14			·78	·04	·05		·47			30
31		X	·04	X		X		·13	X	·15	X	·02	31
	–	·05	·07		·09	–	–	·03		·13	·02	(–)	YEAR'S TOTAL
Total	1·04	·82	2·38	2·38	2·04	5·15	2·78	6·00	1·56	6·12	1·82	·88	32·93
	·95	·87	2·40	2·31	2·13	5·96	2·76	6·03	1·53	6·25	1·71	·81	32·81
Rain Days.	12 11	8	19	12	10	13	11	22	18	23	16	10	167 166

W. 8,000, IX. 17.

Smart

FORM A. BRITISH RAINFALL.

2-1-19

REGISTER OF RAINFALL IN 1918

Kept at Dunster School

in the County of Somerset

by E. G. Cantle

Lat. 51 Long. 3 W

Time of Observation 9. A. M

Nearest Railway Station Dunster

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·05		·06	·05			·92	·08	·04	·72		1
2		·06		·06	·			·55	-			·20	2
3		·10		·09	·05				-	·05	·07		3
4		·04		·01				·02	·02	·01	·79	·31	4
5		·01	·03	·05				·30	·25	·29	·25		5
6	·13	·49		·38					·11	·21			6
7	·	·13		-	·36	·01			·40	·31	·43	·05	7
8	·70	·09		·			·01		·21	·22	·01	·03	8
9	·02	·17		·09		·23	·05		·31	·02	-	·26	9
10	·06	·		·24		·08	·75		·22	·07	·	·65	10
11	·01	-	·05	·03			·16		·32	·09	·08	·11	11
12	·02	·11	·45	·	·08	·03	·07		·10			–	12
13	·11	·05	·03	-					·41	·04		·24	13
14	·30	·		·		·09	·50		·29	·14		·15	14
15	2·27	·03		·17	·01	·39	·21		·01	·32		·47	15
16	·18	·		1·18		·09	·		·21			·15	16
17	·48	·		·41			·10	·02	-	·15		·25	17
18	·83	·04	·02			·48	·20		1·51	·08		·56	18
19	·07	·10	·01	·02			·06		·06	·12		·20	19
20	·18	·02		·02			·68		·11	·05			20
21	·07			·04		·03	·01		·60	-		·26	21
22	·	·08			·11		·40		·14	·		·38	22
23	·03	·16			·11		·05		·11	-	·01	·24	23
24							·03	·06	·16	·03	·09	·03	24
25		·01			·08		·25	·64	·	·01	·07	·02	25
26		·12		·03	·03		·24	·01	·09	·	·11	·03	26
27		·12	·02	·02			·04	·08	·29	·	·21	·06	27
28			·20						·04	·	·25	·08	28
29			·02						1·37	·01	·13	·04	29
30		×	·33						·05			·19	30
31		×	·19	×		×		·03	×		×	-	31
Total	4·86	1·98	1·35	2·90	0·88	1·43	3·81	2·63	7·47	2·26	3·22	4·96	YEAR'S TOTAL 37·75
Rain Days.	16	20	11	17	9	9	18	10	26	20	14	24	194

W, 6,500, VII. 18. W W C

cord by B & by mm stats

1913

23 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dunster School

in the County of Somerset

by E G Cantle

Lat. Long.

Time of Observation 9 . AM

Nearest Railway Station Dunster

Diameter of Funnel of Rain Gauge 4½ in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·43		·04	·03	·14		·18		·02	·25		1·02	1
2	·10		·02		·02		·18		·40	·03	·04	·11	2
3	·05		·21						·09		·17	·36	3
4	·39	·18	·42			·19	·02	·02	·33		-	·07	4
5	·04	·46	1·02		·02				·02		·03	·40	5
6	·61	·23	·11								·02	·34	6
7	·25		·38	·08							-	·10	7
8	·14		·23								-	-	8
9	·55		-	·22							·47	-	9
10	·01		·53	-	·18							·04	10
11	·04		·37	·06	·07		·12			·03		·20	11
12	·15		·26	-		·28	-					·01	12
13	·08		·06	·36			·03		·02	·15	·10	·05	13
14	·44			·73	·37				·07	·14	-	·15	14
15	·57	·07		·06						·02	-	·36	15
16	·30	·12								·06	·05	·01	16
17	-	1·14				·03					·45	-	17
18	·21	·76					·03	·10			·14	-	18
19	·20	·02	·51			·02	·74	·69	·04		·19	·20	19
20	·28	·16	·21			·09	-	·11	·36		·02	·09	20
21	-	·07	·26				·15		·18		-	·15	21
22	-	·72					·15		·02		·03	·06	22
23	-	·05							·24	·38	·09	·11	23
24	-					·09		·03		1·11	}(·24)	·53	24
25	·10					·11		·37				·22	25
26	·09			·04		·02		·11	·15			·40	26
27	·22		·27	·42				·65				·11	27
28	-		·09					·08			·43	·28	28
29	·02		·30	·15				·12		·13	·25	·22	29
30		×		·18		·22		·27		·03	·34	·49	30
31	·02	×	·11	×	·10	×	·07		×		×	·31	31
TOTAL	5·29	3·98	5·40	2·92	0·90	1·05	1·67	2·55	1·94	2·33	3·06	6·39	YEAR'S TOTAL 36·88
Days with ·01 in. or more	24	12	19	11	7	9	10	11	13	11	18	27	172

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1825

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The School Dunster
in the County of Somerset
by E Gloantte

Lat. 51·11 Long. 3·19 W
Time of Observation 9 AM
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 60 ft.

192

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·16	·17	–	·32	·04	·10	·48	·27	·58	1
2	·18			·23	–	–	·13	·15	·08	·15	–	·16	2
3	·05	·03		·08	·01	–	·40	–	–	·57	–	·13	3
4	–		·02	·03	–	–	·05	·38	–	·09	–	–	4
5	–		·12	–	·06	–	·48	·13	–	·08	–	–	5
6	–		·20	–	·14	–	·04	–	–	·15	·03	–	6
7	·01		·07	·05	·02	–	·28	–	–	–	·01	–	7
8	·16	·06	–	·48	·06	–	·56	·01	·01	–	–	–	8
9	·71	·06	–	·15	–	·29	·03	·01	·01	–	–	–	9
10	1·64	·15	–	·28	–	·22	·15	·01	–	–	–	–	10
11	·17	–	·25	·23	·20	·01	·08	·03	–	–	–	–	11
12	·27	·09	–	·52	–	·04	·05	–	–	–	·10	–	12
13	·13	·01	·71	·05	–	–	–	–	–	–	–	–	13
14	–	·09	·30	·64	–	·02	·02	–	·06	·10	·65	·06	14
15	–	–	·11	·52	·12	·21	–	–	·06	·33	·09	–	15
16	–	–	–	·03	·20	·10	·06	–	·31	·67	·14	–	16
17	·01	·03	–	·11	·08	·01	–	–	·45	·03	–	·02	17
18	·15	–	·04	–	–	·05	·02	·12	·14	–	–	–	18
19	·10	·30	–	·28	–	·21	–	·06	–	–	–	–	19
20	·04	–	–	·47	–	·06	–	–	–	–	–	·26	20
21	–	–	–	·03	–	–	·01	–	–	·02	–	·39	21
22	·02	–	–	·01	–	–	·07	·01	–	–	–	·55	22
23	–	–	·02	–	–	–	·55	·70	–	–	–	·35	23
24	·02	·01	·26	–	·01	–	·02	–	–	–	·08	·16	24
25	·01	·01	·19	–	–	–	·48	–	–	–	–	·02	25
26	·27		·35	–	–	·05	–	–	–	–	·10	·09	26
27	·47	·19	·16	·18	·08	·37	·05	–	–	–	·72	·32	27
28	·66		·08		(·03)	·03	·01	–	–	–	·03	·06	28
29	·39		·54		·15	·08	–	–	–	–	·13	·35	29
30	·19	╳	·02	·05	–	·06	·03	–	·34	–	·40	·30	30
31	·22	╳	·34	╳	–	╳	·10	–	╳	·88	╳	·12	31
TOTAL	5·~~7~~8 8	1·03	3·78	4·58	1·33	1·81	3·99	1·65	1·56	3·55	2·75	3·92	YEAR'S TOTAL 35·93
Days with ·01 in. or more	23	~~9~~12	18	21	14	16	24	12	10	12	13	17	192
Days with ·04 in. or more	~~18~~ 17	7	15	17	10	12	~~18~~ 17	7	8	10	~~11~~ 10	15	~~146~~ 145

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGI… ORGANIZATION.

REGI… 1919.

EDINGTON

SOMERSET

1919

18 JAN 20

Kept at Edington

in the County of Somer…

by Mrs Lutt…

Long 2·56 W

9 AM

…tion Edington

…of Rain Gauge 5 in.

…ge above Ground 2 ft 0 in.

„ Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	22	~~3~~50	0	0	5	0	0	0	0	10	0	11	1
2	12	~~3~~80	0	0	4	0	21	0	4	0	0	1·20	2
3	72	~~3~~40	0	0	8	0	1·40	5	10	0	0	26	3
4	34	~~34~~40	35	0	19	7	13	13	14	1	14	34	4
5	14	~~25~~35	34	0	0	1	5	0	20	0	0	30	5
6	48	~~3~~90	1·10	0	0	0	1	0	1·00	0	0	27	6
7	06	~~3~~70	5	18	0	0	0	0	10	0	0	0	7
8	26	~~3~~80	20	0	0	0	0	0	0	0	0	12	8
9	07	~~3~~20	25	10	7	0	0	0	0	0	21	1	9
10	01	~~3~~10	13	4	12	14	0	0	0	10	0	20	10
11	05	~~3~~40	15	8	11	0	0	0	0	21	0	0	11
12	10	~~4~~50	10	3	0	0	0	0	0	4	0	20	12
13	03	~~44~~50	0	18	0	0	0	0	0	0	0	2	13
14	28	~~4~~40	0	8	11	0	18	0	0	0	0	5	14
15	11	~~44~~25	0	3	0	0	6	0	0	0	0	12	15
16	0	~~4~~12	0	0	0	0	15	0	0	0	0	10	16
17	0	~~5~~24	0	0	0	0	0	21	0	0	0	0	17
18	06	~~5~~18	0	0	0	0	0	34	0	0	48	0	18
19	100	22	1·30	0	0	0	19	45	29	0	21	12	19
20	40	14	1·02	0	0	0	1·00	13	0	0	0	0	20
21	01	1·00 ~~21~~	7	0	0	0	0	0	0	0	4	2	21
22	01	3	0	0	0	0	1·00	0	18	0	0	9	22
23	0	0	0	0	0	0	6	0	0	1·72	0	2	23
24	0	0	0	7	0	8	0	0	0	1·32	0	10	24
25	0 ·12	0	0	4	0	0	0	1·00	0	0	0	29	25
26	1·12	0	0	30	0	0	0	40	15	0	0	0	26
27	18	0	8	0	0	0	0	1·34	0	0	12	32	27
28	0	1·00	~~1·0~~ 7	8	0	0	0	0	0	0	0(4)	1	28
29	0	✕	0	11	0	0	0	10	0	0	26	4	29
30	0	✕	2	15	0	22	12	40	0	0	0	26	30
31	0	✕	0	✕	13	✕	1	0	✕	0	✕	0	31
TOTAL	4·77	?5·33 ~~5·23~~	?5·72 ~~5·43~~	1·44 ~~1·33~~	·89	·51 ·51	?4·60 ~~3·83~~	4·55 ~~3·66~~	2·26	3·49 ~~3·27~~	1·50	4·52 ~~4·87~~	YEAR'S TOTAL 39·58? ~~37·78~~
Days with ·01 in. or more	22	12	15	14	9	4	? ~~12~~ 14	11	~~9~~ 10	6	8	24	149 ~~146~~

bad

(44,283). Wt.21,958—213 7500. 10/19. Gp.132/ A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

18 JAN 20

Kept at Edington

in the County of Somerset

by Mrs Luttrell

Lat. 51·09 Long. 2·56 W

Time of Observation 9 AM

Nearest Railway Station Edington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. 0 in.

" " " " Sea Level 90 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1 following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	22	350	0	0	5	0	0	0	0	10	0	11	1
2	12	380	0	0	4	0	21	0	4	0	0	1·20	2
3	72	340	0	0	8	0	1·40	5	10	0	0	26	3
4	34	3440	35	0	19	7	13	13	14	1	14	34	4
5	14	2535	34	0	0	1	8	1	20	0	0	30	5
6	48	390	1·10	0	0	0	1	0	1·00	0	0	27	6
7	06	370	5	18	0	0	0	0	10	0	0	0	7
8	26	380	20	0	0	0	0	0	0	0	0	12	8
9	07	320	25	10	7	0	0	0	0	0	21	1	9
10	01	330	13	4	12	14	0	0	0	10	0	20	10
11	05	340	15	8	11	0	0	0	0	21	0	0	11
12	10	450	10	3	0	0	0	0	0	4	0	20	12
13	03	4450	0	18	0	0	0	0	0	0	0	2	13
14	28	440	0	8	11	0	18	0	0	0	0	5	14
15	11	2425	0	3	0	0	6	0	0	0	0	12	15
16	0	4412	0	0	0	0	15	0	0	0	0	10	16
17	0	5424	0	0	0	0	0	21	0	0	0	0	17
18	06	318	0	0	0	0	0	34	0	0	48	0	18
19	100	22	1·30	0	0	0	19	45	29	0	21	12	19
20	40	14	1·02	0	0	0	1·00	13	0	0	0	0	20
21	01	1·00 ~~21~~	7	0	0	0	0	0	0	0	4	2	21
22	01	3	0	0	0	0	1·00	0	18	0	0	9	22
23	0	0	0	0	0	0	6	0	0	1·72	0	2	23
24	0	0	0	7	0	8	0	0	0	1·32	0	10	24
25	0	0	0	4	0	0	0	1·00	0	0	0	29	25
26	·12 1·22	0	0	30	0	0	0	40	15	0	0	0	26
27	18	0	8	0	0	0	0	1·34	0	0	12	32	27
28	0	1·00	7	8	0	0	0	0	0	0	0(4)	1	28
29	0		0	11	0	0	0	10	0	0	26	4	29
30	0		2	15	0	22	12	40	0	0	0	26	30
31	0		0		13		1	0		0		0	31
TOTAL	4·77	?5·33 ~~5·23~~	?5·72 ~~5·43~~	1·44 ~~1·33~~	·89	·51 ·51	?4·60 ~~3·83~~	4·55 ~~3·66~~	2·26	3·49 ~~3·27~~	1·50	4·52 ~~4·87~~	YEAR'S TOTAL 39·58? ~~37·13~~
Days with ·01 in. or more	22	12	15	14	9	4	~~12~~ 14	11	10	6	8	24	~~149~~ 146

bad

(44,283). Wt.21,958—213. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICA ... RGANIZATION.

5 MAR 1921

REGIST ... 20.

ENMORE

SOMERSET

1920

Kept at Enmore ... 3°. 7'

in the County of Somerset ... 9 am

by Colonel H. Andre ... Bridgwater

Rain Gauge 5 in.

bove Ground 1 ft. 2 in.

„ Sea Level 340 ft.

IMPORTANT NOTE.—Rain ... entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·17	·22	—	·20	·15	·08	·05	·27	·61	1
2	·30	—	·02	·17	—	—	·92	·18	·04	·16	—	·16	2
3	·07	·05	—	·08	·02	·02	·06	—	—	·49	—	·06	3
4	—	—	·06	·08	·01	—	·12	·38	—	·27	—	—	4
5	—	—	·19	·01	·02	—	·48	·07	—	·12	—	—	5
6	—	—	·21	·03	·08	—	·05	—	—	·10	—	—	6
7	·03	—	·03	·15	·05	—	·52	—	—	—	—	—	7
8	·12	·15	—	·21	·08	—	·31	—	—	—	—	·03	8
9	·40	·03	—	·31	—	·25	·21	—	—	—	—	—	9
10	(·40)	·09	·13	·03	—	·25	·36	—	—	—	—	—	10
11	·24	—	·17	·35	·35	·04	·11	—	—	—	—	·01	11
12	·17	·10	·06	·17	—	·14	·04	—	—	—	·11	·02	12
13	—	·07	·59	·09	—	—	—	—	—	·05	·01	—	13
14	·15	·06	·32	·58	—	—	·06	—	·07	·37	·55	—	14
15	—	·11	·07	·37	·68	·12	—	—	·07	·47	·09	—	15
16	—	—	·03	·62	·12	·06	·37	—	·13	·29	·04	—	16
17	(·09)	—	·02	·21	·23	·06	·01	—	·77	—	—	—	17
18	·02	·01	·03	·02	·05	·18	·09	·44	·19	—	—	—	18
19	·03	·21	—	·44	·06	·36	—	—	·02	·01	—	—	19
20	·06	·04	—	·15	—	·14	·05	—	—	·01	—	·12	20
21	—	—	—	·05	—	—	·32	—	—	·03	—	·28	21
22	·03	—	—	·07	—	·01	·05	·02	—	—	—	·53	22
23	—	—	—	—	—	—	·65	·04	—	—	—	·47	23
24	·10	·02	·20	—	·15	—	·01	·01	—	—	·06	·17	24
25	·01	·04	·13	—	·23	—	·53	—	—	—	—	·01	25
26	·17	—	·22	·01	·02	·06	·02	—	—	—	·11	·10	26
27	·14	·05	·10	·14	·05	·36	·14	—	—	—	·12	·32	27
28	·68	·02	·09	·13	·01	·06	·13	—	—	—	·01	·05	28
29	·18	—	·45	—	·05	·09	·03	—	—	—	·07	·17	29
30	·09		—	·05	·05	·11	·03	—	·50	·02	·43	·27	30
31	·08		·56		·03		—	—		·47		·14	31
TOTAL	3·60	1·05	3·70	4·09	2·56	2·31	5·86	1·29	1·87	2·91	1·87	3·52	YEAR'S TOTAL 34.63
Days with ·01 in. or more	23	15	21	26	21	17	27	8	9	15	12	18	212
Days with ·04 in. or more	18	11	16	20	15	15	22	6	8	11	10	14	166

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICA RGANIZATION.

5 MAR 1921

REGISTER OF RAINFALL IN 1920.

Kept at Enmore
in the County of Somerset
by Colonel H. Andrews Speed

Lat. 51°·6′ Long. 3°·7′
Time of Observation 9 am
Nearest Railway Station Bridgwater
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
„ „ „ „ Sea Level 340 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	—	·17	·22	—	·20	·15	·08	·05	·27	·61	1
2	·30	—	·02	·17	—	—	·92	·18	·04	·16	—	·16	2
3	·07	·05	—	·08	·02	·02	·06	—	—	·49	—	·06	3
4	—	—	·06	·08	·01	—	·12	·38	—	·27	—	—	4
5	—	—	·19	·01	·02	—	·48	·07	—	·12	—	—	5
6	—	—	·21	·03	·08	—	·05	—	—	·10	—	—	6
7	·03	—	·03	·15	·05	—	·52	—	—	—	—	—	7
8	·12	·15	—	·21	·08	—	·31	—	—	—	—	·03	8
9	·40	·03	—	·31	—	·25	·21	—	—	—	—	—	9
10	(·40)	·09	·13	·03	—	·25	·36	—	—	—	—	—	10
11	·24	—	·17	·35	·35	·04	·11	—	—	—	—	·01	11
12	·17	·10	·06	·17	—	·14	·04	—	—	—	·11	·02	12
13	—	·07	·59	·09	—	—	—	—	—	·05	·01	—	13
14	·15	·06	·32	·58	—	—	·06	—	·07	·37	·55	—	14
15	—	·11	·07	·37	·68	·12	—	—	·07	·47	·09	—	15
16	—	—	·03	·62	·12	·06	·37	—	·13	·29	·04	—	16
17	(·09)	—	·02	·21	·23	·06	·01	—	·77	—	—	—	17
18	·02	·01	·03	·02	·05	·18	·09	·44	·19	—	—	—	18
19	·03	·21	—	·44	·06	·36	—	—	·02	·01	—	—	19
20	·06	·04	—	·15	—	·14	·05	—	—	·01	—	·12	20
21	—	—	—	·05	—	—	·32	—	—	·03	—	·28	21
22	·03	—	—	·07	—	·01	·05	·02	—	—	—	·53	22
23	—	—	—	—	—	—	·65	·04	—	—	—	·47	23
24	·10	·02	·20	—	·15	—	·01	·01	—	—	·06	·17	24
25	·01	·04	·13	—	·23	—	·53	—	—	—	—	·01	25
26	·17	—	·22	·01	·02	·06	·02	—	—	—	·11	·10	26
27	·14	·05	·10	·14	·05	·36	·14	—	—	—	·12	·32	27
28	·68	·02	·09	·13	·01	·06	·13	—	—	—	·01	·05	28
29	·18	—	·45	—	·05	·09	·03	—	—	—	·07	·17	29
30	·09	✕	—	·05	·05	·11	·03	—	·50	·02	·43	·27	30
31	·08	✕	·56	✕	·03	✕	—	—	✕	·47	✕	·14	31 ~~34.53~~
TOTAL	3·60	1·05	3·70	4·09	2·56	2·31	5·86	1·29	1·87	2·91	1·87	3·52	YEAR'S TOTAL 34.63
Days with ·01 in. or more	23	15	21	26	21	17	27	8	9	15	12	18	212
Days with ·04 in. or more	18	11	16	20	15	15	22	6	8	11	10	14	166

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

REGI

911

EVERCREECH
THE VICARAGE
SOMERSET

1911-1915

Kept at Evercreech

in the County of —

by Rev W T Dyn

op 5 in.
above Ground 1 ft. in.
„ Sea Level 284.6 ft.

ion { Name
Distance Direction

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											.02	.02	1
2										.03	.33	.13	2
3											.13	.11	3
4										.03	.17	.39	4
5										.10	.16	.03	5
6											.17	.42	6
7											.33		7
8											.02	.43	8
9											.10	} .73	9
10													10
11											.57	.18	11
12											.16	.32	12
13										.01	.06	.39	13
14										.01		.77	14
15											.21	.11	15
16											.53	.27	16
17											.12	.32	17
18										.01	.06	.37	18
19										.18	.02	.36	19
20										.04		.54	20
21										.41		.22	21
22										.77		.41	22
23										.10		.16	23
24										.74		.15	24
25										.08		.29	25
26										.11		.35	26
27											.03	.33	27
28											.07		28
29										.69			29
30										.22	.08	.05	30
31										.09			31
Total										3.62	3.34	7.85	TOTAL for year
No. of Rain Days.										17	20	27	

W. 8,000, X. '11.

REG 911

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

Kept at Evercreech Vicarage

in the County of

by Rev W T Dyne H A Boys

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 284.6 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1											.02	.02	1
2										.03	.33	.13	2
3											.13	.11	3
4										.03	.17	.39	4
5										.10	.16	.03	5
6											.17	.42	6
7											.33		7
8											.02	.43	8
9											.10	} .73	9
10													10
11											.57	.18	11
12											.16	.32	12
13										.01	.06	.39	13
14										.01		.77	14
15											.21	.11	15
16											.53	.27	16
17											.12	.32	17
18										.01	.06	.37	18
19										.18	.02	.36	19
20										.04		.54	20
21										.41		.22	21
22										.77		.41	22
23										.10		.16	23
24										.74		.15	24
25										.08		.29	25
26										.11		.35	26
27											.03	.33	27
28											.07		28
29										.69			29
30										.22	.08	05	30
31										.09			31
Total										3.62	3.34	7.85	TOTAL for year
No. of Rain Days.										17	20	27	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
10 MAR 1913

Kept at Evercreech The Vicarage Ev R L

in the County of Somerset 2

by Rev W. J. Dyne Rev H A Boys

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.06			.26	.09		.01	.61		.55	1
2		.02	.32	.02		.13	.41				.03		2
3	.01		.07			.32	.14	.48	.05		.02	.13	3
4	.21		.49		.02	.23					.30		4
5	.56	.04	.26		.01	.03		.45			.01	.35	5
6	.63	.22	.02		.15		.18	.50				.07	6
7	.04	.22	.11		.21	.75		.11				.08	7
8	.30	.19	.47	.03		.14	.16	.45	.02			.02	8
9	.02	.01	37	.09		.05	.03	.05			.02	.58	9
10	.03	.09				.06		.28				.20	10
11	.10	.06	.14								.02	.48	11
12	.06	.40	.09	.05			.02				.02	.01	12
13		.01	05			.35		.06			.01	.08	13
14	.16		.49		.11			.19					14
15	.07	.09	.03	.02	.23	.74		.09				.82	15
16	.75	.01	.32		.15	.01		.17		.08	.05	.10	16
17	.92		.08			.04		.63			.05	.06	17
18	.05		.46					.16		.06	.01	.11	18
19	.02	.15	.10			.09	06	.16			.04	.02	19
20	.06	.02	.60		.06	.11	.02	.40		.50	.03		20
21		.15	.49		.32					.41			21
22	31	.17	.02		.46		.07	.33		.06	.01	.06	22
23	.21	.32	.26					1.07		.08	.29	.31	23
24	.11	.03	.03			.31		.11		.05		.19	24
25	04					07		.44		.07	.26	.48	25
26		.02					.13	.15		.32	.31	.16	26
27						.10	.92			.60	.02	.39	27
28		.09				.09	.03	.25	.08	.49	.46	.57	28
29		.04	.04			.18	.22	.09	.43	.48		.03	29
30						.11	.21		.23	.30	.02		30
31			.56		.02		.24	.06		.02		.08	31
Total	4.66	2.35	5.93	.21	1.74	4.17	2.93	6.68	.82	4.13	1.98	5.93	YEAR'S TOTAL 41.53
Rain Days.	21	21	25	5	11	21	16	24	6	15	20	25	210

W. 7,500, XI. ·12

~~Frome~~
Mid-Wessex.

Z.C. M.S.

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.
8 APR 1914

Kept at The Vicarage, Evercreech -
in the County of Somerset. 2
by Rev. W. T. Dyne
Rev. H A Boys.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·35	·15	·02	·02	–	–	–	·26	·08	·14	·45	1
2	·04	·07	·02	·13	·07	–	–	–	·02	·15	·09	·01	2
3	·06	–	·07	·05	·37	–	·05	–	–	·01	–	·09	3
4	·76	–	·02	–	·49	–	–	–	·83	·15	·01	·20	4
5	·03	·05	–	–	·13	·37	·07	–	·35	–	·03	·26	5
6	·02	·04	·11	–	·18	·22	·06	–	·01	·75	·05	·62	6
7	–	·18	·03	–	·22	·02	·06	–	–	·55	·20	·01	7
8	–	·02	–	–	·31	–	·02	–	–	·03	–	·05	8
9	–	·03	–	–	·08	·13	·25	·33	·03	–	·11	·04	9
10	·16	–	·02	·02	·06	–	–	–	–	·35	·16	[illegible]	10
11	·55	–	–	·40	·12	·08	–	–	–	·08	·36	[illegible]	11
12	–	·02	–	–	·25	·01	–	–	·01	–	·20	·02	12
13	·08	·07	·12	–	–	·02	–	·06	·74	–	·22	[illegible]	13
14	·12	·07	·14	·02	–	–	–	·01	·20	·02	·38	~~0~~	14
15	·22	·07	·22	·42	–	–	·02	·03	·06	–	·10	·02	15
16	·19	–	·55	·13	–	–	–	·03	–	–	·01	–	16
17	·01	·07	·05	·03	–	–	·06	–	–	–	·01	–	17
18	·06	–	·23	·17	–	–	–	–	–	–	·13	–	18
19	·54	–	·14	–	·06	·19	·02	–	·53	–	–	·01	19
20	·04	–	·10	·04	–	–	–	–	–	·09	·14	–	20
21	–	–	·02	·12	·23	–	·07	–	–	·03	·65	–	21
22	1·05	–	·26	·09	·02	–	–	·08	·26	–	–	–	22
23	·01	–	·02	·09	–	·07	–	–	–	–	·02	·47	23
24	·08	·02	–	–	–	–	–	·06	–	–	·05	–	24
25	–	·10	–	·11	–	–	–	–	–	–	·02	·07	25
26	–	·02	–	·25	–	–	–	·29	–	–	·02	·26	26
27	·04	·07	·20	·18	–	–	–	–	–	·04	–	·04	27
28	·14	–	·04	·27	–	–	–	–	–	·10	–	·11	28
29	·06		·48	·35	·02	–	–	·08	–	·31	–	·02	29
30	·43		–	·09	–	–	–	–	–	·34	·05	–	30
31	·15		·03		–		–	·63		·02		–	31
Total	4·84	1·01	3·02	2·98	2·63	1·11	·62	1·60	3·30	3·10	3·15	2·75	YEAR'S TOTAL 30·11
Rain Days.	23	16	22	20	16	9	10	10	12	17	23	18	196

W.7,000, XI. 13

From Mid-Wessex Association

Ex'd

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 MAR 1915

Kept at Evercreech Vicarage
in the County of Somerset - 2.
by Mr B. Raven Rev H A Boys.

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·02	·03	–	–	·08	·34	–	–	·13	·02	1
2	–	–	–	·07	·02	–	·70	·05	–	–	·80	·34	2
3	–	–	·31	·15	·33	–	·08	·76	–	·02	·12	·05	3
4	·16	–	·17	·20	·02	–	·18	·16	–	–	·61	·39	4
5	·20	–	·38	·47	·45	–	·14	·02	–	–	–	·04	5
6	·01	·14	·04	·30	·03	·01	·96	·03	–	–	·04	·22	6
7	·06	·31	·07	·16	·57	·03	·30	·13	·01	–	·09	·15	7
8	·16	·05	1·15	·01	·32	·29	–	·26	·02	–	–	·03	8
9	·36	–	·37	·20	·04	·82	–	·14	·54	–	–	–	9
10	·10	·09	·01	·10	·08	–	–	–	·36	–	·03	–	10
11	–	·10	·77	–	·01	·21	·07	–	·24	–	·11	·41	11
12	–	·12	·30	–	–	·06	–	–	·33	–	·02	·31	12
13	–	·22	·25	–	–	·01	–	–	·16	·17	·22	·55	13
14	–	·11	·17	–	–	–	–	·38	·02	·32	·27	–	14
15	–	·03	·25	–	–	–	·23	·26	·04	·02	·18	–	15
16	–	–	·01	–	–	–	·10	–	·14	–	–	–	16
17	–	·31	·22	–	–	–	·03	–	–	–	–	·50	17
18	–	·04	·07	–	–	–	·42	–	–	–	–	·49	18
19	–	·09	·71 S.	–	–	–	·96	–	·03	–	·04	·06	19
20	–	·32	·08	–	–	·01	–	–	–	–	–	·27	20
21	–	·65	·04	–	–	·22	–	–	–	·10	–	–	21
22	–	·05	–	–	·20	·25	–	–	–	·36	–	·02	22
23	–	·08	·20	–	·09	·04	–	·05	–	·11	–	–	23
24	–	–	·19	–	·15	–	·40	–	–	·28	·17	–	24
25	·05	–	·15	–	–	–	·08	·23	–	·31	·02	·37	25
26	–	–	–	–	–	–	·07	·03	–	·03	·22	·45	26
27	·11	–	–	–	–	–	–	–	–	·14	·08	·15	27
28	·02	·09	·12	–	–	–	–	–	–	·08	·29	1·10	28
29	·19		·10	–	·09	–	·01	–	–	·23	·12	·01	29
30	–		·03	–	–	–	–	–	–	·22	·34	·75	30
31	·01		–		·01		·11	–		·27		·20	31
Total	1·43	2·80	6·28	1·69	2·41	1·95	4·92	2·84	1·89	2·66	3·90	6·88	TOTAL for year 39·65 ✓
No. of Rain Days	12	17	26	10	15	11	18	14	11	15	20	23	192 ✓

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

From originals returned

2112

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

10 MAY 1916

Kept at Evercreech The Vicarage

in the County of Somerset

by B. Raven (Gardener) per. Rev. H A Boys.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·45	·28	·01		·07			·27	·08				1
2	·42	·26	·29	·12		·03		·49	·04				2
3	·11	·06	·17	·14	·18	·02	·02	·02					3
4	·03	·01			·03								4
5	·06	·49	·02					·31					5
6	·60	·06		·35			·60	·11					6
7	·21	·49		·04	·12		·30						7
8	·22	·32						·11					8
9	·02	·02		·26									9
10	·25	·04	·07	·02				·16					10
11	·07		·21	·02			·07	·17					11
12	·21	·39		·22	·52			·40					12
13	·04	·87			·61			·28	·11				13
14	·02	·01					·24	·48	·16				14
15	·17	·03		·01	·22		·06	·13	·02				15
16		·44			·41		·97	·41					16
17		·40			·27			·17					17
18		·18			·05								18
19		·02			·06		·27						19
20	·37			·08									20
21	·06	·07					·05						21
22	·09	·25	·50	·02		·02	·43		·02				22
23		·05	·07				·40		·08				23
24				·05			·15		·35				24
25				·05		·18	·45						25
26		·05				·01	·14						26
27		·07				·30	·07						27
28		·09				·04		·02	·63				28
29						·33	·09	·04					29
30	·09			·03		·04							30
31	·05						·07						31
Total	3·54	4·95	1·34	1·41	2·54	·97	4·38	3·57	1·49				YEAR'S TOTAL
Rain Days.	20	24	8	14	11	9	17	16	9				

W. 8,000. X. 15.

FAILAND HSE

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

RE ... L.

Kept at Failand H... 5 in.

Ground 1 ft. – in.

in the County of So...

Sea Level 385 ft.

by Mrs Agnes...

ame Pill G.W.R

istance Direction

IMPORTANT NOTE ... the result entered to the previous day. If an Obs... rsal rule, he is earnestly requested to add the readi... r in the space provided for it at the end of this ... nt of rain, the selection and placing ... sh Rainfall Organization are given in " ... plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·02	·08	·04			·10		·01	·03		1
2			·01	·23	·28			·36		·05	·34	·16	2
3			·08		·41			·04			·12	·13	3
4			·25	·02				·02	·02	·04	·28	·32	4
5	·08		·05					·27		·02	·25	·01	5
6	·48		·06					·15			·11	·34	6
7	·02		·18								·45		7
8	·38										·03	·29	8
9	·10										·15	·27	9
10	·05	·08	·40		·08							·28	10
11	·36		·02		·06						1·06	·30	11
12	·03	·01	·68						·05		·43	·19	12
13					·11				·57	·02	·02	·55	13
14		·05								·01		·98	14
15		·07				·05				·02	·30	·24	15
16		·06				·10					·30	·17	16
17		·07				·03					·10	·36	17
18		·49	·10	·16		·34				·02		·27	18
19		·07		·07		·08			·22	·06	·02	·16	19
20	·02	·02	·13	·22					·19	·08		·48	20
21		·19	·15	·02				·05		·34		·27	21
22	·01	·02	·29	·05		·65				·23		·38	22
23	·03	·20	·25	·01		·04			·07	·25	·02	·32	23
24	·02	·17				·38		·33		·48		·16	24
25		·06		·23		·10		·04	·01	·02		·11	25
26		·08		·34	·02		·06	·09		·26	·09	·20	26
27		·52	·10	·05				·44	·15		·05	·14	27
28		·43		·55		·02		·26			·05	·02	28
29		X		·08		·54	·02		·10	·26	·01		29
30		X	·01			·02		·14		·30		·02	30
31		X		X		X			X	·25	X		31
Total	1·59	2·59	2·78	2·11	1·00	2·35	·08	2·29	1·38	2·72	4·23	7·12	TOTAL for year 30·24
No. of Rain Days	13	17	17	14	7	12	2	13	9	19	21	27	169 171

9,000, IX. '10.

REGISTER OF RAINFALL IN 191

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

Kept at Fairland House

in the County of Somerset.

by Mrs Agnes Fry

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 385 ft.

Time of Observation

Nearest Railway Station
Name Pill G.W.R.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01		·02	·08	·04			·10		·01	·05		1
2			·01	·23	·28			·36		·05	·34	·16	2
3			·08		·41			·04			·12	·13	3
4			·25	·02				·02	·02	·04	·28	·32	4
5	·08		·05					·27		·02	·25	·01	5
6	·48		·06					·15			·11	·34	6
7	·02		·18								·45		7
8	·38										·03	·29	8
9	·10										·15	·27	9
10	·05	·08	·40		·08							·28	10
11	·36		·02		·06						1·06	·30	11
12	·03	·01	·68						·05		·43	·19	12
13					·11				·57	·02	·02	·55	13
14		·05								·01		·98	14
15		·07				·05				·02	·30	·24	15
16		·06				·10					·30	·17	16
17		·07				·03					·10	·36	17
18		·49	·10	·16		·34				·02		·27	18
19		·07		·07		·08			·22	·06	·02	·16	19
20	·02	·02	·13	·22					·19	·08		·48	20
21		·19	·15	·02				·05		·34		·27	21
22	·01	·02	·29	·05		·65				·23		·38	22
23	·03	·20	·25	·01		·04			·07	·25	·02	·32	23
24	·02	·17				·38		·33		·48		·16	24
25		·06		·23		·10		·04	·01	·02		·11	25
26		·08		·34	·02		·06	·09		·26	·09	·20	26
27		·52	·10	·05				·44	·15		·05	·14	27
28		·43		·55		·02		·26			·05	·02	28
29		X		·08		·54	·02		·10	·26	·01		29
30		X	·01			·02		·14		·30		·02	30
31		X		X		X			X	·25	X		31
Total	1·59	2·59	2·78	2·11	1·00	2·35	·08	2·29	1·38	2·72	4·23	7·12	TOTAL for year 30·24
No. of Rain Days	13	17	17	14	7	12	2	13	9	19	21	27	169 171

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 18 JAN 1913

Kept at Failand House

in the County of Somerset · 1

by Miss Agnes Fry.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level ~~385~~ ft. 410 ?

Time of Observation 8·30

Nearest Railway Station
Name Pill GWR
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12			·37	·07		·01	·83	·01	·22	1
2			·13			·60	·25			·02		·01	2
3			·13	·01		·30	·04	·43	·11		·03		3
4	·21		·46		·20	·38		·13			·17	·07	4
5	·42	·09	·19		·04	·02		·39			·01		5
6	·28	·12	·02		·08		·25	·41			·03	·07	6
7	·02	·13	·09		·15	·44		·13			·04	·03	7
8	·37	·19	·19			·05	·09					·24	8
9	·63	·03	·23	·15		·08	·03	·07			·04	·41	9
10	·07	·07				·07		·02			·07	·04	10
11	·11	·03	·01									·48	11
12	·02		·05	·10	·65	·04	·03					·09	12
13			·04	·02				·01		·01		·38	13
14	·05	·01	·76		·19	·01		·04		·02		·06	14
15	·10	·11	·03		·35	·78		·05				·53	15
16	·54	·01	·25		·01	·03		·33		·19	·05	·05	16
17	·56		·19		·05	·13		·99		·01	·03	·40	17
18	·16	·03	·32					·38		·08	·01	·16	18
19	·04	·08	·02			·11	·24	·75		·18		·02	19
20		·02	·23		·22		·05	·23		·45			20
21	·02	·04	·11		·78		·03	·41		·11	·01		21
22	·39	·41	·10		·26	·08	·11	·29		·01	·03	·12	22
23	·34	·39	·46			·01		1·10		·15	·07	·37	23
24	·08	·01	·22			·15	·02	·09		·05	·01	·11	24
25						·72		·66		·10	·39	·48	25
26		·05				·28	·13	·30		·49	·64	·23	26
27		·01				·30	1·04			·93	·63	·72	27
28		·08					·84	·73	·04	·45	·51	·84	28
29		·21				·06	·45	·02	·35	·43		·14	29
30		X				·06	·18		·08	·15		·01	30
31	·01	X	·16	X	·31	X	·45	·06	X	·01	X	·25	31
Total	4·42	2·12	4·51	·28	2·69	5.07	4·30	8·02	·59	4·67	2·18	6·53	TOTAL for year 45·38
No. of Rain Days.	20	21	24	4	13	23	18	24	5	20	19	27	218

W. 8,000, X. '11.

written 15·III·15

DG cord for anth 12·11·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

27 JAN 1915

Kept at Failand House.
in the County of Somerset
by Miss Agnes Fry

Lat. 51° 27' 20" Long. 2° 41' 30"
Time of Observation 8·30
Nearest Railway Station Pill G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 385 ft.

IMPORTANT NOT … esult entered to the
previous day. If an Ol … rule, he is earnestly
requested to add the rea … the space provided
for it at the end of this parag … of rain,
the selection and placing of rain gauges, and particulars as to the … Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08		·03	·53	·48			·10		1
2				·02	·03	·03	·88	·21			·57	·49	2
3			·04	·18	·35			·06			·02	·10	3
4	·27		·05	·29	·38		·21	·04			·70	·62	4
5	·07		·08	·35	·07		·18	·03			·08	·09	5
6	·83	·09	·05	·08	·07		·09	·08			·03	·22	6
7	·02	·55	·45	·22	·30	·03	·36	·10			·01	·09	7
8	·20	·02	·85	·04	·01	·56	·17	·09	·25			·03	8
9	·30		·33	·13	·02	·83		·15	·11				9
10	·01	·13		·08	·09	·02			·28		·01		10
11		·09	·30	·01	·10	·28	·25				·06	·66	11
12		·13	·15			·02			·31		·05	·26	12
13		·56	·31				·04		·39	·29	·04	·30	13
14		·24	·83				·01	·13	·03	·13	·22		14
15		·08	·17				·01	·56	·33	·65	·38		15
16							·10		·19			·02	16
17		·40	·14				·04		·03			·69	17
18		·06	·08				·13				·02	·34	18
19		·14	·23				·88		·04		·04	·10	19
20		·26	·08			·27						·20	20
21		·48				·07	·02		=	·15	·61	·02	21
22		·03	·07		·37	·15		·10		·08			22
23		·09	·21		·08		·02	·02		·22	·01		23
24			·06				·07	·01		·20	·08		24
25	·08	·01	·12		·02			·43		·85	·02	·36	25
26							·07	·07		·08	·26	·43	26
27	·07									·08	·20	·30	27
28	·03	·14	·09		·17						·74	·64	28
29	·30	X	·38		·10					·10	·24	·01	29
30	·05	X	·03		·02	·05				·27	·53	·56	30
31		X		X	·01	X	·31		X	·28	X	·10	31
Total	~~1·52~~ 1·43	3·50	4·80 ~~4·80~~	1·48	2·19	2·34	4·37	2·56	1·96	2·28	4·42	6·63	YEAR'S TOTAL 37·96
Rain Days.	12	18	23	11	17	12	20	16	10	13	24	23	

W.7,000, XI. 13

Written 26.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

FEB 1914

[illegible]

Kept at Failand House

in the County of Somerset 1

by Miss Agnes Fry

Lat. N. 51° 27' 20" Long. W. 2° 41' 38"
Time of Observation 8.30 a.m.
Nearest Railway Station Pill. G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 385. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·12	·32	·03	·09				·38		·08	·05	1
2	·03	·15	·03	·07	·03		·01		·04	·07	·15	·04	2
3	·11	·01	·16		·43					·07	·03	·15	3
4	1·61	·07	·19		·15	·02			1·27	·12	·03	·16	4
5	·01		·04		·22	·23	·11		·39		·19	·09	5
6	·01	·08	·18		·14	·18	·04			·68	·16	·52	6
7		·16	·02		·22	·23	·03			·12	·27	·01	7
8	·02	·13			·28	·07		·01		·20		·03	8
9		·15	·01		·04	·40	·01	·52	·11		·05		9
10	·16		·02	·04	·03	·02	·04	·19		·25	·05		10
11	1·06			·10	·11			·01		·08	·84	·05	11
12	·03	·01			·13		·02		·06	·02	·35		12
13	·10	·02	·12				·05	·06	·83	·01	·22		13
14	·08	·01	·36	·02				·01		·25	·08	·05	14
15	·22	·05	·28	·87				·07	·04		·07	·08	15
16	·31		·49	·04			·05	·02	·07		·01		16
17	·09	·01		·09			·04		·03		·06		17
18	·36		·12	·20		·03			·01		·05		18
19	·24		·02		·03	·04	·01		·26		·02	·03	19
20	·41		·06	·06	·01					·10	·17		20
21			·03	·09	·32		·19	·02			·36		21
22	·76		·59		·66	·06		·06	·28	·02	·01		22
23	·64					·09		·37	·02		·09	·21	23
24	·15	·01		·05		·02		·06				·01	24
25		·08		·17					·02	·01	·03	·16	25
26		·07		·24				·09		·01		·15	26
27	·08		·12	·49						·10	·01		27
28	·32		·12	·21	·02					·11		·11	28
29	·02	X	·49	·35				·08		·13	·01		29
30	·48	X	·01							·35	·06		30
31	·13	X	·02	X	·36	X		·06	X		X		31
Total	6·83	1·13	3·80	3·12	2·67	1·38	·60	1·63	3·81	2·67	3·45	1·84	YEAR'S TOTAL 32·93
Rain Days.	25	16	23	17	18	12	12	15	15	19	26	17	215

W.7,000, XI. 13

E

REGISTER OF RAINFALL IN 1915

2103

FORM A. BRITISH RAINFALL. 8. JAN 1916

Excd

7

Kept at Failand House.

in the County of Somerset.

by Miss Agnes Fry

Lat. N·51·27·20 Long. W·2° 41' 30"

Time of Observation 8·30 a·m.

Nearest Railway Station Pill G·W·R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·26	·13			·17			·04	·10	·29	·04	·23	1
2	·21	·20	·21	·25				·48	·11	·06	·01	·12	2
3	·15	·06	·09	·10	·12		·13	·10				·19	3
4	·03	·07	·01		·06		·95					·90	4
5	·06	·44		·02				·12				·31	5
6	·33	·04		·28			·40	·04			·01	·33	6
7	·35	·28		·07			·37	·02			·02	·21	7
8	·37	·25	·01	·08				·10			·08		8
9	·01	·07		·02				·06			·22	·97	9
10	·25		·08	·07				·03		·01	·02	·03	10
11	·01		·09	·02	·01			·02		·01	·98	·05	11
12	·15	·27		·18	·49			·06	·01	·28	·25	·02	12
13	·03	·37			1·14		·02	·09	·33	·01	·03	·01	13
14	·18						·19	·16	·04	·01		·78	14
15	·29			·02	·08		·07	·26	·14	·01	·08	·03	15
16		·69			·67		·89	·07				·04	16
17		·36			·57			·02		·01		·02	17
18		·32	·02		·01					·02			18
19		·07			·09		·19					·02	19
20	·21			·26						·07	·01	·06	20
21	·01	·10			·82	·01	·02		·01	·13		·08	21
22	·07	·16	·48	·03			·94		·03			·22	22
23		·01	·24				·27		·07	1·36		·42	23
24			·04	·03			·27		·74	·32		·32	24
25			·01			·43	·16			·05		·29	25
26		·13				·01	·35		·03			·46	26
27		·03				·19	·10		·02	·36			27
28		·05				·02			·56	·08			28
29		X				·28		·04			·07	·04	29
30	·20	X				·05				·21	·09	·11	30
31	·02	X		X		X	·04	·14	X	·85	X	·45	31
Total	3·19	4·10	1·28	1·43	4·23	·99	5·36	1·85	2·19	4·12	1·91	6·71	YEAR'S TOTAL 37·36
Rain Days.	20	21	11	14	12	7	17	18	13	19	14	27	193

W.7,000, XI. 13

204.

REGISTER OF RAINFALL IN 1916

FORM A. ...ISH RAINFALL.

2 JAN 1917

Kept at Failand House

in the County of Somerset

by Miss Agnes Fry.

Lat. 51°27'20" Long. 2°41'30"

Time of Observation 8·30 a.m.

Nearest Railway Station Pill G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·03		·15	·18	·35		·02	·28	·21	·01	1
2	1·02	·04	·03		·08				·04	1·52	·03		2
3		·90			·12	·03			·09	·38	·12		3
4	·56	·20			·36	·93			·23	·33	·45		4
5	·03		·01		·23	·13				·03	·11	·01	5
6	·09	·25	·03		·41	·15	·46			·35	·42		6
7	·03	·21	·14		·11					·08	·67	·19	7
8		·24	·04		·21	·01					·02	·26	8
9		·02			·09	·34	·36			·04	·04	·05	9
10		·44	·06	·08	·06	·04				·10	·01	·10	10
11	·02	·02	·04	·21	·08	·11				·01			11
12	·05	·19	·11	·05	·32		·26	·04		·40			12
13		·51	·15		·01			·27		·09	·02		13
14		·31	·16		·18			·71		·05		·02	14
15	·02	·18	·07	·07	·01			·41		·02			15
16	·04	·04		·52	·02		·06	·17		·02		·01	16
17	·08	·14		·03				·03	·32	·47	·08	·01	17
18		·03	·11						·02	·08	·28	·07	18
19	·12		·53	·15							·10	·02	19
20	·27	·04	·62	·02							·14	·57	20
21	·38	·13	·60		·11						·02	·37	21
22	·02			·05	·01	·23				·86	·14	·66	22
23	·05	·16		·08	1·35	·08		·28		·14	·15	·15	23
24		·06		·16		·03		·10		·40	·03	·23	24
25		·25	·28					·61	·01	·06	·27	·05	25
26	·10	·10	·03			·37		·04	·61	·34	·02		26
27	·17	·05	·49		·56	·35	·01	·15	·29	·59		·04	27
28	·01	·24	·02	·15		·05			·10	·67		1·12	28
29		·34	·05			·49		1·93	·02	·49		·62	29
30		✕						·03		·69		·04	30
31		✕		✕		✕		·06	✕	·10	✕	·05	31
Total	3·13	5·09	3·60	1·57	~~4·37~~ 4·47	3·52	1·53	4·83	1·76	8·59	3·33	4·65	YEAR'S TOTAL ~~45·96~~ 46·06
Rain Days.	~~19~~	~~25~~	~~21~~	~~12~~	~~20~~	~~16~~	~~6~~	~~14~~	~~11~~	~~27~~	~~21~~	~~22~~	~~214~~

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

1918

Kept at Failand Ho.
in the County of Somerset
by Miss Agnes Fry

Lat. 51° 27' 20 Long. 2° 41' 30"
Time of Observation 8·30
Nearest Railway Station Pill G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·02	·25	·16		·09		·98	·09		·07	·02	1
2	·03		·04	·02		·26		·09	·01	·02	·06		2
3	·03	·06		·03			·13	·03		1·53	·03		3
4	·31	·25	·11	·04			·09	·02		·19			4
5			·21	·40		·26			·49	·38	·23		5
6			·58							·06	·31	·01	6
7	·17						·17	·23		·15		·08	7
8	·10		·10	·09		·03	·62	·79	·06	·81	·21	·11	8
9			·07	01	·19			·92	·06	·17	·12		9
10	·18		·21	·16	·01			·60	·12	·01			10
11	·03		·45	·26	·03			·36	·38	·16	·03		11
12	·03		·03		·33			·22	·01	·84	·02	·01	12
13			·15	·08		·05		·21	·15	·07		·02	13
14			·18	·02			·02	·12	·03	·04			14
15		·01		·04			·16	·16	·03	·13	·01	·11	15
16		·11		·09	·02					·11	·01	·09	16
17	·03	·02		·18	·25		·36	·08	·38	·26	·01	·03	17
18	·02	·04			·02	·03	·53	·15	·99		·02		18
19	·01	·62	·04			07			·05		·02	·01	19
20	·01	·26	·04		·30	·20			·06		·01	·01	20
21	·02	·01	·44			·04		·02		·03			21
22		·01	·05			[illegible]		·12		·20			22
23		·14			·02			·70			·02	·02	23
24		·01	·01			·40	·04	·11		·29			24
25		·04	·02					·02		·26			25
26					·11			·72	·36	·10	·06		26
27					1·08	·14	·02	·97		·02	·02		27
28			·08		·03	1·23		·65	·09		·02	·02	28
29			·06			·17	·02			·43	·02	·18	29
30	·01		·02				·11	·42		·15			30
31			·16					·21		·06		·03	31
Total	1·00	1·60	3·33	1·58	2·39	3·08	2·27	8·90	3·36	6·47	1·30	·75	YEAR'S TOTAL 36·03
Rain Days.	15	14	22	14	12	14	12	25	17	25	20	15	205

W. 7,500, XI. ·12

34

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
1. 19

Kept at Failand House Failand
in the County of Somerset
by Miss Agnes Fry

Lat. N. 51° 27' 20" Long. W. 2° 41' 30"
Time of Observation 8·30 a.m.
Nearest Railway Station Pill G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·07		·07	·08			·28		·05	·45		1
2		·05		·04				·49		·04	·02	·45	2
3		·03		·28	·13			·19	·13	·07	·04		3
4		·10		·03				·02	·06	·07	·68	·13	4
5				·04	·22			·28	·10	·43	·06	·01	5
6		·87		·23		·01			·18	·17	·01		6
7		·18			·75				·38	·32	·45	·14	7
8		·06							·53	·17		·06	8
9		·12		·52		·21	·03		·56	·09	·03	·14	9
10	·02	·03		·11			·54		·76	·07		·52	10
11	·04	·18	·04				·15		2·05	·17	·10	·35	11
12		·18	·20		·32		·14		·02			·12	12
13	·11	·02				·03	·04		·35	·03		·79	13
14	·44		·05			·05	·72		·29	·05		·15	14
15	·76			·19		·21	·26		·04	·03		·43	15
16	·26			·52		·03	·01	·17	·19		·01	·06	16
17	·25		·07	·09	·07		·19	·05	·07	·02		·18	17
18	·86					·71	·11		1·09	·05		·18	18
19	·03		·13	·01			·15	·05	·14	·04		·04	19
20	·02	·14	·01	·13		·02	·57		1·30	·02	·02		20
21	·03	·04	·01			·01	·19		·69	·02	·01	·08	21
22	·01	·01			·26		·40		·08	·06		·43	22
23	·08				·21		·34						23
24		·16					·28	·10	·17		·05		24
25					·10		·15	·80		·03	·01		25
26				·11			·68	·03	·26	·05	·09	·39	26
27			·03					·37	·30		·16	·08	27
28	·01	·06	·32								·04	·15	28
29	·01	X	·11						1·06	·03	·01	·05	29
30		X	·45					·02	·02	·05	·10	·07	30
31		X	·34	X		X		·02	X	·04	X		31
Total	2·93	2·30	1·76	2·37	2·14	1·28	4·95	2·87	10·81	2·17	2·34	5·00	YEAR'S TOTAL 40·92
Rain Days.	15	17	12	14	9	9	18	14	25	25	19	23	200

W. 8,000, VIII. 16

#81

1523

REGISTER OF RAINFA IN 1919

FORM A.
BRITISH RAINFALL

JAN 20

Kept at Failand House

in the County of Somerset.

by Miss Agnes Fry.

L 51·27'30" Long. W 2·41'30"

Time of Observation 8·30 a.m.

Nearest Railway Station Pill G.W.R.

Diameter of Funnel of Rain Gauge ~~7/8~~ 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37		·64		·10		·40		·03	·16		·81	1
2	·17		·04				·12		·33		·05	·35	2
3	·35		·21		·05	·02			·09		·12	·78	3
4	·25	·11	·56			·08	·04		·19	·02		·18	4
5		·26	·68		·04		·01	·12	·43		·03	·32	5
6	·15	·13	·30						·01			·13	6
7	·19		·41	·10							·01	·02	7
8	·36		·15	·11		·03					·02		8
9	·10		·07	·03					·01		·16		9
10			·42	·01						·07	·01	·13	10
11	·04		·41	·22		·05	·24			·02	·07	·06	11
12	·04		·11	·03		·30				·07		·03	12
13	·14	·04		·21			·02		·04			·07	13
14	·88	·08		·53			·14		·01			·05	14
15	·30	·02								·05		·24	15
16	·17	·86									·18	·02	16
17		·15		·01		·08		·01			·15	·01	17
18	·03	·21	·66				·05	·71	·02		·15	·08	18
19	·24	·22	·67			·25	1·26	·53	·06	·01	·12	·08	19
20	·42	·18	·34			·14		·20	·01			·10	20
21		·74	·01				·09	·01	·02		·02	·03	21
22		·24				·05	·05		·53		·02	·33	22
23									·04	1·06	·09	·01	23
24	·01			·10		·18			·11	1·16	·25	·71	24
25	·09							·38			·05	·11	25
26	·23		·08	·05		·04			·16		·01	·40	26
27	·15		·04	·22				·62				·02	27
28	·03	·01	·34	·02				·27			·31	·51	28
29	·03	X		·07				·02		·13	·06	·50	29
30		X		·18		·33		·40		·02	·29	·45	30
31		X	·04	X	·02	X	·06		X	·02	X	·11	31
Total	4·74	3·25	5·57	1·89	·21	1·55	2·48	3·27	2·09	2·69	2·17	6·64	YEAR'S TOTAL 36·55
Rain Days.	23	14	20	15	4	12	12	11	17	12	21	29	190

189

10

W. 6,500, VII. 18. W W C

1742

FORM A1.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1920

W 970

Kept at Failand House.

in the County of Somerset.

by Miss Agnes Fry.

RAIN GAUGE
Pattern Snowdon.
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 385 ft.

15 JAN 1921

Time of Observation 8·30 a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·37	·35		·42	·36	·14	·08	·22	·58	1
2	·03		·03	·15	·01		·07	·25	·05	·22		·19	2
3	·05	·09.		·07			·45		·02	·31		·04	3
4			·03	·05			·07	·64		·36	·01		4
5			·11	·03	·15		·65	·06		·19	·01		5
6			·16				·03			·03			6
7	·10		·05	·04	·20		·09			·01	·03		7
8	·01	·05		·59	·14		·50	·26		·01			8
9	·42	·63	·04	·75		·07	·04	·19					9
10	1·01	·45	·09	·05		·39	·26	·03			·02	·01	10
11	·48		·10	·53	·45	·04	·10						11
12	·18	·08	·01	·08	·01	·98	·06				·10		12
13	·06	·13	·21	·16			·03					·05	13
14	·03	·03	·40	·33		·27			·19	·45	·69		14
15	·07	·15	·02	·21	·10	·08			·12	·56	·19		15
16	·01			·03	·02	·05	·29		·90	·14	·38		16
17	·25		·03	·03	·29	·41	·01	·31	·66	·06		·01	17
18	·20		·01	·17	·10	·04		·35	·10	·01		·02	18
19	·03	·29		·33		·10		·01				·02	19
20	·02	·13		·19		·35	·08		·06			·18	20
21							·10			·06		·07	21
22	·01			·06		·03	·08	·15	·02	·01	·01	·33	22
23		·02					·87			·01		·57	23
24	·01		·26	·01			·03	·03			·11	·15	24
25	·35	·11	·10			·02	·63		·01		·01		25
26	·32		·36			·02	·04			·01	·05	·05	26
27	·31	·03	·05	·04	·04	·82	·02					·20	27
28	·80	·01	·09		·06	·10	·03					·03	28
29	·10	·02	·18	·06	·05	·03	·48		·01		·14	·43	29
30	·05		·07	·08		·43	·02		·42		·34	·36	30
31	·25		·25		·01		·01	·02		·55		·30	31
Total	5·16	2·12	2·85	4·41	1·98	4·23	5·46	2·66.	3·00	3·07	~~2·29.~~ 2·31	3·54	40·79 TOTAL for year ~~40·77~~
No. of Rain Days	~~26~~	~~15~~	~~22~~	~~24~~	~~15~~	~~18~~	~~27~~	~~13~~	~~13~~	~~18~~	~~15~~	~~19~~	~~225~~
	17	10	16	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	9	14	160

1,000, X. 09. Waterlow and Sons Limited, Printers, London Wall, E.C. Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

1742

5 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Failand House

in the County of Somerset.

by Miss Agnes Fry.

Lat. 51°27'20" Long. W. 2° 40' 30"

Time of Observation 8.30

Nearest Railway Station Pill G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 385 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01			·37	·35	~~[illegible]~~	·42	·55	·14	·60	·22	·53	1
2	·03		·03	·15	·01		·07	·25	·05	·22		·19	2
3	·05	·09		·07			·05		·02	·31		·04	3
4			·03	·05			·07	·64		·50	·07		4
5			·11	·03	·15		·65	·06		·19	·07		5
6			·16				·01			·03			6
7	·10		·05	·04	·20		·09			·01	·03		7
8	·01	·05		·59	·16		·50	·20		·01			8
9	·42	·53	·04	·75		·04	·04	·16					9
10	1·01	·45	·09	·05		·30	·28	·09			·02	·01	10
11	·48		·10	·33	·45	·02	·10						11
12	·10	·08	·01	·08	·01	[illegible]	·00				·10		12
13	·06	·13	·41	·15			·03					·05	13
14	·03	·03	·10	·33		·27			·19	·45	·62		14
15	·07	·15	·03	·21	[illegible]	·08			·12	·56	·1		15
16	·01			·03		·05	·29		9	·14	·20		16
17	·25		·33	[illegible]	[illegible]	·41	·01	·31	66	·06		·01	17
18	·20		·01	·15		·04		·35	·40	·01		·02	18
19	·13	·21		·05	·10	·10		·01				·02	19
20	·02	·13		·19		·35	·08		·06			·15	20
21							·10			·08		·04	21
22	·01			·06		·03	·08	·15	·02	·01	·01	·35	22
23		·02					·87			·0		·53	23
24			·26	·21			·1	·03			·11	·15	24
25	·01	·11	·10			·02	·65		·01		·21		25
26	·85 ·3		·36			·02	·04			·0	·05	·05	26
27	·31	·05	·05	·04	·0	·82	·02					·20	27
28	·80	·01	·09		·06	·15	·05					·03	28
29	·10	·02	·10	·06	·05	·01	·48		·01		·42	·43	29
30	·05	✕	·07	·08		·43	·03		·42		·34	·56	30
31	·25	✕	·2	✕	·01	✕	·01	·0	✕	·55	✕	·30	31
TOTAL	5·16	2·12	2·85	4·41	1·98	4·23	5·46	2·66	3·00	3·07	2·31	3·54	YEAR'S TOTAL 40·77
·01	26	15	22	24	15	18	27	13	13	18	15	19	225
Days with ·01 in. or more	17	10	16	20	11	14	20	9	9	11	9	14	160

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

REGI 911

FAILAND
SCHOOL
SOMERSET
1911

Kept at Failand p 5 in.

in the County of Some bove Ground 1 ft. — in.

„ Sea Level 332 ft.

by the School 9-30 a.m

on { Name Portbury G W R
Distance 2 Direction N W by W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·22	·03					·10			1
2					·22								2
3					·39					·03		·30	3
4				·01						·02		·30	4
5		·01	·34							·02	·33		5
6			·04								·13	·23	6
7			·01								·45	·02	7
8	·75		·16										8
9	·10		·01								·25		9
10	·04				·09							·70	10
11	·10												11
12		·05									1·25	·50	12
13		·02	·91								·01	·40	13
14		·05	·01		·12	?					·30	·70	14
15	·01	·06	·01							·04	·30		15
16		·10			·04								16
17												·65	17
18										·02		·17	18
19		·60	·08						·77	·05	·12	·43	19
20		·03	·12						·25			·17	20
21		·17	·14						·01				21
22	·02	·01	·30							·63			22
23			·22	·33						·24			23
24	·02								·07	·40			24
25	·01					1·68			·01	·14			25
26	·01	·26		·24			·04	1·50		·22	·13		26
27		·55		·40				·33	·07		·04		27
28		·35	·10										28
29			·01			·60				·22			29
30				·57		·02		·05		·21	·04		30
31				~~·57~~						·26			31
Total	1·06	2·26	2·50	1·77	·89	2·30	·04	1·88	1·18	2·60	3·35	4·57	TOTAL for year 24·40
No. of Rain Days.	9	13	16	6	6	3	1	3	6	17	? 18	12	110

W. 8,000, X. '11.

REGI[illegible]911

FORM A2.
BRITISH RAINFALL.
13 JAN 1912

Kept at Failand School

in the County of Somerset

by the School Children

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 332 ft.

Time of Observation 9 – 30 a.m.

Nearest Railway Station
Name Portbury G W R
Distance 2 Direction N W by W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·04	·22	·03					·10			1
2					·22								2
3					·39					·03		·30	3
4				·01						·02		·30	4
5		·01	·34							·02	·33		5
6			·04								·13	·23	6
7			·01								·45	·02	7
8	·75		·16										8
9	·10		·01								·25		9
10	·04				·09							·70	10
11	·10												11
12		·05									1·25	·50	12
13		·02	·91								·01	·40	13
14		·05	·01		·12	?					·30	·70	14
15	·01	·06	·01							·04	·30		15
16		·10			·04								16
17												·65	17
18										·02		·17	18
19		·60	·08						·77	·05	·12	·43	19
20		·03	·12						·25			·17	20
21		·17	·14						·01				21
22	·02	·01	·30							·63			22
23			·22	·33						·24			23
24	·02								·07	·40			24
25	·01					1·68			·01	·14			25
26	·01	·26		·24			·04	1·50		·22	·13		26
27		·55		·40				·33	·07		·04		27
28		·35	·10										28
29			·01			·60				·22			29
30				·57		·02		·05		·21	·04		30
31				~~·57~~						·26			31
Total	1·06	2·26	2·50	1·77	·89	2·30	·04	1·88	1·18	2·60	3·35	4·57	TOTAL for year 24·40
No. of Rain Days.	9	13	16	6	6	3	1	3	6	17	? 18	12	110

W. 8,000, X. '11.

FLAX BOURTON

SOMERSET

1911 - 1920

REG 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Flax B

in the County of So

by C. Onslow

top in.

p above Ground ft. in.

„ Sea Level ft.

9 am

ation Name Flax Bourton
Distance 1 mile Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08	·05			·13			·05		1
2				·27	·29			·36		·04	·43	·10	2
3					·41			·02		·03	·11	·06	3
4			·30	·02							·37	·41	4
5	·19		·05					·50			·46	·05	5
6	·25		·05					·12			·16	·40	6
7	·19										·40	·01	7
8			·18								·04	·31	8
9	·25										·17	·26	9
10	·35		·55								·02	·30	10
11	·45		·02								·82	·40	11
12		·01	·79						·03		·44	·15	12
13		·01							·57	·02	·03	·60	13
14										·02	·01	·84	14
15		·27				·04				·02	·30	·06	15
16		·05				·08					·33	·22	16
17		·05				·02					·08	·42	17
18		·30	·11	·17		·34				·02	·01	·34	18
19		·20		·04		·11			·27	·06	·03	·30	19
20		·	·13	·23		1·00			·20	·10	·	·44	20
21			·02	·02				·18	·03	·41		·32	21
22			·43	·03						·22		·56	22
23			·16	·02		·08			·10	·16	·03	·15	23
24		·43				·45		·13		·53		·20	24
25		·07		·17		·15		·02	·02	·02		·19	25
26		·08		·37	·02	·02	·10	·04		·41	·11	·27	26
27		·49	·16	·01		·05		·31	·22		·03	·12	27
28		·54		·57		53 ·53		·45			·04	·02	28
29				·11					·10	·35	·01		29
30						·03		·14		·21		·05	30
31										·43			31
Total	1·68	2·50	2·89	2·11	·77	~~2·98~~ 2·90	·10	2·40	1·54	3·05	4·48	7·55	Total for Year 31·97 97
No. of Rain Days.	6	12	13	14	4	13	1	12 ~~7~~	9	17	24	28	153 ~~158~~

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Flax Bourton

in the County of Somerset 2

by C. Onslow Master.

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation 9 am

Nearest Railway Station
Name Flax Bourton
Distance 1 mile Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08	·05			·13			·05		1
2				·27	·29			·36		·04	·43	·10	2
3					·41			·02		·03	·11	·06	3
4			·30	·02							·37	·41	4
5	·19		·05					·50			·46	·05	5
6	·25		·05					·12			·16	·40	6
7	·19										·40	·01	7
8			·18								·04	·31	8
9	·25										·17	·26	9
10	·35		·55								·02	·30	10
11	·45		·02								·82	·40	11
12		·01	·79						·03		·44	·15	12
13		·01							·57	·02	·03	·60	13
14										·02	·01	·84	14
15		·27				·04				·02	·30	·06	15
16		·05				·08					·33	·22	16
17		·05				·02					·08	·42	17
18		·30	·11	·17		·34				·02	·01	·34	18
19		·20		·04		·11			·27	·06	·03	·30	19
20		·	·13	·23		1·00			·20	·10	·	·44	20
21			·02	·02				·18	·03	·41		·32	21
22			·42	·03						·22		·56	22
23			·16	·02		·08			·10	·16	·03	·15	23
24		·43				·45		·13		·53		·20	24
25		·07		·17		·15		·02	·02	·02		·19	25
26		·08		·37	·02	·02	·10	·04		·41	·11	·27	26
27		·49	·16	·01		·05		·31	·22		·03	·12	27
28		·54		·57		53 ·53		·45			·04	·02	28
29				·11					·10	·35	·01		29
30						·03		·14		·21		·05	30
31										·43			31
Total	1·68	2·50	2·89	2·11	·77	~~2·98~~ 2·90	·10	2·40	1·54	3·05	4·48	7·55	TOTAL for year 31·97
No. of Rain Days.	6	12	13	14	4	13	1	~~7~~ 12	9	17	24	28	~~158~~ 153

W. 8,000, X. '11.

corr 27.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

1 JAN 19

Kept at Flax Bourton
in the County of Somerset 2
by C. Onslow Master

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Flax Bourton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2½ in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·22			·25	·21		·02	·84		·25	1
2			·14			·17	·30						2
3	·01		·12	·02		·17	·91	·48	·10		·03	·01	3
4	·28		·60		·25	·20		·09			·15		4
5	·50	·10	·24		·02			·62			·02	·12	5
6	·33	·14	·01		·07		·14	·37			·04	·06	6
7	·03	·21	·14		·18	·54		·52			·02	·03	7
8	·32	·18	·14			·07	·21	·01				·22	8
9	·05	·04	·11	·24		·03	·01	·04			·04	·48	9
10	·09	·09	·01			·08		·03	—	—	·09	·05	10
11	·10	·04										·52	11
12	·02	·54	·08	·10	·03		·03	—				·09	12
13	·01	·02	·03			·09				·02		·37	13
14	·07		·84		·25	·05		·06				·04	14
15	·08	·21	·02		·31	·76		·06				·53	15
16	·58		·34		·04	·04		·41		·15	·09	·10	16
17	·45		·26		·06	·20		1·01			·04	·42	17
18	·33	·02	·39			·14		10		·11	·01	·14	18
19	·01	·08	·08				·28	·99		·19		·02	19
20	·01	·02	·29		·50		·05	·06		·58			20
21		·08	·18		·68		·06	·39		·20			21
22	·50	·38	·15		·25	·09	·05	·27		·04	·03	·18	22
23	·40	·52	·40			·02	·91	1·45	—	·10	·06	·38	23
24	·06	·01	·18			·32		·04		·03		·10	24
25		·03	·[illegible]			·92		·73		·22	·41	·47	25
26		·02					·11	·23		·58	1·00	·28	26
27						·56	·87	·77	—	·96	·04	·58	27
28		·12				·13	·60	—	·07	·34	·62	·97	28
29		·17	·01			·02	·42	·09	·36	·39		·10	29
30					·03	·05	·20		·07	·21	—	·01	30
31			·25				·44	·02				·24	31
Total	4·23	3·02	5·23	·36	2·67	4·90	4·00	8·84	·62	4·96	2·69	6·76	YEAR'S TOTAL 48·29 48·78
Rain Days.	21	21	5·23 25	3	13	22	18	24	5	16	16	27	277

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
6- JAN 1914

Kept at Bourton Grange Flax Bourton
in the County of Somerset 2
by C. Onslow Master

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Flax Bourton
Diameter of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·04	·15	·29	·08	·15				·31		·08	·09	1
2	·06	·18	·01	·05	·03					·04	·23		2
3	·14	·01	·17		·53					·08		·34	3
4	1·30		·22		·20				1·36	·09			4
5	·02	·08	·03		·33	·35			·40		·17	·17	5
6		·05	·16		·10	·16	·15			·71	·17	·48	6
7		·18	·02		·22	·27				·10	·25		7
8	·01	·08	·01		·22					·12			8
9		·13	·02		·02	·39	·08	·30	·12		·06	—	9
10	·27		·02	·04	·02		·01	·19	—	·34	·14		10
11	1·06	·02		·09	·07			·02		·27	·86	·03	11
12	·05		·01		·12		·02		·12		·21		12
13	·16		·06				·01		·97		·19		13
14	·13		·35	·01				·08	·04	·20	·06	·04	14
15	·26	·06	·44	·89				·02	·05		·12	·06	15
16	·28		·46	·04					·05				16
17	08 ·08	·01		·02			·03		·11		·05		17
18	·15		·13	·16			·15				·08		18
19	·26				·01	·02			·32				19
20	·40		·09	·04						·09	·14		20
21			·06	·11	·30						·34		21
22	·85		·64	·08	·03	·03		·03	·27				22
23	·04					·04		·31		—	·12	·25	23
24	·16	·01		·03				·01					24
25		·05		·16							·01	·14	25
26		·03		·24				·14					26
27	·10		·15	·60						·06			27
28	·26		·08	·23						·12			28
29	·61		·63	·29				·13		·14		Snow. ·08	29
30	·17		·01							·37	·03		30
31					·48			·09					31
Total	6·86	1·04	4·06	3·16	2·83	1·26	·45	1·32	4·12	2·73	3·31	1·70	YEAR'S TOTAL 32·84
Rain Days.	24	14	23	18	16	7	7	11	12	14	19	10	175

W. 7,500, XI. 12

Ex JL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Bourton Grange, Flax Bourton
in the County of Somerset 2
by C. Onslow Master

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Flax Bourton
Diameter of Rain Gauge 3 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·11			·46	·65			·4		1
2							·72	·5			·64	·44	2
3			·5	·11	·27			·60				·14	3
4	·16		·9	·21	·12		·26	·4			·71	·71	4
5	·17		·7	·44	·2			·3			·20	·14	5
6		·5	·7	·9	·4		·24	·29				·30	6
7	·1	·72	·43	·32	·36		·60	·11				·17	7
8	·27		·89	·7		·50	·10	·5	·19			·2	8
9	·21		·29	·8		·73		·15	·13				9
10		·17		·9	·6				·68				10
11		·9	·37		·7	·25	·23				·9	·52	11
12		·15	·12						·18		·6	·21	12
13		·38	·37						·45	·31		·31	13
14		·20	·41					·29	·2	·15	·25		14
15		·7	·21					·47	·35		·34		15
16							·8		·13				16
17		·46	·21				·4					·52	17
18			·6				·16					·34	18
19		·16	·26				·90				·6	·5	19
20		·37	·7			·9						·24	20
21		·50								·16			21
22		·7	·19		·32	·27		·12		·6			22
23			·24		·5					·23			23
24			·2				·26			·11	·8		24
25	·12		·13					·40		·40		·39	25
26							·9			·6	·29	·47	26
27	·8									·11	·20	·22	27
28		·12	·13		·16						·77	·83	28
29	·34		·42							·12	·23		29
30		X			·11	·5				·27	·44	·55	30
31		X		X		X	·23		X	·22	X	·18	31
Total	1·36	3·51	5·10	1·52	1·58	1·89	4·37	3·25	2·13	2·20	4·40	6·75	YEAR'S TOTAL 38·06
Rain Days.	8	14	22	9	11	6	14	13	8	12	15	20	152

W. 8,000. X. 14.

crd fr auth 6.V.16

2148

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Flax Bourton
in the County of Somerset
by C. Onslow Master

2

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Flax Bourton
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	·10			·15			·03	·10	·29		·10	1
2	·17	·27	·14	·24				·57	·05			·15	2
3	·24	·06	·09	·15	·13		·13	·12				·20	3
4		·02			·05		·99					·90	4
5	·06	·37		·04				·08				·32	5
6	·37			·26			·35	·01				·29	6
7	·49	·43					·48	·02				·19	7
8	·25	·26		·05				·10			·15		8
9		·09						·04			·28	·83	9
10	·22		·12	·06				·03				·05	10
11			·06					·14			·87		11
12	·15	·31		·20	·49					·10	·28		12
13	·14	·45			·96		·02	·36	·29		·06	·06	13
14	·30						·15	·19			·10	·69	14
15					·08		·11	·14	·13				15
16		·73			·69		1·08	·05				·05	16
17		·20			·83								17
18		·31											18
19		·02					·21						19
20	·26			·25						·08		·11	20
21		·08			·76					·12		·08	21
22	·05	·26	·50				·75		·02			·23	22
23			·20				·26		·04	1·30		·61	23
24				·04			·35		·40	·72		·32	24
25						·19	·03					·32	25
26		·10				·06	·35					·45	26
27		·08				·28	·24		·02	·37			27
28		·04							·62	·07			28
29						·21					·08	·02	29
30	·30					·13				·31	·13	·16	30
31							·01	·30		·93		·30	31
Total	3·27	4·18	1·11	1·29 1·29	4·14	·87 ·97	5·42 5·42	2·18	1·69	4·29	1·95	6·33	YEAR'S TOTAL 36·72 36·72
Rain Days.	14	19	6	9	9	5	16	15	9	10	8	22	142

W. 8,000. X. 15.

and for mth ~~J~~ B

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Flax Bourton

in the County of Somerset

by C. Onslow Master

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Flax Bourton

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07				·11	·12	·21		·05	·69	·11		1
2	·93	·03			·05					·96			2
3		·95			·20	·02			·08	·33	·11		3
4	·46	·17			·06	·64			·20	·04	·45		4
5	·04				·32	·08				·02	·08		5
6	·08	·37			·38	·29	·41			·30	·53		6
7	·01	·22	·18		·10				—	·04	·36	·19	7
8		·13			·18	·04	·04				·01	·16	8
9		·05			·08	·34	·04			·06	·03	·06	9
10		·45		·10	·02	·06				·05			10
11		·01	·03	·19	·07	·07							11
12		·14	·06		·49		·18			·32			12
13	·02	·48	·15					·24		·02			13
14		·52	·06		·23			·32					14
15		·13	·06	·08	·01			1·21					15
16	·04	·04		·41	·01		·02	·25					16
17	·09	·14		·03					·40	·45	·02		17
18			·12							·11	·40	·11	18
19	·15	·03	·48	·09							·02		19
20	·21	·13	·41								·13	·72	20
21	·30		·62		·08						·01	·31	21
22				·05 f		·08				·23	·09	·41	22
23	·02			·10		·03		·28		·07	·13	·15	23
24				·09	1·13	·03		·11		·38		·23	24
25		·43	·21			·01		·30		·08	·22	·09	25
26	·07		·05			·22		·09	·57	·34	·02		26
27	·12	·35	1·06			·06		·33	·26	·46			27
28		·30	·05			·03			·07	·60		·81	28
29		·77				·29		1·82		·33		·58	29
30		×						·02		·70		·02	30
31		×		×		×		·09	×	·02	×	·05	31
Total	2·61	5·84 5·~~86~~	3·54	1·14	3·52	2·41	·90	5·06 5·~~66~~	1·63	6·60	2·72	3·89	YEAR'S TOTAL 39·86 39·86
Rain Days.	15	21	14	9	17	17	6	12	7	23	17	14	172

W. 8,000, VIII. 16

Exd CSR

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

25 JAN 1918

Kept at Flax Bourton
in the County of Somerset
by C. Onslow Master

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Flax Bourton
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·26	·52		·09		·93	·14		·10		1
2			·06	·01		·17		·17			·03		2
3	·04						·12			1·67			3
4		·26	·09				·09			·24			4
5	·28		·21	·42		·24			·56	·37	·14		5
6			·43							·05	·30		6
7	·17						·12	·23		·14	·01		7
8	·10		·12	·08			·54	·71	·08	·70		·11	8
9			·02	·01	·16			·40	·06	·23	·21		9
10	·25		·18	·23				·23					10
11	·03		·35	·41	·03			·07		·15	·03		11
12			·01		·33			·31		·76			12
13			·10	·07		·06		·21		·03			13
14			·18	·03				·14	·30				14
15				·03			·57	·02	·02	·10		·17	15
16	·04	·08		·05						·14			16
17		·02		·16	·20		·30		·37	·23	·04		17
18					·01		·49	·11	·85		·05		18
19		·50	·03			·07		·03					19
20		·30	·03		·30	·15			·08				20
21			·43			·05				·02			21
22								·06		·14			22
23		·14						·41			·02		23
24		·05				·19	·05	·23		·05			24
25		·04	·04					·01	·25	·40			25
26					·07			·70		·13	·04		26
27					1·15	·09		·84			·01		27
28			·13			1·43		1·26					28
29			·11			·13		·05		·45	·01	·19	29
30		X					·16	·26		·31			30
31		X	·13	X		X		·17	X	·03	X	·17	31
Total	·91	1·39	2·91	2·02	2·25	2·67	2·44	7·55	2·80	6·34	·99	·64	YEAR'S TOTAL 32·91
Rain Days.	7	8	19	12	8	11	9	23	10	21	13	4	145

W. 8,000, IX. 17.

W C 7 E [illegible]

81

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9. I. 19

Kept at Flax Bourton
in the County of Somerset
by C. Onslow Master

Lat. Long. —
Time of Observation 9 am
Nearest Railway Station Flax Bourton
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·13		·08	·07			·31		·06	·45		1
2		·02		·06				·39		·01	·02	·51	2
3		·01		·19	·12			·06	·12		·07		3
4		·06		·03				·01			·57		4
5								·18	·10	·37			5
6	·18	·70		·33	·19				·71	·18		·23	6
7		·21		·02	·70				·39	·41	·31		7
8		·04		·41			·01		·52	·25		·02	8
9		·06				·28	·39		·57	·07	·01	·19	9
10		·07		·10			·54		·48		·07	·40	10
11	·02	·14	·03				·23		1·52	·27		·34	11
12		·11	·18		·31		·01		·04	·07		·16	12
13	·41	·01	·06				·05		·34			·75	13
14						·04	·78		·18	·10		·07	14
15	·61			·35	·09	·26	·23		·01	·03		·50	15
16	·21			·70				·16	·15			·01	16
17	·25						·30	·06	·04	·01		·22	17
18	·80			·10		·50	·32		·78	·07			18
19	·03		·14				·02		·21	·04		·12	19
20	·02	·15		·09		·02	·30		·80				20
21	·03	·03					·25		·57	·04		·07	21
22					·27		·32		·08	·02	·03	·48	22
23							·32					·37	23
24		·18					·05	·11	·15			·03	24
25					·16		·17	·63		·07		·13	25
26				·50			·36	·02	·11	·02	·20		26
27			·11					·27	·18	·01	·02		27
28		·09	·21										28
29			·18						1·04			·03	29
30		✕	·35						·03		·08	·12	30
31		✕	·29	✕		✕			✕		✕		31
Total	2·56	2·01	1·55	2·96 ~~2·65~~	1·91	1·10	4·65	2·20	9·06	2·10 ~~2·15~~	1·83	4·75	YEAR'S TOTAL 36·68 ~~36·65~~
Rain Days.	10	16	9	13	8	5	18	11	24	19	11	20	164

W. 6,500, VII. 18. W W C

W. M. L. and [illegible] 1869

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Flax Bourton
in the County of Somerset
by C. Onslow Master

Lat. .... Long. ....
Time of Observation 9 am
Nearest Railway Station Flax Bourton
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·42		·03		·08		·56					·72	1
2	·12				·03		·07		·12	·19		·54	2
3	·63		·31		·02				·08			·15	3
4	·41		·39			·09		·10	·15			·45	4
5		·13	·68		·04				·40		·20	·15	5
6	·29	·37	·20								·20	·	6
7		07	·35	·10									7
8	·15		·11	·11		·03							8
9	·23		·03	·03								·03	9
10			·40				·20			·04		·13	10
11	·04		·25	·16	·11							·05	11
12	·05		·07			·56				·06		·10	12
13	·10			·30									13
14	·82			·53			·15						14
15	·33			·05						·04			15
16	·11	·76										·18	16
17		·30									·38		17
18	·05	·11	·43				·05	·54			·22	·07	18
19	·33	·17	·90			·26	·84	·43	·07			·08	19
20	·53	·14	·14			·13	·10	·16				·10	20
21		·56	·02									·17	21
22		·14							·27		·03		22
23									·07	1·25		·34	23
24				·06		·18			·06	·92		·70	24
25	·14							·36	·01		·10	·57	25
26	·15		·07					·10	·18		·09	(·30)	26
27	·18			·28				·45				·04	27
28	·02		·03	·				·22				·27	28
29	·01			·11				·01			·33	·34	29
30		×	·22	·17		·34		·37		·04	·41	·14	30
31		×	·05	×		×	(14)		×		×	·56	31
TOTAL	4·91	2·75	4·68	1·92	·28	1·59	2·11	2·74	1·41	2·54	1·94	6·20	YEAR'S TOTAL 33·09
Days with ·01 in. or more	21	10	~~20~~ 19	11	5	7	~~7~~ 8	10	10	7	9	23	140

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1783

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Flax Bourton

in the County of Somerset

by C. Onslow Master

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Flax Bourton

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·26	·36		·43		·11	·11	·20	·49	1
2	·05			·10			·11	·46	·04	·16			2
3	·10			·07			·77			·34			3
4			·03				·04	·73		·11			4
5			·13	·11	·13		·58			·13			5
6			·20		·45		·04			·12			6
7	·03	·06			·13		·10				·04		7
8	·03	·05		·60	·12		·36	·06					8
9	·44	·33	·04	·82		·13	·02						9
10	·94	·31		·04		·23	·33						10
11	·33		·09	·57	·34	·05	·04						11
12	·18	·07		·10		·73	·07				·10		12
13		·07	·44	·24									13
14	·09	·03	·38	·44		·08			·10	·52	·49	·03	14
15	·06	·17	·02	·25	·10	·07			·15	·42	·19		15
16				·10		·04	·29		·47	·13	·50		16
17	·17			·04	·28	·43			·39				17
18	·15			·35	·06			·48	·40				18
19		·37		·23		·09			·06				19
20		·07		·21		·26	·04					·25	20
21										·02		·02	21
22				·04			·09	·16				·39	22
23							·76					·39	23
24			·24					·03			·10	·10	24
25	·04	·12	·38				·35				·07		25
26	·36		·09		·03		·01					·03	26
27	·29		·04	·03		·74	·06					·18	27
28	·71	·02	·12		·04							·01	28
29	·12		·18		·04	·10	·59				·13	·33	29
30	·04	X	·08	·07		·36	·23		·29		·29	·37	30
31	·24	X	·26	X	·02	X	·11		X	·44	X	·28	31
TOTAL	4·37	1·67	2·72	4·67	2·10	3·31	5·42	1·92	2·01	2·52	2·11	2·87	YEAR'S TOTAL 35·69
Days with ·01 in. or more	19	12	16	20	13	13	22	6	9	11	10	13	164
Days with ·04 in. or more	17	10	14	19	11	13	20	5	9	10	10	~~10~~ 9	~~148~~ 147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

made

REGISTER

FRESHFORD
THE OLD HSE
SOMERSET
1915

FORM A.
BRITISH RAINFALL.
12 JAN 1916

Kept at The Old House F

in the County of Somerset

by G. Longman

in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOTE.—Rai the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	·12	—	—	·08	—	—	·24	·50	·25	·02	·11	1
2	·40	·24	·21	·11	—	—	—	·65	·02	·25	—	·34	2
3	1·00	·06	·05	·06	·12	—	·04	·02	—	·03	—	·26	3
4	·02	·01	—	—	—	—	—	—	—	—	—	·41	4
5	·11	·58	—	·03	—	—	—	·15	—	—	—	·30	5
6	·34	·05	—	·35	—	—	·50	·07	—	—	—	·18	6
7	·33	·41	—	·06	—	—	·25	·04	—	—	—	·30	7
8	·31	·34	—	·06	·57	—	·04	·11	—	—	·04	·01	8
9	·03	·04	—	·11	—	—	—	·01	—	—	·35	·92	9
10	·09	—	·10	·06	—	—	—	·09	—	·02	·02	·05	10
11	·04	—	·10	·04	·03	—	·03	·05	—	·01	·86	·03	11
12	·19	·26	—	·22	·44	—	—	·21	—	·03	·60	—	12
13	·06	·69	—	—	·77	—	—	·01	·15	—	·03	—	13
14	·08	—	—	—	—	—	·08	·37	·05	·07	—	·60	14
15	·44	—	—	·04	·13	—	·09	·10	·03	·05	·08	·17	15
16	—	·87	—	—	·46	—	·94	·03	—	—	—	·28	16
17	—	·60	·03	—	·66	—	—	·01	—	—	—	·01	17
18	—	·36	—	—	·08	—	—	—	—	—	·01	—	18
19	·01	·02	—	—	·07	—	·29	—	—	—	·01	—	19
20	·21	—	—	·04	·05	—	—	—	—	·04	—	·13	20
21	·09	·23	—	—	—	—	·01	—	—	·09	—	·27	21
22	·07	·60	·45	·02	—	—	·37	—	—	·01	—	·21	22
23	—	·05	·23	—	—	·01	·27	—	·18	1·09	—	·30	23
24	—	—	—	·08	—	—	·41	—	53	1·06	—	·32	24
25	—	—	—	·02	—	·19	·24	—	—	—	—	·09	25
26	·01	·14	—	—	—	·13	·09	—	·01	—	—	·59	26
27	—	·04	—	—	—	·12	·06	—	—	·33	—	·01	27
28	—	·04	—	—	—	·01	—	—	75	·05	—	—	28
29	—		—	—	—	·18	—	·06	·01	—	·10	·05	29
30	·25	X	—	·01	—	·40	—	—	—	·30	·40	·23	30
31	—	X	—	X	—	X	·03	·02	X	·78	X	37	31
Total	4.65 4·75	5·75	1·18	1·31	3·40	1·04	3·74	2·24	2·25	4.46 4·47	2·52	6·54	YEAR'S TOTAL 39.0
Rain Days.	21	21	7	16	12	7	17	18	10	17	12	26	184

W. 8,000. X. 14.

made

REGISTER

FORM A.
BRITISH RAINFALL.
12 JAN 1916

Kept at The Old House Freshford

in the County of Somerset

by G. Longman

Lat. ………… Long. …………
Time of Observation …………
Nearest Railway Station …………
Diameter of Rain Gauge ………… in.
Height of top of Gauge above Ground ………… ft. ………… in.
" " " " Sea Level ………… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·57	·12	—	—	·08	—	—	·24	·50	·25	·02	·11	1
2	·40	·24	·21	·11	—	—	—	·65	·02	·25	—	·34	2
3	1·00	·06	·05	·06	·12	—	·04	·02	—	·03	—	·26	3
4	·02	·01	—	—	—	—	—	—	—	—	—	·41	4
5	·11	·58	—	·03	—	—	—	·15	—	—	—	·30	5
6	·34	·05	—	·35	—	—	·50	·07	—	—	—	·18	6
7	·33	·41	—	·06	—	—	·25	·04	—	—	—	·30	7
8	·31	·34	—	·06	·57	—	·04	·11	—	—	·04	·01	8
9	·03	·04	—	·11	—	—	—	·01	—	—	·35	·92	9
10	·09	—	·10	·06	—	—	—	·09	—	·02	·02	·05	10
11	·04	—	·10	·04	·03	—	·03	·05	—	·01	·86	·03	11
12	·19	·26	—	·22	·44	—	—	·21	—	·03	·60	—	12
13	·06	·69	—	—	·77	—	—	·01	·15	—	·03	—	13
14	·08	—	—	—	—	—	·08	·37	·05	·07	—	·60	14
15	·44	—	—	·04	·13	—	·09	·10	·03	·05	·08	·17	15
16	—	·87	—	—	·46	—	·94	·03	—	—	—	·28	16
17	—	·60	·03	—	·66	—	—	·01	—	—	—	·01	17
18	—	·36	—	—	·08	—	—	—	—	—	·01	—	18
19	·01	·02	—	—	·07	—	·29	—	—	—	·01	—	19
20	·21	—	—	·04	·05	—	—	—	—	·04	—	·13	20
21	·09	·23	—	—	—	—	·01	—	—	·09	—	·27	21
22	·07	·60	·45	·02	—	—	·37	—	—	·01	—	·21	22
23	—	·05	·23	—	—	·01	·27	—	·18	1·09	—	·30	23
24	—	—	—	·08	—	—	·41	—	55	1·06	—	·32	24
25	—	—	—	·02	—	·19	·24	—	—	—	—	·09	25
26	·01	·14	—	—	—	·13	·09	—	·01	—	—	·59	26
27	—	·04	—	—	—	·12	·06	—	—	·33	—	·01	27
28	—	·04	—	—	—	·01	—	—	75	·05	—	—	28
29	—		—	—	—	·18	—	·06	·01	—	·10	·05	29
30	·25	✕	—	·01	—	·40	—	—	—	·30	·40	·23	30
31	—	✕	—	✕	—	✕	·03	·02	✕	·78	✕	37	31
Total	4·65 4·75	5·75	1·18	1·31	3·40	1·04	3·74	2·24	2·25	4·46 4·45	2·52	6·34	YEAR'S TOTAL 39·0
Rain Days.	21	21	7	16	12	7	17	18	10	17	12	26	184

W. 8,000. X. 14.

—

FROME
EGFORD W-W.

SOMERSET
1911 - 1920

Section **A** for the en …on No. 1956

METFORM 1090
(*Rev. Feb. 1965*)

RE … 1

Kept at FROM… …PY.

in the County of SOME…

Diameter of funnel of gauge…

Height of top of gauge above …

Height of ground above sea le…

THE MORNING MEASUREM…

An observer who does not conf… the following
year in the space on the right of … af

Jan. 1, following

Date	Jan.	Feb.	Mar.								.	Dec.	†	Date
	in.	in.	in.									in.		
1	·04	—	·05								3	·02		1
2	·02	—	—	[illegible]	·41		—	·23	—	·07	·27	·35		2
3	—	—	·01	—	·35	—	—	·01	—	—	·21	·11		3
4	—	·02	·13	·01	—	—	—	—	—	·03	·35	·38		4
5	·10	—	·01	—	—	—	—	·86	·02	·11	·24	—		5
6	·62	—	·14	—	—	—	—	—	—	—	·22	·52		6
7	·01	—	—	—	—	—	—	—	—	—	·53	—		7
8	·03	—	·18	—	—	—	—	—	—	—	·02	·41		8
9	·05	—	·01	—	—	—	—	—	—	—	·03	·43		9
10	·16	·04	·54	—	·26	—	—	—	—	—	—	·54		10
11	·56	·02	·01	—	·14	—	—	—	—	—	·72	·16		11
12	—	—	·87	—	—	—	—	—	·01	—	·38	·34		12
13	—	—	·03	—	—	—	—	—	·26	·27	·11	·49		13
14	—	·03	—	—	—	—	—	—	—	—	·01	·76		14
15	—	·05	·01	—	—	·02	—	—	—	·01	·48	·10		15
16	·01	·01	—	—	—	·25	—	—	—	—	·66	·46		16
17	—	·01	—	—	—	·09	—	—	—	—	·10	·48		17
18	—	·42	·08	·13	—	·41	—	—	—	·03	·02	·47		18
19	—	·05	—	·03	—	·52	—	—	·39	·18	·06	·32		19
20	·02	·02	·01	·30	—	·01	—	·02	·16	·05	—	·50		20
21	—	·32	·01	·03	—	·01	—	·08	·08	·66	—	·31		21
22	·07	·01	·46	·06	—	·01	—	—	—	·27	—	·65		22
23	—	·23	·19	·02	—	·13	—	—	·05	·14	—	·33		23
24	·01	·25	—	—	·01	·35	—	·03	—	·66	·03	·17		24
25	—	·15	·03	·28	—	·06	—	·04	·02	·06	—	·35		25
26	—	·04	—	·56	·22	·01	—	·01	—	·14	·03	·44		26
27	—	—	·30	·34	—	—	—	·05	·07	—	·02	·17		27
28	—	·53	—	·42	—	—	—	·08	—	—	·09	—		28
29	—	X	—	·30	—	·33	·02	·01	·16	·71	·01	—		29
30	—	X	—	·02	—	·06	—	—	—	·25	·06	—		30
31	—	X	—	X	—	X	—	—	X	·18	X	·01		31
TOTAL	1·70	2·20	3·07	2·58	1·40	2·26	·02	1·46	1·22	3·82	4·68	9·27	Year's Total 33·68	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)…………………………………(P.T.O.)

Section **A** for the entry of Daily Observations n No. 1956

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~11

Kept at FROME EGFORD W.W.

in the County of SOMERSET

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	–	·05	–	·01	–	–	·04	–	–	·03	·02		1
2	·02	–	–	·08	·41	–	–	·23	–	·07	·27	·35		2
3	–	–	·01	–	·35	–	–	·01	–	–	·21	·11		3
4	–	·02	·13	·01	–	–	–	–	–	·03	·35	·38		4
5	·10	–	·01	–	–	–	–	·86	·02	·11	·24	–		5
6	·62	–	·14	–	–	–	–	–	–	–	·22	·52		6
7	·01	–	–	–	–	–	–	–	–	–	·53	–		7
8	·03	–	·18	–	–	–	–	–	–	–	·02	·41		8
9	·05	–	·01	–	–	–	–	–	–	–	·03	·43		9
10	·16	·04	·54	–	·26	–	–	–	–	–	–	·54		10
11	·56	·02	·01	–	·14	–	–	–	–	–	·72	·16		11
12	–	–	·87	–	–	–	–	–	·01	–	·38	·34		12
13	–	–	·03	–	–	–	–	–	·26	·27	·11	·49		13
14	–	·03	–	–	–	–	–	–	–	–	·01	·76		14
15	–	·05	·01	–	–	·02	–	–	–	·01	·48	·10		15
16	·01	·01	–	–	–	·25	–	–	–	–	·66	·46		16
17	–	·01	–	–	–	·09	–	–	–	–	·10	·48		17
18	–	·42	·08	·13	–	·41	–	–	–	·03	·02	·47		18
19	–	·05	–	·03	–	·52	–	–	·39	·18	·06	·32		19
20	·02	·02	·01	·30	–	·01	–	·02	·16	·05	–	·50		20
21	–	·32	·01	·03	–	·01	–	·08	·08	·66	–	·31		21
22	·07	·01	·46	·06	–	·01	–	–	–	·27	–	·65		22
23	–	·23	·19	·02	–	·13	–	–	·05	·14	–	·33		23
24	·01	·25	–	–	·01	·35	–	·03	–	·66	·03	·17		24
25	–	·15	·03	·28	–	·06	–	·04	·02	·06	–	·35		25
26	–	·04	–	·56	·22	·01	–	·01	–	·14	·03	·44		26
27	–	–	·30	·34	–	–	–	·05	·07	–	·02	·17		27
28	–	·53	–	·42	–	–	–	·08	–	–	·09	–		28
29	–	X	–	·30	–	·33	·02	·01	·16	·71	·01	–		29
30	–	X	–	·02	–	·06	–	–	–	·25	·06	–		30
31	–	X	–	X	–	X	–	–	X	·18	X	·01		31
TOTAL	1·70	2·20	3·07	2·58	1·40	2·26	·02	1·46	1·22	3·82	4·68	9·27	Year's Total 33·68	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

FORM No. 2.

BRITISH RAINFALL 3 - JAN 1912

1956

REGISTER OF RAINFALL IN 1911

Kept at Egford Water pumping Station, Frome

in the County of Somerset

by F W Jones Assoc: M. Inst C. E.

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 270 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	~	~	·53	~	·02	~	·06	~	~	~	·03	·06	1
2	·04	~	·05	~	·01	~	~	·04	~	·07	·27	·02	2
3	·02	~	~	·08	·41	~	~	·23	~	~	·21	·35	3
4	~	~	·01	~	·35	~	~	·01	~	·03	·35	·11	4
5	~	·02	·13	·01	~	~	~	~	·02	·11	·24	·38	5
6	·10	~	·01	~	~	~	~	·86	~	~	·22	~	6
7	·62	~	·14	~	~	~	~	~	~	~	·53	·52	7
8	·01	~	~	~	~	~	~	~	~	~	·02	~	8
9	·03	~	·18	~	~	~	~	~	~	~	·03	·41	9
10	·05	~	·01	~	~	~	~	~	~	~	~	·43	10
11	·16	·04	·54	~	·26	~	~	~	~	~	·72	·54	11
12	·56	·02	·01	~	·14	~	~	~	·01	~	·38	·16	12
13	~	~	·84	~	~	~	~	~	·26	·27	·11	·34	13
14	~	~	·03	~	~	~	~	~	~	~	·01	·49	14
15	~	·03	~	~	~	~	~	~	~	·01	·48	·76	15
16	~	·05	·01	~	~	·02	~	~	~	~	·66	·10	16
17	·01	·01	~	~	~	·25	~	~	~	~	·10	·46	17
18	~	·01	~	~	~	·09	~	~	~	·03	·02	·48	18
19	~	·42	·08	·13	~	·41	~	~	·39	·18	·06	·47	19
20	~	·05	~	·03	~	·52	~	~	·16	·05	~	·32	20
21	·02	·02	·01	·30	~	·01	~	·02	·08	·66	~	·50	21
22	~	·32	·01	·03	~	·01	~	·08	~	·27	~	·31	22
23	·07	·01	·46	·06	~	·01	~	~	·05	·14	~	·65	23
24	~	·23	·19	·02	~	·13	~	~	~	·66	·03	·33	24
25	·01	·25	~	~	·01	·35	~	·03	·02	·06	~	·17	25
26	~	·15	·03	·28	~	·06	~	·04	~	·14	~	·35	26
27	~	·04	~	·56	·22	·01	~	·01	·07	~	·03	·44	27
28	~		·30	·34	~	~	~	·05	~	~	·02	·17	28
29	~	X		·42	~	~	~	·08	16	·71	·09	—	29
30	~	X		·30	~	·33	·02	·01	~	·25	·01	—	30
31	~	X		X	~	X	~	~	X	·18	X	—	31
Total	1·70	1·67	3·60	2·56	1·42	2·20	·08	1·46	1·22	3·82	4·62	9·32	TOTAL for year 33·67
No. of Rain Days.	13	16	20	13	8	13	2	12	10	17	23	26	173

W. 8,000, X. '11.

Section **A** for the entry of Daily Observations

Station No. 1956

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~12

Kept at FROME - EGFORD W.W.
in the County of SOMERSET
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·15	–	–	·18	·14	–	·02	·81	–	·48		1
2	–	–	·52	–	–	·21	·28	–	·01	–	·01	–		2
3	–	–	·10	–	–	·25	·15	·35	–	–	·04	·06		3
4	·15	–	·85	–	·06	·40	–	·08	·08	–	·12	–		4
5	·46	·05	·25	–	·04	·01	–	·59	–	–	–	·18		5
6	·50	·24	·02	–	·09	–	·09	·97	–	·01	–	·09		6
7	·02	·23	·12	·01	·08	·63	–	·04	–	–	·01	·08		7
8	·32	·20	·58	·01	–	·08	·01	·10	–	·01	–	·08		8
9	·02	·06	·31	·09	–	·02	·01	·02	·03	–	–	·53		9
10	–	·08	–	–	–	·21	–	·21	–	–	·12	·17		10
11	·12	·06	·11	–	–	·01	–	–	–	·01	·01	·53		11
12	·05	·40	·15	·03	–	·01	·01	–	–	–	·03	·02		12
13	–	·04	–	–	–	–	–	–	–	–	–	·17		13
14	·15	·01	·52	–	·13	–	–	·24	–	·01	–	·04		14
15	·05	·06	–	–	·26	·55	–	·04	–	·01	–	·81		15
16	·85	–	·45	–	·04	·01	–	·09	–	·12	·02	·06		16
17	1·41	–	·08	–	–	·03	–	·84	–	·01	·03	·10		17
18	·14	–	·75	–	–	–	–	·09	–	·02	·01	·06		18
19	·05	·14	·09	–	–	·06	·18	·14	–	·10	–	·02		19
20	·04	·01	·49	–	·02	–	·03	1·10	–	·55	·01	–		20
21	·01	·11	·61	–	·55	–	–	·04	–	·31	–	–		21
22	·46	·35	·03	–	·16	–	·01	·23	–	·05	·02	·06		22
23	·31	·37	·34	–	–	·05	·01	·60	–	·15	·20	·37		23
24	·07	·02	·02	–	–	·23	–	·12	–	·03	–	·23		24
25	·01	–	–	–	–	·14	·27	·41	–	·08	·45	·59		25
26	·01	·02	–	–	–	–	·98	·20	–	·59	·53	·25		26
27	–	·02	–	–	–	·20	·19	–	–	1·13	·02	·56		27
28	–	·14	–	–	–	·08	–	·44	·10	·57	·52	·56		28
29	–	·07	·01	–	–	·34	·17	·04	·52	·67	·01	·05		29
30	–	X	–	–	–	·19	·16	–	·22	·32	–	–		30
31	–	X	·31	X	·01	X	·37	–	X	·02	X	·32		31
TOTAL	5·20	2·68	6·86	·14	1·44	3·89	3·06	6·98	·98	5·58	2·16	6·47	Year's Total 45·44	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

cord for auth 25.11.13 obs appears 27.11.13
cord for W.D. 7.11.13
W DL

Waterworks 26 II 13

1956

FORM A.
BRITISH RAINFALL.

10 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Frome Water Works Egford.
in the County of Somerset
by F. W. Jones A.M.I.C.E.

Lat. 51¼ N. Long. 2¼ W.
Nearest Railway Station Frome
RAIN GAUGE. Time of Observation 9 a.m.
Diameter 8 in.
Height of top above Ground 2 ft. – in.
" " Sea Level 270 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	–	·07	·31	–	·01	·19	·37	–	·22	·02	–	1
2	–	–	·15	–	–	·18	·14	–	·02	·81	–	·48	2
3	–	–	·52	–	–	·21	·28	–	·01	–	·01	–	3
4	–	–	·10	–	–	·25	·15	·35	–	–	·04	·06	4
5	·15	–	·85	–	·06	·40	–	·08	·08	–	·12	–	5
6	·46	·05	·25	–	·04	·01	–	·59	–	–	–	·18	6
7	·50	·24	·02	–	·09	–	·09	·97	–	·01	–	·09	7
8	·02	·23	·12	·01	·08	·63	–	·04	–	–	·01	·08	8
9	·32	·20	·58	·01	–	·08	·01	·10	–	·01	–	·08	9
10	·02	·06	·31	·09	–	·02	·01	·02	·03	–	–	·53	10
11	–	·08	–	–	–	·21	–	·21	–	–	·12	·17	11
12	·12	·06	·11	–	–	·01	–	–	–	·01	·01	·53	12
13	·05	·40	·15	·03	–	·01	·01	–	–	–	·03	·02	13
14	–	·04	–	–	–	–	–	–	–	–	–	·17	14
15	·15	·01	·52	–	·13	–	–	·24	–	·01	–	·04	15
16	·05	·06	–	–	·26	·55	–	·04	–	·01	–	·81	16
17	·85	–	·45	–	·04	·01	–	·09	–	·12	·02	·06	17
18	1·41	–	·08	–	–	·03	–	·84	–	·01	·03	·10	18
19	·14	–	·75	–	–	–	–	·09	–	·02	·01	·06	19
20	·05	·14	·09	–	–	·06	·18	·14	–	·10	–	·02	20
21	·04	·01	·49	–	·02	–	·03	1·10	–	·55	·01	–	21
22	·01	·11	·61	–	·55	–	–	·04	–	·31	–	–	22
23	·46	·35	·03	–	·16	–	·01	·23	–	·05	·02	·06	23
24	·31	·37	·34	–	–	·05	·01	·60	–	·15	·20	·37	24
25	·07	·02	·02	–	–	·23	–	·12	–	·03	–	·23	25
26	·01	–	–	–	–	·14	·27	·41	–	·08	·45	·59	26
27	·01	·02	–	–	–	–	·98	·20	–	·59	·53	·25	27
28	–	·02	–	–	–	·20	·19	–	–	1·13	·02	·56	28
29	–	·14	–	–	–	·08	–	·44	·10	·57	·52	·56	29
30	–		·01	–	–	·34	·17	·04	·52	·67	·01	·05	30
31	–			–	–		·16	–	–	·32		–	31
		·07	·31	–	·01	·19	·88	–	·22	·02	–	·32	~~45·13~~
Totals	~~5·21~~	~~2·01~~ ~~2·01~~	~~6·62~~	~~·05~~	~~1·43~~	~~3·41~~	~~2·88~~ ~~2·98~~	~~7·35~~	~~·76~~	~~5·78~~	~~2·18~~	~~6·15~~	~~45·13~~
Total from Jan. 1	5·20 ~~22~~	2·68 ~~20~~	6·86 23	·14 ~~5~~	1·44 ~~10~~	3·89 22	3·06 17	6·98 ~~24~~	·98 ~~6~~	5·58 22	2·16 ~~19~~	6·47 ~~25~~	45·44 213
	21	21		4	11			23	7		18	26	

K/5000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

Section A **for the entry of Daily Observations** **Station No.** 1956

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~13

Kept at FROME EGFORD W.W.
in the County of SOMERSET
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·34	·23	·01	·04	–	–	–	·42	·02	·21	·20		1
2	·08	·09	·04	·32	·03	–	·02	–	·01	·05	·19	–		2
3	·10	·01	·14	·01	·35	–	–	–	–	·01	–	·24		3
4	·98	–	·06	–	·50	·01	–	–	·91	·20	·02	·18		4
5	·01	·02	–	–	·09	·28	·02	–	·39	·01	·02	·12		5
6	·04	·02	·10	–	·24	·18	·08	–	–	·65	·03	·65		6
7	·01	·37	·02	–	·36	·02	·02	–	–	·42	·19	·01		7
8	–	·14	–	–	·30	·05	·01	–	–	·06	–	·01		8
9	–	·09	·01	–	·05	·12	·01	·37	·09	·02	·06	·02		9
10	·08	·01	·03	–	·02	·01	·03	·01	–	·22	·22	–		10
11	·62	·01	–	·11	·23	·04	–	–	–	·08	·38	·02		11
12	–	·01	·01	–	·19	–	–	–	·02	·01	·12	·01		12
13	·02	–	·09	–	–	–	–	·02	·15	–	·18	–		13
14	·10	·01	·19	·09	·03	–	–	–	·02	·03	·33	–		14
15	·18	·05	·41	·59	–	–	–	·03	·01	–	·29	·02		15
16	·22	–	·67	·14	–	–	–	–	–	–	·01	–		16
17	·07	–	·02	·02	–	–	·02	–	–	–	·02	–		17
18	·10	–	·22	·21	–	·03	–	–	–	–	·04	–		18
19	·62	–	·06	–	·03	·15	·02	–	·50	–	·01	·02		19
20	·07	–	·19	·05	–	–	–	–	–	·16	·22	–		20
21	–	–	·06	·24	·18	–	·09	–	–	·02	·55	–		21
22	·73	–	·58	·02	·01	–	–	·06	·20	·01	–	–		22
23	·01	–	·01	–	–	·10	–	–	·10	·01	·02	·42		23
24	·04	·02	·02	·09	–	–	–	·14	–	·01	·01	–		24
25	–	·19	–	·17	–	–	–	–	–	–	–	·05		25
26	–	·03	–	·45	–	–	–	·17	–	·01	·01	·34		26
27	·03	–	·18	·19	–	–	–	–	–	·07	–	·03		27
28	·27	–	·11	·42	–	–	–	–	–	·16	–	·02		28
29	·05	X	·45	·47	·02	–	–	–	·01	·23	–	·02		29
30	·70	X	–	–	·01	–	–	·04	–	·40	·04	–		30
31	·13	X	·04	X	–	X	–	·69	X	·01	X	–		31
TOTAL	5·26	1·41	3·94	3·60	2·68	·99	·32	1·53	2·83	2·87	3·17	2·38	Year's Total 30·98	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Cnd for W.D. 25.11.14

Ex D L

1956

FORM A. BRITISH RAINFALL.

22 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Egford Pumping Station, nr Frome

in the County of Somerset

by F. W. Jones, A.M. Inst. C.E.

Lat. 51° 13' 45" Long. 21' W.

Time of Observation 9 a.m.

Nearest Railway Station Frome G.W.R.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·13		·04					·69		·01	·04	1
2		·34	·23	·01	·04				·42	·02	·21	·20	2
3	·08	·09	·04	·32	·03		·02		·01	·05	·19		3
4	·10	·01	·14	·01	·35					·01		·24	4
5	·98		·06		·50	·01			·91	·20	·02	·18	5
6	·01	·02			·09	·28	·02		·39	·01	·02	·12	6
7	·04	·02	·10		·24	·18	·08			·65	·03	·65	7
8	·01	·37	·02		·36	·02	·02			·42	·19	·01	8
9		·14			·30	·05	·01			·06		·01	9
10		·09	·01		·05	·12	·01	·37	·09	·02	·06	·02	10
11	·08	·01	·03		·02	·01	·03	·01		·22	·22		11
12	·62	·01		·11	·23	·04				·08	·38	·02	12
13		·01	·01		·19				·02	·01	·12	·01	13
14	·02		·09					·02	·15		·18		14
15	·10	·01	·19	·09	·03	—			·02	·03	·33		15
16	·18	·05	·41	·59				·03	·01		·29	·02	16
17	·22		·67	·14							·01		17
18	·07		·02	·02			·02				·02		18
19	·10		·22	·21		·03					·04		19
20	·62		·06		·03	·15	·02		·50		·01	·02	20
21	·07		·19	·05						·16	·22		21
22			·06	·24	·18		·09			·02	·55		22
23	·73		·58	·02	·01			·06	·20	·01			23
24	·01		·01			·10			·10	·01	·02	·42	24
25	·04	·02	·02	·09				·14		·01	·01		25
26		·19		·17								·05	26
27		·03		·45				·17		·01	·01	·34	27
28	·03		·18	·19						·07		·03	28
29	·27		·11	·42						·16		·02	29
30	·05		·45	·47	·02				·01	·25		·02	30
31	·70				·01			·04		·40			31
	·13	–	·04	–	–	–	–	·69	–	·01	·04	–	YEAR'S TOTAL
Total	~~5·65~~	~~1·54~~	~~3·90~~	~~3·64~~	2·68	·99	·32	~~·84~~	~~3·52~~	~~2·86~~	~~3·14~~	~~2·42~~	~~31·30~~
	5·26	1·41	3·94	3·60				1·53	2·83	2·87	3·17	2·38	30·98
Rain Days.	24	~~17~~ 16	~~24~~ 25	~~19~~ 18	18	11	10	~~8~~ 9	~~14~~ 13	~~23~~ 24	23	~~19~~ 18	~~210~~ 209

F. W. JONES, A.M. INST. C.E.
Engineer to the Council,
FROME.

W.7,000, XI. 13

Eso M.9

1956

FORM A.
BRITISH RAINFALL
5 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at The Frome Waterworks, Egford
in the County of Somerset
by T. W. Jones. A. M. Inst. C.E.

Lat. 51° 13' 45" Long. 2° 21' W
Time of Observation 9 a.m.
Nearest Railway Station Frome G.W.R.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·01		·01	·02	·40			·06	·05	1
2				·04	·03		·69	·02			·80	·45	2
3				·14	·45		·01	·68			·33	·11	3
4	·09			·36	·04		·23	·59		·01	·48	·66	4
5	·14			·44	·16		·14				·09	·24	5
6	·01	·15	·03	·30	·03	·01	·39	·14			·03	·24	6
7		·44	·26	·19	·30	·05	·19	·04			·01	·26	7
8	·11	·03	1·12	·03	·20	·31	·04	·29	·06			·02	8
9	·10		·46	·27	·01	·40		·12	·23				9
10	·01	·24	·02	·06	·03				·88		·02	·01	10
11		·13	·45		·03	·25	·10		·01		·04	·33	11
12		·16	·14	·01					·33	·01	·03	·22	12
13		·42	·34						·14	·24	·21	·49	13
14		·26	·58				·01	·25	·02	·38	·25	·01	14
15	·01	·03	·28					·52	·03	·03	·12		15
16							·14		·30				16
17		1·21	·34				·01		·02		·01	1·28	17
18		·02	·04				·32		·01	·01		·53	18
19		·10	·46				·46				·04	·11	19
20		·30	·12									·46	20
21		·64								·12			21
22		·06	·01		·13	·32		·03		·51	·01		22
23		·13	·22		·06	·02			·01	·35		·01	23
24		·05	·04		·02		·28		·01	·34	·23	·02	24
25	·03	·01	·12		·03		·03	·26	·01	·53	·03	·38	25
26	·01	·01	·01				·04	·05		·04	·44	·69	26
27	·05		·01							·04	·04	·23	27
28	·02	·16	·18		·04					·04	·41	1·37	28
29	·43	✕	·06		·04		·02	·01		·20	·24	·01	29
30		✕	·03							·21	·44	1·09	30
31	·01	✕		✕	·04	✕	·20		✕	·51	✕		31
Total	1·05	4·61	6·00	1·88	1·70	1·64	3·65	3·46	2·06	3·54	4·81	9·24	YEAR'S TOTAL 43·43
Rain Days.	~~13~~	~~20~~	~~24~~	~~11~~	~~17~~	~~8~~	~~19~~	~~14~~	~~14~~	~~17~~	~~23~~	~~26~~	~~205~~

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

2065
1956

6 JAN 1916

Kept at The Frome Waterworks
in the County of Somerset
by F. W. Jones A.M.I.C.E.

Lat. 51° 13′ 45″ Long. 2° 21′ W
Time of Observation 9 AM
Nearest Railway Station Frome G.W.R.
Diameter of Rain Gauge 8″ in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 1/12

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·63	·18			·05			·14	·19	·27	·02	·28	1
2	·42	·34	·20	·15		·01		·81	·07	·13		·44	2
3	·61	·07	·14	·02	·23		·04	·01		·02	·01	·33	3
4	·01	·01			·01					·01		·38	4
5	·06	·41		·06	·01			·17			·01	·32	5
6	·55	·10		·35			·46	·11				·12	6
7	·34	·53		·02	·51		·25	·01				·46	7
8	·26	·46						·10			·04	·02	8
9		·02		·13							·64	1·14	9
10	·30	·08	·06	·08				·51				·06	10
11	·03	·01	·10	·05				·33		·01	·42	·05	11
12	·13	·35	·01	·10	·60			·43		·05	·43	·01	12
13	·02	1·01			1·15			·03	·09	·01	·02		13
14	·04	·01						·42	·07	·06	·15	1·51	14
15	·42	·09			·19			·26		·04		·08	15
16		1·11			·29		1·10	·03				·19	16
17		·81			·40			·16		·01	·01	·02	17
18		·43			·08					·01	·02		18
19	·01				·05		·26				·01		19
20	·29			·19	·02					·01		·08	20
21	·04	·25			·02		·03			·09		·26	21
22	·18	·49	·53	·10			·44		·03	·02		·35	22
23		·03	·13				·54		·24	1·14	·01	·35	23
24			·02	·08			·35		·51	1·05		·33	24
25				·01		·26	·14		·01			·15	25
26	·01	·15				·03	·09					·44	26
27		·06				·08	·14			·45	·01	·01	27
28		·08				·01	-		·75	·05			28
29						·04	-	·03	·01		·10	·03	29
30	·20			·01		·16	—			·62	·36	·19	30
31	·08						·03			1·31		·39	31
Total	4·63	4·41	1·19	1·25	3·91	·62	4·23	3·88	1·97	5·36	2·62	8·29	YEAR'S TOTAL 45·36
Rain Days.	21	24	8	14	14	7	13	16	10	20	16	24	190

W. 8,000. X. 14.

Section **A** for the entry of Daily Observations

Station No. 1956

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~16

Kept at FROME EGFORD W.W.
in the County of SOMERSET
Diameter of funnel of gauge ....in.
Height of top of gauge above ground ....ft. ....in.
Height of ground above sea level ....ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Rl'

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·15	·01	—	—	·32	·04	·04	—	·09	·46	·71	—		1
2	·49	·08	·02	—	·03	·01	·01	—	·04	·67	·02	—		2
3	·02	1·13	—	—	·06	·02	—	—	·08	·53	·30	—		3
4	·19	·08	—	·02	·12	·79	·08	—	·33	·25	·77	·01		4
5	·02	·01	·02	—	·41	·18	—	—	—	·09	·57	·01		5
6	·05	·24	·01	—	·14	·05	·56	—	—	·04	·82	—		6
7	·07	·13	·19	—	·01	·04	·17	—	—	·10	·53	·12		7
8	—	·08	·03	—	·27	·05	—	—	—	—	·03	·10		8
9	—	·01	·01	—	·26	·14	—	—	—	·08	·03	·07		9
10	—	·45	·01	·06	·02	·05	·03	—	—	·02	·01	·10		10
11	·02	·01	·04	·06	—	·18	—	—	—	—	—	—		11
12	·08	·10	·04	·05	·06	—	·23	—	—	·03	·01	—		12
13	—	·40	·09	—	—	—	—	·77	—	·01	·01	—		13
14	—	·44	·03	·03	·05	—	—	·28	—	·03	—	—		14
15	—	·40	·07	·03	—	—	—	·23	—	·03	—	—		15
16	·03	·20	—	·28	·01	—	·05	·56	—	·02	—	—		16
17	·22	·16	—	·02	—	—	—	·06	·45	·44	·11	·02		17
18	·01	·03	·08	·17	—	—	—	—	·06	·04	·26	·15		18
19	·35	·01	·38	·29	—	—	—	—	·02	—	·18	·01		19
20	·31	·04	·47	·01	—	—	—	·02	—	—	·18	·83		20
21	·04	·12	·45	—	·05	—	·01	—	—	—	·01	·51		21
22	·02	—	·01	·01	·04	·05	—	—	—	·34	·03	·54		22
23	·01	·17	—	·07	—	·04	—	·15	—	·07	·47	·14		23
24	—	·31	·01	·04	·51	·20	—	·03	·01	·53	·07	·23		24
25	—	·49	·21	—	·03	—	·01	·45	·01	·02	·14	·12		25
26	·01	·03	·18	—	—	·25	—	·05	·47	·57	·01	—		26
27	·02	·04	1·22	—	—	·08	·02	·16	·35	·37	·01	·01		27
28	—	·38	·30	—	—	·05	—	·04	·22	·19	·01	·80		28
29	—	·41	·07	—	—	·48	—	2·52	·07	·79	—	·55		29
30	—	X	—	—	—	—	—	—	—	·37	—	·01		30
31	—	X	—	X	—	X	—	·16	X	·09	X	·03		31
TOTAL	2·11	5·96	3·94	1·14	2·39	2·70	1·21	5·48	2·20	6·18	5·29	4·36	Year's Total 42·96	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

end for WD

2006
1956

FORM A.
BRITISH RAINFALL.

5 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at The Frome Waterworks
in the County of Somerset
by L. Slaughter.

Lat. 51° 13′ 45″ Long. 2° 21″ W.
Time of Observation 9 a.m.
Nearest Railway Station Frome G.W.R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~·24~~	–	·41	–	–	–	–	–	·16	–	·09	–	1
2	·15	·01	–	–	·32	·04	·04	–	·09	·46	·41	–	2
3	·49	·08	·02	–	·03	·01	·01	–	·04	·64	·02	–	3
4	·02	1·13	–	–	·06	·02	–	–	·08	·53	·3	–	4
5	·19	·08	–	·02	·12	·49	·08	–	·33	·25	·44	·01	5
6	·02	·01	·02	–	·41	·18	–	–	–	·09	·54	·01	6
7	·05	·24	·01	–	·14	·05	·56	–	–	·04	·82	–	7
8	·04	·13	·19	–	·01	·04	·14	–	–	·1	·53	·12	8
9	–	·08	·03	–	·24	·05	–	–	–	–	·03	·10	9
10	–	·01	·01	–	·26	·14	–	–	–	·08	·03	·04	10
11	–	·45	·01	·06	·02	·05	·03	–	–	·02	·01	·10	11
12	·02	·01	·04	·06	–	·18	–	–	–	–	–	–	12
13	·08	·10	·04	·05	·06	–	·23	–	–	·03	·01	–	13
14	–	·4	·09	–	–	–	–	·44	–	·01	·01	–	14
15	–	·44	·03	·03	·05	–	–	·28	–	·03	–	–	15
16	–	·4	·04	·03	–	–	–	·23	–	·03	–	–	16
17	·03	·2	–	·28	·01	–	·05	·56	–	·02	–	–	17
18	·22	·16	–	·02	–	–	–	·06	·45	·44	·11	·02	18
19	·01	·03	·08	·14	–	–	–	–	·06	·04	·26	·15	19
20	·35	·01	·38	·29	–	–	–	–	·02	–	·18	·01	20
21	·31	·04	·47	·01	–	–	–	·02	–	–	·18	·83	21
22	·04	·12	·45	–	·05	–	·01	–	–	–	·01	·51	22
23	·02	–	·01	·01	·04	·05	–	–	–	·34	·03	·54	23
24	·01	·14	–	·04	–	·04	–	·15	–	·04	·44	·14	24
25	–	·31	·01	·04	·51	·2	–	·03	·01	·53	·04	·23	25
26	–	·49	·21	–	·03	–	·01	·45	·01	·02	·14	·12	26
27	·01	·03	·18	–	–	·25	–	·05	·44	·54	·01	–	27
28	·02	·04	1·22	–	–	·08	·02	·16	·35	·34	·01	·01	28
29	–	·38	·3	–	–	·05	–	·04	~~·22~~	·19	·01	·80	29
30	–	✕	·04	–	–	·48	–	2·52	·04	·49	–	·55	30
31	–	✕	–	✕	–	✕	–	–	✕	·34	✕	·01	31
	–	·40	–	–	–	–	–	·16	–	·09	–	·83	YEAR'S TOTAL
Total	~~2·48~~	~~5·55~~	~~4·35~~	1·14	2·39	2·40	1·21	~~5·32~~	~~2·36~~	~~6·09~~	~~5·38~~	~~4·35~~	~~43·50~~
	2·11	5·96	3·94					5·48	2·20	6·18	5·29	4·36	42·96
Rain Days.	19	28	23	14	14	18	11	14	13	25	24	20	222

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

Station No. 1956

METEOROLOGICAL OFFICE

Metform 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~17

Kept at FROME. EGFORD WW
in the County of SOMERSET
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·01	–	·19	·27	–	·13	–	·80	·20	–	·01	·01		1
2	–	–	·01	·37	–	·12	–	·10	·01	–	·04	–		2
3	·03	–	–	·05	–	–	·66	·01	–	·72	·11	–		3
4	–	·15	·11	–	–	–	·08	·05	·01	·27	–	·01		4
5	·20	–	·16	·42	–	·25	–	–	·62	·35	·16	–		5
6	·01	–	·45	–	–	–	–	–	–	·13	·13	·02		6
7	·29	–	–	–	–	–	·18	·13	–	·24	·02	·05		7
8	·49	–	·10	·06	–	–	·45	·49	·04	·61	15	·08		8
9	–	–	·07	·04	·04	–	·01	·23	·10	·39	·16	–		9
10	·10	–	·28	·20	–	–	–	·14	·01	·02	–	·01		10
11	·02	–	·74	·20	–	–	–	·33	·13	·43	·01	–		11
12	·03	–	·01	·01	·77	–	–	·37	–	·72	·01	·01		12
13	·01	–	·15	–	–	·01	–	·45	·09	·02	–	–		13
14	–	–	·23	·21	–	–	·12	·10	·04	·01	–	·01		14
15	–	–	·01	–	–	–	·18	·01	–	·33	–	·26		15
16	·01	·08	–	·28	·02	–	·02	·02	–	·58	·01	·24		16
17	–	·01	–	·13	·12	·01	·36	·17	·35	·07	·01	–		17
18	·02	·01	–	–	·01	·02	·36	·03	·56	–	–	–		18
19	·02	·38	·13	–	–	·03	–	–	·11	·01	·02	·01		19
20	·01	·04	·05	–	·41	·24	·01	·16	·01	–	·01	·01		20
21	–	·01	·28	–	–	·06	–	–	–	·11	–	–		21
22	·01	–	·07	–	–	·03	–	·07	–	·07	–	–		22
23	–	·15	·01	–	·12	–	–	·78	·01	·02	·01	·01		23
24	–	·05	·01	–	–	·14	·08	·12	–	·31	·01	–		24
25	–	·04	·05	–	–	–	·28	·02	·06	·31	·01	–		25
26	–	–	·01	–	·19	–	–	·84	·30	·23	·02	–		26
27	–	–	–	–	1·00	·09	–	1·30	·01	·02	–	·01		27
28	–	–	·13	–	·01	3·50	–	·52	·01	–	–	·03		28
29	–	X	·18	–	–	·54	·12	·11	·01	·49	·01	·19		29
30	–	X	·14	–	–	–	·29	·11	·01	·14	–	·01		30
31	·02	X	·21	X	–	X	·01	·02	X	·04	X	·03		31
TOTAL	1·28	·92	3·78	2·24	2·69	5·17	3·21	7·48	2·69	6·64	·91	1·00	Year's Total 38·01	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

FORM A.
BRITISH RAINFALL.

1936

8 JAN 1918

REGISTER OF RAINFALL IN 1914.

Kept at the Frome Waterworks
in the County of Somerset.
by [illegible] Surveyor. Frome U.D.C.

Lat. 51°13'45" Long. 2°21" W.
Time of Observation 9 AM.
Nearest Railway Station Frome G.W.R.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 270. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·03.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·12		·21				·01	·02	·01	·04		1
2	·01		·19	·27		·13		·8	·2		·01	·01	2
3			·01	·37		·12		·10	·01		·04		3
4	·03			·05			·66	·01		·42	·11		4
5		·15	·11				·08	·05	·01	·27		·01	5
6	·2		·16	·42		·25			·62	·35	·16		6
7	·01		·45							·13	·13	·02	7
8	·29						·18	·13		·24	·02	·05	8
9	·49		·1	·06			·45	·49	·04	·61	·15	·08	9
10			·07	·04	·04		·01	·23	·1	·39	·16		10
11	·1		·28	·20				·14	·01	·02		·01	11
12	·02		·74	·20				·33	·3	·43	·01		12
13	·03		·01	·01	·77			·37		·42	·01	·01	13
14	·01		·15			·01		·45	·09	·02			14
15			·23	·21			·12	·1	·04	·01		·01	15
16			·01				·18	·01		·33		·26	16
17	·01	·08		·28	·02		·12	·02		·58	·01	·24	17
18		·11		·13	·12	·01	·36	·14	·35	·07	·01		18
19	·02	·01			·01	·02	·36	·03	·56				19
20	·02	·38	·13			·03			·11	·01	·02	·01	20
21	·01	·04	·05		·41	·24	·01	·16	·01		·01	·01	21
22		·01	·28			·06				·11			22
23	·01		·07			·03		·07		·07			23
24		·15	·01		·12			·78	·01	·02	·01	·01	24
25		·05	·01			·14	·08	·12		·31	·01		25
26		·04	·05				·28	·02	·06	·31	·01		26
27			·01		·19			·84	·3	·23	·02		27
28					1·00	·09		1·3	·01	·02		·01	28
29			·13		·01	3·50		·52	·01			·03	29
30		X	·18			·54	·12	·11	·01	·49	·01	·19	30
31		X	·14	X		X	·29	·11	X	·14	X	·01	31
	·02	–	·21	–	–	–	·01	·02	·01	·04	–	·03	YEAR'S TOTAL
Total	~~1·29~~	~~·94~~	~~3·54~~	~~2·45~~	~~2·69~~	~~5·04~~	~~3·20~~	~~4·44~~	~~2·4~~	~~6·6~~	~~·95~~	~~·97~~	38·01
	1·28	·92	3·78	2·24	2·69	5·17	3·21	7·48	2·69	6·64	·91	1·00	
Rain Days.	18	10	25	12	10	14	15	27	21	28	20	18	214

W. 8,000, IX. 17.

Section **A** for the entry of Daily Observations

Station No. 1956

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~18.

Kept at FROME EGFORD WW
in the County of SOMERSET
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY
An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	·01	–	·02	·05	–	–	·30	–	·01	·70	·02		1
2	–	·03	–	·21	–	–	–	·44	–	·02	·02	·38		2
3	–	·06	·02	·22	·11	–	–	·05	·03	·05	·02	·01		3
4	·01	·02	·01	·06	–	–	–	·02	·01	·04	·80	·08		4
5	–	·03	–	·01	·13	–	–	·18	·13	·46	·01	·02		5
6	·11	·85	–	·45	–	–	–	·05	·07	·22	–	·17		6
7	–	·17	–	·04	·66	·01	–	·01	·24	·33	·35	·02		7
8	–	·03	–	–	–	–	–	–	·45	·18	·01	·06		8
9	–	·21	–	·35	–	·18	·67	·01	·48	·12	·01	·26		9
10	·01	–	–	·10	–	–	·50	–	·19	·19	–	·56		10
11	–	·01	–	·01	–	–	·52	–	·25	·05	·03	·18		11
12	·01	·15	·02	–	·43	–	·09	–	·11	–	–	·05		12
13	·18	·01	–	–	·02	–	·32	–	·67	·04	–	·14		13
14	·25	–	·04	–	·01	·02	·37	–	·34	·09	–	·18		14
15	1·33	–	–	·43	·03	·10	·29	–	–	·01	–	·21		15
16	·42	–	·04	·60	–	–	·03	–	·23	·01	·02	·20		16
17	·30	–	·01	·26	–	–	·38	·03	·13	·01	–	·38		17
18	1·13	–	–	–	–	·60	·03	–	·22	·03	–	·31		18
19	·10	·21	·06	·06	–	–	·37	·01	·13	·03	–	·19		19
20	·02	·22	–	·11	–	·01	·62	–	·15	·04	·01	–		20
21	·04	·09	·01	·01	–	·01	·03	–	·78	·07	·01	·08		21
22	·03	·01	–	–	·04	–	·49	–	·25	·02	–	·30		22
23	·38	–	–	–	·40	·01	·33	·03	·04	–	·05	·06		23
24	–	·15	–	–	–	·03	·11	–	·10	–	·04	–		24
25	·01	·01	–	–	–	–	·14	·80	–	·02	·01	·01		25
26	–	–	–	–	–	–	·48	–	·05	·04	·19	·27		26
27	·01	·03	·06	–	–	–	·31	·16	·43	–	·11	·04		27
28	–	·08	·39	–	–	–	–	–	–	–	·15	·09		28
29	·01	X	·07	–	–	–	–	–	1·43	·01	·01	·03		29
30	·01	X	·35	–	–	–	–	·28	·02	·02	·08	·05		30
31	·01	X	·25	X	–	X	–	·02	X	·03	X	–		31
TOTAL	4·37	2·38	1·33	2·94	1·88	·97	6·08	2·39	6·93	2·14	2·63	4·35	Year's Total 38·39	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

cut for WD Escagse

1956

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918.

Kept at The Frome Waterworks

in the County of Somerset.

by Surveyor

Lat. 51°13'45" Long. 2°21" W.
Time of Observation 9 a.m.
Nearest Railway Station Frome G.W.R.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 2 ft. 0. in.
" " " " Sea Level 270. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·01	·08	·25					·02	·02	·03	·08	1
2		·01		·02	·05			·3		·01	·70	·02	2
3		·03		·21				·44		·02	·02	·38	3
4		·06	·02	·22	·11			·05	·03	·05	·02	·01	4
5	·01	·02	·01	·06				·02	·01	·04	·8	·08	5
6		·03		·01	·13			·18	·13	·46	·01	·02	6
7	·11	·85		·45				·05	·07	·22		·17	7
8		·17		·04	·66	·01		·01	·24	·33	·35	·02	8
9		·03							·45	·18	·01	·06	9
10		·21		·35		·18	·67	·01	·48	·12	·01	·26	10
11	·01			·1			·5		·19	·19		·56	11
12		·01		·01			·52		·25	·05	·03	·18	12
13	·01	·15	·02		·43		·09		·11			·05	13
14	·18	·01			·02		·32		·67	·04		·14	14
15	·25		·04		·01	·02	·37		·34	·09		·18	15
16	1·33			·43	·03	·1	·29			·01		·21	16
17	·42		·04	·6			·03		·23	·01	·02	·2	17
18	·3		·01	·26			·38	·03	·13	·01		·38	18
19	1·13					·6	·03		·22	·03		·31	19
20	·1	·21	·06	·06			·37	·01	·13	·03		·19	20
21	·02	·22		·11		·01	·62		·15	·04	·01		21
22	·04	·09	·01	·01		·01	·03		·78	·07	·01	·08	22
23	·63	·01			·04		·49		·25	·02		·3	23
24	·38				·4	·01	·33	·03	·04		·05	·06	24
25		·15				·03	·11		·1		·04		25
26	·01	·01					·14	·8		·02	·01	·01	26
27							·48		·05	·04	·19	·27	27
28	·01	·03	·06				·31	·16	·43		·11	·04	28
29			·39								·15	·09	29
30	·01	X	·07						1·43	·01	·01	·03	30
31	·01	X	·35	X		X		·28	X	·02	X	·05	31
Total	·01 ~~4·39~~ 4·37	·08 ~~2·31~~ 2·38	·25 ~~1·16~~ 1·33	~~3·19~~ 2·94	1·88	·97	6·08	·02 ~~2·34~~ 2·39	·02 ~~6·93~~ 6·93	·03 ~~2·15~~ 2·14	·08 ~~2·58~~ 2·63	(–) ~~4·43~~ 4·35	YEAR'S TOTAL ~~38·42~~ 38·39
Rain Days.	20	20	13	~~14~~ 16	10	9	19	~~14~~ 15	23	26	20	~~29~~ 28	~~222~~ 221

W, 6,500, VII. 18. W W d

Section A **for the entry of Daily Observations** **Station No.** 1956

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 196/9

Kept at FROME. EGFORD WW

in the County of SOMERSET

COPY.

Diameter of funnel of gauge ....in.

Height of top of gauge above ground ....ft. ....in.

Height of ground above sea level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.		
1	·77	–	·12	·01	·35	–	·38	–	·03	·07	–	1·20		1
2	·15	–	·01	–	·03	–	·02	–	·52	–	·07	·15		2
3	1·53	–	·17	–	·03	–	–	–	·17	–	·06	·53		3
4	·35	·10	·75	–	–	·03	·05	·04	·46	·01	–	·07		4
5	·05	·40	·75	–	·04	–	·50	·01	·26	–	·11	·36		5
6	·39	·10	·31	–	·05	–	–	–	·01	–	·07	·18		6
7	·17	–	·52	·05	–	–	–	–	–	·01	·01	–		7
8	·20	–	·17	–	–	–	–	–	–	–	–	–		8
9	·01	–	·05	·11	·01	–	–	–	·01	–	·17	–		9
10	·08	–	·14	·05	–	–	–	–	–	·04	–	·26		10
11	·04	–	·23	·14	·34	–	·22	–	–	–	–	·03		11
12	·01	–	·15	·02	–	·15	·05	–	–	·10	·06	·05		12
13	·05	–	·05	·48	–	–	·02	–	–	·01	–	·04		13
14	·60	·06	·01	1·00	–	–	·09	–	·02	·02	–	·07		14
15	·14	·01	–	·01	–	–	–	–	–	·09	–	·33		15
16	·03	·87	–	–	–	–	–	–	–	–	·16	·01		16
17	·01	·30	–	–	–	·01	–	–	–	–	·51	·03		17
18	–	·20	·48	–	–	–	·15	·18	·01	·01	·18	·05		18
19	·33	·25	1·13	–	–	·08	·68	·54	·21	·01	·27	·06		19
20	·48	·14	·12	–	–	·27	–	·38	·01	–	–	·13		20
21	·01	·50	–	–	–	–	·08	–	·01	·01	·02	·16		21
22	–	·26	·01	–	–	·01	·07	–	·31	·01	·01	·26		22
23	–	–	–	–	–	–	–	–	·01	·28	·10	·12		23
24	–	–	–	·02	–	·09	–	–	·01	1·35	·02	·39		24
25	·08	–	–	·02	–	·03	–	·64	·01	–	·03	·10		25
26	·07	·01	·23	·04	–	–	–	·47	·12	–	·01	·64		26
27	·14	–	·03	·52	–	–	–	·53	–	–	–	·06		27
28	–	·01	·43	–	–	–	–	·59	–	–	·38	·53		28
29	·02	X	–	·02	–	–	–	·06	–	·05	–	·09		29
30	–	X	–	·19	–	·16	–	·35	–	·02	·62	·60		30
31	–	X	·01	X	–	X	·02	–	X	–	X	~~·30~~ ·25		31
TOTAL	5·71	3·21	5·87	2·68	·85	·83	2·33	3·79	2·18	2·09	2·86	6·~~80~~ 75	Year's Total ~~39·[illegible]~~	39·15
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

card fd WD Dec 31 cor

1794
1956

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at The Frome Waterworks
in the County of Somerset
by S. Slaughter

Lat. 51° 13' 45" Long. 2° 21" W
Time of Observation 9 a.m.
Nearest Railway Station Frome G.W.R.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·25 ~~(·30)~~

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		·01	·01	·19		·16	·02		~~·07~~		·62	1
2	·77		·12	·01	·35		·38		·03	·07		1·20	2
3	·15		·01		·03		·02		52		·07	·15	3
4	1·53		·17		·03				·17		·06	53 ~~·07~~	4
5	·35	·1	·75			03	·05	·04	·40	·01		·07	5
6	·05	·4	·75		·04		·5	·01	·26		·11	·36	6
7	·39	·1	·31		·05				·01		·07	·18	7
8	·17		·52	·05						·01	·01		8
9	·2		·17										9
10	·01		·05	·11	·01				·01		·17		10
11	·08		·14	·05						·04		·26	11
12	·04		·23	·14	·34		·22					·03	12
13	·01		·15	·02		·15	·05			·1	·06	·05	13
14	·05		·05	·48			·02			·01		·04	14
15	·6	·06	·01	1·00			·09		·02	·02		·07	15
16	·14	·01		·01						·09		·33	16
17	·03	·87									·16	·01	17
18	·01	·3				·01					·51	·03	18
19		·2	·48				·15	·18	·01	·01	·18	·05	19
20	·33	·25	1·13			·08	·68	·54	·21	·01	·27	·06	20
21	·48	·14	·12			·27		·38	·01			·13	21
22	·01	·5					·08		·01	·01	·02	·16	22
23		·26	·01			·01	·07		·31	·01	·01	·26	23
24									·01	·28	·1	·12	24
25				·02		·09			·01	1·35	·02	·39	25
26	·08			·02		·03		·64	·01		·03	·1	26
27	·07	·01	·23	·04				·47	·12		·01	·64	27
28	·14		·03	·52				·53				·06	28
29			·43					·59			·38	·53	29
30	·02	✕		·02				·06		·05		·09	30
31		✕		✕		✕		·35	✕	·02	✕	·6 25	31
	—	·01	·01	·19	—	·16	·02	—	—	—	·62	(·30)	YEAR'S TOTAL
Total	5·71	3·2	5·87	~~2·5~~	~~1·04~~	~~·67~~	~~2·47~~	~~3·81~~	2·18	2·09	~~2·24~~	7·12	~~38·9~~
		3·21		2·6	·85	·83	2·33	3·79			2·86	6·80	39·20
Rain Days.	24	~~13~~	22	13	~~8~~	~~8~~	13	~~12~~	17	16	~~18~~	28	~~144~~
		14			7	9		11			19		195

W, 6,500, VII. 18. W W C

Section **A** for the entry of Daily Observations

Station No. [illegible] 1956

METEOROLOGICAL OFFICE

Metform 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~20

Kept at FROME. EGFORD W.W
in the County of SOMERSET
Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

COPY.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·11	—	—	·25	·43	—	·33	·05	·03	·25	·27	·60		1
2	·09	—	·01	·09	—	—	·17	·28	·09	·17	—	·12		2
3	·05	·04	·01	·04	·02	—	·43	—	—	·65	—	·02		3
4	—	·01	·02	·05	—	—	·08	·67	—	·16	—	—		4
5	—	—	·13	·01	·19	—	·34	·02	—	·19	—	·01		5
6	—	—	·36	·01	·56	—	·36	—	—	·09	·01	·01		6
7	·08	—	·03	·19	—	—	·14	—	—	·03	·01	—		7
8	·05	·05	—	·40	·07	—	·51	·01	—	·03	—	—		8
9	·90	·11	·02	·13	—	·14	·01	·03	·01	—	—	—		9
10	1·05	·40	·10	·08	—	·29	·45	—	—	—	—	·01		10
11	·60	—	·19	·56	·27	—	·14	—	—	—	—	·03		11
12	·34	·08	·04	·23	·04	·89	·11	—	—	·01	·10	—		12
13	·16	·08	·49	·13	—	—	—	—	—	—	·03	·02		13
14	·13	·03	·42	·48	—	—	·01	—	·18	·21	·68	·02		14
15	·02	·12	·03	·38	·03	·03	·02	—	·05	·25	·15	—		15
16	—	—	—	·13	·02	·04	·18	—	·45	·09	·14	—		16
17	·02	—	·04	·16	·39	·80	—	—	·50	—	·01	·02		17
18	·06	·01	·01	·07	·28	·02	—	·31	·21	—	·01	·01		18
19	·02	·02	—	·26	·08	·09	—	—	·01	—	—	—		19
20	·01	·20	—	·30	—	·35	—	—	—	—	—	·48		20
21	—	—	—	·01	—	—	·14	—	·03	—	—	·18		21
22	·02	—	·01	·11	—	—	·08	·10	·01	·01	—	·42		22
23	—	·01	—	—	—	—	·90	·01	—	—	—	·57		23
24	·03	·01	·20	·01	—	—	—	—	·01	·01	·11	·10		24
25	·01	·04	·08	—	·12	·01	·39	—	—	·01	—	·01		25
26	·34	—	·18	—	·02	·01	·02	—	—	·01	·04	·13		26
27	·25	·02	·05	·33	·01	·51	—	—	—	—	·01	·20		27
28	1·01	·01	·06	—	·13	·02	·14	—	—	—	—	·05		28
29	·25	·01	·14	—	·04	·03	·01	—	·01	—	·24	·43		29
30	·07	X	·02	·08	·10	·27	·29	—	·24	—	·40	·31		30
31	·23	X	·13	X	·01	X	·02	—	X	·36	X	·23		31
TOTAL	5·90	1·25	2·77	4·49	2·81	3·50	5·27	1·48	1·83	2·53	2·21 ~~1·85~~	3·98 ~~1·34~~	Year's Total 38·02	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

1713
1956

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Frome Waterworks
in the County of Somerset
by L. Slaughter

Lat. 51° 13' 45" Long 2° 21" W.
Time of Observation 9 a.m.
Nearest Railway Station Frome G.W.R.
Diameter of Funnel of Rain Gauge 8" in.
Height of top of Gauge above Ground 2 ft. 0 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·23

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·25	·23	·01	·13	·08	·01	·24	·02		·24	·36	·4	1
2	·11	·	~~·0~~	·25	·43		·33	·05	·03	·25	·24	·6	2
3	·09	·	·01	·09	·		·17	·28	·09	·17		·12	3
4	·05	·04	·01	·04	·02		·43	·		·65		·02	4
5	·	·01	·02	·05			·08	·67		·16			5
6		·	·13	·01	·19		·24	·02		·19		·01	6
7	·		·36	·01	·56		·36			·09	·01	·01	7
8	·08	·	·03	·19			·14			·03	·01		8
9	·05	·05	·	·4	·07		·51	·01		·03			9
10	·9	·11	·02	·13		·14	·01	·03	·01				10
11	1·05	·4	·1	·08		·29	·45					·01	11
12	·6	·	·19	·56	·27		·14					·03	12
13	·34	·08	·04	·23	·04	·89	·11			·01	·1		13
14	·16	·08	·49	·13							·03	·02	14
15	·13	·03	·42	·48			·01		·18	·21	·68	·02	15
16	·02	·12	·03	·38	·03	·03	·02		·05	·25	·15		16
17	·	·	·	·13	·02	·04	·18		·45	·09	·14		17
18	·02	·	·04	·16	·39	·8			·5		·01	·02	18
19	·06	·01	·01	·07	·28	·02		·31	·21		·01	·01	19
20	·02	·02	·	·26	·08	·09			·01				20
21	·01	·2	·	·3	·	·35						·48	21
22	·		·	·01			·14		·03			·18	22
23	·02	·	·01	·11			·08	·10	·01	·01		·42	23
24		·01	·			·	·9	·01	·			·54	24
25	·03	·01	·2	·01		·			·01	·01	·11	·1	25
26	·01	·04	·08	·	·12	·01	·39			·01		·01	26
27	·34	·	·18	·	·02	·01	·02			·01	·04	·13	27
28	·25	·02	·05	·33	·01	·51					·01	·2	28
29	1·01	·01	·06	–	·13	·02	·14					·05	29
30	·25		·14	–	·04	·03	·01		·01		·24	·43	30
31	·04		·02		·1		·29					·31	31
TOTAL	·23 ~~5·62~~ 5·90	·01 ~~1·47~~ 1·25	·13 ~~2·65~~ 2·77	·08 ~~4·54~~ 4·49	·01 ~~2·88~~ 2·81	·27 ~~3·24~~ 3·50	·02 ~~5·52~~ 5·27	– ~~1·50~~ 1·48	·24 ~~1·59~~ 1·83	·36 ~~2·41~~ 2·53	·04 ~~2·17~~ ~~1·85~~	·23 ~~4·15~~ ~~4·34~~	YEAR'S TOTAL 38·02 ~~38·04~~
Days with ·01 in. or more	25	18	24	25	19	15	24	9 ~~10~~	14 ~~15~~	17	15	23	228
Days with ·04 in. or more	18	9 ~~10~~	15 ~~14~~	21	13 ~~14~~	9 ~~8~~	18 ~~19~~	~~6~~ 5	7 ~~8~~	10	9	13	147 ~~148~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

The Rainfall at The Frome Waterworks

measured on the morning of January 1st, 1924

was.....·23.....

Signed.....L. Slaughter.....

This form should be folded so as to bring the printed address outside and returned to the Superintendent. The communication should contain nothing of the nature of a letter.

PRINTED PAPER.

ON HIS MAJESTY'S SERVICE

Postage ½d.
if containing
nothing in
the nature
of a letter.

FROME

THE SUPERINTENDENT,

BRITISH RAINFALL ORGANIZATION,

62, CAMDEN SQUARE,

LONDON, N.W.1.

FROME — BECKINGTON
SOMERSET
1911 - 1920

FORM A2. BRITISH RAINFALL.
1 - JAN 1912

REGIS 911

Kept at Beckingto
in the County of Somers
by Edward M

op 8 in.
above Ground 1 ft. 3 in.
„ Sea Level 270 ft.
9 AM

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.05	.13	.01			.03			.02	.01	1
2	.02		.01	.04	.33					.10	.19	.27	2
3	.02	.01	.01		.30			.15			.18	.13	3
4		.02	.15	.02		.13				.04	.29	.32	4
5			.01	.02				1.00		.13	.31		5
6	.49		.16					.01			.32	.35	6
7	.01										.48		7
8	.04		.13								.03	.40	8
9	.07		.01								.08	.39	9
10	.08	.06	.37		.05							.31	10
11	.46	.02	.02		.48						.69	.25	11
12			.70						.02		.20	.07	12
13			.03		.02				.25		.11	.65	13
14		.04									.03	.66	14
15		.02	.02			.02					.31	.06	15
16		.02	.01			.23					.64	.41	16
17		.02				.06					.08	.32	17
18		.38	.09	.08		.25				.03	.01	.32	18
19		.04		.02		.35			.29	.21	.07	.07	19
20	.04	.02	.16	.11				.02	.13	.13		.67	20
21	.01	.20	.05	.02		.01		.02	.18	.53		.28	21
22	.03	.06	.40	.03		.02		.01		.28		.59	22
23		.25	.22	.01		.08			.03	.02	.03	.24	23
24		.08			.02	.28		.03		.96		.30	24
25	.02	.25	.02	.17		.05		.03	.01	.01		.27	25
26		.02		.32	.02	.03				.16	.03	.34	26
27		.21	.26	.12	.01			.04	.04		.06	.16	27
28		.60		.34				.12			.04	.01	28
29				.24		.24	.02			.34	.01		29
30						.03			.06	.23	.01	.01	30
31										.15			31
Total	1.35	3.22 2.32	2.88	1.67	1.24	1.78	0.02	1.46	1.01	3.32	4.22	7.86	TOTAL for year 29.13 30.03
No. of Rain Days	13	19	21	15	9	14	1	11	9	15	24	27	178

7,000. X. '09.

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Beckington

in the County of Somerset

by Edward M Nelson

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 270 ft.

Time of Observation 9 AM

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06		.05	.13	.01			.03			.02	.01	1
2	.02		.01	.04	.33					.10	.19	.27	2
3	.02	.01	.01		.30			.15			.18	.13	3
4		.02	.15	.02		.13				.04	.29	.32	4
5			.01	.02				1.00		.13	.31		5
6	.49		.16					.01			.32	.35	6
7	.01										.48		7
8	.04		.13								.03	.40	8
9	.07		.01								.08	.39	9
10	.08	.06	.37		.05							.31	10
11	.46	.02	.02		.48						.69	.25	11
12			.70						.02		.20	.07	12
13			.03		.02				.25		.11	.65	13
14		.04									.03	.66	14
15		.02	.02			.02					.31	.06	15
16		.02	.01			.23					.64	.41	16
17		.02				.06					.08	.32	17
18		.38	.09	.08		.25				.03	.01	.32	18
19		.04		.02		.35			.29	.21	.07	.07	19
20	.04	.02	.16	.11				.02	.13	.13		.67	20
21	.01	.20	.05	.02		.01		.02	.18	.53		.28	21
22	.03	.06	.40	.03		.02		.01		.28		.59	22
23		.25	.22	.01		.08			.03	.02	.03	.24	23
24		.08			.02	.28		.03		.96		.30	24
25	.02	.25	.02	.17		.05		.03	.01	.01		.27	25
26		.02		.32	.02	.03				.16	.03	.34	26
27		.21	.26	.12	.01			.04	.04		.06	.16	27
28		.60		.34				.12			.04	.01	28
29				.24		.24	.02			.34	.01		29
30						.03			.06	.23	.01	.01	30
31										.15			31
Total	1.35	3.22 2.32	2.88	1.67	1.24	1.78	0.02	1.46	1.01	3.32	4.22	7.86	TOTAL for year 29.13 30.03
No. of Rain Days	13	19	21	15	9	14	1	11	9	15	24	27	178

7,000. X. '09.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
1 JAN 1913

Kept at Beckington.
in the County of Somerset.
by Edward M. Nelson.

RAIN GAUGE
Pattern
Diameter of top 8.0 in.
Height of top above Ground 1 ft. 3 in.
" " " Sea Level 270.1 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.12			.30	.16		.02	.68		.47	1
2			.40			.18	.29			.01			2
3			.07			.22	.08	.33	.03		.03	.02	3
4	.16		.80		.08	.49		.01	.01		.22		4
5	.21	.01	.25		.03	.01		.58			.01	.04	5
6	.80	.23	.02		.04		.16	1.36				.11	6
7	.01	.19	.01		.10	.46		.04			.01	.06	7
8	.23	.15	.46			.12	.01	.11	.01			.05	8
9	.03	.04	.35	.11		.19	.03	.02				.27	9
10		.06	.01			.04		.16			.08	.15	10
11	.14	.04	.13			.01						.43	11
12	.05	.39	.10	.03	.01	.01					.03	.03	12
13		.07	.02				.02	.10				.11	13
14	.14	.01	.36		.18		.01	.21		.02		.04	14
15	.06	.05	.02		.24	.54		.05			.01	.62	15
16	.63		.27		.05	.01		.04		.10	.03	.05	16
17	1.27		.02			.04		.65			.02	.08	17
18	.60		.80					.07		.05		.12	18
19	.05	.10	.19			.03	.15	.29		.13		.01	19
20	.05		.35		.01		.03	1.08		.42	.04		20
21	.02	.03	.58		.60		.01	.01		.31			21
22	.41	.29	.02		.15		.04	.12		.06	.03	.07	22
23	.23	.34	.24			.03	.01	.42		.11	.14	.29	23
24	.08	.02	.02			.10	.01	.25		.03		.28	24
25	.03	.01				.20		.39		.01	.35	.55	25
26		.02				.06	.37	.16		.56	.58	.15	26
27		.01				.15	1.31			.94	.03	.45	27
28		.08				.04	.12	.38	.16	.45	.39	.62	28
29		.06				.24	.15	.03	.64	.46		.03	29
30						.11	.05		.23	.36			30
31			.23		.12		.43	.02		.01		.16	31
Total	5.20	2.20	5.84	.14	1.61	3.58	3.44	6.88	1.10	4.71	2.00	5.26	TOTAL for year 41.96
No. of Rain Days	20	21	25	2	12	23	20	25	7	18	16	26	215

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.

8 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Beckington.

in the County of Somerset.

by Edward M Nelson.

Lat. 51°-15′-42″ N. Long. 9 - 8½ W. (min. sec.)

Time of Observation 9 A.M.

Nearest Railway Station

Diameter of Rain Gauge 8.0 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 270.1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.25	.16	.01	.07	.01			.38	.01	.17	.21	1
2	.05	.19	.04	.31			.04			.02	.17		2
3	.03		.09	.01	.52							.22	3
4	.73		.07	.01	.47				.93	.19	.02	.10	4
5	.02	.02				.22	.08		.55		.01	.12	5
6	.01	.02	.13		.31	.13	.30			.57	.11	.68	6
7		.37			.15	.04	.09			.33	.15	.01	7
8		.08			.33	.06				.15		.01	8
9		.09			.06	.05	.01	.20	.07		.04	.05	9
10	.08		.05	.02	.18	.04		.01		.20	.25		10
11	.76		.01	.13	.30	.03				.12	.32	.01	11
12	.05				.17				.01	.01	.19		12
13			.06					.01	.11		.15	.01	13
14	.14		.12	.11			.04	.01		.04	.31		14
15	.10	.09	.48	.36				.06	.09		.19	.02	15
16	.29		.67	.23			.01		.01		.01		16
17	.07	.01	.02	.03			.02		.02		.01		17
18	.03		.13	.17		.03					.03		18
19	.55		.14			.11	.02		.41				19
20	.07		.16	.05	.01					.24	.05		20
21			.05	.23	.15		.06				.54		21
22	.72		.33	.22	.01		.01	.04	.18				22
23	.01					.08			.01		.05	.39	23
24	.05	.10	.01	.06				.13			.01		24
25		.08		.09							.01	.06	25
26		.01		.26				.20				.26	26
27			.11	.11						.14		.03	27
28	.29		.25	.37						.14		.05	28
29	.05		.34	.56	.02			.12		.18	.02	.02	29
30	.55									.35	.03		30
31	.19		.05		.01			.42		.03			31
Total	4.89	1.31	3.47	3.34	2.76	0.80	0.68	1.20	2.77	2.72	2.84	2.25	YEAR'S TOTAL 29.03
Rain Days.	23	12	22	20	15	11	11	10	12	16	23	17	192

W. 7,500, XI. 12

Ex Dl

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 - JAN 1915

Kept at Beckington.

in the County of Somerset.

by Edward M. Nelson.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.01			.01	.08	.39			.14	.07	1
2				.06	.~~33~~		.70	.03			.67	.36	2
3	.01		.09	.12	.33		.05	.40			.25	.08	3
4	.07		.06	.35	.03		.24	.63			.56	.60	4
5	.11		.11	.30	.16		.34	.02			.17	.11	5
6	.01	.16		.24	.03	.02	.30	.10			.03	.38	6
7		.38	.22	.27	.34	.08	.16				.01	.27	7
8	.04	.03	.93	.04	.10	.37	.02	.16	.08			.02	8
9	.10		.55	.17	.02	.65		.10	.10				9
10	.04	.11	.03	.03	.04			.03	.32				10
11		.11	.46	.01	.01	.23			.05		.06	.41	11
12		.11	.10				.12		.30		.01	.21	12
13		.35	.24						.12	.13	.13	.56	13
14		.32	.54					.21	.02	.40	.23	.01	14
15	.01	.03	.21					.43	.02	.05	.11		15
16			.01				.12		.23				16
17		.94	.22						.04			.90	17
18		.02	.08				.27		.01			.54	18
19		.11	.46				.70				.08	.12	19
20		.17	.33									.42	20
21		.60	.01							.12		.01	21
22		.03	.05		.18	.20				.41			22
23		.16	.15		.09	.04				.20			23
24		.01	.08				.22			.40	.20		24
25	.03		.11		.01		.05	.17		.43	.03	.27	25
26							.09	.04		.07	.34	.50	26
27	.07									.05	.09	.13	27
28	.01	.11	.15		.02					.10	.35	1.25	28
29	.29		.05		.06		.01			.21	.23		29
30	.01		.04							.24	.44	.76	30
31	.01						.08			.56		.04	31
Total	.81	3.75	5.29	1.59	1.42	1.60	3.55	2.71	1.29	3.37	4.13	8.02	YEAR'S TOTAL 37.53
Rain Days.	14	18	26	10	14	8	17	13	11	14	20	23	188

W. 7,500, XI. 12

W Ma

2072

FORM A.
BRITISH RAINFALL.

1 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Beckington
in the County of Somerset.
by E. M. Nelson.

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.53	.09			.06			.17	.31	.18	.04	.27	1
2	.48	.38	.10	.06				.51	.01	.21		.34	2
3	.78	.05	.09	.08	.15		.06	.01		.03		.36	3
4		.01			.01							.37	4
5	.08	.66			.01			.13				.22	5
6	.41	.03		.30			.45	.08				.11	6
7	.26	.36		.02	.58		.28	.02				.36	7
8	.20	.35		.02			.01	.08			.02		8
9	.01	.05		.22				.03			.50	1.03	9
10	.20	(.04)		.05				.13			.04	.06	10
11	.01		.08	.09	.02			.12			.62	.06	11
12	.14	.13		.11	.46			.29		.03	.43		12
13	.04	.99			1.18				.10		.05		13
14	.08						.08	.56	.06	.05		.90	14
15	.33			.02	.16			.10		.05	.16	.11	15
16		.75			.20		.98	.01	.01			.15	16
17		.90			.67		.01	.10				.01	17
18		.50			.20								18
19					.04		.25						19
20	.20			.05	.03							.09	20
21		.12			.08		.01			.12		.31	21
22	.19	.63	.55	.03			.61		.02			.25	22
23		.01	.15				.55		.16	1.58		.38	23
24				.09			.42		.53	1.21		.21	24
25				.01		.04	.13					.20	25
26		.13				.10	.06					.57	26
27		.04				.15	.22			.29		.02	27
28		.15				.05			.75	.12			28
29						.16		.06			.08	.05	29
30	.17	X				.26				.47	.38	.09	30
31	.03	X		X		X	.01		X	.84	X	.29	31
Total	4.14	6.37	0.97	1.15	3.85	0.76	4.13	2.40	1.95	5.18	2.32	6.81	YEAR'S TOTAL 40.03
Rain Days.	18	21	5	14	15	6	16	16	9	13	10	25	168

W. 8,000. X. 14.

2014

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Beckington

in the County of Somerset

by Edward M. Nelson.

Lat. 51°-15′-42″ Long. 9 min 8½ sec W.

Time of Observation 9 AM

Nearest Railway Station Frome.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	.01			.15	.05	.05		.07	.16	.66		1
2	.49	.03	.02		.11					.95	.02		2
3		.63							.06	.40	.17		3
4	.17	.16			.18	.58	.01		.34	.18	.55		4
5	.02	.01	.03		.38	.15				.08	.24		5
6	.01	.16	.02		.08	.08	.44			.02	.67		6
7	.09	.07	.21		.01	.03	.06			.08	.40	.14	7
8	.01	.11	.02		.20	.25					.08	.09	8
9					.23	.24	.03			.08	.02	.03	9
10		.42	.01	.07	.02	.01	.02			.05	.01	.12	10
11	.04		.07			.09							11
12	.11	.10	.05	.10	.05		.11			.01			12
13		.33	.09					.55		.01			13
14		.42	.04	.08	.07			.41		.04	.01		14
15		.26	.06	.05				.20		.04			15
16	.03	.10		.21	.01		.16	.51		.01			16
17	.10	.12		.02				.15	.34	.34	Snow .05		17
18	.01	.09	.08	.17					.16	.06	.17	.15	18
19	.12		.31	.26					.02		.25	.03	19
20	.22		.46					.01			.15	.77	20
21	.05	.09	.52								.03	Snow .62	21
22	.02				.10	.04				.40	.03	.55	22
23	.03			.09		.01		.15		.07	.38	.10	23
24		.49		.01	.55	.13		.02		.40	.05	.23	24
25		.38	.17		.04			.40		.06	.14	.11	25
26	.01	.03	.19			.27		.10	.33	.45			26
27	.03	.08	1.30			.06	.30	.14	.43	.34			27
28		.47	.24			.07		.01	.10	.16		.46	28
29		.39	.06			.33		2.09	.24	.70		.45	29
30		✕	.01							.36			30
31		✕		✕		✕		.06	✕	.01	✕	.03	31
Total	1.71	4.95	3.96	1.06	2.18	2.39	1.18	4.80	2.09	5.43	4.08	3.88	YEAR'S TOTAL 37.71
Rain Days.	19	23	21	10	15	16	9	14	10	26	20	15	198

W. 8,000. X. 15.

1924

REGISTER OF RAINFALL IN 1917

FORM A
BRITISH RAINFALL.

2 JAN

Kept at Beckington.
in the County of Somerset.
by Edwurd M. Nelson.

Lat. 51°-15′-42″ Long. 9 min 8½ sec W.
Time of Observation 9 AM
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.04	.19	.11		.09		.82	.30		.02		1
2				Blizzard .41		.15		.10			.06		2
3	.02			.10			.59	.03		.50	.16		3
4		.20	.11				.15	.11		.42			4
5	.19		.18	.28		.12		.01	.52	.42	.10		5
6			.41	.01						.16	.12		6
7	.21		Snow .01				.22			.19		.05	7
8	.52		.14	.10			.47	.70	.04	.35	.08	.09	8
9			.09	.01	.04			.19	.07	.27	.16		9
10	.11		.17	.13				.11		.02		.02	10
11	.02		.68	.15				.18	.05	.29	.01		11
12	.02				.34			.32		.70	.01	.01	12
13			.11			.01		.42	.05	.05			13
14			Snow .31	.24				.17	.05				14
15							.12	.01		.22		.34	15
16		.08		.13			.03	.01		.46		.13 snow	16
17	.01			.17	.17		.27	.10	.31	.08			17
18		.01			.01	.01	.28	.03	.52		.02		18
19	.05	.41	.09			.01			.12		.03		19
20	.02	.01	.08		.26	.23		.16	.03		.01		20
21			Snow .29			.08				.07			21
22			.11					.03		.04			22
23		.12			.13	.01		.58		.01		.02	23
24		.05	.01			.15	.08	.22		.18	.02		24
25		.08	.01				.02	.03	.03	.34			25
26			.03		.12			.73	.17	.29	.02		26
27					.87	.03		.94		.02			27
28			.11		.01	3.41		.53			.01	.03	28
29			.17		.27	.46	.10	.15		.33		.18 snow	29
30			Snow .11				.24	.12		.31			30
31			.17					.01		.04		.03	31
Total	1.18	1.00	3.58	1.84	2.22	4.76	2.57	6.81	2.26	5.76	0.83	0.90	YEAR'S TOTAL 33.71
Rain Days.	11	9	22	12	10	13	12	27	13	24	15	10	178

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
8.1.19

Kept at Beckington.

in the County of Somerset.

by Edward M. Nelson.

Lat. 51°15′42″ Long. 9m 8½sec W

Time of Observation 9 AM.

Nearest Railway Station Frome

Diameter of Funnel of Rain Gauge 8.0 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					.05			.16			.57	.02	1
2	.01	.04		.25				.55		.03	.02	.31	2
3		.04	.01	.19	.16			.18	.05	.05	.01	.01	3
4		.01	.01	.12				.02	.03	.02	.60	.04	4
5		.03			.19			.17	.11	.36		.01	5
6	.14	.37		.50				.08	.11	.22		.10	6
7		.16		.06	.66				.19	21	.26		7
8		.01							.52	.20		.04	8
9		.15		.37		.29	.48		.46	.04	.03	.23	9
10	.02			.10			.28		.19	.22		.42	10
11		.01		.01			.48		.20	.01	.04	.12	11
12		.15			.26		.26		.04			.04	12
13	snow .19	.01			.08		.26		.61			.10	13
14	.17		.02			.02	.48		.26	.10		.21	14
15	1.27			.33	.01	.03	.18			.02		.16	15
16	.47			.60			.03		.19	.01		.18	16
17	.29		.06	.22			.33	.09	.10			.27	17
18	.84					.39	.05		.18	.03		.24	18
19	.05	.01	.08	snow .07			.29		.20	.03		.08	19
20	.02	.13		.15		.01	.60		.18	.03			20
21	.06	.04					.01		.72	.06		.10	21
22					.03		.15		.17	.05		.19	22
23	.20	.01			hail .43		.61	.03	.03			.08	23
24		.13				.03	.05		.09		.11		24
25							.14	.68					25
26				.01			.43		.08	.04	.08	.15	26
27		.07	.03				.01	.12	.21		.11	.01	27
28		.07	.28						.01		.26	.13	28
29			.01						1.30		.01	.05	29
30			.27					.06	.02	.01	.03	.07	30
31			.16					.01		.03			31
Total	3.73 ✓	1.44 ✓	0.93 ✓	2.98 ✓	1.87 ✓	0.77 ✓	5.12 ✓	2.15 ✓	5.25 ✓	1.77 ✓	2.13 ✓	3.36 ✓	YEAR'S TOTAL 31.50 ✓
Rain Days.	13 ✓	18 ✓	10 ✓	14 ✓	9 ✓	6 ✓	19 ✓	12 ✓	26 ✓	21 ✓	13 ✓	26 ✓	187 ✓

W. 8,000, IX. 17.

1799

[illegible]

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

26

W. [illegible]

Kept at Beckington

in the County of Somerset

by Edward M Nelson.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge 8.0 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42		.09	.02	.13		.25			.06		1.09	1
2	.21				.06		.03		.40		.07	.19	2
3	Snow 1.64		.22		.03				.22		.05	.32	3
4	.24	.08	.75			.04	.01	.16	.24			.09	4
5	.10	.36	.66		.07		.31		.39		.09	.25	5
6	.36	.09	.19		.12						.06	.25	6
7	.15		.31	.05								.05	7
8	.21		.17										8
9	.02		.02	.18							.13		9
10	.09		.13	.04						.03	0	.13	10
11	.05		.12	.12	.23		.16						11
12	.03		.13	.06		.12	.14			.11	.05	.05	12
13	.03		.06	.26								.02	13
14	.48	.05		.82			·10 .01		.14	.02		.05	14
15	.11			.06						.05		.27	15
16	.09	.81									.14	.01	16
17		.48									.36	.01	17
18		.03	.40					.16	.01		.07	.03	18
19	.30	.15	.66			.07	.91	.27	.20		.21	.06	19
20	.25	.10	.34			.35		.60	.04			.09	20
21		.38					.09		.01			.09	21
22		.24					.08		.20		.02	.22	22
23										.26	.10	.08	23
24						.03				1.40	.03	.28	24
25	.09					.06		.52			.02	.20	25
26	.07	.01	.18	.04				.36	.12			.49	26
27	.12		.01	.40				.26				.07	27
28			.42					.62			.08 Snow	.35	28
29	.02							.07		.05	.27	.05	29
30		X		23		.15		.30		.02	.55	.46	30
31		X		X		X			X		X	.11	31
Total	5.08	2.78	4.86	2.28	0.64	0.82	2.08 ✓	3.32	1.97	2.00	2.30	5.36	YEAR'S TOTAL 33.49 ✓
Rain Days.	22	12	18	12	6	7	10	10	11	9	17	28	162 ✓

W. 8,000, IX. 17.

1718

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at Beckington

in the County of Somerset

by Edward M. Nelson

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 8.0 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.11			.25	.39		.36		.01	.22	.29	.34	1
2	.03			.12			.07	.39	.07	.06		.06	2
3	.07			.18			.86			.50		.01	3
4		.06	.05	.05			.06	.50		.16			4
5			.10	.11	.10		.25	.02		.08		.01	5
6			.23		.35		.46			.18			6
7	.06		.01	.18	.03		.07						7
8	.03	.06		.32	.02		.50			.03			8
9	.64	.05	.02	.18		.13							9
10	1.00	.31	.07	.07		.30	.34						10
11	.24		.12	.49	.28		.14						11
12	.20	.05	.02	.24	.04	.73	.09				.05		12
13	.14	.07	.38	.10		.02					.14	.07	13
14	.02	.03	.35	.37		.02			.07	.54	.44		14
15	.01	.11	.04	.86	.02	.04	.03		.14	.47	.09		15
16				.09	.01	.20			.33	.12	.09		16
17	.03		.03	.16	.28	.58	.10		.43				17
18	.04			.03	.23	.03		.34	.21		.01	.05	18
19		.01		.25	.11	.14							19
20	.06	.20		.33		.30						.42	20
21						.01	.11		.02			.05	21
22	.02			.05			.04		.01			.39	22
23	.01						.74	.07				.46	23
24	.01		.21	.02							.19	.08	24
25		.05	.07			.02	.26				.01		25
26	.25		.13		.06		.10				.02	.11	26
27	.17	.02	.03	.27		.41	.08					.18	27
28	.98	.01	.04	.01	.25	.03	.06					.04	28
29	.14		.16		.05	.03					.15	.29	29
30	.06	✕	.02	.06	.06	.13	.20		.24		.34	.24	30
31	.18	✕	.19	✕	.01	✕	.01		✕	.44	✕	.20	31
Total	4.50	1.03	2.27	4.29	2.29	3.12	4.93	1.32	1.53	2.80	1.82	3.00	YEAR'S TOTAL 32.90
Days with ·01 in. or more	24	13	20	24	17	17	22	5	10	11	12	17	192
	16	9	14	21	12	10	20	4	7	10	9	15	147

Δ.04 (44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FROME
MARSTON
RECTORY
SOMERSET
1911

FORM A2. BRITISH RAINFALL.
19 JAN 1912

REG 9 11

egretti & Zambra
op 8 ins
above Ground ft. 5½ in.s
„ Sea Level ft.
9 a.m.

Kept at Marston Re
in the County of Somers
by Hon & Rev —

on { Name Frome
Distance 3½ miles Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	—	0·11	0·07	0·02	—	—	0·04	—	—	0·03	0·02	1
2	0·03	—	—	0·10	0·38	—	—	0·21	—	0·06	0·35	0·27	2
3	—	—	—	0·01½	0·34	—	—	0·05	—	—	0·16	0·11	3
4	—	—	0·17	0·02	—	—	—	—	—	0·05	0·27	0·45	4
5	0·11	—	0·03	0·01	—	—	—	0·61	—	0·08	0·26	0·03	5
6	0·61	—	0·13	—	—	—	—	—	—	—	0·37	0·47	6
7	0·02	—	—	0·01½	—	—	—	—	—	—	0·61	0·01	7
8	0·19	—	0·21	—	—	—	—	—	—	—	0·04	0·51	8
9	0·11	—	—	—	—	—	—	—	—	—	0·06½	0·55	9
10	0·15	0·04	0·62	—	0·40	—	—	—	—	—	0·01½	0·62	10
11	0·54	0·03	0·03	—	0·05	—	—	—	—	—	0·75	0·28	11
12	—	—	1·01	—	0·01	—	—	—	0·01	—	0·54	0·35	12
13	—	—	0·04	—	—	—	—	—	0·28	0·05	0·16	0·46	13
14	—	0·07	—	—	—	—	—	—	—	—	—	0·92	14
15	0·02	0·09	0·01	—	—	0·03	—	—	—	—	0·54	0·18	15
16	—	0·02	—	—	—	0·24	—	—	—	—	0·62	0·55	16
17	—	0·03	—	—	—	0·12	—	—	—	—	0·15	0·42	17
18	—	0·45	0·10	0·13	0·02	0·58	—	—	—	—	0·03	0·45	18
19	—	007½	—	0·06	—	0·36	—	—	0·43	0·20	0·05	0·50	19
20	0·02½	0·05	0·09	0·24	—	0·02	—	0·03	0·15	0·08	—	0·58	20
21	—	0·35	0·02	0·03	—	—	—	0·01	0·02½	0·61	0·01	0·33	21
22	0·07	0·02	0·41	0·07	—	—	—	—	—	0·40	—	0·51	22
23	—	0·24	0·12	0·01	—	0·08	—	—	0·09	0·23	0·03	0·29	23
24	—	0·32	—	—	—	0·43	—	0·04	—	0·56	0·01	0·22	24
25	0·04	0·25	0·02	0·27	—	0·07	—	0·01	0·03	0·10	—	0·47	25
26	—	0·04	—	0·46	0·06	0·01	—	0·01	0·04	0·12	0·03	0·67	26
27	—	0·57	0·26	0·35	—	—	—	0·07	0·10	0·04½	0·03	0·20	27
28	—	0·62	—	0·44	—	—	—	0·11	—	0·01	0·06	0·01	28
29	—		—	0·29	—	0·44	0·02	—	0·17	0·93	—	—	29
30	—		—	0·02	—	0·06	—	—	—	0·27	0·05	—	30
31	—		—		—		—	—		0·15		—	31
Total	1·98½	3·26½	3·38	2·60	1·28	2·44	0·02	1·19	1·32½	3·94½	5·23	10·48	TOTAL for year 37·09 ins 3709
No. of Rain Days.	13	17	17	18	8	12	1	11	10	17	25	28 =	177 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
19 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Marston Rectory. Nr Frome
in the County of Somerset
by Hon & Rev — Waldegrave

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 ins
Height of top above Ground ft. 5½ in.
" " " Sea Level ft.

Time of Observation 9 am
Nearest Railway Station
Name Frome
Distance 3½ miles Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·07	—	0·11	0·07	0·02	—	—	0·04	—	—	0·03	0·02	1
2	0·03	—	—	0·10	0·38	—	—	0·21	—	0·06	0·35	0·27	2
3	—	—	—	0·01½	0·34	—	—	0·05	—	—	0·56	0·11	3
4	—	—	0·17	0·02	—	—	—	—	—	0·05	0·27	0·45	4
5	0·11	—	0·03	0·01	—	—	—	0·61	—	0·08	0·26	0·08	5
6	0·61	—	0·18	—	—	—	—	—	—	—	0·37	0·47	6
7	0·02	—	—	0·01½	—	—	—	—	—	—	0·61	0·01	7
8	0·19	—	0·21	—	—	—	—	—	—	—	0·04	0·51	8
9	0·11	—	—	—	—	—	—	—	—	—	0·06½	0·55	9
10	0·15	0·04	0·62	—	0·40	—	—	—	—	—	0·01½	0·62	10
11	0·54	0·03	0·03	—	0·05	—	—	—	—	—	0·75	0·28	11
12	—	—	1·01	—	0·01	—	—	—	0·01	—	0·54	0·35	12
13	—	—	0·04	—	—	—	—	—	0·28	0·05	0·16	0·46	13
14	—	0·07	—	—	—	—	—	—	—	—	—	0·92	14
15	0·02	0·09	0·01	—	—	0·03	—	—	—	—	0·54	0·18	15
16	—	0·02	—	—	—	0·24	—	—	—	—	0·62	0·55	16
17	—	0·03	—	—	—	0·12	—	—	—	—	0·15	0·42	17
18	—	0·45	0·10	0·13	0·02	0·58	—	—	—	—	0·03	0·45	18
19	—	0·07½	—	0·06	—	0·36	—	—	0·43	0·20	0·05	0·50	19
20	0·02½	0·05	0·09	0·24	—	0·02	—	0·03	0·15	0·08	—	0·58	20
21	—	0·35	0·02	0·03	—	—	—	0·01	0·02½	0·61	0·01	0·33	21
22	0·07	0·02	0·41	0·07	—	—	—	—	—	0·40	—	0·51	22
23	—	0·24	0·12	0·01	—	0·08	—	—	0·09	0·23	0·03	0·29	23
24	—	0·32	—	—	—	0·43	—	0·04	—	0·56	0·01	0·22	24
25	0·04	0·25	0·02	0·27	—	0·07	—	0·01	0·03	0·10	—	0·47	25
26	—	0·04	—	0·46	0·06	0·01	—	0·01	0·04	0·12	0·03	0·67	26
27	—	0·57	0·26	0·35	—	—	—	0·07	0·10	0·04½	0·03	0·20	27
28	—	0·62	—	0·44	—	—	—	0·11	—	0·01	0·06	0·01	28
29	—		—	0·29	—	0·44	0·02	—	0·17	0·93	—	—	29
30	—		—	0·02	—	0·06	—	—	—	0·27	0·05	—	30
31	—		—		—		—	—		0·15		—	31
Total	1·98½	3·26½	3·38	2·60	1·28	2·44	0·02	1·19	1·32½	3·94½	5·23	10·48	TOTAL for year 37·09 ins 37·09
No. of Rain Days.	13	17	17	18	8	12	1	11	10	17	25	28 =	177

W. 8,000, X. '11.

1958

FROME — SELWOOD SCHOOL

1911 - 20

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

REGIS

Kept at Frome ... t.
in the County of Some ... d 1 ft. 5½ in.
... vel 310 ft. (approximately)
by the girls of ... Frome
... ce ESE Direction 5/8 mile ~~furlong~~

IMPORTANT NOTE.— ... result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·015	·13	·00	·00	·00	·00	·00	·00	·02	·37	1
2	·06	·00	·005	·04	·38	·00	·00	·00	·00	·08	·25	·07	2
3	·005	·00	·005	·00	·40	·00	·00	·21	·00	·00	·20	·38	3
4	·00	·07	·13	·01	·00	·00	·00	·00	·02	·04	·32	·11	4
5	·17	·00	·05	·00	·00	·00	·00	·76	·00	·09	·25	·07	5
6	·42	·01	·10	·00	·00	·00	·00	·00	·00	·005	·22	·44	6
7		·00	·00	·00	·00	·00	·00	·00	·00	·00	·56	·005	7
8		·00	·17	·00	·00	·00	·00	·00	·00	·00	·03	·35	8
9	·78	·00	·02	·00	·00	·00	·00	·00	·00	·00	·02	·52	9
10		·04	·45	·00	·24	·00	·00	·00	·00	·00	·05	·38	10
11		·02	·01	·00	·19	·00	·00	·00	·00	·00	·77	·14	11
12		·00	[illegible]	·00	·01	·00	·00	·00	·01	·00	·32	·37	12
13		·00	·04	·00	·02	·00	·00	·00	·25	·09	·10	·32	13
14		·04	·00	·00	·00	·00	·00	·00	·005	·00	·005	·70	14
15	·005	·05	·01	·00	·00	·02	·00	·00	·00	·00	·58	·11	15
16	·00	·03	·55	·00	·01	·23	·00	·00	·00	·00	·56	·57	16
17	·00	·01	·00	·00	·005	·16	·00	·00	·00	·00	·10	·39	17
18	·00	·46	·06	·13	·01	·47	·00	·00	·00	·04	·01	·39	18
19	·00	·05	·00	·03	·00	·52	·00	·00	·35	·21	·07		19
20	·02	·03	·16	·27	·00	·01	·00	·00	·12	·09	·005	·87	20
21	·005	·34	·07	·015	·00	·07	·00	·050	·06	·57	·00	·26	21
22	·08	·02	·44	·05	·00	·09	·00	·00	·00	·30	·00	·52	22
23	·005	·26	·19	·005	·00		·09	·00	·30	·19	·02	·32	23
24	·00	·25	·02	·00	·00	·35	·00	·05	·00	·77	·005	·17	24
25	·00	·17	·00	·26	·00	·08	·00	·04	·02	1·2	·02	·32	25
26	·005	·05	·00	·43	·12	·01	·00	·07	·00	·09	·03	·40	26
27	·00	·54	·27	·31	·00	·00	·00	·06	·08	·00	·05	·17	27
28	·00	·14	·00	·46	·00	·00	·00		·00	·005	—	·005	28
29	·00	—	·00	·00	·00	·35	·03	·10	·16	·61	·02	·00	29
30	·01	—	·00	·23	·00	·08	·00		·00	·26	·01	·00	30
31	·00	—	·00	—	·00	—	·03	·00	—	·01	—	·00	31
Total	1·556	2·82	3·055	2·37	1·375	2·38	·06	1·29	1·375	3·620	4·595	8·600	TOTAL for year inches 33·095
No. of Rain Days	Probably 13	19	18	13	8	14	2	9	10	16	24	26	

9,000, IX. '10.

T. C. Bally 172.

J

REGI

FORM A2.
BRITISH RAINFALL.

9 - JAN 1912

Kept at Frome

in the County of Somerset

by the girls of Selwood School

RAIN GAUGE
Pattern Snowden
Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 310 ft. (approximately)

Time of Observation 9-45.

Nearest Railway Station
Name Frome
Distance ESE Direction 5/8 mile ~~furlong~~

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·015	·13	·00	·00	·00	·00	·00	·00	·02	·37	1
2	·06	·00	·005	·04	·38	·00	·00	·00	·00	·08	·25	·07	2
3	·005	·00	·005	·00	·40	·09	·00	·21	·00	·00	·20	·38	3
4	·00	·07	·13	·01	·00	·00	·00	·00	·02	·04	·32	·11	4
5	·17	·00	·05	·00	·00	·00	·00	·76	·00	·09	·25	·07	5
6	·42	·01	·10	·00	·00	·00	·00	·00	·00	·005	·22	·44	6
7	·78	·00	·00	·00	·00	·00	·00	·00	·00	·00	·56	·005	7
8		·00	·14	·00	·00	·00	·00	·00	·00	·00	·03	·35	8
9		·00	·02	·00	·00	·00	·00	·00	·00	·00	·02	·52	9
10		·04	·45	·00	·24	·00	·00	·00	·00	·00	·05	·38	10
11		·02	·01	·00	·79	·00	·00	·00	·00	·00	·77	·14	11
12		·00	[illegible]	·00	·01	·00	·00	·00	·01	·00	·32	·37	12
13		·00	·04	·00	·02	[illegible]	·00	·00	·25	·09	·10	·32	13
14		·04	·00	·00	·00	·00	·00	·00	·005	·00	·005	·70	14
15	·005	·05	·01	·00	·00	·02	·00	·00	·00	·00	·58	·11	15
16	·00	·03	·00	·00	·00	·23	·00	·02	·00	·00	·56	·57	16
17	·00	·01	·00	·00	·005	·16	·00	·00	·00	·00	·10	·39	17
18	·00	·46	·06	·13	·01	·47	·00	·00	·00	·04	·01	·39	18
19	·00	·05	·00	·03	·00	·52	·00	·00	·35	·21	·07	·87	19
20	·02	·03	·16	·27	·00	·01	·00	·00	·12	·09	·005		20
21	·005	·34	·02	·015	·00	·07	·00	·050	·06	·57	·00	·26	21
22	·08	·02	·44	·05	·00	·09	·00	·00	·00	·30	·00	·52	22
23	·005	·26	·19	·005	·00		·00	·00	·30	·19	·02	·32	23
24	·00	·25	·02	·00	·00	·35	·00	·05	·00	·77	·005	·17	24
25	·00	·17	·00	·26	·00	·08	·00	·04	·02	·12	·02	·32	25
26	·005	·05	·00	·43	·12	·01	·00	·07	·00	·09	·03	·60	26
27	·00	·54	·27	·31	·00	·00	·00	·06	·08	·00	·05	·17	27
28	·00	·14	·00	·46	·00	·00	·00	·10	·00	·005	——	·005	28
29	·00	——	·00	·00	·00	·35	·03		·16	·61	·02	·00	29
30	·51	——	·00	·23	·00	·08	·00		·00	·26	·01	·00	30
31	·00	——	·06		·00	——	·03	·00	——	·06	——	·00	31
Total	1·555	2·82	3·055	2·37	1·375	2·38	·06	1·29	1·375	3·620	4·595	8·600	TOTAL for year inches 33·095
No. of Rain Days	Probably 13	19	18	13	8	14	2	9	10	16	24	26	

9,000, IX. '10.

Total days 172.

REGISTER OF RAINFALL IN 1912

*FORM A2.
21 JAN 1913
BRITISH RAINFALL

Kept at Selwood School, Frome,

in the County of Somerset. 1

by the pupils at Selwood School.

RAIN GAUGE	Pattern Snowdon
	Diameter of top 5 in. see remark
	Height of top above Ground in pot ~~ft.~~ 9 in.
	" " " Sea Level 320 ft.
Time of Observation 9-45	
Nearest Railway Station	Name Frome.
	Distance ~~2 m~~ 3/4 mile Direction E.S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·17	·01	·00	·21	·16	·00		·82	·00	·14	1
2	·00	·00	·49	·00	·00	·16	·33	·00	·09	·005	·01	·01	2
3	·05	·00	·09	·00	·00	·12	·21			·00	·16	·04	3
4	·17	·00	·87	·00	·08	·47	·01	·35	·00	·00	·05	·005	4
5	·07	·10	·23	·00	·03	·08	·00			·00	·005	·15	5
6	·87	·15	·01	·01	·09	·03	·09	1·50		·00	·00	·06	6
7	·02	·22	·11	·00	·04	·66	·06	·06		·00	·005	·10	7
·25½ 8	·26	·15	·60	·08	·00	·17	·01	·09	·01	·00	·00	·03	8
9		·04	·17	·085	·00	·08	·005	·02		·00	·00	·47	9
10	·15	·06	·00	·005	·00	·14	·00	·20		·00	·09	des 17	10
11		·05	·10	·00	·00	·01	·00	·005		·00	·005	53 ·53	11
12	·05	·11	·15	·04	·01	·01	·02	·00		·00	·04	des 12	12
13	·10	·05	·005	·06	·00	·00	·005	·00	·00	·00	·00	·18	13
14	·05	·00	·41	·00	·12	·00	·00	·23	·00	·00	·005	·05	14
15	·06	·05	·005	·00	·24	·55	·00	·06	·00	·00	·00	·78	15
16	·75	·00	·37	·00	·04	·04	·00	·11	·00	·11	·03	·06	16
17	1·05	·00	·16	·00	·00	·04	·00	·70	·00	·005	·03	·12	17
18	·23	·00	·69	·00	·00	·005	·00	·17	·00	·03	·00	·03	18
19	·07	·14	·11	·00	·00	·06	·17	·04	·00	·10	·005	·02	19
20	·04	·01	·38	·00	·02	·00	·02	1·26	·00	·48	·00	·00	20
21	·01	·14	·63	·00	·67	·00	·00	·05	·00	·05	·00	·00	21
22	·44	·29	·06	·00	·19	·01	·005	·23	·00	·04	·01	·07	22
23	·24	·33	·28	·00	·005	·05	·03	·66	·00	·13	·19	·32	23
24	·06	·02	·03	·00	·00	·27	·02	·46	·00	·06	·005	·30	24
25	·01	·00	·00	·00	·00	·06	·00	·20	·00		des 41	·46	25
26	·00	·02	·08	·00	·00	·00	·30	·20	·00	1·65	·33	·27	26
27	·00	·03	·00	·00	·00	·15	1·09	·005	·00		·03	·50	27
28	·00	·14	·00	·00	·00	·06	·11	·38	·11	·53	·44	·63	28
29	·00	·07	·00	·00	·00	·35	·26		·58	·68	·01	·04	29
30	·00	=	·00	·00	·01	·20	·24	·05	·23	·32	·00	·00	30
31	·00	=	·33	=	·00	=	·34		—	·03	=	·27	31
Total	4·73	2·47	6·51	·145	1·575	3·906	3·425	7·030	1·02	5·04	2·060	6·225	TOTAL for year ·135
No. of Rain Days	Uncertain	20	22	4	12	23	17	Uncertain	Uncertain	Uncertain	14	27	Uncertain

44·135

9,000, IX. '10.

Cnd for audit 25.III.14 W DL

FORM A. BRITISH RAINFALL.

5 FEB 1914

REGISTER OF RAINFALL IN 1913

Kept at Frome

in the County of Somerset

by the girls of Selwood School

Lat. 51¼ N. Long. 2½ W.

Time of Observation 9·45

Nearest Railway Station Frome

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground in pot ft. 9 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·00	·31	·18	·07		·00	·00	·00	·30	·02	·25	·20	1
2	·07	·09	·05	·20	·03 ?	·00	·00	·00	·01	·03	·14	·005	2
3		·005	·15	·01	·41	·00	·005?	·00		·00	·00	·24	3
4	·86	·005	·08	·00	·42	·00	·00	·00		·18	·01	?	4
5	·07	·03	·05	·00	·17	·27	·00	·00	1·15	·00	·01	·28	5
6	·03	·01	·12	·00	·17		·30	·00		·66	·04	·67	6
7	·005	·36	·03	·00	·26		·03	·00		·39	·16	·01	7
8	·005	·14		·00	·17	·25	·01	·00		·03	·005	·02	8
9	·00	·09	·15	·00	·16	·14	·02	·40		·00	·05	·04	9
10	·15	·005		·005	·03	·02	·09	·01		·17	·24	·05	10
11	·62	·01	·00	·12	·29	·05	·00	·00		·08	·36	?	11
12	·005	·01	·00	·00	·19	·005	·00	·00		·1	·14	·02	12
13	·01	·00	·09	·00	·00	·00	·00	·02	·20	·00	·18	·00	13
14	·15	·01	·16	·08	·01	·00	·00	·00	·01	·02	·34	·00	14
15	·16	·06	·42		·00	·00	·01	·02		·00	·27	·01	15
16	·25	·00	·65		·00	·01	·00	·00	·02	·00	·01	·00	16
17	·06	·01	·07	·76	·00	·00	·01	·00	·02	·00	·01	·00	17
18	·09	·00	·27	·22	·00	·05	·00	·00	·00	·00	·00	·00	18
19	·55	·00	·02	·00	·02	·16	·02	·00	·47	·00	·00	·01	19
20	·02	·00	·29	·03	·00	·00	·00	·00	·00	·20	·27	·005	20
21	·00	·00		·20	·17	·00	·14	·00	·21	·03	·49	·00	21
22	·66	·00	·50	·02	·01		·00	·00		·00	·00		22
23	·00	·00	·00	·00	·00	·09	·00	·05	·05		·03	·41	23
24	·05	·01	·01	·09	·00	·00	·00	·11	·00	·005	·07		24
25	·00	·19	·00		·00	·00	·00	·04	·00	·00	·00	·05	25
26	·00	·01	·00		·00	·00	·00	·00	·00	·005	·00	·36	26
27	·03	·00	·19	·57	·00	·00	·00	·18	·00	·10	·005	·02	27
28	·24	·00	·07	·46	·00	·00	·00		·00	·16	·00	·05	28
29	·07	—	·37	·60	·02	·01	·00	·00	·00		·005	·01	29
30	·63	—	·01	·06	·01	·00	·00		·03	·54	·04	·00	30
31	·12	—	·05	—	·00	·03	·00	·69	[illegible]	·02	←	·00	31
Total	4·845	1·345	3·88	3·495	2·54? 2·54	1·075	·68?	1·52	2·44	2·715	3·100	2·460	YEAR'S TOTAL ?29·99? 30·09?
Rain Days,	22	14	26 ?	19 ?	18 ?	12 ?	10?	10 ?	?	17 ?	24	19 ?	

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

13 FEB 1915

Kept at Frome
in the County of Somerset
by the girls of Selwood School

Lat. 51¼ N Long. 2½ W
Time of Observation 9.45
Nearest Railway Station Frome
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground in pot ft. 9 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·01	·01	·00	·01	·06	·37	·00	·00	·08	·04	1
2	·00	·00	·00	·07	·04	·00	·73	·02	·00	·00		·50	2
3	·00	·00	·10	·13	·41	·00	·00	·64	·00	·00	·88	·11	3
4	·11	·00	·10	·31	·07	·00	·24	·71	·00	·00	·76?	·63	4
5	·13	·00	·16	·44	·15	·00	·23	·00	·00	·00		·20	5
6	·005	·17	·04	·36	·03	·01	·40	·19	·00	·00	·11	·24	6
7	·01	·46	·28	·13	·45	·005	·17	·15	·00	·00	·005	·35	7
8	·12	·03	1·13	·01	·20	·31	·04	·18	·04	·00	·00	·005	8
9	·11	·00	·37	·27	·02	·71	·00	·14	·32	·00	·00	·00	9
10	·02	·19	·03	·04	·08	·00	·00	·00	·26	·00	·005	·00	10
11	·00	·10	·66	·00		·23	·13	·00	·01	·00	·07	·00	11
12	·00	·16	·16	·00	·00	·005	·00	·00	·28	·00	·07	·33	12
13	·00	·39	·39	·00	·00	·00	·00	·00	·15	·21	·16+	·19	13
14	·00	·27	·48	·00	·00	·00	·00	·25	·03	·36	·24	·47	14
15	·005	·005	·27	·00	·00	·00	·00	·48	·03	·01	·12	·005	15
16	·00	·00	·01	·00	·00	·00	·12	·00	·23	·00	·00	·00	16
17	·00	*1·05+	·23	·00	·00	·00	·005	·00	·005	·00	·00	1·58	17
18	·00	·01	·07	·00	·00	·00	·26	·00	·00	·00	·07	·31	18
19	·00	·10	·74	·00	·00	·00	·82	·00	·00	·00		·07	19
20	·00	·21	·10	·00	·00	·005	·005	·00	·00	·00		·38	20
21	·00	·56	·005	·00	·00	·00	·00	·00	·00	·005	·02?	·01	21
22	·00	·09	·00	·00	·19	·34	·00	·03	·00	·56	·00	·05	22
23	·00	·12	·20	·00	·08	·02	·00	·00	·00	·26	·00	·00	23
24	·00	·04	·06	·00	·03	·00	·21	·00	·00	·34	·22	·03	24
25	·04	·00	·11	·00	·00	·00	·04	·22	·00	·47	·04	·42	25
26	·00	·00	·005	·00	·00	·00	·06	·05	·00	·05	·46	·48	26
27	·06	·00	·01	·00	·00	·00	·00	·00	·00	·07	·11	·19	27
28	·02	·14	·15	·00	·10	·00	·00	·00	·00	·03	·32	1·23	28
29	·46	—	·04	·00	·08	·00	·005	·00	·00	·21	·30	·005	29
30	·50	—	·04	·00	·00	·00	·00	·00	·00	·20	·52	·94	30
31	·01	—	·00	—	·02	—	·18	·00	·05	·52	—	·15	31
Total	1·100	4·095	5·950	1·77	1·95	1·645	3·705	3·43	1·355	3·295	4·540	8·715	YEAR'S TOTAL 41·550
Rain Days ·01 or over	14 12	17 18	26 27	10	16?	7 8	15 17	13	9	13	21? 20?	23 24	180? 189

* on Feb 18 the measure was filled to overflowing and some rain was lost. The rain did not begin till the evening of the 17th

+ On Nov 13 some was lost

W.7,000, XI. 13

8 mw

2066

FORM A. BRITISH RAINFALL. 13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Frome

in the County of Somerset

by the girls of Selwood School

Lat. 51¼N Long. 2½W

Time of Observation 9.45

Nearest Railway Station Frome

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground in pot ft. 9 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	.15	.02	.00	.05	.00	.00	.30	.23	.29	.01	.25	1
2	.46	.38	.18	.15	.00	.005	.00	.74	.01	.00	.00	.47	2
3	.57	.07	.13	.04	.18	.00	.00	.01	.00	.02	.00	.32	3
4	.005	.01	.005	.00	.01	.00	.06	.00	.00	.09	.00	.35	4
5	.06	.66	.00	.07	.005	.00	00	×	.00	.00	—	.25	5
6	.55	.08	.00	.28	.00	.00	.61	.28×	.00	.00	—	rain×	6
7	.38	.48	.00	.01	.81	.00	.08	.005	.00	.00	—	.54×	7
8	.22	.41	.00	×	.00	.00	.005	.11	.00	.00	.18	.04	8
9	.00	.03	.00	.12×	.00	—	.00	.00	.00	.00	.48	.94	9
10	.34	.07	×	.07	.00	—	.00	×	.00	.00	.00	.08	taken at 11.30 after rain 10
11	.03	.00	.16×	×	.005	—	.04	.66×	.00	.00	.88	.05	11
12	.14	.38	.005	.19×	.62	—	.00	.38	.00	.04	.20	.04	12
13	.005	.88	.00	.00	.95	—	.00	×	.10	.00	×	1.38	13
14	.07	.01	.00	.00	.005	—	.13	.70×	.07	.02	.03		14
15	.44	.09	.00	.00	.19	—	rain×	.23	.00	.00	.14	×	15
16	.005	1.00	.00	.00	.27	—	1.09×	.08	.00	.06	.00	.27×	16
17	.00	.99	.01	.00	.76	—	.02	.11	.00	.005	.00	.01	17
18	.00	.40	.00	.00	.03		.00	.005	.00	.005	.00	.	18
19	×	.05	.00	.00	.04		.24	.00	.00	.005	.005		19
20	×.31	.00	.00	.08	.04		.00	.00	.00	.01	.00	×	20
21	.06	.19	.00	.00	.00		.09	.00	.00	.10	.00	×	21
22	×	.54	.55	.07	.00		1.05	.00	.04	.01	.00	.68	w 22
23	.11	.05	.09	.00	.00		.24	.00	.17	1.36	.00	.39	23
24	.00	.00	.01	.09	.00		.32	.00	.46	1.02	.00	.24	24
25	.00	.00	.01	.02	.00	.10	.16	.00	.00	.00	.00	.11	25
26	.00	.16	.00	.00	.00	.06	.09	.00	.00	.005	.00	.63	26
27	.00	.07	.00	.00	.00	.13	.14	.00	.00	.38	.00	.00	27
28	.00	.09	.00	.00	.00	.01	.00	.00	.77	.08	.00	.00	28
29	.00	X	.00	.00	.00	.08	.00	.03	.01	.00	.07	.07	29
30	×.26	X	.00	.01	.00	.13	.00	.00	.00	.40	.39	.20	30
31	×	X	.00	X	.00	X	.02	.00	X	1.08	X	.25	31
Total	4.495	7.24	1.170	1.20	3.965	.515	4.385	3.640	1.86	4.980	2.385	~~7.56~~	YEAR'S TOTAL 43.395
Rain Days.	uncertain 20	24	uncertain 10?	uncertain 15?	~~12~~ 13	~~6~~ 7	17	uncertain 15?	9	15	uncertain 10?	uncertain 26	185

W. 8,000. X. 14.

end for loss June 29 [illegible]

2007

FORM A. BRITISH RAINFALL.

6 FEB 1917

REGISTER OF RAINFALL IN 1916

Kept at Frome

in the County of Somerset

by the girls of Selwood School

Lat. 51¼ N Long. 2½ W

Time of Observation 9·45

Nearest Railway Station Frome

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~ft.~~ 9 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17	·00	·00	·00	·30	·03	·05	·00	·08	·74	·59	·00	1
2	·38	·05	·02	·00	·02	·005	·00	—	·01	rain	·08	·00	2
3	·005	·88	·00	·00	·13	·00	·00	—	·05	·87	·16	·00	3
4	·16	·12	·00	·04	·06	·73	·00	—	·32	·42	·65	·00	4
5	x	·005	·02	·00	·42	·15	·00	—	·00	·09	·48	·00	5
6	·12	·23	·05	·00	·11	·05	·60	—	·00	·04	·69	·00	6
7	·01	·13	·18	·00	·01	·03	·18	—	·00	·10	·41	·10	7
8	·005	·06	·03	·00	,	·28	·00	—	·00	·00	·03	·10	8
9	—	·01	·00	·00	·64	·20	·00	—	·00	·08	·03	·08	9
10	—	·44	·03	x	·03	·01	·10	—	·00	·01	·005	·06	10
11	·01	·01	·05	x	·005	·24	·00	—	·00	·00	·00	·005	11
12	·09	·10	·05	x·15	·04	·00	·17	—	·00	·03	·00		12
13	—	·38	·08	·00	·00	·00	·00	·83	·00	·00	·00		13
14	·005	·34	x	·03	·06	—	·00	·23	·00	·04	·00		14
15	—	·35	x·11	·05	·00	—	·00	·23	·00	·04	·00		15
16	—	·15	·00	·24	·005	—	·08	·46	·00	·04	·00?		16
17	·22	·20	·005	·01	·00	—	—	·15	·41	·38	·05	·005 a stalagmite of ice	17
18	·01	·03	·09	·20	·00	·00	—	·00	·06	·06	·31	·13	18
19	·20	·00	·37	·28	·00	—	—	·00	·005	·00	·15	·04	19
20	·20	·10	x	·005	·00	—	—	·01	—	·00	·12	1·00	20
21	x	·06	wetter x·89	·00	x	—	—	·00	—	·00	—	·34	21
22	x·04	·00	·005	·01	x·11	·06	—	·00	—	·38	x·03	·48	22
23	—	·19x	·00	·07	·00	·05	—	·14	—	·08	·35	·11	23
24	·01	·28x	·005	·02	·62	·14	—	·04	·00	·44	·06	·26	24
25	·00	·45x	·15	·00	·04	·00	—	·35	·00	·00	·13	·05	25
26	·00	·08	·19	·00	·00	·29	·00	·09	·40	·46	·00	—	26
27	·02	x	1·34	·00	·00	·05	·02	·19	rain	·29	·00	x·01	27
28	·00	x·45	·10	·00	·00	·05	·00	·09	·61	·23	·00	·65	28
29	·00	·42	·07	·00	·00	·61+	·00	2·17	·08	·55	·00	x	29
30	·00	╳	·00	·00	·005	·005	·00	·005	·005	·35	·00	+·48	30
31	·00	╳	·00	╳	·00	╳	·00	·14	╳	·17	╳	·05	31
Total	1·655	5·515	3·835	1·105	2·605	2·780	1·20	5·125	2·030	5·89	4·325	3·95	YEAR'S TOTAL 40·215
Rain Days.	~~14~~? 18	~~24~~? 25	~~10~~? 22	~~11~~? 13	~~14~~? 18	~~16~~ 17	7	14	~~10~~? 12	24?	~~17~~? 18	~~16~~ 18	206

W. 8,000. X. 15.

x all snow

+ some was lost

Eng. SW

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

28 JAN 1918

Kept at Selwood School Frome
in the County of Somerset
by the girls of the school

Lat. 51¼ N Long. 2½ W
Time of Observation 9·45
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·005	–	·20	·17	–	·12	·00	·83	·17	·00	·00	·01	1
2	·00	–	·00	·34	–	·15	·00	·07	·00	·00	·07	·00	2
3	·03	–	·00	·04	–	·00	·63	·01	·00	·71	·11	·00	3
4	·00	·17	x	·00	–	·00	·07	·08	·00	·22	·00	·00	4
5	·17	–	·20	·35	·00	·17	·00	·00	·54	·36	·11	·00	5
6	·005	–	·51	·005	·00	·00	·00	·00	·00	·20	·12	·00	6
7	·25	–	·00	·00	·00	·00	·16	·13	·00	·15	x	·00	7
8	·47	–	·09	·05	·00	·00	·41	·52	·06	·51	·14	·12	8
9	·00	–	·06	·04	·04	·00	·005	·11	·08	·38	·15	·00	9
10	·13	–	·19	·16	·00	·00	·00	·13	·00	·02	·005	·00	10
11	·01	–	·76	·20	·00	·00	·00	·24	·00	·40	·01	·00	11
12	·09	–	·00	·00	·88	·08	·00	·32	·08	·69	·00	·00	12
13	·00	–	·11	·01	·00	·005	·00	·49	·06	·02	·00	·00	13
14	·00	–	·29	·17	·00	·00	·15	·14	·04	·00	·00	·00	14
15	·00	–	·005	·00	·00	·00	·20	·05	·00	·28	·00	·34	15
16	·01	·07	·00	·15	·06	·00	·02	·01	·00	·55	·00	·10	16
17	·00	–	·00	·12	·10	·00	·34	·13	·35	·06	·00	—	17
18	·02	·02	·00	·00	·01	·01	·30	·07	·63	·00	·00	—	18
19	·01	·40	·14	·00	·00	·02	·00	·00	·09	·00	·00	—	19
20	·02	·01	·06	·00	·41	·22	·00	·15	·00	·00	·02	—	20
21	·00	·005	·29	·00	·00	·10	·00	·00	·00	·11	·00	—	21
22	·00	·00	·08	·00	·00	·06	·00	·06	·00	·07	·00	—	22
23	·00	·15	·005	·00	·14	·00	·00	x	·00	·005	·00	·01	23
24	·00	·04	·005	·00	·00	·11	·10	·75x	·00	·26	·02	–	24
25	·00	·05	·06	–	·00	·00	·26	·05	·04	·28	·00	–	25
26	·00	·00	·005	–	·27	·00	·00	·79	·21	·19	·03	–	26
27	·00	·00	·00	–	·84	·16	·00	1·19	·005	·03	·005	–	27
28	·00	·00	·11	–	·01	3·33x	·00	·39	·00	·00	·00	·04	28
29	·00	·00	·15	–	·00	·40	·10	·09	·00	·40	·00	·17	29
30	·00	X	·13	–	·00	·00	·28	·10	·00	·13	·00	·01	30
31	·00	X	·19	X	·005	X	·00	·01	X	·04	X	·00	31
Total	1·220	·915	3·640	1·805	2·765	4·935	3·025	6·91	2·355	6·005	·79	·80	YEAR'S TOTAL 35.225
Rain Days.	12 ~~11~~	~~8~~ 9	20 ~~8~~?	12	11 ~~10~~	13	14 ~~13~~	27?	12	24 ~~23~~	12 ~~10~~?	8	174 ~~165~~

W. 8,000, VIII. 16

129

x Poured all night after an afternoon of distant thunder.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 4·1·19

Kept at Frome
in the County of Somerset
by the girls at Selwood School.

Lat. 51½ N Long. 2⅓ W
Time of Observation 9.45 AM
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground in pot ft. 9 in. 1·8" on 13"
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·01	·00	·07	·06	·00	–	·37	·00	·01	·45	·005	1
2	·00	·03	·00	·16	·00	·00	–	·35	·00	·01	·01	·33	2
3	·00	·06	·02	·18	·17	·00	–	·07	·03	·01	·03	·005	3
4	·00	·02	·01	·07	·00	·00	–		·03	·05	·65	·005	4
5	·00	·00	·00	·07	·15	·00	–	·21	·15	·39	·00	·01	5
6	·13	·59	·00	·33	·00	·00	–	·00	·04	·21	·00	·14	6
7	·005	·15	·00	·05	·65	·005	–	·00	·20	·30	·28	·005	7
8	·00	·02	·00	·00	·00	·00	–	·00	·28	·20	·00	·05	8
9	·00	·18	·00	·34	·00	·19	·50	·00	·43	·01	·00	·31	9
10	·02	·00	·00	·08	·00	·00	·40	·00	·14	·22	·00	·33	10
11	·00	·005	·005	·01	·00	·00	·57	·00		·01	·03	·14	11
12	·00	·13	·00	·00	·35	·00	·07	·00	·33	·00	·00	·00	12
13	·24	·01	·00	·00	·04	·00	·30	·00	·65	·03	·00	·30	13
14	·24	·00	·02	·00	·01	·02	·27	·00	·24	·06	·00		14
15	1·31	·00	·00	·47	·02	·09	·25	·00	–	·01	·00	·19	15
16	·42	·00	·05	·49	·00	·00	·04	·00	·21	·00	·00	·18	16
17	·25	·00	·00	·23	·02	·00	·34	·02	·12	·01	·00	·31	17
18	·94	·00	·00	·005	·00	·47	·03	·00	·25	·02	·00		18
19	·09	·00	·07	·08	·00	·00	·34	·00	·11	·02	·00	·44	19
20	·03	·18	·00	·11	·00	·00	·58	·00	·15	·05	·005	·005	20
21	·06	·08	·00	·005	·00	·005		·00	·72	·07	·00	·07	21
22	·01	·00	·00	·00	·09	·00	·56	·00	·22	·02	·00	·30	22
23	·30	·005	·00	·00	·34	·01	·35	·03	·01	·005	·04	·00	23
24	·005	·13	·00	·00	·00	·05		·00	·09	·00	·03	·00	24
25	·00	·00	·00	·00	·00	·02	·33	·83	·00	·03	·03	·00	25
26	·00	·00	·00	·06	·00	·0	·41	·005	·08	·03	·11	·19	26
27	·00	·04	·10	·00	·00	·00	·22	·13	·41	·00	·09	·05	27
28	·00	·10	·27	·00	·00	·00	·00	·00	·005	·00	·08	·08	28
29	·00	✕	·07	·00	·00	·00	·00	·00	1·37	·00	·01	·13	29
30	·00	✕	·25	·00	·00	·00	·00	·22	·02	·08	·07	·07	30
31	·00	✕	·16	✕	·00	✕	·00	·005	✕	–	✕	·00	31
Total	4·080	1·740	1·025	2·810	1·90	·840	5·56	2·240	6·285	1·885	1·915	3·875	YEAR'S TOTAL 34·155
Rain Days.	15 4 1 14	16 6 R 15	11 4 R 10	17 9/16	11/5	7 3/6	19 6 uncertain	18 3 uncertain	26 8 uncertain	23 6 uncertain	15 6 /4 R	23 8 2 uncertain	194

W. 8 000, IX. 17.

4.25

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.
8 JAN 20

Kept at Frome
in the County of Somerset.
by the girls at Selwood School

Lat. 51¼ N. Long. 2½ W
Time of Observation 9-45 AM.
Nearest Railway Station Frome
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·60	·00	·11	·00	·28	·00	·29	·00	·08	·05	·00	1·13	1
2	·12	·00	·00	·00	·005	·00	·02	·00	·40	·00	·08	·15	2
3	1·65	·00	·30	·00	·01	·00	·00	·00	·13	·00	·04	·43	3
4	·31	·15	·68	·00	·00	·02	·03	·04	·42	·00	·00	·09	4
5	·02	·25	·56	·00	·03	·00	·53	·00	·25	·00	·10	·29	5
6	·29	·00	·28	·00	·04	·00	·00	·00	·00	·00	·09	·18	6
7	·11	·08	·36	·07	·00	·00	·00	·00	·00	·00	·005	·005	7
8	·14	·00	·19	·00	·00	·00	·00	·00	·03	·00	·00	·00	8
9	·07	·00	·02	·15	·00	·00	·00	·00	·00	·00	·15	·00	9
10	·08	·00	·13	·005	·00	·00	·00	·00	·00	·04	·00	·14	10
11	·04	·00	·18	·12	·28	·00	·30	·00	·00	[illegible]	·00	·07	11
12	·01	·00	·15	·04	·00	·11	·02	·00	·00	·11	·05	·02	12
13	·06	·05	·05	·42	·00	·00	·01	·00	·00	·005	·00	·02	13
14	·50	·04	·00	·80	·00	·00	·07	·00	·02	·10	·00	·05	14
15	·15	·005	·00	·005	·00	·00	·00	·00	·02	·00	·00	·29	15
16	·05	·84	·00	·00	·00	·00	·00	·00	·00	·00	·11	·01	16
17	·01	·39	·00	·00	·00	·00	·00	·00	·00	·00	·39		17
18	·03	·00	·45	·00	·00	·00	·17	·13	·02	·00	·15	·041	18
19	·39	·16	·86	·00	·00	·10	·64	·60	·21	·00	·17	·10	19
20	·21	·12	·12	·00	·00	·40	·00	·28	·01	·00	·00	·18	20
21	·005	·53	·005	·00	·00	·00	·07	·00	·005	·00	·005	·06	21
22	·00	·12	·00	·00	·00	·00	·06	·00	·32	·00	·01	·24	22
23	·00	·00	·00	·00	·00	·00	·00	·00	·005	·26	·07	·12	23
24	·00	·00	·00	·07	·00	·12	·00	·00	·00	1·19	·03	·36	24
25	·09	·01	·21	·02	·00	·005	·00	·62	·00	·00	·03	·09	25
26	·05	·00	·03	·08	·00	·00	·00	·39	·10	·00	·00	·54	26
27	·14	·00	·00	·39	·00	·00	·00	·72	·00	·00	·00	·05	27
28	·00	·00	·45	·00	·00	·00	·00	·28	·00	·00	·38	·46	28
29	·02	X	·00	·02	·00	·00	·00	·08	·00	·04	·005	·07	29
30	·00	X	·00	·19	·00	·16	·00	·34	·00	·02	·50	·57	30
31	·00	X	·00	X	·00	X	·01	·00	X	·00	X	·29	31
Total	5·085	2·745	5·135	2·400	·645	·915	2·220	3·48 ~~3·280~~	1·995	1·815	2·365	6·015	YEAR'S TOTAL 35·815 ~~34·615~~
Rain Days.	24	13 ~~12~~	18	14 ~~12~~	5 7	6	13	10	14 ~~12~~	8	17 ~~16~~	27	~~163~~ 170

1745

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

JAN 192

Kept at Frome

in the County of Somerset

by the girls at Selwood School

Lat. 51¼ N. Long. 2¼ W.

Time of Observation 9·45 AM.

Nearest Railway Station Frome

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 7 in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	·00	·00	·25	·38	·00	·25	·03	·00	·08	·28	·45	1
2	·10	·00	·00	·09	·00	·00	·30	·24	·06	·09	·005	·09	2
3	·02	·05	·00	·10	·01	·00	·39	·00	·05	×·76	·00	·005	3
4	·00	·00	·02	·06	·00	·00	·13	×·57	·00	·12	·00	·00	4
5	·00	·00	·08	·03	·15	·00	·46	·005	·00	·24	·00	·005	5
6	·00	·00	·27	·00	×·42	·00	·18	·00	·00	·02	·00	·00	6
7	·06	·005	·01	·17	·005	·00	·13	·00	·00	·05	·00	·00	7
8	·03	·04	·00	·35	·05	·00	·49	·00	·00	·02	·00	·00	8
9	·84	·12	·02	·11	·00	·14	·02	·005	·00	·00	·00 +·00	·00	9
× 10	1·19	×·26	·07	·07	·00	·21	·35	·00	·00	·00	·00	·00	10
11	·27	·00	·22	×·50	·30	·01	·13	·00	·00	·00		·01	11
12		·06	·03	·19	·00	·90	·05	·00	·00	·00	·10	·04	12
13	·40	·06	×·40	·13	·00	·00	·00	·00	·00	·00	·005	·02	13
14	·09	·	·32	·41	·00	·00	·00	·00	·14	·64	×·54	·00	14
15	·01	·15	·03	·33	·02	·04	·02	·00	·04	·26	·03	·00	15
16	·00	·005	·00		·00	·02	·12	·00	·53	·10	·12	·00	16
17	·02	·00	·05	·14	·34	×1·19	·00	·00	×·54	·005	·01	·005	17
18	·07	·00	·00	·07	·15	·03	·00	·30	·19	·00	·005	·02	18
19	·01	·00	·00	·22	·05	·12	·00	·00	·01	·00	·00 ·00	·00	19
20	·01	·21	·00	·25	·00	·00	·00	·00	·00	·00	·00	·41	20
21	·00	·00	·00	·01	·00	·00	·12	·00	·02	·00	·00	·05	21
22	·02	·00	·00	·06	·00	·00	·08	·09	·00	·005	·00	·36	22
23	·01	·00	·00	·00	·00	·00	×·70	·01	·00	·005	·00	×·48	23
24	·03	·01	·17	·005	·00	·00	·07	·00	·00	·00	·12	·07	24
25	·00	·02	·06	·00	·11	·00	·31	·00	·00	·00	·00	·005	25
26	·27	·00	·14	·00	·00	·00	·02	·00	·00	·00	·04	·11	26
27	·18	·02	·05	·30	·00	·44	·02	·00	·00	·00	·00	·18	27
28	1·10	·01	·04	·00	·24	·01	·11	·00	·00	·00	·00	·03	28
29	·15	·00		·00	·03	·005	·00	·00	·00	·00	·18	·31	29
30	·05	╳	·16	·07	·12	·23	·24	·00	·35	·00	·36	·29	30
31	·19	╳	·14	╳	·01	╳	·00	·00	╳	·47	╳	·16	31
TOTAL	5·17	1·020	2·28	3·915	2·385	3·345	4·63	1·250	1·93	2·865	1·795	3·100	YEAR'S TOTAL 33·68 33·685
·04	14	8	14?	20?	11	8³	18	4	8	10	8	13	·136
Days with ·01 in. or more	24	12³	10?	22? 23?	15	12	23	7	10	13	10	19	189? 189

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

3·915

FORM A. 1. **METEOROL ... GANIZATION.**

29 JAN 1921

1957.

FROME & LULLINGTON

1920 – ~~30~~

RE ... O.

Kept at Fro... 2° 19' W.

... 9 a.m.

in the County of S... Frome

by Henry C... ...ain Gauge 5 in.

...ove Ground 1 ft. 0 in.

„ Sea Level 265 ft.

IMPORTANT NOT... entered to the previous day.

If an Observer prefers n... ...uested to add the reading at 9 a.m. on 1st January of the following year in the ... at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	–	–	.25	.36	–	.26	.05	–	.07	.29	.41	1
2	.08	–	–	.09	–	–	.05	.31	–	.06	–	.09	2
3	.04	.05	–	.09	.02	–	.46	–	.10	.67	–	.01	3
4	–	–	–	.02	–	–	.07	.57	–	.13	–	–	4
5	–	–	.13	.02	.26	–	.39	.02	–	.24	–	–	5
6	–	–	.28	–	.45	–	.29	–	–	.03	–	–	6
7	.05	–	.02	.16	–	–	.25	–	–	.01	–	–	7
8	–	.05	–	.36	.05	–	.37	–	–	–	–	–	8
9	.75	.11	–	.10	–	.01	.03	–	–	–	–	–	9
10	1.23	.28	.09	.05	–	.24	.33	–	–	–	–	–	10
11	.23	–	.13	.56	.30	.01	.14	–	–	–	–	.04	11
12	.25	.07	.03	.20	–	.83	.03	–	–	–	.13	–	12
13	.13	.07	.40	.12	–	–	–	–	–	–	~~.13~~ –	.02	13
14	.06	.01	.37	.46	–	–	–	–	.13	.60	.55	–	14
15	.01	.12	.02	.40	–	.05	–	–	.07	.46	.07	–	15
16	–	–	.01	.04	.02	.25	.13	–	.12	.11	–	–	16
17	.02	–	.03	.13	.35	.05	–	–	.52	–	–	–	17
18	.04	–	–	.06	.18	1.05	–	.30	.21	–	–	.04	18
19	.03	–	–	.23	.06	.01	–	–	–	–	–	–	19
20	.01	.21	–	.25	–	.10	–	–	–	–	–	.39	20
21	–	–	U	–	–	.31	.12	–	.02	–	–	.08	21
22	.02	–	–	.06	–	–	.08	.04	–	–	–	.35	22
23	–	–	–	–	–	–	.82	–	–	–	–	.48	23
24	.01	–	.19	.01	–	–	–	.01	–	–	.05	.07	24
25	.02	.04	.07	–	–	–	.30	–	–	–	–	–	25
26	.28	–	.16	–	.05	.01	.04	–	–	–	.04	.09	26
27	.18	.02	.04	.29	–	–	.07	–	–	–	–	.19	27
28	1.03	.01	.04	–	.26	.40	.09	–	–	–	–	.05	28
29	.15	–	.16	–	.03	.03	–	–	–	–	.18	.36	29
30	.05	X	–	.06	.05	3.23	.27	–	.36	.54	.33	.28	30
31	.15	X	.15	X	–	X	–	–	X	–	X	.28	31
TOTAL	4.89	1.04	2.32	4.01	2.44	3.58	4.59	1.30	1.53	2.92	1.64	3.23	YEAR'S TOTAL 33.49
Days with ·01 in. or more	24	12	18	23	14	15	21	7	8	11	8	17	178
Days with ·04 in. or more	17	9	13	20	11	10	19	5	7	9	8	15	143

Form A. 1. **METEOROL GANIZATION.**

29 JAN 1921

Kept at *Frome*

in the County of *Somerset*

by *Henry G. Chislett*

Lat. 51° 14' N Long. 2° 19' W.

Time of Observation 9 a.m.

Nearest Railway Station Frome

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 265 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	—	—	.25	.36	—	.26	.05	—	.07	.29	.41	1
2	.08	—	—	.09	—	—	.05	.31	—	.06	—	.09	2
3	.04	.05	—	.09	.02	—	.46	—	.10	.67	—	.01	3
4	—	—	—	.02	—	—	.07	.57	—	.13	—	—	4
5	—	—	.13	.02	.26	—	.39	.02	—	.24	—	—	5
6	—	—	.28	—	.45	—	.29	—	—	.03	—	—	6
7	.05	—	.02	.16	—	—	.25	—	—	.01	—	—	7
8	—	.05	—	.36	.05	—	.37	—	—	—	—	—	8
9	.75	.11	—	.10	—	.01	.03	—	—	—	—	—	9
10	1.23	.28	.09	.05	—	.24	.33	—	—	—	—	—	10
11	.23	—	.13	.56	.30	.01	.14	—	—	—	—	.04	11
12	.25	.07	.03	.20	—	.83	.03	—	—	—	.13	—	12
13	.13	.07	.40	.12	—	—	—	—	—	—	~~.13~~ —	.02	13
14	.06	.01	.37	.46	—	—	—	—	.13	.60	.55	—	14
15	.01	.12	.02	.40	—	.05	—	—	.07	.46	.07	—	15
16	—	—	.01	.04	.02	.25	.13	—	.12	.11	—	—	16
17	.02	—	.03	.13	.35	.05	—	—	.52	—	—	—	17
18	.04	—	—	.06	.18	1.05	—	.30	.21	—	—	.04	18
19	.03	—	—	.23	.06	.01	—	—	—	—	—	—	19
20	.01	.21	—	.25	—	.10	—	—	—	—	—	.39	20
21	—	—	—	—	—	.31	.12	—	.02	—	—	.08	21
22	.02	—	—	.06	—	—	.08	.04	—	—	—	.35	22
23	—	—	—	—	—	—	.82	—	—	—	—	.48	23
24	.01	—	.19	.01	—	—	—	.01	—	—	.05	.07	24
25	.02	.04	.07	—	—	—	.30	—	—	—	—	—	25
26	.28	—	.16	—	.05	.01	.04	—	—	—	.04	.09	26
27	.18	.02	.04	.29	—	—	.07	—	—	—	—	.19	27
28	1.03	.01	.04	—	.26	.40	.09	—	—	—	—	.05	28
29	.15	—	.16	—	.03	.03	—	—	—	—	.18	.36	29
30	.05	✕	—	.06	.05	3.23	.27	—	.36	.54	.33	.28	30
31	.15	✕	.15	✕	—	✕	—	—	✕	—	✕	.28	31
													YEAR'S TOTAL
TOTAL	4.89	1.04	2.32	4.01	2.44	3.58	4.59	1.30	1.53	2.92	1.64	3.23	33.49
Days with ·01 in. or more	24	12	18	23	14	15	21	7	8	11	8	17	178
Days with ·04 in. or more	17	9	13	20	11	10	19	5	7	9	8	15	143

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

VW

REG

2006

GLASTONBURY. ST MICHAEL'S/
WELLS VICARAGE

1917-20

FORM A.
BRITISH RAINFALL.

26. JAN 1918

(?)
39' W(?)

Kept at The Vicar
in the County of Som
by Walter Fa

a.m.
Wells
Gauge 5 in.
Ground 1 ft. – in.
Sea Level ft.

IMPORTANT NO the result entered to the previous day. If an C ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.14	.42	–	.13	–	1.02	.34	–	.05	–	1
2			.17	.06	–	.14	.94	.07	.02	.02	.04	–	2
3			.01	–	–	–	.04	.01	–	.29	.03	–	3
4			.08	.02	–	–	–	.04	–	.26	–	–	4
5			.15	.32	–	.21	–	–	.17	.31	.15	–	5
6			.14	–	–	–	–	–	–	.05	.25	–	6
7			–	–	–	–	.20	.37	–	.21	.02	–	7
8			.12	.10	–	–	.44	.81	.12	.61	.20	.08	8
9			.05	.03	–	–	.03	.17	.05	.51	.20	–	9
10			.27	.17	–	–	–	.17	.16	–	–	.02	10
11			.85	.50	–	–	–	.59	.07	.14	.07	–	11
12			.04	.02	.45	–	–	.93	–	.82	.03	–	12
13			.17	–	–	.05	–	.33	.16	.03	.01	.03	13
14			.19	.03	–	–	.02	.67	.04	.02	–	–	14
15			–	–	–	–	.32	.26	.03	.12	–	.18	15
16			–	.10	.07	–	.09	–	.02	.31	–	.11	16
17			–	.35	.06	–	.62	.06	.38	.09	–	–	17
18			–	–	–	.03	.30	.03	.66	.03	.08	–	18
19			.05	–	–	.08	–	–	.09	–	.07	–	19
20			.14	–	.22	.12	–	.79	.02	–	.02	–	20
21			.31	–	–	.05	–	–	–	.02	–	–	21
22			.08	–	–	–	–	.17	–	.05	–	–	22
23			–	–	.10	.03	–	.24	–	.02	.05	.03	23
24			.02	–	–	.24	.07	.10	–	.17	–	.02	24
25			.03	–	–	.02	.09	.06	.04	.28	–	–	25
26			–	–	.35	.04	–	.72	.38	.35	.05	–	26
27			–	–	1.07	.15	.02	1.08	–	.05	.02	–	27
28			.07	–	.08	3.66	–	.28	–	–	–	.05	28
29			.15	–	–	.35	.04	.08	–	.35	–	.19	29
30		X	.13	–	–	–	.15	.17	–	.11	–	–	30
31		X	.10	X	–	X	–	.10	X	.09	X	.06	31
Total	2.44		3.46	2.12	2.40	5.30	3.37	9.32	2.75	5.31	1.34	.77	YEAR'S TOTAL 38.58
Rain Days.			23	12	8	15	15	26	17	26	17	10	

W. 8,000, VIII. 16

VW

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

26. JAN 1918

Kept at The Vicarage, Wells
in the County of Somerset
by Walter Farrer.

Lat. ~~2°39'W~~ 51°12'N(?) Long. ~~51°12~~ 2°39'W(?) (?)
Time of Observation 9. a.m
Nearest Railway Station Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.14	.42	-	.13	-	1.02	.34	-	.05	-	1
2			.17	.06	-	.14	.94	.07	.02	.02	.04	-	2
3			.01	-	-	-	.04	.01	-	.29	.03	-	3
4			.08	.02	-	-	-	.04	-	.26	-	-	4
5			.15	.32	-	.21	-	-	.17	.31	.15	-	5
6			.14	-	-	-	-	-	-	.05	.25	-	6
7			-	-	-	-	.20	.37	-	.21	.02	-	7
8			.12	.10	-	-	.44	.81	.12	.61	.20	.08	8
9			.05	.03	-	-	.03	.17	.05	.51	.20	-	9
10			.27	.17	-	-	-	.17	.16	-	-	.02	10
11			.85	.50	-	-	-	.59	.07	.14	.07	-	11
12			.04	.02	.45	-	-	.93	-	.82	.03	-	12
13			.17	-	-	.05	-	.33	.16	.03	.01	.03	13
14			.19	.03	-	-	.02	.67	.04	.02	-	-	14
15			-	-	-	-	.32	.26	.03	.12	-	.18	15
16			-	.10	.07	-	.09	-	.02	.31	-	.11	16
17			-	.35	.06	-	.62	.06	.38	.09	-	-	17
18			-	-	-	.03	.30	.03	.66	.03	.08	-	18
19			.05	-	-	.08	-	-	.09	-	.07	-	19
20			.14	-	.22	.12	-	.79	.02	-	.02	-	20
21			.31	-	-	.05	-	-	-	.02	-	-	21
22			.08	-	-	-	-	.17	-	.05	-	-	22
23			-	-	.10	.03	-	.24	-	.02	.05	.03	23
24			.02	-	-	.24	.07	.10	-	.17	-	.02	24
25			.03	-	-	.02	.09	.06	.04	.28	-	-	25
26			-	-	.35	.04	-	.72	.38	.35	.05	-	26
27			-	-	1.07	.15	.02	1.08	-	.05	.02	-	27
28			.07	-	.08	3.66	-	.28	-	-	-	.05	28
29			.15	-	-	.35	.04	.08	-	.35	-	.19	29
30		X	.13	-	-	-	.15	.17	-	.11	-	-	30
31		X	.10	X	-	X	-	.10	X	.09	X	.06	31
Total	2.44		3.46 ✓	2.12 ✓	2.40 ✓	5.30 ✓	3.37 ✓	9.32 ✓	2.75	5.31 ✓	1.34 ✓	.77	YEAR'S TOTAL 38.58
Rain Days.			23 ✓	12 ✓	8 ✓	15 ✓	15 ✓	26 ✓	17 ✓	26 ✓	17 ✓	10 ✓	

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
3. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at the Vicarage Wells
in the County of Somerset
by Archdeacon Farrer

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	.02	–	.15	.09	–	–	.62	–	.03	.65	.02	1
2	–	–	–	.03	–	–	–	.25	.15	.03	.09	.08	2
3	–	.03	.03	–	.13	–	–	–	.04	.04	.02	.03	3
4	–	.08	–	.02	–	–	–	.06	.05	.08	.45	.06	4
5	–	–	.02	~~.15~~	.06	–	–	.46	.08	.30	.02	.03	5
6	.20	.76	.06	.15	–	–	–	–	–	.04	–	.08	6
7	.03	.32	–	~~.15~~ .02	.46	.03	–	.02	.14	.29	.25	.02	7
8	–	–	–	~~.02~~	–	–	–	–	.24	.27	.04	.10	8
9	.04	.13	–	.35	–	.38	.27	–	.29	.11	.01	.20	9
10	.07	–	–	.03	–	–	.66	–	.25	.15	.02	.45	10
11	.03	.03	.09	–	–	–	.29	–	.36	.12	.06	.19	11
12	–	.06	.11	–	.41	–	.17	–	.20	–	–	.07	12
13	.23	–	–	–	.02	.03	.15	–	.79	.09	–	.18	13
14	.18	–	.02	–	–	.06	.61	–	.21	.20	–	.13	14
15	1.11	–	–	.59	.09	.29	.21	–	–	.02	–	.18	15
16	.39	–	.02	.60	–	–	.14	–	.10	–	–	.23	16
17	.22	–	–	–	–	–	.27	.10	.10	.02	–	.13	17
18	.62	–	–	–	–	.72	.12	–	.43	.04	–	.43	18
19	.07	.02	.11	.02	–	–	.05	.04	.23	.02	–	.10	19
20	.03	.20	–	.10	–	.06	.93	–	.08	.05	–		20
21	.03	.05	–	–	–	.02	.09	–	.65	.03	–	.12	21
22	–	.03	–	–	.03	–	.39	–	.53	.15	–	.40	22
23	.07	.02	–	–	.49	.04	.33	.06	.07	–	.01	.12	23
24	.01	.19	–	–	–	–	.09	.03	.18	–	.13	.01	24
25	–	–	–	–	.02	–	.08	.87	–	.02	.03	.02	25
26	–	.02	–	.08	–	–	.60	.01	.06	–	.23	.45	26
27	–	.15	.01	–	–	–	.02	.17	.55	.01	.17	.05	27
28	–	.16	.16	.03	–	–	–	–	.02	–	.11	.40	28
29	–	✕	.10	–	–	–	–	–	.99	–	–	.03	29
30	–	✕	.53	–	–	–	–	.10	.10	.02	.18	.05	30
31	–	✕	.39	✕	–	✕	–	–	✕	.04	✕	–	31
Total	3.33	2.27	1.65	2.17	1.80	1.63	5.47	2.79	6.89	2.17	2.47	4.36	YEAR'S TOTAL 37.00
Rain Days.	16	17	13	13	10	9	19	13	26	24	17	29	206

W. 8,000, IX. 17.

1843

FORM A.
BRITISH RAINFALL.

6 FEB 20

REGISTER OF RAINFALL IN 1919

6x. [illegible]

Kept at Wells Vicarage
in the County of Somerset
by Walter Farrer

Lat. —— Long. ——
Time of Observation 9 a.m.
Nearest Railway Station Wells
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 135 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	Wells						Glastonbury						
1	.64	–	.04	–				–	–	.12	–	.87	1
2	.10	–	.02	–				–	.10	–	.03	.13	2
3	1.26	–	.24	–				–	.16	–	.04	.49	3
4	.68	.19	.34	–				.10	.21	–	–	.04	4
5	.02	.42	1.95	–				–	.33	–	.01	.45	5
6	.31	.12	.16	–				–	.01	–	–	.36	6
7	.13	–	.37	.18				–	–	–	–	–	7
8	.14	–	.19	.03				–	–	–	.01	–	8
9	.04	–	.05	.16				–	–	–	.10	–	9
10	.05	–	.10	.08				–	–	.04	–	.15	10
11	.06	–	.15	–				–	–	–	–	.06	11
12	.06	–	.03	.05				–	–	.17	.10	.09	12
13	.04	–	.09	.33				–	–	.02	–	.03	13
14	.29	.05	.02	.55				–	–	.06	–	.14	14
15	.13	–	–	–				–	–	–	–	.23	15
16	.15	.75	–	.03				–	–	–	.14	.02	16
17	–	.36	–	.02				–	–	–	.33	–	17
18	.04	.04	.65	–			.24	.42	–	–	.20	.03	18
19	.45	.10	1.07	–			.88	.48	.26	–	.15	.13	19
20	.50	.12	.03	–			–	.18	.02	–	–	.05	20
21	–	.64	–	–			.44	–	.05	–	–	.10	21
22	–	.24	–	–			.09	–	.09	–	.03	.19	22
23	–	–	–	–			–	–	–	.76	.02	.05	23
24	–	–	–	.04			.03	–	.03	1.30	.05	.35	24
25	.15	–	–	.22			–	.88	–	–	.05	.07	25
26	.04	.02	.13	.17			–	.40	–	–	–	.15	26
27	.20	.03	–	.35			–	.74	.15	–	–	.05	27
28	.02	–	.55				–	.20	–	–	.23	.36	28
29	–	X	–				–	.04	–	.07	.02	.09	29
30	–	X	–				–	.26	–	–	.30	.27	30
31	.03	X	–	X		X	.06	–	X	–	X	.32	31
Total	5.53	3.08	6.18				imp	3.70	1.41	2.54	1.81	5.27	YEAR'S TOTAL
Rain Days.	24	13	19					10	11	8	17	27	

W. 8,000, IX. 17.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 192

REGISTER OF RAINFALL IN 1920.

Kept at St. Michaels, Glastonbury
in the County of Somerset
by Archdeacon Farrer

Lat. 51. 8. 30 N Long. 2. 42. 0 W
Time of Observation 9 a.m
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	–	–	.08	.25	–	.27	.18	.10	.16	.27	.33	1
2	.27	–	–	.15	–	–	.31	.38	.11	.13	–	.05	2
3	.04	.04	.06	.08	.05	–	.93	–	–	.43	–	.03	3
4	–	–	–	.07	–	–	.06	.42	–	.27	–	–	4
5	–	–	.07	–	.20	–	.49	.10	–	.17	–	–	5
6	–	–	.16	.02	.09	–	.09	–	–	.02	–	–	6
7	–	–	–	.49	–	–	.25	–	–	.02	.03	–	7
8	.08	.18	–	.38	.08	–	.33	–	.01	–	–	–	8
9	.39	.04	.04	.14	–	.16	.11	.02	–	–	–	–	9
10	.40	.24	.05	.03	–	.20	.33	–	–	–	–	–	10
11	.27	–	.06	.35	.29	.03	.13	–	–	–	–	–	11
12	.23	.01	–	.10	–	.39	.03	–	–	–	.05	–	12
13	.23	.06	.36	.03	–	–	–	–	–	–	–	–	13
14	.05	.03	.17	.32	–	–	–	–	.10	.23	.11	–	14
15	.02	.10	.03	.13	.04	.30	–	–	.07	.28	.07	–	15
16	–	–	.02	–	.02	.03	.24	–	.03	.03	.10	–	16
17	.01	–	–	.20	.14	.01	–	–	.45	–	–	–	17
18	.04	.01	.02	.07	.04	.09	.04	.41	.20	–	–	.01	18
19	.05	.07	–	.25	.02	.42	–	–	–	–	–	–	19
20	.06	.18	–	.13	–	.30	–	–	.03	–	–	.08	20
21	–	–	–	.02	–	–	.13	–	–	–	–	.18	21
22	.02	–	–	.16	–	.03	.01	.08	–	–	–	.35	22
23	–	–	–	–	–	–	.54	.02	–	–	–	.20	23
24	–	–	.08	.02	–	–	–	–	–	–	.08	.03	24
25	–	.14	.04	–	.40	.01	.20	–	–	–	–	–	25
26	.14	–	.11	–	.01	.06	.05	–	–	–	.10	.05	26
27	.14	–	.06	.20	.02	.39	.02	–	–	–	.01	.19	27
28	.90	.01	.05	.05	.05	.05	.03	–	–	–	–	.02	28
29	.10	–	.11	–	–	.03	.02	–	–	–	.08	.07	29
30	–	╳	–	.11	.15	.12	.22	–	.42	–	.42	.17	30
31	.11	╳	.31	╳	.01	╳	.02	–	╳	.41	╳	.11	31
TOTAL	3.57	1.11	1.80	3.58	1.86	2.62	4.85	1.61	1.52	2.15	1.32	1.87	YEAR'S TOTAL 27.86
Days with ·01 in. or more	21	13	18	24	17	17	24	8	10	11	11	15	189
	17	9	13	19	12	11	18	6	7	8	9	11	142

(44,283). Wt. 21,958—218 7500. 10/19. Gp.132. A.&E.W.

GLASTONBURY
"WYRRAL"
SOMERSET
1915-20

FORM A.
BRITISH RAINFALL.
29 JAN 1916

REGIST 5

Kept at "Wyrral, Gl
in the County of Somers
by John Morla

ng. 2° 44′ W
9
n Glastonbury
Rain Gauge 5 in.
above Ground ft. 8 in.
" Sea Level abt 110 ft.

IMPORTANT NOTE.— daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	16		12	7			32	15	28	2	20	1
2	·33	23	25					6	9	5		56	2
3	·08	5	5	13	12		6	3				56	3
4	·02	3			3							26	4
5	8	28						18				19	5
6	46	8		25			42	18				11	6
7	23	37		3	8		23					23	7
8	30	21										1	8
9	2	2		12				55			37	62	9
10	21	1	9	7		9				4		3	10
11	6	3	10					47	~~2~~	2	57	3	11
12	22	25		15	47			37	~~7~~	7	18		12
13	6	64			35			13	11		6		13
14	3	6					23	7	9	2	2	47	14
15	19				24		10	2	4		11	7	15
16		32	1		24		88	40				12	16
17		34			61			36					17
18		18			8								18
19		3			7		19						19
20	28			13		34			~~1~~	1		7	20
21	7	10					2		~~8~~	8		22	21
22	5	21	35	2			44					10	22
23			6				40		~~1·25~~ 7	1·25		38	23
24			2	3			5		~~62~~ 21	62		33	24
25			3				32					23	25
26		4				2	23	3				42	26
27						1	29		~~46~~	46			27
28		7					7		64	14		~~3~~	28
29		14				24			~~32~~	32	7	~~21~~ 3	29
30	12	☒				26			~~45~~	45	29	21	30
31		☒		☒		☒	6		☒		☒	10	31
Total	3·18	3·85	·96	1·05	2·36	·96	3·99	3·17	1·40	3·81	1·69	5·55	YEAR'S TOTAL 31·97
Rain Days.	19	23	9	10	11	6	16	14	8	14	9	24	163

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.
29 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at "Wyrral, Glastonbury
in the County of Somerset
by John Morland

Lat. 51°10' N. Long. 2°44' W.
Time of Observation 9
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level abt 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·37	16		12	7			32	15	28	2	20	1
2	·33	23	25					6	9	5		56	2
3	·08	5	5	13	12		6	3				56	3
4	·02	3			3							26	4
5	8	28						18				19	5
6	46	8		25			42	18				11	6
7	23	37		3	8		23					23	7
8	30	21										1	8
9	2	2		12				55			37	62	9
10	21	1	9	7		9				4		3	10
11	6	3	10					47	~~2~~	2	57	3	11
12	22	25		15	47			37	~~7~~	7	18		12
13	6	64			35			13	11		6		13
14	3	6					23	7	9	2	2	47	14
15	19				24		10	2	4		11	7	15
16		32	1		24		88	40				12	16
17		34			61			36					17
18		18			8								18
19		3			7		19						19
20	28			13		34			~~1~~	1		7	20
21	7	10					2		~~8~~	8		22	21
22	5	21	35	2			44					10	22
23			6				40		~~1·25~~ 7	1·25		38	23
24			2	3			5		~~62~~ 21	62		33	24
25			3				32					23	25
26		4				2	23	3				42	26
27						1	29		~~46~~	46			27
28		7					7		64	14		~~3~~	28
29		14				24			~~32~~	32	7	~~21~~ 3	29
30	12	X				26			~~45~~	45	29	21	30
31		X		X		X	6		X		X	10	31
Total	3·18	3·85	·96	1·05	2·36	·96	3·99	3·17	1·40	3·81	1·69	5·55	YEAR'S TOTAL 31·97
Rain Days.	19	23	9	10	11	6	16	14	8	14	9	24	163

W. 8,000. X. 15.

✓ and pr WP W25

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

2 JAN 1917

Kept at Wyral, Glastonbury

in the County of Somerset

by John Antland

Lat. 57° 10 N Long. 2° 44 W

Time of Observation 9 a.m.

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ... ft. 6 in.

" " " " Sea Level abt 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. °/10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			54						5		14		1
2	7 ~~7~~	1			18	4	13		7	47	7		2
3	21 ~~11~~	7			1				2	44	11		3
4	~~14~~	72			19				5	31	14		4
5	16 ~~47~~	5	8		13	21			23	6	47		5
6	20 ~~43~~	4			14	64				3	43		6
7	4 ~~36~~	18			22	3	53			8	36		7
8	~~61~~	7	19		5	5	9				61	22	8
9	~~16~~	15	2		26					11	16	8	9
10	~~10~~	1			10	2					10	9	10
11	~~1~~	38		5	4		2			6	1	~~51~~	11
12	2 ~~1~~			25	1	2					1	'	12
13	10	4	4	5	16		5	7		12			13
14	~~1~~	31	12	2				25			1		14
15	1	34	~~2~~	9	9			2		4			15
16		7	6	2	1		2	18	3	1			16
17	7		~~4~~	25				85					17
18	3 ~~13~~	35		6				6	53	27	13		18
19	1 ~~8~~	5	17	3					6	9	8	5	19
20	8 ~~22~~		50	5							22	1	20
21	18 ~~7~~	11	31								7	87	21
22	5	7	22		8	1						29	22
23		–		6	1	5				45	4	51	23
24	5	—		5		4		28		14	5	~~51~~ 21	24
25		83		5	68			4		48	1	22	25
26		Snow fell 23/26/1916	14		14	9		66			12		26
27			2			37		11	75	42	2		27
28		10	86		4	1		28	37	6			28
29		~~8~~7		2	6			5	5	40		12	29
30		✕	1			22		1·50	34	39	1	15	30
31		✕		✕		✕			✕	24	✕		31
Total	1·28 ✓	~~4·02~~ ·54 4·56	~~3·28~~ 2·74	1·05	2·60	1·80	·84	~~4·35~~ ·05 4·40	~~2·55~~ 2·50	~~4·67~~ ·14 4·81	~~3·37~~ 3·23	1/1/1917 10 2·93 ✓	YEAR'S TOTAL 32·74 ✓
Rain Days.	15	2~~1~~0	1~~5~~4	14	20	14	6	1~~3~~4	17	29	23	14 ✓	~~188~~ 191 ✓

W. 8,000, VIII. 16 Rain is entered on day measured, not as previous day.

Va wd 24

REGISTER OF RAINFALL IN 1910

FORM A. BRITISH RAINFALL.

1963

Kept at Wyrral Glastonbury

in the County of Somerset

by J. Morland

Lat. 57·10 N Long. 2·44 W

Time of Observation 9 a.m.

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				9		12					12		1
2	1			34				70	6		2		2
3				3			62	12			2		3
4		Snow 35				3				22	4		4
5			18				10	4		22			5
6	22		19	19		11			12	16	4		6
7			5							3	6		7
8	20		9				36	22		19	22	7	8
9	3		3	15			39	50	3	39	22	4	9
10			28	1	6		4	35	3	38	22		10
11	18		68	12				15		~~13~~			11
12	10			43				47	5	13	4		12
13	2				44			35	7	57	1		13
14			18	2				18	7	7			14
15		1	13					27				1	15
16			12	15			16	9		6		18	16
17		16		6			19			23		5	17
18				17			57	7	42	5			18
19	1	5	9		16				63		1		19
20		48				10		3			3		20
21					19	15		63				3	21
22			25			10							22
23								9		5			23
24					5			23				2	24
25			3			38	14	16		13			25
26		13	2				7	1		16	5		26
27			8		22	5	~~8~~	40	14	18	3		27
28			12		83	14		68		20	1		28
29					3	(4·50) X		71					29
30		X				23	4	7		31		9	30
31		X	18	X		X	3	3	X	7	X	3	31
Total	·77	1·18	2·70	1·76	1·98	(5·91)	2·71	6·55	1·62	3·80	1·14	·46	YEAR'S TOTAL 30·58
Rain Days.	8	6	17	12	8	11	12	24	10	20	16	9	153

X Estimated

W. 8,000, IX. 17.

Ex M S

46

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9 . 1 . 19

Kept at Wyrral Glastonbury
in the County of Somerset
by John Morland

Lat. 57·10 N Long. 2·44 W
Time of Observation 9 a.m.
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		2		6	17			25	2	2	49	2	1
2				6						4	8	4	2
3		2		9	14					1	7	4	3
4		4			5			6	3	8	27	3	4
5	23				~~3~~			50	14	9			5
6		22		23					9	7		~~40~~ 10	6
7		22			63	3			15	27	29	2	7
8	1				~~8~~				28	34		4	8
9		10		16		21	22		34	1	2	19	9
10	6			19			44		18	15		42	10
11			6		1		47		24	15		9	11
12		4	5		26		6		19				12
13					26		14		45	8		25	13
14	1.34				3	4	16		15	9		6	14
15			1	43	8		28					14	15
16	41		9	37			4		8			13	16
17	23			3			19	8	6			10	17
18	52			~~3~~		50	30		30	8		36	18
19	6		16				24		13			8	19
20	3	12		8		3	41		6				20
21	2			3		3	34		41	9		15	21
22					6		50		21	16		34	22
23	3				23		35	7	4		2	1	23
24		8		47			6	5	8		5		24
25							7	94			8		25
26							49		16		9	24	26
27		12						17	22	2	7	2	27
28			8				~~35~~				4	14	28
29		6	7						88			6	29
30		×	31					12	1		9	4	30
31		×	15	×		×	75	2	×	4	×		31
Total	2·94	1·04	·98	2·20	1·92	·84	5·53 ~~4·78~~	2·26	490	1·79	166	311	YEAR'S TOTAL 29·07
Rain Days.	11	11	9	12	11	6	19	10	25	18	13	25	~~169~~
			9				19						170

W. 8,000, IX. 17.

1836

28 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tyrral, Glastonbury
in the County of Somerset
by John Morland

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Glastonbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ... ft. 8 in.
" " " " Sea Level 110 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·40		3	6	9		31			11	1	75	1
2	9		2				24		·06			25	2
3	·77		·34		13	4			15		4	36	3
4	30	31	·30					·07	24			7	4
5	2	35	·63						31			48	5
6	36	11	·12									28	6
7	8		27	14									7
8	6		17			3					·12		8
9	3		2	6	5								9
10	7		6	4								17	10
11	2		15		12		23					8	11
12	·12		1	15		16						15	12
13	1			24			13			24		2	13
14	31	9		57			16					8	14
15	9	7			16					7		16	15
16	2	71									23		16
17		8						6			31		17
18	6	49	·61				21	43	2		21	3	18
19	43	19	89			10	1·08	58	27		17	11	19
20	24	~~9~~ 6				22		10				5	20
21		46					38	8	6			7	21
22		~~9~~ 3					8	1	13		3	21	22
23		2						2		66	5	32	23
24				6		36	1			84	5	16	24
25	26			3				71			4	9	25
26		3	9	30		4		48	13			5	26
27	16		6	18				72				4	27
28			37								17	28	28
29				7				4		8		6	29
30		X	5	22		30		23			·35	25	30
31	2	X		X		X	4		X		X	23	31
TOTAL	3·94	2·62	4·19	2·16	·55	1·27	2·87	3·45	1·37	2·00	1·60	4·82	YEAR'S TOTAL 31·04
Days with ·01 in. or more	22	14	18	13	5	6	11	12	9	6	13	28	159

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

247

1751

17 MAY 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Glastonbury

in the County of Somerset

by John Morland

Lat. 51°10′ Long. 2°40′ W

Time of Observation 9 am

Nearest Railway Station Glastonbury

Diameter of Funnel of Rain Gauge ·5 in.

Height of top of Gauge above Ground 0 ft. 9 in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1			8	22		27		8	9	23	19	1
2	18			16	6		26	17	10	3		5	2
3	2	5		9			78	42	1	35			3
4			7	17	2		8	7		36			4
5			6	7	20		51			18			5
6			20		5		7						6
7	2			44			24				1		7
8	9	8		37	9		35						8
9	36	8	6	15		14	8						9
10	52	13	9	4		23	33						10
11	5		6	20	26	20	13						11
12	20	3	1	7		14	2			1	4		12
13	22		26	3		20				3			13
14	11	3	15	30					11	31	15		14
15	1	8	3	15	6	3			15	31	5		15
16			3			1	18		7		4		16
17	2			13	14		12		58				17
18	5		1	8	3	10		41	9				18
19	3	21		25	2	42		1	4				19
20	6	3		11		22						16	20
21				7			16					15	21
22	2			11			2	9				1·60	22
23							46	4				16	23
24			9	1				3				3	24
25	~~11~~	08	4		54		25						25
26	14 ~~13~~		8		1	8	7					7	26
27	13 ~~22~~		5	17	4	29	4					12	27
28	82 ~~8~~		6	3	4	2	4				16	2	28
29	8 ~~2~~		16		2	3	2				36	6	29
30	2	╳	27	12	10	14	19		38	5	9	28	30
31	10	╳		╳	2	╳			╳	29	╳	4	31
TOTAL	3·26	·91	1·80	3·40	1·92	2·25	4·67	1·24	1·61	2·01	1·13	2·93	YEAR'S TOTAL 27·13
Days with ·01 in. or more	23	11	19	24	18	15	23	8	10	11	9	13	184
Days with ·04 in. or more	15	7	15	21	12	11	20	6	9	8	8	11	143 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

GLASTONBURY
"YNYSWYTRYN"
SOMERSET
1911 - 1912

REGIS 11

FORM A. BRITISH RAINFALL.
1 - JAN 1912

Kept at Ynyswr, G
in the County of Some
by Mrs Swa

Long.
y Station Glaston
vation 89
5 in.
bove Ground 1 ft. 8 in.
Sea Level 245 ft.

NOTE.—Full instructions respecting the Rainfall Organization are given in "*Rules for Rainfall Observers*," application to DR. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.19			.01	.05			.05	.02	1
2			.01	.20	.25			.15		.01	.30	.06	2
3					.26			.02			.06	.01	3
4		.02	.15	.02		.06				.02	.13	.24	4
5	.05		.06	.02				.87		.04	.15	.06	5
6	.15		.13					.01		.01	.21	.46	6
7			.01	.01							.29	.01	7
8	.03		.15					.01			.03	.48	8
9	.05										.11	.48	9
10	.10	.04	.25		.96						.03	.29	10
11	.29	.03			.05						.38	.12	11
12			.77		.01			.01	.04		.13	.23	12
13									.23	.01	.06	.34	13
14		.10	.01								.14	.99	14
15		.07	.02			.07						.02	15
16						.36					.41	.16	16
17						.10					.10	.36	17
18	.01	.17	.03	.18		.24				.03	.04	.23	18
19	.01	.09		.03		.10				.15	.06	.43	19
20	.03	.06	.06	.12		.01	.01		.33	.06		.31	20
21	.02	.20	.03			.04			.05	.71		.13	21
22	.03		.38	.03					.02	.75		.50	22
23	.01	.08	.15	.01		.15			.01	.10		.13	23
24		.21	.08			.54		.09	.12	.56		.16	24
25		.06	.01	.14		.18			.03	.06		.25	25
26		.07		.21	.08	.02		.03		.12	.03	.28	26
27		.54	.27	.09				.18	.13		.02	.22	27
28		.26		.28				.07	.03		.05	.01	28
29				.53		.35	.09			.49			29
30				.03		.09			.01	.18	.03	.03	30
31										.11		.01	31
Totals	.84	2.00	2.57	2.11	1.61	2.31	.11	1.49	1.02	3.41	2.96	7.02	
Total from Jan. 1		2.84	5.41	7.52	9.13	11.44	11.55	13.04	14.06	17.47	20.43	27.45	

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

13 15 18 16 6 14 3 11 11 17 22 30 176

FORM A.
BRITISH RAINFALL.
1 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Ynyswitryn Glastonbury
in the County of Somerset 2
by Mrs Swayne

Lat. Long.
Nearest Railway Station Glastonbury

RAIN GAUGE.
Time of Observation 9
Diameter 5 in.
Height of top above Ground 1 ft. 8 in.
" " Sea Level 245 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01			.19			.01	.05			.05	.02	1
2			.01	.20	.25			.15		.01	.30	.06	2
3					.26			.02			.06	.01	3
4		.02	.15	.02		.06				.02	.13	.24	4
5	.05		.06	.02				.87		.04	.15	.06	5
6	.[illegible]5		.13					.01		.01	.21	.46	6
7			.01	.01							.29	.01	7
8	.03		.15					.01			.03	.48	8
9	.05										.11	.48	9
10	.10	.04	.25		.96						.03	.29	10
11	.29	.03			.05						.53	.12	11
12			.77		.01			.01	.04		.13	.23	12
13									.25	.01	.06	.34	13
14		.10	.01								.14	.99	14
15		.07	.02			.07						.02	15
16						.36					.41	.16	16
17						.10					.10	.36	17
18	.01	.17	.03	.18		.24				.03	.04	.23	18
19	.01	.09		.03		.10				.15	.06	.43	19
20	.03	.06	.06	.12		.01	.01		.33	.06		.31	20
21	.02	.20	.03			.04			.05	.71		.13	21
22	.03		.38	.03					.02	.75		.50	22
23	.01	.08	.15	.01		.15			.01	.10		.13	23
24		.21	.08			.54		.09	.12	.56		.16	24
25		.06	.01	.14		.18			.03	.06		.25	25
26		.07		.21	.08	.02		.03		.12	.03	.28	26
27		.54	.27	.09				.18	.13		.02	.22	27
28		.26		.28				.07	.03		.05	.01	28
29				.53		.35	.09			.49			29
30				.03		.09			.01	.18	.03	.03	30
31										.11		.01	31
Totals	.84	2.00	2.57	2.11	1.61	2.31	.11	1.49	1.02	3.41	2.96	7.02	
Total from Jan. 1		2.84	5.41	7.52	9.13	11.44	11.55	13.04	14.06	17.47	20.43	27.45 ✓	
	13	15	18	16	6	14	3	11	11	17	22	30	176 ✓

K/5000/10/03. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper, 3d.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
4 - JAN 1913

Kept at "Ynyswytryn" Glastonbury
in the County of Somerset 2
by Mrs Swayne.

Lat. Long.
Time of Observation 9.30 a.m
Nearest Railway Station Glastonbury
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. eight in.
" " " " Sea Level 245. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.05		.02	.26	.04	.01	—	.67		.31	1
2			.09	.01		.11	.22				.03		2
3	.01		.16	—		.25	.03	.56	.05	—	.04	.04	3
4	.17		.52	—	.04	.11		.02			.30		4
5	.50	.07	.21				.11	.62			.03	.18	5
6	.46	.13			.28	.02		.49				.02	6
7	.01	.26	.12		.11	.62		.18				.06	7
8	.31	.17	.41	.01		.12	.27	.13					8
9	.04	.01	.13	.07		.04	.01	.07			.01	.52	9
10	.06	.11				.01		.24			.03	.15	10
11	.05	.04	.01	.07							.01	.48	11
12	.04	.49	.07			.01	.04				—	.01	12
13		.01	.02			.02		.42				.06	13
14	.25	.03	.61		.25	.01	—	.08				.39	14
15	.13	.06	.09		.27	.63		.06				.06	15
16	.73		.24		.09	.02		.16			.05	.05	16
17	.78		.08			.01		.70		.03	.04		17
18	.10		.58					.09			.02	.10	18
19	.02	.05	.08			.02	.12	.16		.01	.02	.01	19
20	.05	.05	.44	—	.12	.12	.12	.91		.53			20
21	.01	.06	.28		.39		.01	.14		.25			21
22	.33	.12	.05		.69	.02	.03	.22		.05		.03	22
23	~~.07~~	.57	.17			.12		.93		.06	.23	.24	23
24	.07	.03	.01			.17		.02		.17		.16	24
25	.03	.01				.10	.08	.56		.18	.14	.52	25
26		.02				.16		.16		.22	.20	.15	26
27							.78			.58	.01	.23	27
28		.07				.04	.08	.32	.06	.54	.45	.43	28
29		.04	.05			.06	.09	.04	.60	.47	.01	.01	29
30			.02		.01	.06	.17		.19	.24	—		30
31	.01		.32				.20	.05		.03		.09	31
Total	4.16	2.41	4.81	.16	2.27	3.11	2.40	7.34	.90	4.03	1.62	4.30	YEAR'S TOTAL 37.51
Rain Days.	22.	21.	25	4	11	25	17	26.	4.	15.	17.	24	211.

W. 7,500, XI. 12

GURNEY SLADE
DOWNSIDE W.W.

SOMERSET
1911 - 1920

FORM A2.
BRITISH RAINFALL.
JAN 1912

1960

R

Kept at Gurne

in the County of So

by (Revd) G.

ticks (Maker)

8 in.

e Ground 1 ft. – in.

Sea Level 588 ft.

A.M

Name Binegar

Distance Direction

IMPORTANT NOT … d the result entered to the previous day. If an O … iversal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of th … nent of rain, the selection and placi … itish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·23	·10	·01	—	—	·14	—	—	·09	·05	1
2	·01	—	·03	·38	·65	—	—	·23	—	·05	·44	·23	2
3	—	—	·02	—	·37	—	—	·07	—	—	·17	·03	3
4	—	—	·14	—	—	—	—	·08	—	·02	·46	·38	4
5	·13	—	·02	—	—	—	—	·95	—	·10	·35	—	5
6	·47	—	·15	·03	—	—	—	·02	—	—	·29	·55	6
7	·04	—	—	—	—	—	—	—	—	—	·51	—	7
8	·23	—	·40	—	—	—	—	—	—	—	—	·55	8
9	·21	·07	—	—	—	—	—	—	—	—	·15	·42	9
10	·20	·03	·68	—	·28	—	—	—	—	—	·03	·50	10
11	1·50	—	·01	—	·33	—	—	—	—	—	·80	·34	11
12	—	—	·92	—	—	—	—	—	·02	—	·55	·26	12
13	—	—	·02	—	·01	—	—	—	·30	·10	·28	·56	13
14	—	·16	—	—	—	·02	—	—	—	—	·04	1·03	14
15	—	·16	·05	—	—	·05	—	—	—	—	·55	·06	15
16	—	·07	—	—	—	·37	—	—	—	—	·53	·50	16
17	—	·06	—	—	—	·11	—	—	—	—	·08	·43	17
18	—	·45	·14	·10	—	·27	—	—	—	·03	·03	·40	18
19	—	·12	—	·03	—	·17	—	—	·55	·25	·04	·50	19
20	·02	·06	·12	·65	—	—	—	—	·17	·20	—	·41	20
21	—	·44	·01	·03	—	·02	—	1·18	—	·48	—	·34	21
22	·07	·02	·27	·08	—	·08	—	—	—	·64	—	·41	22
23	—	·24	·13	·02	—	·28	—	—	·23	·20	~~·02~~	·35	23
24	—	·49	—	—	—	·49	—	·20	—	·60	—	·24	24
25	—	·31	—	·45	—	·11	—	·05	—	·08	—	·61	25
26	—	·08	·20	·65	·02	·02	—	·05	—	·19	·04 s.	·62	26
27	—	·90	—	·11	—	·01	—	·17	·11	—	·03 s.	·17	27
28	—	·58	—	·41	—	—	—	·43	—	—	·04	—	28
29	—		—	·45	—	·64	—	—	—	·92	—	—	29
30	—		—	·02	—	·06	—	—	·30	·32	·05	—	30
31	—		—		—		—	—		·26		—	31
Total	1·92	4·24	3·54	3·51	1·67	2·40		3·54	1·68	4·47	5·60	10·27	TOTAL for year 43·17
No. of Rain Days	11	17	18	15	7	15		12	7	16	23	25	166

9,000, IX. '10.

1960

FORM A2. BRITISH RAINFALL. JAN 1912

R

Kept at Gurney Slade

in the County of Somerset

by (Revd) G. A. Kindersley

RAIN GAUGE
Pattern J. J. Hicks (Maker)
Diameter of top 8 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 588 ft.

Time of Observation 9. A.M

Nearest Railway Station
Name Binegar
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·23	·10	·01	—	—	·14	—	—	·09	·05	1
2	·01	—	·03	·38	·65	—	—	·23	—	·05	·44	·23	2
3	—	—	·02	—	·37	—	—	·07	—	—	·17	·03	3
4	—	—	·14	—	—	—	—	·08	—	·02	·46	·38	4
5	·13	—	·02	—	—	—	—	·95	—	·10	·35	—	5
6	·47	—	·15	·03	—	—	—	·02	—	—	·29	·55	6
7	·04	—	—	—	—	—	—	—	—	—	·51	—	7
8	·23	—	·40	—	—	—	—	—	—	—	—	·55	8
9	·21	·07	—	—	—	—	—	—	—	—	·15	·42	9
10	·20	·03	·68	—	·28	—	—	—	—	—	·03	·50	10
11	·50	—	·01	—	·33	—	—	—	—	—	·80	·34	11
12	—	—	·92	—	—	—	—	—	·02	—	·55	·26	12
13	—	—	·02	—	·01	—	—	—	·30	·10	·28	·56	13
14	—	·16	—	—	—	·02	—	—	—	—	·04	1·03	14
15	—	·16	·05	—	—	·05	—	—	—	—	·55	·06	15
16	—	·07	—	—	—	·37	—	—	—	—	·53	·50	16
17	—	·06	—	—	—	·11	—	—	—	—	·08	·43	17
18	—	·45	·14	·10	—	·27	—	—	—	·03	·03	·40	18
19	—	·12	—	·03	—	·17	—	—	·55	·25	·04	·50	19
20	·02	·06	·12	·65	—	—	—	—	·17	·20	—	·41	20
21	—	·44	·01	·03	—	·02	—	1·18	—	·48	—	·37	21
22	·07	·02	·27	·08	—	·08	—	—	—	·67	—	·71	22
23	—	·24	·13	·02	—	·28	—	—	·23	·20	~~·02~~	·35	23
24	—	·49	—	—	—	·49	—	·20	—	·60	—	·24	24
25	—	·31	—	·45	—	·11	—	·05	—	·08	—	·61	25
26	—	·08	·20	·65	·02	·02	—	·05	—	·19	·04 s.	·62	26
27	—	·90	—	·11	—	·01	—	·17	·11	—	·03 s.	·17	27
28	—	·58	—	·41	—	—	—	·43	—	—	·07	—	28
29	—		—	·45	—	·64	—	—	—	·92	—	—	29
30	—		—	·02	—	·06	—	—	·30	·32	·05	—	30
31	—		—		—		—	—		·26		—	31
Total	1·92	4·24	3·54	3·51	1·67	2·40		3·54	1·68	4·47	5·60	10·27	TOTAL for year 43·14
No. of Rain Days	11	17	18	15	7	15	·	12	7	16	23	25	166

9,000, IX. '10.

Ex DL

1960

BRITISH RAINFALL FORM A.
8 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Gurney Slade
in the County of Somerset.
by G. A. Kindersley

Lat. 51° 15′ 20″ N Long. 2° 32′ W.
Time of Observation 9 A.M.
Nearest Railway Station Binegar
Diameter of Rain Gauge 8 in.s
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·11	—	—	·43	·45	—	·01	·70	—	·50	1
2	—	—	·28	—	—	·28	·33	—	—		·03	·23	2
3	·02	—	·10	·01	—	·29	·11	·70	·19		·02	·10	3
4	·45	—	·99	—	·04	·26	—	·03			·24	—	4
5	·61	·05	·34	—	·04	·03	—	·47	·02		·02	·28	5
6	·75	·23	·08	—	·23	·19	·07	1·38				·15	6
7	·04	·24	·02	·01	·24	·62	—	·06				·19	7
8	·40	·25	·72	—		·17	·22	·47	·03			·02	8
9	·04	·04	·54	·20		·04	·02	·02			·01	1·03	9
10	—	·11	·02	—		·09		·08			·16	·12	10
11	·12	·08	·03	—		—		—				·51	11
12	·08	·80	·20	·03		—		—				·09	12
13	—	·02	·03			·04		·02				·20	13
14	·20	—	·84		·27	·01		·60		·01		·07	14
15	—	·15	·02		·22	·91		·07		—		1·22	15
16	·92	—	·76		·18	·03		·36		·18		·15	16
17	·22	—	·04			·10		1·10			·05	·08	17
18	·42	—	1·05			—		·12		·16	·01	·15	18
19	·05	·19	·20			·06	·11	·20		·13		·01	19
20	·04	—	·50		·10	—	·07	1·35		·71		—	20
21	·07	·25	·58		·43	—	—	·11		·50		—	21
22	·49	·30	·05		·16	—	·15	·54		·05		·11	22
23	·30	·45	·48			·16	—	1·38		·15	·35	·23	23
24	·08	·05	·07			·46	·02	·06		·13		·31	24
25	—	·07	—			·18	—	·64		·07	·53	·56	25
26	—	·04	—			—	·16	·08		·48	·50	·36	26
27	—	·03	·01			·22	·99	—		1·35	·08	·90	27
28	—	·12	—			·08	·09	·64	·14	·65	·65	·50	28
29	—	·08	—			·06	·44	·06	·54	·53		·07	29
30	—		—			·07	·19	—	·20	·42		—	30
31	—		·43				·25	·10				·44	31
Total	5·24	3·49	8·52	·25	1·91	4·78	3·67	10·64	1·13	6·22	2·65	8·58	YEAR'S TOTAL 57·08
Rain Days.	19	20	26	4	10	23	16	25	7	16	13	27	206

W. 7,500, XI, 12

EX 2118

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. -9 JAN 1914

1960

Kept at Gurney Slade

in the County of Somerset

by G. A. Kindersley (V. Rev?)

Lat. 51°15'20" Long. 2'3" W

Time of Observation 9. A.M.

Nearest Railway Station Binegar

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·34	·18	·10	·05	—	—	—	·40	·04	·20	·25	1
2	·03	·07	·09	·09	·11	—	·09	—	—	·10	·15	·05	2
3	·15	—	·17	—	·45	—	—	—	—	—	—	·25	3
4	1·28	—	·11	—	·52	—	—	—	—	·14	·05	·27	4
5	·04	·05	—	—	·30	·75	·03	—	·43	—	·04	·09	5
6	·15	·09	·12	—	·06	·22	·07	—	—	·80	·07	·56	6
7	·02	·41	·03	—	·31	·16	·13	—	—	·60	·24	—	7
8	·03	·07	·01	—	·25	—	—	—	—	·06	—	·07	8
9	—	·09	·17	—	·07	·43	·83	·27	·09	—	·23	·10	9
10	·23	—	·10	·02	·03	·01	—	·03	·60	·27	·18	—	10
11	·65	—	·04	·24	·30	·07	—	—	—	·03	·82	·06	11
12	·01	—	—	—	·33	—	·02	—	·10	—	·17	—	12
13	·02	—	·15	—	—	—	—	·06	·77	—	·33	—	13
14	·15	—	·27	·25	—	—	—	·01	·13	·07	·45	·07	14
15	·30	·09	·45	·45	—	—	—	—	·05	—	·43	·06	15
16	·21	—	·72	·20	—	—	·03	·06	—	—	·01	—	16
17	·15	—	·01	·07	—	·01	·09	—	—	—	·24	—	17
18	·11	—	·30	·22	—	·05	·02	—	—	—	·10	—	18
19	·64	—	·02	—	·10	·20	·03	—	·62	—	—	—	19
20	·17	—	—	·04	—	—	—	—	—	·11	·21	—	20
21	—	—	—	·14	·14	—	·08	—	—	—	·45	—	21
22	1·18	—	·42	·24	·06	·11	—	·11	·23	—	—	—	22
23	·03	—	—	—	—	—	—	·08	—	—	·07	·40	23
24	·10	·02	—	·08	—	—	—	·15	—	—	·06	—	24
25	—	·10	—	·23	—	—	—	—	—	—	·06	·15	25
26	—	—	—	·44	—	—	—	·30	—	—	—	—	26
27	·04	—	·18	·46	—	—	—	—	—	·22	·02	—	27
28	·16	—	·09	·31	—	—	—	—	—	·15	—	·31	28
29	·04	—	·68	·42	—	—	—	—	—	·30	·05	—	29
30	·58		—	—	—	—	—	—	—	·50	·24	—	30
31	·11		·06	—	—	—	—	·61	—	·02	—	—	31
Total	6·60	1·33	4·37	4·00	3·08	2·01	1·42	1·68	3·42	3·41	4·87	2·69	YEAR'S TOTAL 38·88
Rain Days.	27	10	22	18	15	10	11	10	10	15	24	14	186

W.7,000, XI. 13

[illegible]

1960

FORM A.
BRITISH RAINFALL.
14 JAN 1915

REGISTER OF RAINFALL IN 1914

Downside Water Works

Kept at Gurney Slade

in the County of Somerset

by V. Rev. G. A. Kindersley

Lat. 51° 15' 26" N Long. 2° 32' W

Time of Observation 9 AM.

Nearest Railway Station Binegar

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·42

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·04		·01	·32	·62			·08	·07	1
2				·13			·50	·08			1·35	·33	2
3	·04	~~·04~~	·32	·27	·32			·42			·08	·13	3
4	·20	~~24~~	·55	·36	·12		·40	·47			·62	·79	4
5	·22		·45	·68	·30		·05	·02			·03	·25	5
6		·15	·08	·39	·06		·17	·20			·03	·47	6
7	·06	·71	·29	·25	·33		·35	·25				·10	7
8	·20	·07	1·43	·03	·30	·37	·02	·26	·34				8
9	·38		·34	·28	·06	·74		·07	·38				9
10	·02	10	·01	·08	·28				·59		·01		10
11		·17	·91		·05	·19	·07		·01		·08	·42	11
12		·13	·26		·01	·02			·35		·18	·27	12
13		·32	·40						·42	·19	·38	·76	13
14		·25	·51					·27	·05	·22	·26		14
15		·02	·36				·10	·72	·04	·04	·15		15
16							·06		·33				16
17		·85	·37				·02		·02			·74	17
18		·07	·05				·57					·55	18
19		·13	·21				1·01				·06	·40	19
20		·65	·16			·02						·28	20
21		·56	·02			·38		·13		·25			21
22		·04			·12	·49				·47			22
23		·17	·30		·05	·03	·01			·23			23
24			·08		·06		·05			·52	·39	·02	24
25	·03		·13				·03	·50		·68	·01	·56	25
26							·01			·10	·43	·48	26
27	·08									·11	·20	·22	27
28	·03	·31	·31							·08	·41	1·22	28
29	·35		·20		·08					·22	·30		29
30		×	·03							·26	·45	1·02	30
31	·02	×		×		×	·33		×	·35	×	·25	31
Total	1·63	4·70	7·79	2·51	2·14	2·25	4·07	4·01	2·53	3·72	5·50	9·33	YEAR'S TOTAL 50·18
Rain Days.	12	17	25	10	14	9	18	13	10	14	20	21	183

W. 8,000. X. 14.

2069
1960

FORM A.
BRITISH RAINFALL.

20 [illegible] 1916

REGISTER OF RAINFALL IN 1915

Kept at Downside Water Works
Gurney Slade
in the County of Somerset
by Rev G. B. Hicks

Lat. 51° 15' 20" N Long. 2° 32' W
Time of Observation 9 AM.
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·24

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·42	·38			·12			·28	·25	·28	·04	·43	1
2	·48	·26	·35	·40		·11	·02	·75	·07	·08		·45	2
3	·29	·08	·28	·10	·18							·50	3
4	·02	·01			·07							·43	4
5	·14	·68	·03					·17				·36	5
6	·50	·06		·45			·64	·08				·32	6
7	·38	·56		·05	·24		·22	·01				·37	7
8	·03	·50		·03				·11			·11	·05	8
9		·10		·15							·72	·85	9
10	·53	·05	·07	·03				·25			·04	·12	10
11	·07	—	·06	·02			·13	·35		·02	·95	·11	11
12	·20	·38		·19	·65			·30		·11	·32		12
13	·05	1·21			1·25			·05	·11			·04	13
14	·08	·05					·07	1·22	·24	·10		1·49	14
15	·42	·02			·18		·12	·06	·10		·12	·12	15
16		1·00			·57		1·38	·01				·20	16
17		·78			·73								17
18		·30											18
19	·02				·12		·38						19
20	·63			·12								·11	20
21	·05	·20					·02			·11		·17	21
22	·15	·27	·47	·05		·05	·80					·36	22
23		·08	·17				·20		·12	1·28		·37	23
24				·08			·55		·30	·87		·39	24
25			·05	·03		·18	·15					·25	25
26		·10				·02	·23					·45	26
27		·02				·20	·35			·51			27
28		·10				·05		·02	·87	·07			28
29		X				·12						·11	29
30	·28	X				·08				·58	·47	·39	30
31		X		X		X	·10	·02	X	1·24	X	·20	31
Total	4·74	7·19	1·48	1·70	4·11	·81	5·36	3·68	2·06	5·25	2·77	8·64	YEAR'S TOTAL 47·79
Rain Days.	19	23	8	13	10	8	16	15	8	12	8	25	165

W. 8,000. X. 15.

2011 1960

FORM A.
BRITISH RAINFALL.

20. JAN 1917

REGISTER OF RAINFALL IN 1916

Downside Waterworks
Kept at Gurney Slade
in the County of Somerset
by (Rev) G. B. Hicks

Lat. 51° 15′ 20″ N Long. 2° 32′ W
Time of Observation 9. AM.
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24				·45	·12	·30		·07	·43	·11		1
2	·73	·06	·05		·07		·05		·01	·41	·24		2
3	·02	·99			·22				·20	·58	·21		3
4	·23	·09		·01	·05	·78			·27	·09	·59		4
5	·12	·01	·03		·35	·27				·05	·61		5
6	·15	·30			·22	·07	·83			·25	·70		6
7	·07	·15	·14		·03	·09	·02			·19	·49	·15	7
8		·14	·04		·31	·20					·04	·21	8
9		·03			·23	·27				·24	·06	·02	9
10		·50		·12	·07		·01	—		·06	·03	·07	10
11	·03		·07	·20	·03	·11			·02				11
12	·22	·24	·06	·17	·37		·40	·12		·22			12
13		·43	·17		·02			·47					13
14		·50	·03		·18			·35		·12			14
15	·02	·30	·10	·18				·32		·03			15
16	·05	·22		·53	·04		·02	·56		·02			16
17	·27	·25		·05				·09	·77	·56	·05		17
18	·05	·08	·17	·11					·04	·09	·25	·11	18
19	·19		·45	·68							·32	·03	19
20	·30	·07	·49								·28	·90	20
21	·12	·08	·44		·10		·25					·45	21
22	·01			·02		·21				·40	·10	·65	22
23	·02	·04		·23		·04		·24		·26	·35	·28	23
24		·20	·03	·08	·97	·09		·07		·65	·03	·27	24
25		·08	·20		·10			·67			·28	·05	25
26	·02	·06	·17			·29		·12	·60	·48	·05		26
27	·09	·17	·95			·01		·14	·53	·26			27
28		·18	·11			·15		·07	·31	·45	·05	1·05	28
29		·50	·13			·65		2.80	·08	1·22	·02	·70	29
30		×								·41		·05	30
31		×		×		×		·20	×	·24	×	·07	31
Total	2·95	5·67	3·83	2·38	3·81	3·35	1·88	6·22	2·90	8·01	4·86	5·06	YEAR'S TOTAL 50·92
Rain Days.	20	25	19	12	18	15	8	14	11	24	21	16	203

W. 8,000, VIII. 16

Exd C Th

1921 1960

FORM A.
BRITISH RAINFALL.

16. JAN 1918

REGISTER OF RAINFALL IN 1917

Downside Water Works

Kept at Gurney Slade
in the County of Somerset
by Rev. G. B. Hicks

Lat. 51° 15' 20" N. Long. 2° 32' W
Time of Observation 9 AM
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·11	·40		·15		1·10	·53	·01	·06		1
2	·06			·07		·12					·03		2
3	·11			·01			·68	·02		·86	·09		3
4		·10	·08				·08	·09		·28			4
5	·54		·23	·65		·18			·26	·37	·23		5
6			·35							·16	·20	·02	6
7	·51						·20	·48		·31	·01	·09	7
8	·29		·10	·13			·75	·80		·95	·22		8
9			·05	·02	·08		·03	·36	·06	·45	·17		9
10	·24		·31	·18				·23	·15	·03			10
11	·05		·60	·37				·31	·04	·28	·03		11
12			·02		·37			·50		·93			12
13			·05			·02		·24	·45	·02		·01	13
14			·10	·20			·03	·82	·18				14
15							·25	·01		·30		·26	15
16	·01	·17		·37			·08		·04	·47		·07	16
17		·02		·25	·11		·56	·21	·51	·09	·02		17
18	·04	·03			·01		·50		·85		·01		18
19	·01	·57	·23			·04			·05		·05		19
20		·02			·32	·08		·51	·02		·02		20
21			·31			·14				·07			21
22								·17		·15			22
23		·15			·12			·81			·02	·04	23
24						·25	·10	·23		·47			24
25		·04	·04					·02	·04	·64			25
26					·20			1·40	·54	·35	·10		26
27					·74	·11		1·36		·02	·01		27
28			·18		·07	3·26		·48			·02	·04	28
29			·30			·50	·05	·12		·55	·01	·19	29
30		╳	·13				·25	·30		·18			30
31		╳	·18	╳		╳		·02	╳	·09	╳	·01	31
Total	1·87	1·10	3·37	2·65	2·02	4·85	3·56	10·59	3·72	8·03	1·30	·73	YEAR'S TOTAL 43·79
Rain Days.	11	8	18	11	9	11	13	24	14	24	18	9	179

W. 8,000, IX. 17.

Ex ML

FORM A.
BRITISH RAINFALL.
1960

REGISTER OF RAINFALL IN 1918

Downside Waterworks
Kept at Gurney Slade
in the County of Somerset
by Rev. G. B. Hicks

Lat. 51°15'20"N Long. 2°32'W.
Time of Observation 9 A.M.
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 588 ft.

14. 1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·85

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·16	·05			·33	·01	·06	·65		1
2		·01	·	·30				·55		·03	·09	·49	2
3		·05	·02	·16	·16			·06	·06	·08	·01	·02	3
4		·06		·02				·09		·15	·75	·09	4
5				·04	·11			·54	·05	·37		·03	5
6	·17	·90		·38				·01		·10		·18	6
7	·02	·26			·68	·02		·02	·32	·28	·30	·03	7
8		·10							·60	·45		·02	8
9		·22		·40		·28	·59		·55	·15	·01	·41	9
10	·08			·08			·73		·43	·18	·06	·65	10
11	·02	·23	·15				·32		·26	·05	·07	·31	11
12		·25	·09		·56		·28		·09			·18	12
13	·16				·02	·07	·30		·91	·12		·35	13
14	·25		·04		·01	·12	·52		·40	·18		·14	14
15	·88			·51	·08	·13	·45		·	·02		·36	15
16	·40		·03	·55			·03	·01	·22			·33	16
17	·45			·14	·16		·43	·15	·06	·04		·23	17
18	·80					·91	·41		·21			·39	18
19	·07		·11				·10	·06	·32	·05		·20	19
20	·03	·42		·07		·05	·77		·16	·06			20
21		·11				·03	·14		·82	·02		·13	21
22					·05		·90		·50			·53	22
23	·51	·03			·46	·01	·15	·08	·07		·05	·03	23
24		·17				·02	·06	·01	·27		·08		24
25	·01						·23	1·03		·05	·05		25
26							·70		·07		·28	·70	26
27		·10	·03					·28	·48	·01	·29	·16	27
28		·09	·22								·28	·43	28
29			·13						1·11			·06	29
30		×	·50					·27		·06	·10	·05	30
31		×	·20	×		×		·01	×	·07	×		31
Total	3·85	3·04	1·52	2·81	2·34	1·64	7·11	3·50	7·97	2·58	3·07	6·50	YEAR'S TOTAL 45·93
Rain Days.	14	16	11	12	11	10	18	16	23	22	15	26	194

W. 500, IX. 17.
EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.
Price 2d.

1757 1960

23 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Pursey Slade

in the County of Somerset.

by Rev. P. B. Hicks.

Lat. 51°15'20" Long. 2°32" W.

Time of Observation 9 am

Nearest Railway Station Binegar.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·85		·06	·03	·65		·69		·01	·32	·02	1·03	1
2	·24		·05		·07		·04		·26		·12	·32	2
3	·26		·26		(·69)				·14			·92	3
4	·10	·20	·46			·05		·11	·52			·06	4
5	·12	·37	·86		·07		·33				·07	·81	5
6	·51	·10	·40									·22	6
7	·28		·54	·16									7
8	·22		·13										8
9	·05		·04	·15		·03					·29		9
10			·12	·04						·05		·30	10
11	·15		·25	·20	·34	·01	·32					·05	11
12	·02		·11	·04		(·20) ~~·35~~	·01			·18	·03	·10	12
13	·16		·07	·64								·08	13
14	·47	·08		·91	·01		·15		·01			·15	14
15	·13	·02		·04	·03					·15		·33	15
16	·16	·95									·39		16
17		·34				·01		·06			·75	·05	17
18	·01	·03	·57				·22	·52	·06		·33	·11	18
19	·45	·33	1·08			·13	·71	·37	·31		·58	·10	19
20	·48	·22	·19			·33		·24			·05	·25	20
21		·72	·02				·47	·02	·02		·02	·25	21
22		·33				·01	·11		·39		·10	·37	22
23									·02	·68	·14	·16	23
24				·05		·15	·01	·01	·06	1·18	·07	·43	24
25	·15			·07				·80			·07	·14	25
26	·06	·01	·36	·08				·71				·64	26
27	·18	·03	·05	·52				·73				·09	27
28			·36					·54			snow. ·30	·68	28
29	·01			·04				·02		·10		·05	29
30	·02	✕		·17		·15		·26		·04	·56	·69	30
31	·03	✕		✕		✕	·03		✕		✕	·31	31
Total	5·11	3·73	5·98	3·14	1·26	1·07	3·09	4·39	1·80	~~2·80~~ ~~2·02~~	3·89	8·69	44·85 ~~44·14~~
Days with ·01 in. or more	24	14	20	15	7	10	12	13	11	8	14	24	178 148.

2·70

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1	·32
2	–
3	–
4	–
5	–
6	–
7	–
8	–
9	–
10	·05
11	–
12	·18
13	–
14	–
15	·15
16	–
17	–
18	–
19	–
20	–
21	–
22	–
23	·68
24	1·18
25	–
26	–
27	–
28	–
29	·10
30	·04
31	–

Bath
Stratton on Fosse

Dear Sir.

I am in receipt of your letter, and admit, and regret error. Looking up original copy of Gurney Slade rainfall however, I find that the total for month should be 2·70 not 2·80, and I am forwarding to you a copy of same. This copy is correct. Thanking you for pointing out error.

Yours faithfully
P.P.T.A. G. B. Hicks. Bursar.

1716

1960

9 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Gurney Slade

in the County of Somerset

by Rev. G. B. Hicks

Lat. 51°15'N Long. 2°32'W
Time of Observation 9 am
Nearest Railway Station Binegar
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 588 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05		·01	·19	·35		·40		·12	·27	·25	·59	1
2	·12		·02	·09			·41	·62	·13	·27		·13	2
3	·13	·06		·09	·01		·90		·02	·74		·01	3
4			·05	·13			·11	·90		·20			4
5			·09	·10	·31		·50	·03		·19			5
6			·50	·06	·74		·24			·13			6
7	·07		·12	·35			·14				·02		7
8	·03	·10		·68	·15		·75			·03			8
9	1·14	·16	02	·67		·15	·07	·06					9
10	1·00	·54	·52	·12		·19	·81				·02		10
11	·22		·16	·60	·42		·14						11
12	·30	·02	·02	·14		·61	·06			·02	·23		12
13	·22	·20	·58	·21							·02		13
14	·28	·03	·27	·77			·01		·17	·49	·59		14
15	·04	·15	·05	·31	·05	·02			·13	·40	·10		15
16			·08	·06		·88	·45		·16	·08	·15		16
17	·18		·14	·21	·32	·30			·43				17
18	·13		·03	·16	·02	·04		·52	·39				18
19	·04	·06		·33	·07	·21							19
20	·06	·12		·26		·40	·02					·58	20
21							·22		·01	·03		·21	21
22	·02			·20		·02	·09	·13	·02			·52	22
23	·02						·67					·62	23
24	·05		·22	·08							·12	·10	24
25		·16	·06		·21		·42						25
26	·32		·15		·02	·05	·05				·10	·13	26
27	·24	·04	·07	·57		·76	·11					·35	27
28	1·16	·01	·16		·07	·02	·10					·05	28
29	·29		·14		·07	·05	·08				·24	·36	29
30	·16	✕	·02	·10	·06	·47	·39		·50		·49	·26	30
31	·23	✕	·30	✕		✕			✕	·70	✕	·17	31
Total	6·50	1·65	3·78	6·48	2·87	4·17	7·14	2·26	2·08	3·55	2·33	4·08	Year's total 46·89
Days with ·01 in. or more	25	13	24	24	15	15	24	6	11	13	12	14	196
Days with ·04 in. or more	22	10	18	24	12	12	22	~~8~~ 5	8	10	9	13	165 ~~166~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

HAWKRIDGE
LISCOMBE

SOMERSET

1911 - 1920

RE 1

Kept at Liscom 5 in.

e Ground 3 ft. 6 in.

in the County of Som

Sea Level 980 ft.

by E. W. D

m + 9 a.m. on 1st Jan

Name Dulverton

Distance 7 Direction S.E.

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the rea year in the space provided for it at the end of thi ment of rain, the selection and placi ritish Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

In March the (S) stand for snow + the line to the right shows how long it lay

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09		.05	.16				.06			.04	.01	1
2	.03		.07	.03	.45			.31		.27	.42	.26	2
3		.01	.12		.54			.01		.01	.35	.14	3
4			.19	.01				.08	.02	.20	.82	.80	4
5	.07		.05	.01	.01			.32		.09	.23	.15	5
6	.56		S .34					.12		.01	.39	.57	6
7	.09							.01			.93	.05	7
8	.19		.29								.15	1.10	8
9	.25		.02								.85	.25	9
10	.10	.08	.78		1.09						.01	.66	10
11	.58		.06		.02						.79	.73	11
12		.01	S 1.01						.02		.35	.26	12
13			.03						.63		.14	.69	13
14											.02	.64	14
15	.01	.15	.06			.07					.61	.25	15
16	.01	.08	.03			.24				.01	.28	.44	16
17		.13	.07			.22	.03				.18	.52	17
18		1.07	.12	.39		1.10				.10	.28	.72	18
19		.14	.01	.22		.43			.16	.23	.26	.41	19
20	.03	.09	.01	.25		.04			.33	.25	.04	.80	20
21	.01	.63	.04	.21		.08		.31	.30	.54		.36	21
22	.07	.07	.01	.15		.37			.24	.70		.76	22
23	.03	.39	.02	.08		.07			.36	.27		.16	23
24	.04	.56				.44		.21	.11	.71		.35	24
25	.09	.52		.38		.08		.07	.02	.17		.29	25
26	.04	.36		.70		.01		.21		.46	.08	.71	26
27		.74	.10	.31		.01		.42	.23			.19	27
28		.62	.05	.73		.03		.07	.01	.35	.25	.02	28
29			.01	.45		.85	.16	.07	.38	.90	.01	.01	29
30				.01		.24		.01	.04	.30	.17	.04	30
31							.16			.15		.01	31
Total	2·29	5·65	3·54	4·09	2·11	4·28	·35	2·28	2·85	5·72	7·65	12·35	TOTAL for year 53·16
No. of Rain Days.	18	17	24	16	5	16	3	15	14	19	24	31	202

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Liscombe

in the County of Somerset 5

by E. W. Darby

RAIN GAUGE: Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 980 ft.

Time of Observation 7 am + 9 a.m on 1st Jan

Nearest Railway Station: Name Dulverton
Distance 7 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

In March the (S) stand for snow + the line to the right shows how long it lay

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09		.05	.16				.06			.04	.01	1
2	.03		.07	.03	.45			.31		.27	.42	.26	2
3		.01	.12		.54			.01		.01	.35	.14	3
4			.19	.01				.08	.02	.20	.82	.80	4
5	.07		.05	.01	.01			.32		.09	.23	.15	5
6	.56		S .34					.12		.01	.39	.57	6
7	.09							.01			.93	.05	7
8	.19		.29								.15	1.10	8
9	.25		.02								.85	.25	9
10	.10	.08	.78		1.09						.01	.66	10
11	.58		.06		.02						.79	.73	11
12		.01	S 1.01						.02		.35	.26	12
13			.03						.63		.14	.69	13
14											.02	.64	14
15	.01	.15	.06			.07					.61	.25	15
16	.01	.08	.03			.24				.01	.28	.44	16
17		.13	.07			.22	.03				.18	.52	17
18		1.07	.12	.39		1.10				.10	.28	.72	18
19		.14	.01	.22		.43			.16	.23	.26	.41	19
20	.03	.09	.01	.25		.04			.33	.25	.04	.80	20
21	.01	.63	.04	.21		.08		.31	.30	.54		.36	21
22	.07	.07	.01	.15		.37			.24	.70		.76	22
23	.03	.39	.02	.08		.07			.36	.27		.16	23
24	.04	.56				.44		.21	.11	.71		.35	24
25	.09	.52		.38		.08		.07	.02	.17		.29	25
26	.04	.36		.70		.01		.21		.46	.08	.71	26
27		.74	.10	.31		.01		.42	.23			.19	27
28		.62	.05	.73		.03		.07	.01	.35	.25	.02	28
29			.01	.45		.85	.16	.07	.38	.90	.01	.01	29
30				.01		.24		.01	.04	.30	.17	.04	30
31							.16			.15		.01	31
Total	2·29	5·65	3·54	4·09	2·11	4·28	·35	2·28	2·85	5·72	7·65	12·35	TOTAL for year 53·16
No. of Rain Days.	18	17	24	16	5	16	3	15	14	19	24	31	202

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Liscombe

in the County of Somerset 5

by E. W. Darby

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 980 ft.

Time of Observation 7 am & 9 a.m. Jan 1st

Nearest Railway Station
Name Dulverton
Distance 7 m Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.38		.06	.60	.06	.07	.12	.94		.55	1
2			.40	.03		.58	.12	.05	.05	.06	.04	.09	2
3	.05	.01	.20	.01		.15	.26	1.04	.39		.02	.12	3
4	1.07	.01	1.95		.02	.27		.17	.02		.38	.02	4
5	.77	.06	.62	.02	.09	.09		.44			.03	.04	5
6	1.41	.23	.02	.01	.22			.82			.01	.10	6
7	.12	.31	.05	.03	.67	.67		.51	.07		.03	.09	7
8	.53	.30	.30	.09	.01	.08	.03	.29		.01	.01	.02	8
9	.05	.24	.65	.15		.58	.13	.01			.04	1.08	9
10	.10	.10	.02	.01		.09	.05	.22	.04		.49	.10	10
11	.27	.15	.01				.11				.22	.58	11
12	.03	.32	.47	.01			.19				.02	.42	12
13	.30	.01	.05	.01		.03	.01	.11		.05		.99	13
14	.22		.75		.04	.03		.26		.10		.40	14
15	.20	.10	.07		.15	1.19		.06				1.07	15
16	.45	.01	.55		.03	.03		.38		.40	.03	.11	16
17	.35	.01	.10		.07	.33		.84		.01		.21	17
18	.02	.02	.49			.01		.73		.24	.05	.39	18
19	.02	.26	.19			.09	.17	.71		.23	.04	.06	19
20	.15	.04	.60		.19		.08	.50		.83	.07	.02	20
21	.01	.22	.63		.73	.05	.05	.60		.36	.02	.01	21
22	.65	.42	.24		.10	.03	.09	.45		.03	.06	.14	22
23	.27	.65	.74		.02	.01	.05	1.94			.23	.38	23
24	.19	.08	.32			.34	.10	.20			.01	.08	24
25	.02		.04			1.67	.12	.45		.04	1.00	.70	25
26		.17	.02			.01	.02	.10		.67	.75	.37	26
27		.03	.03			.64	.58			1.45	.06	.82	27
28		.10	.08			.25	.72	1.00	.23	.39	.42	.80	28
29		.12	.08			.18	.37	.05	.76	.44	.07	.24	29
30			.03		.08	.77	.28	.01	.08	.51		.04	30
31			.70				.80	.15		.05		.38	31
Total	7.25	3.95	10.76	.37	2.48	8.77	4.39	12.16	1.76	6.81	4.10	10.42	TOTAL for year 73.22
No. of Rain Days.	23	25	31	10	15	26	22	28	9	19	24	31	263

W. 8,000, X. '11.

√

Ex Dd

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

8 - JAN 1914

Kept at Liscombe

in the County of Somerset 5

by E. W. Darby

Lat. Long.

Time of Observation 7 a.m. & 9 a.m.

Nearest Railway Station Dulverton

Each year

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.25	.38	.05	.08				.15	.01	.30	.92	1
2	.04	.40	.08	.16	.05		.01		.03	.04	.26	.26	2
3	.09	.01	.29	.06	.61				.02	.04	.03	.36	3
4	1.34	.01	.36	.18	.25	.03	.03		.20	.08	.09	.47	4
5	.10	.06	.02		.20	.74	.06		.25	.01	.20	.63	5
6	.16	.16	.26		.08	.42	.68		.01	.43	.25	.35	6
7	.02	.71	.06		.52	.04	.13			.50	.30	.03	7
8	.02	.15	.03		.60	.31	.02			.13	.06	.07	8
9	.02	.19	.18	.04	.43	.32	.51	.07	.06	.11	.58	.18	9
10	.46		.29	.01	.12	.38		.01		.21	.20		10
11	1.23		.08	.35	.22	.09		.03	.06	.26	.70	.20	11
12	.42		.01		.25	.03			.10	.01	.80	.11	12
13	.08		.35		.03		.05	.19	.32		.25		13
14	.36	.02	.72	.05				.03	.16		.48	.06	14
15	.14		.73	1.01					.20		.43	.16	15
16	.34		1.07	.46			.07	.18	.64		.09		16
17	.20		.08	.23		.01	.03		.01		.23	.01	17
18	.40		.36	.56		.03	.01		.02		.29		18
19	.40		.34	.02	.13	.09	.05		.38	.05	.03		19
20	.82		.20	.09	.03				.03	.34	.30		20
21	.02		.03	.20	.19		.03	.18		.02	.57		21
22	1.72		1.37	.01	.10	.04	.03	.40	.13				22
23	.04		.05		.01	.32		.13			.09	.74	23
24	.07	.03		.23		.01		.03		.01	.17	.04	24
25	.03	.02		.42					.08	.01	.13	.10	25
26				.92				.03	.02		.02	.98	26
27	.20		.11	.34				.03		.48	.01	.06	27
28	.29		.27	.43	.05			.10		.31		.31	28
29	.04		.66	.25	.02			.02		.19	.03	.01	29
30	.77		.03	.03	.09			.01		.96	.18		30
31	.41		.47		.17			.52		.05			31
Total	10.27	2.01	8.88	6.10	4.23	2.86	1.71	1.96	2.87	4.25	7.07	6.05	YEAR'S TOTAL 58.26
Rain Days.	30	12	28	23	22	15	14	16	20	22	28	21	251

W. 7,500, XI. 12

Esc. M9

REGISTER OF RAINFALL IN 19/4

FORM A.
BRITISH RAINFALL

8 JAN 1915

Kept at Liscombe
in the County of Somerset 5
by E W Darby

Lat. ______ Long. ______
Time of Observation 7 am & 9 ad on Jan 1st
Nearest Railway Station Dulverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.02	.06	.08		.22	.43	.42			.21	.15	1
2			.16	.08	.02	.02	.30	.17			.31	.50	2
3	.05		.63	.16	.62		.01	.07		.03	.05	.14	3
4	.36		.49	.42	.25		.53	.11			.44	1.24	4
5	.26		.63	.91	.24		.04	.07			.02	.15	5
6	.02	.06	.26	.44	.14		.26	.16			.11	.43	6
7		.57	.80	.20	.44	.33	.67	.07	.07		.02	.13	7
8	.46	.02	1.50	.06	.37	.54	.07	.67	.03		.01	.08	8
9	.38	.01	.48	.19	.04	.88		.18	.66			.01	9
10	.16	.46	.04	.39	.40	.09		.01	.47		.05		10
11		.21	1.23	.02	.14	.26			.06		.33	.63	11
12		.68	.25						.61	.03	.18	.60	12
13		.57	.41		.01		.05		.77	.15	.95	.18	13
14		.23	.83			.28	.02	.34	.18	.43	.35	.02	14
15	.03	.03	.63				.06	1.24	.17	.05	.68	.06	15
16			.06				.06	.01	.31			.04	16
17	.02	.68	.37				.08		.17			.49	17
18		.23	.38				.12		.18			.50	18
19		.25	.31				2.05		.11		.15	.42	19
20		.43	.45			.17	.06					.23	20
21		.57	.03			.12	.01	.05		.28		.05	21
22		.08	.03	.03	.10	.62	.01	.10		.36			22
23		.10	.29		.03	.19	.15	.04		.46			23
24		.13	.07		.13		.07	.13		.02	.34	.02	24
25	.20	.01	.33		.02		.20	.66		.69	.02	.20	25
26	.14		.33				.27	.16		.11	.37	.82	26
27	.03	.05					.04	.02	.03	.10	.21	.38	27
28	.06	.24	.17		.04					.47	.40	.95	28
29	.46		.23		.20					.31	.49	.14	29
30	.16	X	.20		.01					.46	.76	.77	30
31	.08	X	.01	X	.04	X	.68		X	.58	X	.44	31
Total	2.87	5.63	11.66	2.98	3.24	3.72	6.24	4.68	3.82	4.53	6.45	9.77	YEAR'S TOTAL 65.59
Rain Days.	16	22	30	12	19	12	24	20	14	16	~~18~~ 22	28	~~231~~ 235

Ed list

2205

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

5 JAN 1916

Kept at Liscombe

in the County of Somerset 5

by E. W. Darby

Lat. Long.

Time of Observation 7 am & 9 am Jan 1

Nearest Railway Station Dulverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.54	.42	.03		.12			.55	.09	.36	.10	.50	1
2	.20	.27	.61	.19		.08		.67	.02	.16		.77	2
3	.04	.05	.36	.35	.12	.02	.01	.02		.01		.48	3
4	.16	.27	.06		.05	.01	.72					1.42	4
5	.46	.60	.03	.05		.02		.32				.64	5
6	.72	.13		.66			.39	.17				.20	6
7	.65	.77		.24			.20	.10		.02	.02	.42	7
8	.50	.54					.03	.12			.07	.03	8
9	.02	.32		.30				.05			.67	1.22	9
10	.93	.06	.03	.05				.21		.19	.17	.09	10
11	.30	.46	.03				.02	.06		.20	1.40	.10	11
12	.29	.31		.04	.46			.24	.02	.30	.74	.04	12
13	.04	.85			1.05		.06	.03	.10	.01	.27		13
14	.31				.02		.30	.95	.30	.09	.03	1.76	14
15	.65	.02			.32		.08	.04	.25		.26	.18	15
16	.04	1.05			.12		1.80		.02	.01		.05	16
17	.01	.38			.17		.02	.01	.01			.01	17
18		.45					.07						18
19	.01	.08			.30		.21						19
20	.91	.03		.26		.09				.18		.06	20
21	.30	.36					.08			.45		.40	21
22	.15	.11	.25	.11		.05	.49		.01	.10		.44	22
23	.01	.09	.14			.08	.24		.04	.98	.02	1.00	23
24			.01	.03			.13			.41		.66	24
25			.05			.33	.72			.04		.67	25
26		.22				.44	.22		.20			.68	26
27		.11				.35	.17		.08	.72		.10	27
28						.04	.02	.01	.74	.25		.02	28
29						.12			.04	.06	.19	.21	29
30	.22	╳		.01		.03			.01	.92	.30	.30	30
31		╳		╳		╳	.15	.56	╳	.79	╳	.46	31
Total	7.46	7.95	1.60	2.29	2.73	1.66	6.13	4.11	1.93	6.25	4.24	12.91	YEAR'S TOTAL 59.26
Rain Days.	23	24	11	12	10	13	22	17	15	21	13	28	209

W. 8,000. X. 15.

~~W~~ DL end per month

2140

FORM A. BRITISH RAINFALL

15 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Liscombe

in the County of Somerset

by E W Darby

Lat. Long.

Time of Observation 7 a.m. & 9 a.m.

Nearest Railway Station Dulverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10		.06		.48	.35	.32		.03	.41	.20		1
2	1.45	.12	.11		.13	.03			.13	.64	.15		2
3	.01	1.05			.03	.03	.07		.16	.82	.45	.04	3
4	.76	.24		.09	.59	1.43	.07		.08	.31	.77		4
5	.21	.24	.13		.32	.36				.15	.75		5
6	.22	.41			.22	.10	.63			.26	.59		6
7	.26	.32	.40		.25	.02	.08			.06	.58	.15	7
8		.24	.18		.31	.12	.01			.01	.82	.13	8
9	.01	.06	.01		.18	.02	.01			.20	.16	.17	9
10	.03	.83	.05	.19	.05	.03	.01			.17	.06	.24	10
11		.02	.02	.26	.04	.02			.05	.01	.02		11
12	.18	.36	.05	.32	.28		.41	.05		.71			12
13		.77	.11	.08	.01		.02	.35	.02	.19			13
14	.05	.61	.07	.07	.27			.75		.18			14
15	.04	.90	.06	.06	.02			.66	.01	.12			15
16	.03	.27		.56	.04		.04	.40	.01	.12			16
17	.24	.20		.18				.02	.67	.66	.44		17
18	.04	1.31	.15	.12					.72	.37	.04	.17	18
19	.32	.07	.33	.52					.02		.18		19
20	.36	.35	.29								.36	.33	20
21	.42	.17	.24	.05	.03						.04	.51	21
22	.02	.03	.05	.02		.20				.64	.05	.60	22
23	.05	.20	.16	.06		.07		.40		.09	.29	.51	23
24		.30	.24	.37	.45	.13		.10	.01	.73	.08	.21	24
25	.01	.30	.33		.07	.02		.58	.05	.07	.48	.18	25
26	.10	.36	.55		.01	.18		.09	1.04	.77	.11		26
27	.20			.01		.09		.18	.39	1.02			27
28		.32	.37			.02		.03	.06	.80	.02	1.40	28
29		.41				.92		2.34	.31	.76		.99	29
30		✕				.01		.07		.42		.30	30
31		✕		✕		✕		.23	✕	.06	✕	20	31
Total	5.11	10.46	3.96	2.96	3.78	4.15 4.15	1.67	6.25	3.76	10.75	6.64	6.13 ~~6.23~~	YEAR'S TOTAL ~~65.68~~ 65.62
Rain Days.	23	27 ~~28~~	22	16	20	20	11	15	17	28	22	16	237

W. 8,000, VIII. 16

✓ 2045

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
10 [illegible] 18

Kept at Liscombe
in the County of Somerset
by E. W. Darby

Lat. Long.
Time of Observation 7 a.m. & 9 a.m. on 1st Jan
Nearest Railway Station Dulverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05		.10	.30		.43		.72	.33	.02	.12	.08	1
2	.10			.18		.24		.07	.04	.03	.07	.01	2
3	.32		.02	.08			.32	.02	.01	1.69	1.11		3
4	.02	.31	.26				.15	.01	.04	.84	.01	.02	4
5	.43		.32	.57		.22	.01		.08	.54	.29		5
6	.02		.38	.26		.01				.15	.37		6
7	.67		.02			.01	.18	.07		.74	.03	.12	7
8	.07		.18	.05			.58	1.06	.09	1.30	.69	.26	8
9			.16	.37	.02		.01	.37		.48	.30		9
10	.30		.32	.46	.01	.10	.01	.10	.02	.16	.12	.01	10
11	.05		.41	.02				.37		.56	.17		11
12	.16		.04	.30	.47	.01		.17		1.02	.01	.01	12
13			.39			.09		.57	.40	.36		.02	13
14			.04	.26	.01			.48	.08	.08	.01	.03	14
15							.20	.01	.03	.46		.24	15
16				.36			.05		.03	.28	.01	.50	16
17		.10	.03	.06		.01	.72	.24	.37	.18	.02		17
18		.05		.01	.10	.03	.68	.08	.81	.04	.02		18
19		.58	.09			.54	.02	.07	.26	.01	.03		19
20		.25	.08		.47	.14		.03	.03		.07	.02	20
21		.02	.04		.03	.60		.05		.12	.05		21
22			.02			.04		.70		.35	.01		22
23		.25				.02		1.04		.16	.03	.01	23
24		.02	.02			.10	.10	.55		.66	.35	.05	24
25		.11	.05			.02	.05	.06	.05	.32	.08		25
26		.02	.01		.27	.03	.01	.96	.40	.42	.20		26
27					.34	.22		1.36		.22	.05	.01	27
28		.10	.23		.09	4.50	.01	.95		.02	.05	.04	28
29			.50			1.09	.01	.15		.50	.10	.31	29
30			.04		.01	.01	.01	.62		.24	.03		30
31			.05		.02			.34		.30		.02	31
Total	2.19	1.81	3.80	3.28	1.84	8.46	3.12	11.22	3.07	12.25	4.40	1.76	YEAR'S TOTAL 57.20
Rain Days.	11	11	25	14	12	22	18	28	17	30	28	18	234

W. 8,000, IX. 17.

129

FORM A.
BRITISH RAINFALL

21.IV.19

REGISTER OF RAINFALL IN 1918

Kept at Liscombe
in the County of Somerset
by E W Darby

Lat. Long.
Time of Observation 7 a.m. & 9 a.m.
Nearest Railway Station Dulverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
								.81					
1		.16		.00	.07		From Aug 1 to 9 a.m. 8th	1.46	.09		1.15	.02	1
2		.13		.18				.01	.02	.04	.02	.45	2
3		.16	.02	.10	.08			.10	.01	.14	.01	.08	3
4		.14		.02				.90	.15	.04	1.12	.64	4
5		.07	.00	.05				.31	.68	.66	.07	.06	5
6	.18	1.30		.70	.14			.06	.21	.04		.18	6
7		.28		.04	.18	.07		.01	.55	.36	.34	.08	7
8	.12	.11			.01		.01		1.23	.26	.03	.06	8
9	.09	.22		.07		.45	.11		.78	.76	.06	.26	9
10	.29	.01		.15		.09	.60		.58	.12	.02	.96	10
11	.18	.45	.13	.03			.84		.36	.08	.09	.40	11
12	.04	.36	.15	.01	.41	.03	.51		.11	.02	(.01)	.50	12
13	.50	.05	.00		.13	.04	.10		.91	.12		.81	13
14	.43		.01		.03	.13	.31		.72	.18		.25	14
15	2.36	.01		.04	.02	.08	.45		.04	.13		.22	15
16	.50			1.65		.09	.13	.10	.28	.06		.47	16
17	.71		.02	.29	.01	.01	.34	.26	.01	.01		.37	17
18	1.16		.04	.01		1.00	.45	.01	.86	.22		.54	18
19	.19	.01	.32	.04			.15	.01	.27	.03		.26	19
20	.18	.46	.01	.07		.13	.46		.34	.07		.01	20
21	.11	.12		.05		.08	.03		1.10	.09		.39	21
22	.03	.04			.25	.01	.42		.21	.02		.13	22
23	.30	.02			.31		.50		.34	.01	.08	.57	23
24	.01	.25					.43	.21	.38		.44	.09	24
25	.01				.11		.54	.91	.01	.06	.15	.01	25
26		.06			.01		.82	.02	.66	.09	.42	.95	26
27		.14	.02	.01		.01	.01	.58	.45	.02	.58	.28	27
28		.12	.23					.02	.05	.05	.40	.71	28
29			.13						1.00	.01	.01	.21	29
30		✕	.46					.05	.08	.07	.13	.22	30
31		✕	.67	✕		✕		.07	✕	.02	✕		31
Total	7.39	4.67	2.33	3.57	1.76	2.22	7.27	5.90	13.18	3.78	5.13	11.22	YEAR'S TOTAL 68.42
Rain Days.	19	23	15	19	14	14	20	19	30	29	19	30	237

W. 6,500, VII. 18. w w c

1919

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Liscombe

in the County of Somerset

by E W Darby

Lat. Long.

Time of Observation 7 am & 9 am on 1st Jan

Nearest Railway Station Dulverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.18		.12	.10	.44		.32		.03	.60		1.27	1
2	.44		.07		.14		.03		.44	.15	.04	.13	2
3	.02		.23		.19				.03	.01	.32	1.62	3
4	.25	.40	.69		.03	.02	.08	.17	.52		.01	.15	4
5		.52	.34		.01		.09		.15		.03	.76	5
6	.89	.38	.77						.02		.03	.75	6
7	.36		.25	.13					.01			.25	7
8	.15		.05	.05	.18	.07							8
9	.51		.65	.07	.03						.43		9
10	.03		.38	.12	.19					.13		.18	10
11	.15		.99	.44	.03		.08			.01	.19	.30	11
12	.31		.11	.04	.03	.68	.02		.01	.28	.10	.03	12
13	.10	.04		.62		.01	.01		.01	.10		.10	13
14	.69	.14		1.60	.69		.08			.13		.26	14
15	.60	.06		.40	.02					.23		.60	15
16	.33			.02	.01					.01	.34	.01	16
17	.02	1.01			.02	.22					1.43	.20	17
18	.03		.63			.01	.11	.51	.09	.01	.42	.14	18
19	.46	.28	.57			.19	.57	.45	.41		.97	.08	19
20	.79	.38	.48			.19		.36	.32		.13	.30	20
21	.02	.90	.03			.01	.77	.06	.05		.01	.41	21
22		.62				.11	.01		.53		.12	.42	22
23						.01			.05	.77	.32	.44	23
24						.15		.03	.07	.94	.22	.91	24
25	.10			.01		.07		.80	.05	.09	.07	.24	25
26	.10	.05	.24	.03				.30	.43		.12	.75	26
27	.47		.19	.54				.35	.01			.15	27
28	.03	.01	.52	.03				.49		.01	.20	1.23	28
29	.04		.03	.24				.39		.38	.05	.50	29
30			.02	.20		.11		.31		.08	.65	1.00	30
31	.02		.12				.04	.01		.01		.41	31
TOTAL	8.09	4.79	7.48	4.64	2.01	1.85	2.21	4.23	3.23	3.94	6.20	13.59	YEAR'S TOTAL ~~62.18~~ 62.26
Days with ·01 in. or more	26	13	22	17	14	14	13	13	19	18	22	29	220

1632

8 JAN 1921

Form A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Liscombe

in the County of Somerset

by E W Darby

Lat. Long.

Time of Observation 7 a.m. + 9 a.m. on Jan 1st

Nearest Railway Station Dulverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. 6 in.

" " " " Sea Level 980 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03		.01	.12	.17		.67	.22	.07	.38	.18	1.04	1
2	.22			.18	.02		.22	.34	.26	.09		.17	2
3	.16	.06		.08	.07		.14	.02	.04	1.43		.38	3
4			.05	.13	.01		.13	.85	.04	.25		.02	4
5			.18	.03	.20		.22	.15	.01	.09			5
6		.01	.31	.04	.84		.41	.02	.01	.48			6
7	.30		.07	.24	.11		.39		.02	.01	.04		7
8	.19	.07		.90	.23		1.02	.02	.03	.01	(.01)	.04	8
9	1.85	.58	.04	.21	.01	.30	.21	.06			.02		9
10	1.83	1.34	.30	.24		.27	.64				.11		10
11	.79	.03	.18	.48	.35	.03	.20						11
12	.68	.17	.02	.69	.09	.05	.11			.02	.14	.01	12
13	.24	.20	.62	.28	.01	.01	.04				.13	.02	13
14	.31	.10	.67	.65			.09		.26	.29	1.00	.03	14
15	.14	.23	.17	.71	.09	.11	.05		.37	.72	.34		15
16	.01	.03	.11	.12	.02	.75	.14	.02	.43	.49	.23		16
17	.31		.07	.40	.31	.18	.02	.02	.85	.09	.02		17
18	.31	.01	.05	.07	.20	.08	.01	.40	.33		.01	.04	18
19	.10	.07	.01	.40	.01	.18		.03	.02			.03	19
20	.14	.23		.65	.03	.21	.01		.01	.01		.15	20
21	.01			.02		.02	.10	.01	.02	.10		.50	21
22	.06			.17		.05	.05	.04	.01	.02		.71	22
23	.01		.03	.01			.86	.06	.01	.01		1.09	23
24	.06	.09	.45	.07		.03	.01	.02			.70	.53	24
25	.02	.04	.25	.04			1.02	.02	.01		.01	.01	25
26	.51		.39	.01		.07	.13				.30	.14	26
27	.42	.10	.13	.23	.16	.98	.02		.01		1.12	.53	27
28	.74	.04	.30	.27	.01	.08	.31				.05	.03	28
29	.45	.02	.62	.04	.35	.09	.11				.25	.62	29
30	.58	×	.01	.17	.15	.33	.41		.64	.01	.40	.32	30
31	.50	×	.34	×	.01	×	.03		×	.78	×	.46	31
Total	10.97	3.42	5.38	7.65	3.45	3.82	7.77	2.30	3.45	5.28	4.46	6.87	Year's Total 64.82
Days with ·01 in. or more	28	19	25	30	23	19	30	17	21	19	19	22	272
Days with ·04 in. or more	23	14	20	27	14	15	24	8	10	12	14	15	196

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

R 1911

HENSTRIDGE
INWOOD HQ GDNS
SOMERSET

1911 - 1915

Kept at Inwoo

in the County of So

by Wm

f top 5 in.

p above Ground 1 ft. – in.

" Sea Level 350 ft.

9 a.m.

ation Name Henstridge

Distance 1 mile Direction E

IMPORTANT NOT, and the result entered to the previous day. If an Ol universal rule, he is earnestly requested to add the rea ing year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07		0·03	0·03				0·03			0·01	0·07	1
2	0·02			0·34	0·31			0·06		0·04	0·20	0·19	2
3					0·20						0·05	0·16	3
4	0·01	0·02	0·11	0·02						0·01	0·29	0·47	4
5	0·03		0·02					0·22		0·09	0·14		5
6	0·29		0·15							0·08	0·02	0·66	6
7	0·03										0·33		7
8	0·04	0·01	0·22								0·11	0·50	8
9	0·22		0·05								0·06	0·42	9
10	0·15	0·13	0·16		0·41						0·02	0·36	10
11	0·40	0·07	0·01		0·05						0·58	0·11	11
12			0·97		0·02						0·05	0·25	12
13									0·26			0·42	13
14		0·07										0·76	14
15		0·06	0·06			0·02					0·21	0·12	15
16						0·33					0·41	0·43	16
17		0·05	0·03			0·09						0·49	17
18		0·22	0·07	0·11		0·27				0·03	0·26	0·42	18
19		0·14				0·24	0·02		0·19	0·15	0·06	0·51	19
20	0·01	0·03	0·19	0·03					0·21	0·10		0·78	20
21	0·05	0·20	0·06	0·07					0·11	0·88		0·25	21
22	0·16	0·03	0·16	0·02		0·03			0·01	0·44		0·31	22
23		0·18	0·07			0·18			0·11	0·09	0·06	0·19	23
24	0·02	0·14				0·54		0·10		0·37		0·29	24
25		0·08	0·01	0·15		0·10		0·34	0·03			0·15	25
26		0·07		0·23	0·08			0·01		0·13	0·02	0·39	26
27		0·40	0·10	0·09				0·08	0·13	0·11	0·01	0·20	27
28		0·33		0·30				0·19			0·08		28
29				0·83		0·30	0·09		0·23	0·33			29
30						0·13		0·07		0·26	0·08	0·01	30
31										0·07			31
Total	1·41	2·23	2·47	2·22	1·07	2·23	0·11	1·10	1·28	3·18	3·05	8·82	TOTAL for year 29·17
No. of Rain Days.	14	18	18	12	6	11	2	9	9	16	21	26	162

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Inwood
in the County of Somerset 7
by Wm Hester

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 350 ft.

Time of Observation 9 a.m.
Nearest Railway Station
Name Henstridge
Distance 1 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07		0·03	0·03				0·03			0·01	0·07	1
2	0·02			0·34	0·31			0·06		0·04	0·20	0·19	2
3					0·20						0·05	0·16	3
4	0·01	0·02	0·11	0·02						0·01	0·29	0·47	4
5	0·03		0·02					0·22		0·09	0·14		5
6	0·29		0·15							0·08	0·02	0·66	6
7	0·03										0·33		7
8	0·04	0·01	0·22								0·11	0·50	8
9	0·22		0·05								0·06	0·42	9
10	0·15	0·13	0·16		0·41						0·02	0·36	10
11	0·40	0·07	0·01		0·05						0·58	0·11	11
12			0·97		0·02						0·05	0·25	12
13									0·26			0·42	13
14		0·07										0·76	14
15		0·06	0·06			0·02					0·21	0·12	15
16						0·33					0·41	0·43	16
17		0·05	0·03			0·09						0·49	17
18		0·22	0·07	0·11		0·27				0·03	0·26	0·42	18
19		0·14				0·24	0·02		0·19	0·15	0·06	0·51	19
20	0·01	0·03	0·19	0·03					0·21	0·10		0·78	20
21	0·05	0·20	0·06	0·07					0·11	0·88		0·25	21
22	0·16	0·03	0·16	0·02		0·03			0·01	0·44		0·31	22
23		0·18	0·07			0·18			0·11	0·09	0·06	0·19	23
24	0·02	0·14				0·54		0·10		0·37		0·20	24
25		0·08	0·01	0·15		0·10		0·34	0·03			0·15	25
26		0·07		0·23	0·08			0·01		0·13	0·02	0·39	26
27		0·40	0·10	0·09				0·08	0·13	0·11	0·01	0·20	27
28		0·33		0·30				0·19			0·08		28
29				0·83		0·30	0·09		0·23	0·33			29
30						0·13		0·07		0·26	0·08	0·01	30
31										0·07			31
Total	1·41	2·23	2·47	2·22	1·07	2·23	0·11	1·10	1·28	3·18	3·05	8·82	TOTAL for year 29·17
No. of Rain Days.	14	18	18	12	6	11	2	9	9	16	21	26	162

W. 8,000, X. '11.

Smode

Ex HEb

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Inwood

in the County of Somerset 7

by Wm Hester

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 350 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Henstridge
Distance 1 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·08			0·38	0·01		0·02	0·85		0·40	1
2						0·15	0·33	0·20		0·01			2
3			0·38			0·42	0·02	0·49	0·03		0·05		3
4	0·27		0·12		0·09	0·42					0·34		4
5	0·45	0·15	0·73			0·02		0·65	0·01		0·01	0·04	5
6	0·59	0·08	0·16		0·14		0·36	0·42				0·17	6
7		0·28	0·10		0·28	0·61	0·47	0·18				0·18	7
8	0·22	0·20	0·41			0·16	0·15		0·02			0·06	8
9		0·05	0·22	0·12		0·12	0·05	0·23			0·01	0·46	9
10	0·03	0·10	0·02					0·05			0·06	0·29	10
11	0·13	0·12				0·04					0·02	0·38	11
12	0·02	0·42	0·11	0·02			0·04	0·11			0·03		12
13		0·01						0·07			0·02	0·02	13
14	0·13		0·27		0·11					0·01			14
15	0·13	0·09			0·18	0·81		0·16				0·40	15
16	0·89		0·26		0·18			0·08		0·11	0·07	0·02	16
17	0·58		0·15			0·05		0·59				0·07	17
18	0·59	0·01	0·30			0·02		0·19		0·04		0·12	18
19	0·02	0·11	0·20			0·08	0·11	0·09			0·05		19
20	0·03	0·04	0·33		0·03		0·02	0·59		0·35	0·03		20
21	0·01	0·13	0·18		0·50			0·26		0·25			21
22	0·35	0·23	0·08		0·13		0·12	0·29		0·09	0·01	0·02	22
23	0·09	0·40	0·23			0·01		0·80		0·04	0·16	0·19	23
24	0·10	0·02	0·01			0·55		0·15		0·04		0·27	24
25	0·10					0·14		0·22		0·19	0·24	0·52	25
26		0·05					0·22	0·12		0·31	0·57	0·25	26
27						0·16	0·69			0·78		0·30	27
28		0·05				0·09	0·08	0·23	0·08	0·53	0·66	0·59	28
29		0·13	0·03			0·10	0·21	0·05	0·77	0·24		0·05	29
30			0·02		0·01	0·09	0·11		0·45	0·40			30
31			0·45				0·25			0·05		0·06	31
Total	4·73	2·67	4·84	0·14	1·65	4·42	3·24	6·22	1·38	4·29	2·33	4·86	TOTAL for year 40·77
No. of Rain Days.	19	20	23	2	10	20	17	23	7	17	16	22	196

W. 8,000, X. '11.

Smalke

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
3 - JAN 1914

Kept at Inwood
in the County of Somerset
by Wm Hester

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station Henstridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	0·25	0·09			0·07			0·28	0·02	0·24	0·28	1
2	0·04	0·08		0·20	0·07				0·08		0·15	0·02	2
3	0·11		0·65	0·05	0·57				0·05			0·33	3
4	0·68		0·02		0·45				1·16	0·18	0·04	0·14	4
5	0·10	0·02	0·03		0·13	0·18	0·12		0·78		0·10	0·17	5
6	0·05	0·07	0·18		0·19	0·20	0·80			0·89	0·08	0·69	6
7		0·24	0·03		0·29	0·04	0·07			0·27	0·18		7
8	0·01	0·05			0·23		0·04			0·11		0·02	8
9		0·03			0·10	0·06	0·08	0·20			0·14	0·01	9
10	0·16				0·05		0·01			0·16	0·31		10
11	0·68			0·38	0·06					0·12	0·38		11
12		0·03			0·44					0·04	0·34		12
13	0·06		0·05						0·50		0·33		13
14	0·20		0·12						0·24		0·26		14
15	0·45	0·05	0·25	0·54			0·15		0·14		0·03	0·01	15
16	0·31		0·35	0·07							0·02		16
17	0·02			0·07		0·01	0·02						17
18	0·11		0·21	0·07	0·05	0·03					0·08		18
19	0·67		0·09		0·03	0·48			0·58				19
20	0·03		0·07	0·07						0·12	0·22		20
21			0·19	0·17			0·13			0·08	0·77		21
22	0·72		0·38	0·04				0·09	0·25				22
23						0·10		0·02			0·04	0·80	23
24	0·05			0·06							0·03		24
25		0·22		0·15						0·01	0·01	0·03	25
26		0·01		0·39				0·29		0·01		0·34	26
27	0·04		0·21	0·14						0·06			27
28	0·10		0·13	0·29						0·13			28
29	0·13		0·44	0·34	0·05			0·12				0·09	29
30	0·51									1·00	0·05		30
31	0·17		0·01					0·84		0·07			31
Total	5·42	1·05	2·90	3·03	2·71	1·17	1·42	1·56	4·06	3·27	3·80	2·93	YEAR'S TOTAL 33·32
Rain Days.	24	11	14	16	14	9	9	6	10	16	21	13	168

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Inwood

in the County of Somerset 7

by Wm. Hester

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Henstridge

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·10	0·01			0·08	0·29			0·21	0·05	1
2			0·02				0·49				0·84	0·27	2
3	0·01		0·12	0·16	0·30		0·12				0·07	0·05	3
4	0·16		0·11	0·16	0·06		0·19	0·72			0·59	0·10	4
5	0·03		0·17	0·36	0·22		0·23	0·03			0·16	0·04	5
6		0·26	0·08	0·16	0·03	0·04	0·02				0·01	0·18	6
7	0·02	0·63	0·04	0·04	0·13		0·17	0·08	0·08			0·34	7
8	0·03	0·03	0·72	0·04	0·32	0·09		0·21	0·03			0·07	8
9			0·44	0·26	0·13	0·95		0·10	1·02				9
10	0·04	0·37	0·04	0·07	0·08	0·02			0·38		0·01	0·01	10
11		0·14	0·48		0·14	0·15	0·23					0·35	11
12		0·16	0·14						0·66			0·49	12
13		0·32	0·28						0·15	0·23	0·39	0·43	13
14		0·24	0·44			0·38	0·06	0·49		0·19	0·23	0·17	14
15			0·06				0·14	0·39		0·05	0·13	0·01	15
16							0·11		0·24				16
17		0·39	0·24				0·01					0·42	17
18		0·07	0·20				0·12					0·38	18
19		0·07	0·60				0·99				0·13	0·07	19
20		0·48	0·16			0·02						0·27	20
21		0·90				0·16				0·27			21
22		0·01			0·24		0·02	0·04		0·52			22
23		0·16	0·22		0·04	0·15	0·02			0·15			23
24	0·01		0·08		0·11		0·16			0·20	0·09	0·04	24
25	0·09		0·31		0·03		0·41	0·21		0·20	0·07	0·23	25
26		0·05	0·01				0·16			0·06	0·23	0·52	26
27	0·12						0·04			0·04	0·05	0·20	27
28		0·07	0·14		0·02		0·16			0·01	0·23	1·04	28
29	0·27		0·11		0·18		0·02			0·19	0·42	0·07	29
30		X	0·07							0·15	0·39	0·83	30
31	0·08	X		X		X	0·10		X	0·75	X	0·19	31
Total	0·86	4·37	5·40	1·26	2·03	1·96	4·05	2·56	2·36	3·01	4·25	6·82	YEAR'S TOTAL 38·93
Rain Days.	11	17	26	9	15	9	23	10	7	14	18	26	185

W. 8,000. X. 14.

w.R.F. 8.v.16

Eco 82

nov. 11th est. 6.v.16

2213

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Inwood

in the County of Somerset

by Wm. Hester

7

Long.

Time of Observation 9 A.M

Nearest Railway Station Henstridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·65	0·21						0·36	0·19	0·29	0·04		1
2	0·70	0·22	0·23	0·11		0·08		0·54	0·02	0·15		0·65	2
3	0·14	0·06	0·13	0·11	0·27			0·07		0·03		0·38	3
4	0·01				0·03							0·22	4
5	0·13	0·61						0·15				0·37	5
6	0·63	0·11		0·55			0·63	0·09				0·23	6
7	0·33	0·41		0·07		0·10	0·14				0·02	0·22	7
8	0·14	0·52						0·07				0·02	8
9	0·02	0·04		0·25							0·38	0·55	9
10	0·37	0·04	0·04	0·05						0·03		0·13	10
11	0·08			0·02				0·35		0·01	0·70		11
12	0·17	0·45		0·14	0·67			0·06		0·17	(*25)		12
13	0·02	0·52			0·77			0·07	0·08		0·16		13
14	0·02	0·04					0·14	0·43	0·12			0·78	14
15	0·10				0·21		0·05		0·01	0·12	0·12	0·15	15
16		0·60			0·29		0·80	0·33				0·12	16
17		0·28			0·28		0·01	0·34					17
18		0·41											18
19					0·12		0·19						19
20	0·33			0·12		0·02						0·10	20
21	0·12	0·10				0·01	0·05			0·65		0·38	21
22	0·10	0·19	0·46	0·01		0·04	0·72		0·16	0·02		0·24	22
23			0·06				0·09		0·60	2·20		0·37	23
24				0·08			0·05			1·24		0·55	24
25			0·04			0·23	0·36					0·20	25
26		0·09				0·09	0·23					0·75	26
27		0·06				0·07	0·13			0·49			27
28		0·10				0·07	0·02	0·06	0·67	0·06			28
29						0·34	0·06				0·22	0·05	29
30	0·10	X				0·02				0·80	0·47	0·30	30
31		X		X		X	0·04		X	1·14	X	0·34	31
Total	4·16	5·06	0·96	1·51	2·64	1·07	3·71	2·92	1·85	7·40	~~2·11~~ (2·36)	7·10	YEAR'S TOTAL ~~40·49~~ 40·74
Rain Days.	19	20	6	11	8	11	17	13	8	15	~~8~~ 9	22	~~156~~ 159

W. 8,000. X. 15.

* Rain Gauge blown over . could not register

Telegrams and Railway Station :—
"HENSTRIDGE."

THE GARDENS,
INWOOD,
TEMPLECOMBE.
Som

3 - JAN 1916

Attach to A7

1st Jan /16

Dear Sir

There was quite a gale of wind on the night of Nov 11-12. & it blew my rain gauge over.

although there was an heavy fall of rain I could not register.

Kindly send me another Form. A. for registering in 1916

& oblige
yours Faithfully
Wm Mobeh

Sent
3 - JAN 1916
LMc

HOLF~~O~~RD
WOODLANDS HSE
SOMERSET
1911 - 1912

REC… 1911

FORM A2.
BRITISH RAINFALL
6 - JAN 1912

Howards

Kept at Woodlands… …of top 5 in.
…op above Ground 1 ft. in.
in the County of Some… „ Sea Level 391 ft.
by Miss I. L. J… …n 9am
…ay Station Name Williton
Distance 6½ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·14	·10				·05		·01	·02		1
2				·02	·35			·22?xx		·15	·32	·20	2
3			·02		·26						·13	·01	3
4			·21		·02				·01	·05	·17	·52	4
5	·18		·25					·34		·02	·22	·09	5
6	·25		·15					·04			·07	·53	6
7	·04										·37		7
8	·01		·09								·02	·96	8
9	·03										·21	·38	9
10	·03		·33		·69						·02	·20	10
11	·37		·01		·04						·43	·32	11
12	·01		·67						·06		·15	·35	12
13			·04					·08	·44		·06	·80	13
14		·09									·01	1·23	14
15	·01	·09				·05					·24	·05	15
16		·01	·01			·22					·17	·33	16
17		·03	·07	·05		·17					·02	·48	17
18		·26	·26	·26		·17				·07	·03	·37	18
19		·13	·01	·09		? not taken		·01	·23	·16	·02	·65	19
20	·02	·12	·17	·04		·15		~~·01~~	·47	·10		·42	20
21		·17				·25		·02	·04	·75		·17	21
22		·02	·14	·03		·14			·06	·47		·70	22
23		·11	·04	·01		·60			·14	·14	·04	·09	23
24		·32	·10			·21		·06	·07	·61	·01	·95	24
25		·14		·07				·01		·06		·07	25
26		·10		·18			·13	·03		·23	·02	·26	26
27		·23		·02				(taken at 9.30) ·38	·18	·03	·01	·12	27
28			·01	~~·75~~	·01			·04		·15	·23		28
29				x ·75		·17	·10		·09	·35			29
30						·05	·04			·15	·15	·02	30
31							·01						31
Total	·95	1·82	2·72	1·62	1·37	2·18	·28	1·28	1·79	3·50	3·14	9·27	TOTAL for year 29·92
No. of Rain Days	10	14	19	413	6	? 11	4	12	11	17	25	26	168

x This is the fall for 28th & 29th together

xx My raingauge blew over & this reading is from the gauge at Dyche School ½ mile away. See Form B

9,000, IX. '10.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
6 - JAN 1912

Kept at Woodlands House, Holford

in the County of Somerset 4

by Miss I. L. Joseph

RAIN GAUGE
Pattern Howards
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 391 ft.

Time of Observation 9 am

Nearest Railway Station
Name Williton
Distance 6½ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·14	·10				·05		·01	·02		1
2				·02	·35			·22 ?××		·15	·32	·20	2
3			·02		·26						·13	·01	3
4			·21		·02				·01	·05	·17	·52	4
5	·18		·25					·34		·02	·22	·09	5
6	·25		·15					·04			·07	·53	6
7	·04										·37		7
8	·01		·09								·02	·96	8
9	·03										·21	·38	9
10	·03		·33		·69						·02	·20	10
11	·37		·01		·04						·43	·32	11
12	·01		·67						·06		·15	·35	12
13			·04					·08	·44		·06	·80	13
14		·09									·01	1·23	14
15	·01	·09				·05					·24	·05	15
16		·01	·01			·22					·17	·33	16
17		·03	·07	·05		·17					·02	·48	17
18		·26	26	·26		·17				·07	·03	·37	18
19		·13	·01	·09		? not taken		·01	·23	·16	·02	·65	19
20	·02	·12	·17	·04		·15		~~·01~~	·47	·10		·42	20
21		·17				·25		·02	·04	·75		·17	21
22		·02	·14	·03		·14			·06	·47		·70	22
23		·11	·04	·01		·60			·14	·14	·04	·09	23
24		·32	·10			·21		·06	·07	·61	·01	·95	24
25		·14		·07				·01		·06		·07	25
26		·10		·18			·13	·03		·23	·02	·26	26
27		·23		·02				(taken at 9.30) ·38	·18	·03	·01	·12	27
28			·01	~~·75~~	·01			·04		·15	·23		28
29				×·75		·17	·10		·09	·35			29
30						·05	·04			·15	·15	·02	30
31							·01						31
Total	·95	1·82	2·72	1·62	1·37	2·18	·28	1·28	1·79	3·50	3·14	9·27	TOTAL for year ✓ 29·92
No. of Rain Days	10	14	19	×13	6	? 11	4	12	11	17	25	26	168 ✓

×× My raingauge blew over & this reading is from the gauge at Dyche School ½ mile away. See Form B

× This is the fall for 28th & 29th together

9,000, IX. '10.

Sup DL

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

4

Kept at ~~Woodlands House~~ Holford
9. moved ½ m. S.W. by W. Oct 3rd. to Holford Lodge + again ¼ mile N of the Lodge on Dec. 2.
in the County of Somerset
by Miss I. L. Joseph

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Williton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 391 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·21	Not taken but probably rain	·01	·64	·03	·10	·09	1·01		·25	1
2			·18	·06	·	·60	·24			·03	·04	[illegible] moved ·01	2
3			·19			·18	·02	·98		Rain gauge moved	·01	·05	3
4	·22		·74		·04	·40		·04			·53		4
5	·53	·12	·24		·03	·04		·44			·01	·02	5
6	·44	·11	·01		·23			·53				·02	6
7	·04	·37	·18		·04	1·04		·62				·10	7
8	·40	·18	·38	·01		·13	·08	·10				·03	8
9	·21	·06	·01	·09		·32	·02	·10			·06	·22	9
10		·13	·02				~~0~~	·04			·12	·13	10
11	·05	·11									·03	·55	11
12		·50	·06	·06			·01			·01		·06	12
13	·02					·01	·01	·64		·01		·02	13
14	·07		·80		·13			·22					14
15	·15 Partly snow	·01	·07		·30	·68						·30	15
16	·65		·13		·06	·03		·15		·03	·11	·21	16
17	·35 taken [illegible] P.M.		·26			·06		·53			·06	·19	17
18	·08		·32					·25		·03	·02	·27	18
19	·15	·10	·15				·23	·37		·04	·06	·10	19
20	·01	·02	·43		·20		·13	·21		·48	·03		20
21	·01	·05	·32		·56		·08	·10		·20			21
22	·50	·16	·12		·32		·15	·31		·14	·01	·04	22
23	·72	·88	·17		·03			·68		·13	·04	·36	23
24	·15	·02				·40				·07		·10	24
25	·04	·01				·45	·01	·61		·11	·34	·39	25
26		·05					·02	·13		·37	·59	·38	26
27		·01				·36	·86			1·31	·28	·31	27
28		·10				·12	·09	·41	·13	·23	·65 x	·78	28
29		·15	·04			·18	·13	·04	·53	·52	x Snow (all) (½ in is snow) [illegible]	not taken ~~·78~~	29
30			~~·40~~		·01	·06	·20		·10	·34		·08	30
31			·40				·24	·01		·01			31
Total	4·79	3·14	6·43	·22	1·96	5·60	2·55	7·51	·85	(5·07)	2·99	(4·97)	YEAR'S TOTAL ~~46·08~~
Rain Days.	20	20	23	4	13	18	18	24	4	19	18	26?	~~205~~

W. 7,500, XI. ·12

cnd for an

REGI 913.

HOLFORD

SOMERSET

1913, 1915

FORM A2. BRITISH RAINFALL.

6 - JAN 1914

Snowdon

Kept at Dyche
Holford

in the County of Som

by J. E. Over

op 5" in.

above Ground 1 ft. – in.

Sea Level 260 ft.

9 a m

Name Bridgwater

y Station Distance 11½ m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·19	·25	·04	·50	–	–	–	·19	·11	·19	1·09	1
2	·09	·08	·05	·08	·12	–	·01	–	·01	·06	·11	·28	2
3	·11	–	·06	–	·34	–	–	–	–	·54	–	–	3
4	1·20	–	·04	–	·09	–	–	–	1·42	–	·03	·23	4
5	·02	·02	·01	–	·20	·28	–	–	·67	·01	·13	·28	5
6	–	·08	·12	–	·01	·29	·46	–	–	1·07	·20	·35	6
7	–	·42	–	–	·49	·08	·02	–	–	·44	·21	·01	7
8	–	·08	–	–	·32	·02	–	·09	–	·07	–	–	8
9	·02	·02	–	·07	·22	·02	–	·62	·07	–	·30	·02	9
10	·76	–	–	–	·13	–	–	–	–	·75	·18	–	10
11	1·00	·01	–	·16	·37	·18	–	·01	–	·02	·98	–	11
12	·15	–	–	–	·39	–	·02	·01	·04	–	·41	–	12
13	·04	–	·03	–	–	–	·03	·11	·39	–	·08	–	13
14	·15	·01	·12	·05	–	–	–	–	–	–	·43	–	14
15	·23	–	·36	·67	–	–	–	–	·16	–	·05	–	15
16	·29	–	·53	·05	–	–	–	·10	·30	–	–	–	16
17	·03	–	·02	·07	–	–	–	·01	–	–	·01	–	17
18	·21	–	·27	·07	·05	–	–	–	–	–	·04	–	18
19	·36	–	·05	–	–	·19	·04	–	·30	–	–	–	19
20	·20	–	·25	·14	–	–	–	–	–	–	·15	–	20
21	–	–	·07	·05	·09	–	·18	–	·01	·07	·25	–	21
22	·90	–	1·03	·12	–	·07	·03	·07	·17	–	–	–	22
23	·01	–	·01	–	–	–	–	·12	–	–	·10	·65	23
24	·06	·07	–	·01	–	–	–	·06	–	–	–	–	24
25	–	·04	–	·12	–	–	–	–	·03	·03	·02	–	25
26	–	–	–	·67	–	–	–	·09	·01	–	–	·24	26
27	·10	–	·12	·14	–	–	–	–	–	·33	–	·05	27
28	·14	–	·21	·32	·04	–	–	–	–	·55	–	–	28
29	·05		·59	·25	·01	–	–	·16	–	·22	–	–	29
30	·22		–	·11	–	–	–	–	–	·67	·01	–	30
31	·14		·08	–	·34		–	·57		·06		–	31
Total	6·48	1·02	4·27	3·19 3.19	3·71	1·13	·79	2·02	3·77	5·00	3·88	3·10	TOTAL for year 38·36 38.36
No. of Rain Days.	24	11	21	19	17	8	8	13	14	16	20	10	182 181

W. 8,000, X. '11.

cnd for a

FORM A2.
BRITISH RAINFALL.

6 - JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Dyche School Holford, Bridgwater

in the County of Somerset.

by J. E. Overland 4

RAIN GAUGE Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 260 ft.

Time of Observation 9 a m

Nearest Railway Station Name Bridgwater
Distance 11¼ m Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·19	·25	·04	·50	-	-	-	·19	·11	·19	1·09	1
2	·09	·08	·05	·08	·12	-	·01	-	·01	·06	·11	·28	2
3	·11	-	·06	-	·34	-	-	-	-	·54	-	-	3
4	1·20	-	·04	-	·09	-	-	-	1·42	-	·03	·23	4
5	·02	·02	·01	-	·20	·28	-	-	·67	·01	·13	·28	5
6	-	·08	·12	-	·01	·29	·46	-	-	1·07	·20	·35	6
7	-	·42	-	-	·49	·08	·02	-	-	·44	·21	·01	7
8	-	·08	-	-	·32	·02	-	·09	-	·07	-	-	8
9	·02	·02	-	·07	·22	·02	-	·62	·07	-	·20	·02	9
10	·76	-	-	-	·13	-	-	-	-	·75	·18	-	10
11	1·00	·01	-	·16	·37	·18	-	·01	-	·02	·98	-	11
12	·15	-	-	-	·39	-	·02	·01	·04	-	·41	-	12
13	·04	-	·03	-	-	-	·03	·11	·39	-	·08	-	13
14	·15	·01	·12	·05	-	-	-	-	-	-	·43	-	14
15	·23	-	·36	·67	-	-	-	-	·16	-	·05	-	15
16	·29	-	·53	·05	-	-	-	·10	·30	-	-	-	16
17	·03	-	·02	·07	-	-	-	·01	-	-	·01	-	17
18	·21	-	·27	·07	·05	-	-	-	-	-	·04	-	18
19	·36	-	·05	-	-	·19	·04	-	·30	-	-	-	19
20	·20	-	·25	·14	-	-	-	-	-	-	·15	-	20
21	-	-	·07	·05	·09	-	·18	-	·01	·07	·25	-	21
22	·90	-	1·03	·12	-	·07	·03	·07	·17	-	-	-	22
23	·01	-	·01	-	-	-	-	·12	-	-	·10	·55	23
24	·06	·07	-	·01	-	-	-	·06	-	-	-	-	24
25	-	·04	-	·12	-	-	-	-	·03	·03	·02	-	25
26	-	-	-	·67	-	-	-	·09	·01	-	-	·24	26
27	·10	-	·12	·14	-	-	-	-	-	·33	-	·05	27
28	·14	-	·21	·32	·04	-	-	-	-	·55	-	-	28
29	·05		·59	·25	·01	-	-	·16	-	·22	-	-	29
30	·22		-	·11	-	-	-	-	-	·67	·01	-	30
31	·14		·08	-	·34		-	·56		·06		-	31
Total	6·48	1·02	4·27	3·19 3.19	3·71	1·13	·79	2·02	3·77	5·00	3·88	3·10	TOTAL for year 38·36 38·36
No. of Rain Days.	24	11	21	19	17	8	8	13	14	16	20	10	181 181

W. 8,000, X. '11.

~~W~~ M L Cnd pr with thy own stats 6.V.16

2197

REGISTER OF RAINFALL IN 1915.

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Dytche School Holford
in the County of Somerset
by J. E. Overend.

4

Lat. 51° 10' N Long. 3° 11' W
Time of Observation 9 am
Nearest Railway Station Bridgwater
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 260 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·03	–	–	·03	–	–	·43	·34	·29	·01	·15	1
2	·25	·13	·04	·05	–	–	–	·52	·21	·05	–	·61	2
3	·03	·10	·03	·10	·15	–	–	–	–	–	–	·35	3
4	·02	·05	–	–	·05	·04	·29	–	–	·01	–	·60	4
5	·11	·55	–	·10	–	–	–	·18	–	–	–	·42	5
6	·37	·13	–	·15	–	–	·62	·04	–	–	–	·10	6
7	·25	·43	–	·02	–	–	·14	–	–	–	·01	·34	7
8	·39	·29	–	·03	–	–	·01	·12	–	–	–	·03	8
9	·02	·04	–	·04	–	–	–	·15	–	–	·37	·72	9
10	·06	·20	·05	·06	–	·02	–	·14	–	·12	·04	·03	10
11	·03	·22	·06	–	–	–	·09	·34	–	·01	·95	·06	11
12	·25	·51	–	·16	·70	–	–	·31	–	·10	·10	–	12
13	·02	·58	–	–	·97	–	·01	–	·09	–	·15	–	13
14	·03	·02	–	–	–	–	·21	·13	·08	·05	–	·33	14
15	·14	·01	–	–	·26	–	·12	–	·01	–	·22	·06	15
16	·02	·76	–	–	·14	–	·84	–	–	–	·01	·01	16
17	–	·19	–	–	·20	–	·01	·02	–	·01	–	–	17
18	–	·28	·02	–	·01	–	–	–	–	–	–	·01	18
19	–	·02	–	–	·08	–	·13	–	–	–	–	–	19
20	·26	·01	–	·05	–	·03	–	–	–	·03	–	·09	20
21	·13	·09	–	–	–	–	·01	–	·04	·21	–	·14	21
22	·05	·10	·27	·08	–	·28	·15	–	·02	·03	·01	·20	22
23	·01	·02	·19	·03	–	·05	·23	–	·04	·81	–	·40	23
24	–	–	·03	–	–	–	·21	–	·06	·54	–	·32	24
25	–	–	·02	–	–	·50	·38	–	–	–	–	·29	25
26	·04	·09	–	–	–	–	·01	–	·02	–	–	(·55)	26
27	–	·07	–	–	–	·06	·19	–	·01	·39	–	·05	27
28	–	·08	–	–	–	–	–	·03	·61	·74	–	·01	28
29	–		–	–	–	·18	·08	·09	–	–	·03	·10	29
30	·17	×	–	–	–	·08	–	–	–	·53	·24	·30	30
31	·01	×	–	×	–	×	·04	·02	×	·88	×	·22	31
Total	3·06	5·00	·71	·87	2·59	1·24	3·77	2·52	1·53	4·40 4·40	2·14	6·49	YEAR'S TOTAL 34·52 34·32
Rain Days.	23	26	9	12	10	9	20	14	12	17	12	27	191

W. 8,000. X. 15.

Ready

REGIS 13

HORSINGTON

SOMERSET

1913 - 15

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Horsingto
Long.

in the County of Somers
9 a.m.

by Edward Morton M
tion Templecombe 1½ miles

auge ... in.

uge above Ground 1 ft. — in.

„ Sea Level ... ft.

IMPORTANT NOTE.—Rain should be measured n. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·11	·03	·11	—	—	·35	—	·28	·39	1
2				·13	·06	—	·01	—	·08	·05	·16	·03	2
3				·06	·48	—	—	—	—	·17	—	·22	3
4				—	·69	—	—	—	·69	·15	·05	·10	4
5				—	·09	·18	·04	—	·47	[illegible]	·08	·15	5
6				—	·28	·25	·21	—	·01	·71	·07	·67	6
7				—	·22	—	·08	—	—	·47	·18	—	7
8				—	·33	·04	·03	·01	—	·07	—	·02	8
9				—	·09	·07	·10	·35	·03	·01	·13	—	9
10				—	·03	—	·02	·03	—	·18	·25	—	10
11				—	·05	—	—	—	—	·14	·22	—	11
12				·35	·53	—	—	—	·02	·01	·45	—	12
13				—	—	·06	—	—	·57	—	·32	—	13
14				·02	—	—	—	·04	·22	—	·34	—	14
15				·48	—	—	·21	—	·05	—	·05	·01	15
16				·08	—	·01	·03	·03	·08	·01	·02	—	16
17				·01	—	—	·02	—	—	—	·08	—	17
18				·09	·03	·02	·01	—	·01	·01	·08	—	18
19				·09	·06	~~·44~~	—	—	·51	—	·01	—	19
20				·08	—	—	—	—	—	·11	·16	—	20
21				·16	·05	—	·09	—	—	·06	·74	—	21
22				—	—	·03	—	·04	·25	·01	—	·01	22
23				—	—	·07	—	·02	·01	—	—	·69	23
24				·08	—	—	—	·12	—	—	·05	·01	24
25				·15	—	—	—	—	—	—	·01	·04	25
26				·45	—	·01	—	·25	—	[illegible]	—	·37	26
27				·11	—	—	—	—	—	·04	—	·02	27
28				·36	—	—	—	·01	—	·11	—	·23	28
29				·36	·04	—	—	·14	—	·36		—	29
30				—	·02	—	—	—	—	·50	·03	—	30
31					—		—	·82		·05		—	31
Total				3·17	3·08	1·29	·85	1·86	3·35	3·22	3·69	2·96	YEAR'S TOTAL 23·47
Rain Days.				18	17	12	12	12	15	20	22	15	for 9 months

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER OF RAINFALL 13

Kept at Horsington
in the County of Somerset
by Edward Foster Mullins Wadman.

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Templecombe 1½ miles
Diameter of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·11	·03	·11	—	—	·35	—	·28	·39	1
2				·13	·06	—	·01	—	·08	·05	·16	·03	2
3				·06	·48	—	—	—	—	·17	—	·22	3
4				—	·69	—	—	—	·69	·15	·05	·10	4
5				—	·09	·18	·04	—	·47	[illegible]	·08	·15	5
6				—	·28	·25	·21	—	·01	·71	·07	·67	6
7				—	·22	—	·08	—	—	·47	·18	—	7
8				—	·33	·04	·03	·01	—	·07	—	·02	8
9				—	·09	·07	·10	·35	·03	·01	·13	—	9
10				—	·03	—	·02	·03	—	·18	·25	—	10
11				—	·05	—	—	—	—	·14	·22	—	11
12				·35	·53	—	—	—	·02	·01	·45	—	12
13				—	—	·06	—	—	·57	—	·32	—	13
14				·02	—	—	—	·04	·22	—	·34	—	14
15				·48	—	—	·21	—	·05	—	·05	·01	15
16				·08	—	·01	·03	·03	·08	·01	·02	—	16
17				·01	—	—	·02	—	—	—	·08	—	17
18				·09	·03	·02	·01	—	·01	·01	·08	—	18
19				·09	·06	·44	—	—	·57	—	·01	—	19
20				·08	—	—	—	—	—	·11	·16	—	20
21				·16	·05	—	·09	—	—	·06	·74	—	21
22				—	—	·03	—	·04	·25	·01	—	·01	22
23				—	—	·07	—	·02	·01	—	—	·69	23
24				·08	—	—	—	·12	—	—	·05	·01	24
25				·15	—	—	—	—	—	—	·01	·04	25
26				·45	—	·01	—	·25	—	[illegible]	—	·37	26
27				·11	—	—	—	—	—	·04	—	·02	27
28				·36	—	—	—	·01	—	·16	—	·23	28
29				·36	·04	—	—	·14	—	·36		—	29
30				—	·02	—	—	—	—	·50	·03	—	30
31					—		—	·82		·05		—	31
Total				3·17	3·08	1·29	·85	1·86	3·35	3·22	3·69	2·96	YEAR'S TOTAL 23·47
Rain Days.				18	17	12	12	12	15	20	22	15	

W. 7,500, XI. ·12

Ex D L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
9 - JAN 1915

Kept at Home Farm, Horsington
in the County of Somerset
by E. L. M. [illegible]

Lat. 51 Long. 13
Time of Observation
Nearest Railway Station Templecombe
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·81

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	NIL	·08	NIL	NIL	·01	·05	·27	NIL	NIL	·27	·06	1
2	NIL	NIL	NIL	NIL	·02	·01	·49	·08	NIL	NIL	·82	·22	2
3	·01	NIL	·14	NIL	·36	NIL	·03	·02	NIL	NIL	·26	·05	3
4	·14	NIL	·05	NIL	·05	NIL	·18	·64	NIL	NIL	·66	·48	4
5	·10	NIL	·22	NIL	·12	NIL	·20	·06	NIL	NIL	·25	·05	5
6	·01	·24	·04	NIL	·12	NIL	·02	·02	NIL	NIL	·02	·20	6
7	·01	·65	·04	·21	·26	·02	·21	·09	·05	NIL	NIL	·22	7
8	·03	·04	·62	·22	·36	·10	·02	·16	·04	NIL	·02	·04	8
9	·03	·01	·42	·02	·09	·89	NIL	·09	1·00	NIL	NIL	NIL	9
10	·02	·35	·69	NIL	·09	·02	NIL	·01	·31	NIL	·01	·01	10
11	NIL	·17	·19	·04	·25	·16	·18	NIL	·29	NIL	·02	·34	11
12	NIL	·18	·30	NIL	NIL	·02	NIL	NIL	·35	NIL	·02	·41	12
13	·01	·32	·28	NIL	NIL	NIL	NIL	·47	·11	·20	·42	·45	13
14	NIL	·18	NIL	NIL	NIL	·11	·05	·26	·01	·20	·26	·15	14
15	·01	·02	·14	NIL	NIL	NIL	·15	NIL	NIL	·05	·09	NIL	15
16	NIL	NIL	·29	NIL	NIL	NIL	·08	NIL	NIL	NIL	NIL	NIL	16
17	NIL	·43	·13	NIL	NIL	NIL	·01	NIL	NIL	NIL	NIL	·41	17
18	NIL	·04	·56	NIL	NIL	NIL	·15	NIL	·03	NIL	NIL	·51	18
19	NIL	·06	·31	NIL	NIL	NIL	1·18	NIL	NIL	NIL	·12	·08	19
20	NIL	·46	·36	NIL	NIL	NIL	·01	NIL	NIL	NIL	NIL	·21	20
21	NIL	·95	NIL	NIL	NIL	·21	NIL	NIL	NIL	~~NIL~~ ·17	NIL	·01	21
22	NIL	·01	·13	NIL	·20	·05	·02	NIL	NIL	·50	NIL	NIL	22
23	NIL	·12	NIL	NIL	·05	·15	·01	~~NIL~~ ·07	NIL	·15	NIL	NIL	23
24	N~~·09~~	·01	NIL	NIL	·10	NIL	·21	NIL	NIL	·28	·07	·02	24
25	·09	NIL	·04	NIL	·03	NIL	·33	·21	NIL	·21	·03	·25	25
26	NIL	·01	·12	NIL	NIL	NIL	·16	·07	NIL	·03	·16	·50	26
27	·11	NIL	·14	NIL	NIL	NIL	·02	NIL	NIL	·05	·11	·13	27
28	·02	·10	·38	NIL	·02	NIL	~~·03~~ ·29	NIL	NIL	·02	NIL	1·24	28
29	·23		·21	NIL	·13	NIL	~~NIL~~ ·03	NIL	NIL	·16	·50	·04	29
30	NIL		NIL	NIL	·01	·03	NIL	NIL	NIL	·15	·3	1·00	30
31	·03		NIL		·01		·09	NIL		·65		·12	31
Total	·86	4·35	5·88	·49	2·27	1·78	4·17	2·47	2·19	2·82	4·41	7·20	YEAR'S TOTAL 38·89
Rain Days.	16	20	24	4	18	13	25	15	~~[illegible]~~ 9	14	20	26	204

W. 8,000. X. 14.

2216

FORM A.
BRITISH RAINFALL.

26 JUN. 1916

~~[illegible]~~ [illegible] 28.VI.16

REGISTER OF RAINFALL IN 1915

Kept at Home Farm, Horsington

in the County of Somerset

by E. H. M. Wadman.

Lat. 51. N Long. 13

Time of Observation 9. a.m.

Nearest Railway Station Templecombe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·81	·18	nil	nil	·01	nil	nil	nil	46				1
2	·59	·20	·23	·07	nil	·07	nil	·28	·01				2
3	·14	05	·13	·13	·24	nil	nil	·51	nil				3
4	·01	·02	·01	·01	·01	nil	·02	·03	nil				4
5	·16	·55	nil	·70	nil	nil	nil	·11	nil				5
6	·61	·09	nil	·36	nil	nil	·64	·04	nil				6
7	·40	·50	nil	·08	·02	·06	·20	·01	nil				7
8	·13	·46	nil	nil	nil	nil	·01	·09	nil				8
9	nil	·09	nil	·15	nil	nil	nil	nil	nil				9
10	·29	·02	·03	·08	nil	nil	nil	·72	nil				10
11	·08	nil	·04	·04	nil	nil	·01	·01	nil				11
12	·16	·37	nil	·15	·60	nil	nil	nil	nil				12
13	·03	·66	nil	nil	·77	nil	nil	·04	nil				13
14	·03	·05	nil	nil	nil	nil	·16	·36	·09				14
15	·12	nil	nil	nil	·20	nil	·09	·01	·03				15
16	nil	·58	nil	nil	·29	nil	·88	·63	nil				16
17	nil	·34	nil	nil	·21	nil	nil	·50	nil				17
18	nil	·33	nil	nil	·07	nil	nil	nil	nil				18
19	·01	nil	nil	nil	(·08)	nil	·17	nil	nil				19
20	·40	nil	nil	·11	nil	nil	nil	nil	nil				20
21	·09	·04	nil	nil	nil	·02	·06	nil	nil				21
22	·07	·18	·44	nil	nil	·02	·70	nil	·01				22
23	·01	·05	·08	nil	nil	nil	·10	nil					23
24	nil	nil	·01	·07	nil	nil	·03	nil					24
25	nil	nil	·02	·05	nil	·18	·45	nil					25
26	nil	·05	nil	nil	nil	·21	·17	nil					26
27	nil	·04	nil	nil	nil	·10	·27	nil					27
28	nil	·14	nil	nil	nil	·17	·01	·01					28
29	nil		nil	nil	nil	·33	·20	nil					29
30	·09		nil	·01	nil	·03	nil	nil					30
31	·05		nil		nil		·05	nil					31
Total	4·28	4·99	·99	1·41	2.50	1·19	4·22	3·35					YEAR'S TOTAL
Rain Days.	21	22	9	14	11	10	19	15					

We left above address on 23rd September /15 & are now taking record at Ferndown, Nr Wimborne, which shall be pleased to furnish you with in due course

W. 8,000. X. 15.

RE 7

1977.

HUNSTRETE HOUSE

1917 – 20

FORM A. BRITISH RAINFALL.

3. JAN 1918

Kept at Houndstr 2·30·15" W

9.0. a.m

in the County of Som Pensford

ain Gauge 5 in.

by H. Leybourne bove Ground ft. 9 in.

, Sea Level 400 ft.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the year in the space provided for it at the end of rement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·25	Snow ·39		·17		1·11	·49		·05		1
2	·02		·01			·42		·12			·04		2
3	·02						·25	·03		·90			3
4	·04		Snow ·12				·10	·15	·01	·21			4
5		Snow ·24	·20	Snow ·30		·17			·53	·37	·12		5
6	·30		·57							·15	·25		6
7							·19	·39		·17		·01	7
8	·18		Snow ·09	·13			·56	·86	·04	·70	·18	·06	8
9	·23		·25	Snow ·02	·20		·02	·16	·05	·17	·15		9
10			·38	Snow ·03	·01			·17	·37	·03			10
11	·11		·29	Snow ·57				·37	·20	x	·01		11
12	·05		·01		·75	·04		·25		x			12
13			·12	·09		·18		·15	·16	x		·01	13
14			Snow ·30	·01				·70	·05	away from home	·01	·01	14
15				·01			·25	·02				·19	15
16				·19			·09			x		·04	16
17		·08			·20		·61	·10	·86	1·32			17
18		·02		·16	·01		·54	·02	·66		·02		18
19		·01	·10			·12		·02	·03		·02		19
20		·48			·37			·04	·02		·01		20
21		·10	Snow ·21					·01		·02			21
22			Snow ·03			·04		·08		·04			22
23					·18			·31			·01	·03	23
24		·12				·48	·04	·28		·12			24
25		·04	·04			·02		·01	·02	·65			25
26		·07			·17			·83	·19	·22	·06		26
27					·96	·05		1·02		·01			27
28			·10			2·20		·84			·03	·01	28
29			·20			·22		·14		·65	·02	·14	29
30		X	Snow ·03				·21	·21		·38			30
31		X	·19	X		X		·14	X	·05	X	Snow ·01	31
Total	1·01	1·16	3·49	1·90	2·85	4·11	2·86	8·53	3·68	6·16	·98	·51	YEAR'S TOTAL 37·24
Rain Days.	9	9	20	11	9	12	11	28	15	22	15	10.	171

W. 8,000, VIII. 16 2·17 5·66 7·56 10·41 14·52 17·38 25·91 29·59 35·75 36·73 37·24

RE[redacted]7

FORM A.
BRITISH RAINFALL.

3. JAN 1918

2·30·15″ W

Kept at Houndstreet House

in the County of Somerset

by H. Leybourne Popham

Time of Observation 9.0. a.m

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·25	snow ·39		·17		1·11	·49		·05		1
2	·02		·01			·42		·12			·04		2
3	·02						·25	·03		·90			3
4	·04		snow ·12				·10	·15	·01	·21			4
5		snow ·24	·20	snow ·30		·17			·53	·37	·12		5
6	·30		·57							·15	·25		6
7							·19	·39		·17		·01	7
8	·18		snow ·09	·13			·56	·86	·04	·70	·18	·06	8
9	·23		·25	snow ·02	·20		·02	·16	·05	·17	·15		9
10			·38	snow ·03	·01			·17	·37	·03			10
11	·11		·29	snow ·57				·37	·20	× away from home	·01		11
12	·05		·01		·75	·04		·25		×			12
13			·12	·09		·18		·15	·16	×		·01	13
14			snow ·30	·01				·70	·05		·01	·01	14
15				·01			·25	·02				·19	15
16				·19			·09			×		·04	16
17		·08			·20		·61	·10	·86	1·32			17
18		·02		·16	·01		·54	·02	·66		·02		18
19		·01	·10			·12		·02	·03		·02		19
20		·48			·37			·04	·02		·01		20
21		·10	snow ·21					·01		·02			21
22			snow ·03			·04		·08		·04			22
23					·18			·31			·01	·03	23
24		·12				·48	·04	·28		·12			24
25		·04	·04			·02		·01	·02	·65			25
26		·07			·17			·83	·19	·22	·06		26
27					·96	·05		1·02		·01			27
28			·10			2·20		·84			·03	·01	28
29			·20			·22		·14		·65	·02	·14	29
30		×	snow ·03				·21	·21		·38			30
31		×	·19	×		×		·14	×	·05	×	snow ·01	31
Total	1·01	1·16	3·49	1·90	2·85	4·11	2·86	8·53	3·68	6·16	·98	·51	YEAR'S TOTAL 37·24
Rain Days.	9	9	20	11	9	12	11	28	15	22	15	10.	171

W. 8,000, VIII. 16

2·17	5·66	7·56	10·41	14·52	17·38	25·91	29·59	35·75	36·73	37·24

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3.1.19

Kept at Hunstrete House. Pensford
in the County of Somerset
by H. Leyborne Popham

Lat. 51·21·15 N Long. 2·30·15 W.
Time of Observation 9.0 a.m
Nearest Railway Station Pensford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 400. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02		.09	.02			.24		.02	.09		1
2	.01	.04		.11				.45		.01	.05	.33	2
3		.05	.01	.15	.29			.16	.07	.07	.02	.01	3
4		.08		.01				.04		.04	.90	.06	4
5				.07	.24			.25	.03	.21	.76	.02	5
6	.12	.37		.22					.03	.17		.10	6
7	.01	.20		.01	.53				.26	.34	.35	.01	7
8		.01							.78	.13		.06	8
9		.20		.33		.37	.57		.74	.05	.01	.23	9
10	.03			.15			.41		.32	.12	.21	.36	10
11	.03	.15	.12				.42		.56	.01	.05	.15	11
12		.18	.20		.60		.07		.07			.07	12
13	Snow .17					.01	.09		.41	.10		.40	13
14	.26	.03	.05			.04	.55		.32	.06		.10	14
15	Snow 1.21			.37	.66	.15	.29			.01		.35	15
16	.33		.06	.50		.59	.03		.15	.04		.18	16
17	.30			.05			.14	.15	.10	.01		.29	17
18	.70					.53	.20		.36			.16	18
19	.06		.11	.01			.07	.05	.35			.10	19
20	.02	.11		.11		.02	.43		.17	.06			20
21	.05	.04				.01	.05		.23	.04		.07	21
22					.09		.26		.31	.05		.45	22
23	.07				.10		.60	.03	.02		.03	.01	23
24		.16					.02	.03	.11		.04		24
25							.19	.90		.03	.02	.01	25
26				.01			.48		.08	.02	.17	.22	26
27		.02	.02				.01	.26	.33		.11	.05	27
28		.13	.20						.01		.20	.23	28
29	.01		.07						.74		.01	.01	29
30	[illegible]	X	.26						.01	.05	.06	.08	30
31		X	.24	X		X		.05	X	.02	X		31
Total	3·3	1.77	1.31	2.19	1.93	1.20	5.29	2.62	7.76	1.67	2.78	4.12	YEAR'S TOTAL 36.03
Rain Days.	17	16	11	15	8	8	19	12	25	23	17	27	198
		5.16	6.47	8.66	10.59	11.79	17.08	19.70	27.46	29.13	31.91	36.03	

W. 8,000, IX. 17.

1813

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Hunstrete House Pensford
in the County of Somerset
by H. Leyborne Popham

Lat. 57·21·15 N Long. 2·30·15 W.
Time of Observation 9-0. a.m
Nearest Railway Station Pensford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·34	snow ·02	·05	·07	·05		·44		·02	·19	·01	1·00	1
2	·15		·02		·13		·07		·13		·08	·37	2
3	snow ·59		·30		·05				·14		·04	·48	3
4	snow ·14	ice ·11	·31		·05	·05	·53	·05	·28			·11	4
5	·09	snow ·25	·53		·05		·02		·44		~~·02~~	·43	5
6	·36	·04	·14								·02	·22	6
7	·22		·40	·11					·01			·07	7
8	·16		·14	·04									8
9	·11		·04	·09	·05						·10		9
10	·06		·20	·03	·01					·04		·30	10
11	·03		·26	·17	·13		·40			·01		·03	11
12	·06		·10	·03		·33	·01				·06	·25	12
13	·03		·01	·43			·02					·06	13
14	·77	·07		·49	·01		·13		·05	·05		·10	14
15	·36			·05						·10		·22	15
16	·20	·78									·17	·01	16
17	·01	·32		·01				·02			·31	·01	17
18		·01	·57		·02		·15	·30	·05		·28	·03	18
19	·32	·21	·93			·18	1·19	·46	·10		·13	·08	19
20	·18	·08	·24			·28	~~·4~~	·30	·02			·19	20
21	·02	·50	·01				·14		·01			·04	21
22		·25					·12		·19		·04	·34	22
23						·02				·82	·17	·06	23
24				·04		·13			·02	·80	·20	·93	24
25	·12					·03		·68	·01			·06	25
26	·05	·06	·16	·22		·01		·19	·18			·46	26
27	snow ·17	·01	·02	snow ·25				·43				·04	27
28	·06		·18	·05				·42			snow ·17	·31	28
29	·01	✕		·03				·04		·11	snow ·01	·03	29
30	snow ·01	✕	·01	·17		·22		·21		·03	·24	·48	30
31	·01	✕		✕		✕			✕		✕	·10	31
Total	4·63	2·71	4·64	2·28	·55	1·25	3·22 ~~2·22~~	3·10	1·65	2·15	2·03	6·81	YEAR'S TOTAL 35·02 ~~34·02~~
Rain Days.	27	14	21	17	10	9	12	11	15	9	16	29	190

W. 6,500, VII. 18. W W C 7·34 11·98 14·26 14·81 16·06 19·28 22·38 24·03 26·18 28·21

Cat RR

1730

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Hunstrete House Pensford

in the County of Somerset

by H. Leyborne Popham

Lat. 51·21·15 N Long. 2·30·15 W.

Time of Observation 9·0·a.m

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 400· ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·23	·35		·27	·10	·08	·37	·25	·45	1
2	·10		·03	·12	·03		·30	·17	·03	·17		·12	2
3	·03	·07		·09	·10		·81		·01	·62			3
4			·07	·08			·11	·47		·13			4
5			·10	·03	·15		·51	·01		·26			5
6			·32	·01	·21		·09			·03			6
7	·03		Snow ·01	·16	·01		·16				·02		7
8	·04	·07		·25	·07		·31						8
9	·46	·27	·03	1·05		·08	·13	·04					9
10	1·26	·36	·06	·04		·19	·43						10
11	·20		·13	·43	·25		·07						11
12	·17	·07		·11	·06	·83	·06				·11		12
13	·19	·09	·47	·11			·01				·01	Snow ·03	13
14	·04	·03	·30	·56		·10	·08		·07	·20	·37		14
15	·02	·18	·02	·47	·08	·07			·05	·78	·11		15
16				·16		·15	·25		·06	·15	·47		16
17	·10		·05	·18	·24	·99			·41				17
18	·08	·02		·15	·08	·01		·40	·05			Snow ·04	18
19	·03	·20		·27	·18	·30							19
20	·04	·13		·22		·23	·01		·01			·32	20
21							·09					·09	21
22	·01			·10			·06	·14	·01			·32	22
23	·04						1·27	·04				·35	23
24	·06		·25	·05							·06	·09	24
25	·02	·12	·11				·30					·01	25
26	·30		·25				·03				·07	·15	26
27	·26	·06	·07	·16		·68						·30	27
28	·86	·01	·06	·02	·07	·04	·01					·01	28
29	·21		·26	·01	·05	·02	·09				·20	·26	29
30	·05		·04	·04		·22	·34		·35		·42	·35	30
31	·31		·21		·03		·07			·59		·30	31
Total	4·91 ✓	1·68 ✓	2·84 ✓	5·10 ✓	1·96 ✓	3·91 ✓	5·86 ✓	1·37 ✓	1·13 ✓	3·30 ✓	2·09 ✓	3·19 ✓	YEAR'S TOTAL 37·34 ✓
Days with ·01 in. or more	25 ✓ 19	14 ✓ 11	20 ✓ 16	26 ✓ 22	16 ✓ 13	14 ✓ 12	25 ✓ 21	8 ✓ 7	11 ✓ 7	10 ✓ 9	11 ✓ 9	16 ✓ 13	196 ✓ 159
		6·59	9·43	14·53	16·49	20·40	26·26	27·63	28·76	32·06	34·15	37·34	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
26 APR 1912

HUTTON
RECTORY
SOMERSET
1911

REGIS… 1911.

Kept at Hutton R…
in the County of Somer…
by Rev. W. F. R…

…p 5 in.
…above Ground 1 ft. in.
„ Sea Level ?70 ft. 1.1.12.
10 a.m. 9 a.m on ~~…~~.
…on { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 29.82

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	·05	·05	—	—	·27	—	—	·07	·01	1
2	—	—	·04	·18	·21	—	—	·50	—	·02	·31	·01 fog	2
3	—	—	·02	—	·30	—	—	—	·01	—	·07	·04	3
4	—	·02 fog	·15	—	·01	—	—	—	—	·01	·21	·50	4
5	·07	—	·10	—	—	—	—	·19	—	—	·70	·03	5
6	·06	—	·05	—	—	—	—	·05	—	·01	·17	·46	6
7	·06	—	—	—	—	—	—	—	—	—	·35	—	7
8	·22	—	·27	—	—	—	—	—	—	—	—	·35	8
9	·08	—	—	—	·45	—	—	—	—	—	·19	·44	9
10	·10	·04	·24	—	—	—	—	—	—	—	—	·20	10
11	·38	—	—	—	—	—	—	—	—	—	·80	·47 sl[illegible]	11
12	—	—	·78	—	—	—	—	—	—	—	·23	·23	12
13	—	—	—	—	—	—	—	—	·58	·16	·11	·55	13
14	—	·13	—	—	—	—	—	—	—	·01	·05	·90	14
15	—	·07	—	—	—	·09	—	—	—	—	·23	·02	15
16	—	—	—	—	—	·12	—	—	—	—	·25	·23	16
17	·02 fog	·06	—	—	—	·11	—	—	—	—	·04	·15	17
18	—	·25	·02	·18	—	·33	—	—	—	—	—	·16	18
19	—	·09	—	·02	—	·05	—	—	·39	·15	·03	·50	19
20	·02 fog	·07	·16	·37	—	—	—	—	·29	·08	—	·21	20
21	—	·12	—	—	—	—	—	—	·01	·38	—	·27	21
22	·05	·03	·22	·07	—	·67	—	—	·02	·16	—	·46	22
23	·01	·05	·18	—	—	·02	—	—	·13	·14	·02	·17	23
24	—	·39	—	—	—	·69	—	·18	—	·59	—	·19	24
25	—	·09	—	·20	—	·13	—	—	—	·04	—	·50	25
26	—	·11	—	·41	·04	—	·08	·06	—	·12	·07	·42	26
27	—	·47	·09	—	—	·01	—	·43	·04	—	·04	·18	27
28	—	·27	—	·62	—	—	—	·01	—	—	·06	—	28
29	—		—	·20	—	·21	·04	—	·07	·47	·06	·02	29
30	—		—	—	—	—	—	·07	—	·29	—	·04	30
31	—		—		—		—	—		·13		·01	31
Total	1.07	2.26	2.34	2.30	1.06	2.63	·12	1.76	1.54	2.76	4.06	7.92	TOTAL for year 29.82
No. of Rain Days.	11	16	14	10	6	11	2	9	9	16	21	29	154

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
26 APR 1912

REGIS[illegible] 1911.

Kept at Hutton Rectory - W.s.M

in the County of Somerset 2

by Rev. W. F. Rose

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ? 70 ft. 1.1.12.

Time of Observation 10.a.m. 9.a.m on ~~[illegible]~~.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
29.82

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	·05	·05	—	—	·27	—	—	·07	·01	1
2	—	—	·04	·18	·21	—	—	·50	—	·02	·31	·01 fog	2
3	—	—	·02	—	·30	—	—	—	·01	—	·07	·04	3
4	—	·02 fog	·15	—	·01	—	—	—	—	·01	·21	·50	4
5	·07	—	·10	—	—	—	—	·19	—	—	·70	·03	5
6	·06	—	·05	—	—	—	—	·05	—	·01	·17	·46	6
7	·06	—	—	—	—	—	—	—	—	—	·35	—	7
8	·22	—	·27	—	—	—	—	—	—	—	—	·35	8
9	·08	—	—	—	·45	—	—	—	—	—	·19	·44	9
10	·10	·04	·24	—	—	—	—	—	—	—	—	·20	10
11	·38	—	—	—	—	—	—	—	—	—	·80	·47 sleet	11
12	—	—	·78	—	—	—	—	—	—	—	·23	·23	12
13	—	—	—	—	—	—	—	—	·58	·16	·11	·55	13
14	—	·13	—	—	—	—	—	—	—	·01	·05	·90	14
15	—	·07	—	—	—	·09	—	—	—	—	·23	·02	15
16	—	—	—	—	—	·12	—	—	—	—	·25	·23	16
17	·02 fog	·06	—	—	—	·11	—	—	—	—	·04	·15	17
18	—	·25	·02	·18	—	·33	—	—	—	—	—	·16	18
19	—	·09	—	·02	—	·05	—	—	·39	·15	·03	·50	19
20	·02 fog	·07	·16	·37	—	—	—	—	·29	·08	—	·21	20
21	—	·12	—	—	—	—	—	—	·01	·36	—	·27	21
22	·05	·03	·22	·07	—	·67	—	—	·02	·16	—	·46	22
23	·01	·05	·18	—	—	·02	—	—	·13	·14	·02	·17	23
24	—	·39	—	—	—	·69	—	·18	—	·59	—	·19	24
25	—	·09	—	·20	—	·13	—	—	—	·04	—	·50	25
26	—	·11	—	·41	·04	—	·08	·06	—	·12	·07	·42	26
27	—	·47	·09	—	—	·01	—	·43	·04	—	·04	·18	27
28	—	·27	—	·62	—	—	—	·01	—	—	·06	—	28
29	—		—	·20	—	·21	·04	—	·07	·47	·06	·02	29
30	—		—	—	—	—	—	·07	—	·29	—	·04	30
31	—		—		—		—	—		·13		·01	31
Total	1.07	2.26	2.34	2.30	1.06	2.63	·12	1.76	1.54	2.76	4.06	7.92	TOTAL for year 29.82
No. of Rain Days.	11	16	14	10	6	11	2	9	9	16	21	29	154

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

ILMINST~~ER~~
DILLINTON PARK

SOMERSET

1911 - 1920

REG

Kept at The Gardens. … on Dial

in the County of Somers … in.

by Wilson Goldth …

… ound 3 ft. – in.

… a Level 161.4 ft.

… .m.

… me Ilminster

… stance 2 mile Direction S.W.

IMPORTANT NOTE. … e result entered to the previous day. If an Obser… al rule, he is earnestly requested to add the readin… in the space provided for it at the end of this … nt of rain, the selection and placing … h Rainfall Organization are given in "… plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.19				.03					1
2				.06	.22			.16		.20	.17	.27	2
3					.20						.08	.05	3
4		.01	.12			.12			.02	.02	.17	.55	4
5	.13		.11					.76		.09	.11		5
6	.33 ~~.46~~		.15					.01		.06	.11	1.07	6
7	.03 ~~.49~~										.39		7
8	.01 ~~.50~~		.10									.96	8
9	.02 ~~.52~~										.11	.88	9
10	.03 ~~.55~~	.04	.49		.33						.04	.39	10
11	.34 ~~.89~~										.66	.09	11
12			.79					.13			.11	.34	12
13			.02						.30			.44	13
14										.05	.01	1.47	14
15	.01 ~~.90~~		.01			.03					.38		15
16		.02				.41					.66	.60	16
17			.11			.12				.15	.11	1.03	17
18		.23	.07	.30	.04	.40				.03	.06	.70	18
19		.05		.05		.09			.25	.27	.05	.50	19
20	.07 ~~.97~~	.05	.15	.02					.03	.25		.74	20
21		.18							.14	.63		.12	21
22	.10	.03	.04	.02					.09	.35		.42	22
23	.01	.13	.02			.59			.01	.17	.07	.20	23
24		.07				.34		.11		.53		.20	24
25		.06		.06		.23		.06	.08	.22		.16	25
26		.03		.28	.48			.01		.10	.04	.19	26
27		.26	.14	.05	.02			.04	.05	.48	.10	.10	27
28		.28		.38				.06					28
29				.45		.17	.13		.06	.25			29
30						.02		.08		.22	.19	.02	30
31			.03							.02			31
Total	1.08	1.44	2.35	1.86	1.29	2.52	.13	1.45	1·03 ~~.99~~	4·09 4.09	3.62 3.62	11.49	TOTAL for year
No. of Rain Days.	11	14	15	11	6	11	1	11	10	19	20	24	32.35

153

W. 8,000, X. '11.

REG

FORM A2.
BRITISH RAINFALL.
29 JAN 1912

Kept at The Gardens, Dillington Park, Ilminster

in the County of Somerset. 3

by Wilson Goldthorpe

RAIN GAUGE
Pattern [illegible] Dial
Diameter of top 8 in.
Height of top above Ground 3 ft. – in.
" " " Sea Level 161.4 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Ilminster
Distance 2 mile Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				.19				.03					1
2				.06	.22			.16		.20	.17	.27	2
3					.20						.08	.05	3
4		.01	.12			.12			.02	.02	.17	.55	4
5	.13		.11					.76		.09	.11		5
6	.33 ~~.46~~		.15					.01		.06	.11	1.07	6
7	.03 ~~.49~~										.39		7
8	.01 ~~.50~~		.10									.96	8
9	.02 ~~.52~~										.11	.88	9
10	.03 ~~.55~~	.04	.49		.33						.04	.39	10
11	.34 ~~.89~~										.66	.09	11
12			.79					.13			.11	.34	12
13			.02						.30			.44	13
14										.05	.01	1.47	14
15	.01 ~~.90~~		.01			.03					.38		15
16		.02				.41					.66	.60	16
17			.11			.12				.15	.11	1.03	17
18		.23	.07	.30	.04	.40				.03	.06	.70	18
19		.05		.05		.09			.25	.27	.05	.50	19
20	.07 ~~.97~~	.05	.15	.02					.03	.25		.74	20
21		.18							.14	.63		.12	21
22	.10	.03	.04	.02					.09	.35		.42	22
23	.01	.13	.02			.59			.01	.17	.07	.20	23
24		.07				.34		.11		.53		.20	24
25		.06		.06		.23		.06	.08	.22		.16	25
26		.03		.28	.48			.01		.10	.04	.19	26
27		.26	.14	.05	.02			.04	.05	.48	.10	.10	27
28		.28		.38				.06					28
29				.45		.17	.13		.06	.25			29
30						.02		.08		.22	.19	.02	30
31			.03							.02			31
Total	1.08	1.44	2.35	1.86	1.29	2.52	.13	1.45	1.03 ~~.99~~	4.09 4.09	3.62 3.62	11.49	TOTAL for year
No. of Rain Days.	11	14	15	11	6	11	1	11	10	19	20	24	32.35

153

W. 8,000, X. '11.

corr for auth 27.11.13

FORM A2.
BRITISH RAINFALL.
18 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Dillington Park. Garden

in the County of Somerset 3

by W. Goldthorpe.

Rain Gauge:
Pattern The Wilson Dial
Diameter of top 8 ins
Height of top above Ground 2 ft. - in.
" " " Sea Level 161.4 ft.

Time of Observation 9 a.m. to 9 a.m.

Nearest Railway Station: Name Ilminster
Distance 2 mil. Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.09			.57		.15	.10	.76		.36	1
2			.30	.02	.04	.12	.17	.09		.05	.02	.01	2
3			.11			.36	.28	.92			.01	.01	3
4	.14	.18	1.32		.01	.10					.27		4
5	.66 ~~.80~~	.20	.08		.02	.15		.76	.02			.21	5
6	.45				.14	.04	1.24	.99				.01	6
7	.02	.57	.30		.03	1.04		.09				.15	7
8	.43	.25	.62			.67	.02	.05				.01	8
9	.02	.04	.03	.07		.14	.02	.04				.35	9
10		.25	.01	.01				.04			.06	.29	10
11	.10	.09	.04				.04				.02	.45	11
12	.02	.45	.09	.09			.01	.06		.03		.01	12
13						.01		.01			.03	.05	13
14	.16		.46		.28	.01		.02				.01	14
15	.69	.07	.01		.19	.41		.01				.29	15
16	.78	.01	.35		.10	.01		.03		.03	.11	.03	16
17	.25		.12			.04		.70			.02	.02	17
18		.01	.41					.41			.04	.03	18
19	.63	.03	.18				.17	.41			.01	.02	19
20	.12	.01	.57		.11		.02	.13		.32			20
21		.10	.54		.50		.04	.12		.18			21
22	.38	.26	.06		.06		.05	.05		.18		.06	22
23	.30	.39	.13					.23		.23	.06	.27	23
24	.09	.02	.01			.34		.14				.27	24
25	.16					.07		.50		.12	.21	.75	25
26		.05					.05	.03		.41	.59	.37	26
27			.02			.39	.69			1.22	.02	.27	27
28		.07				.05	.13	.49	.28	.70	.51	.64	28
29		.22				.05	.10	.25	.78	.39	.02	.04	29
30			.04			1.21	.13		.23	.24			30
31			.27		.01		.40			.02		.10	31
Total	5.40 5.40	3.27	6.16	.19	1.49	5.78	3.56	6.72 6.72	1.41	4.88	2.00	5.08 5.08	TOTAL for year 45.04 45.04
No. of Rain Days.	18	20	25	4	12	20	17	26	5	15	16	27	206 days.

W. 8,000, X. '11.

EK 917

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL
28 JAN 1914

Kept at Dillington Park Gardens Ilminster
in the County of Somerset
by [illegible]

Lat. .... Long. ....
Time of Observation 9 am to 9 am.
Nearest Railway Station Ilminster
Diameter of Rain Gauge 9 in in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 161·4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.31	.19	.06	.31				.18	.04	.17		6.64 1
2	.05	.17		.06	.12				.01	.14	.16		1.32 2
3	.28		.07	.02	.24				.08	.02		.19	3.69 3
4	.11		.02		.31		.01		.32	.18		.23	4.03 4
5	.03	.03	.09		.10	.07			.46	.02	.10	.28	3.20 5
6	.05	.05	.12		.04	.26	.29			1.67	.06	.38	.74 6
7	.02	.43	.02		.68	.02	.27			.57	.29		1.32 7
8	.03	.10			.53			.01		.08			1.47 8
9		.05		.03	.16	.06	.66	.10	.07	.02	.28	.08	9
10	.01	.01			.06			.01		.33	.17		10
11	.36	.02		.16	.17					.44	1.56		11
12	.54				.36	.06					.20		12
13	.07	.01						.13	.40		.05		13
14	.38		.04	.01					.14		.12		14
15	.35	.02	.25	.66				.01	.07		.03		15
16	.09	.01	.48	.08				.07	.09				16
17	.01		.04										17
18	.17		.30	.12									18
19	.89		.20			.17	.02	.03	.41	.02	.02		19
20	.26		.17	.12						.11	.11		20
21	.01		.10	.20	.08						.46		21
22	.45		.54	.08		.08	.03	.01	.10			.09	22
23	.01		.01					.02			.09	.69	23
24	.01	.02		.02									24
25		.07		.12						.02		.04	25
26		.01		1.02		.01		.15				.20	26
27	.09		.28	.41				.01		.24			27
28	.11		.07	.54	.03					.46		.06	28
29	.09		.73	.32						.27			29
30	.61									.48			30
31	.20		.35		.01		.04	.92		.06			31
													YEAR'S TOTAL
Total	6.64	1.31	3.69	4.03	3.20	.73	1.32	1.47	2.33	5.12	3.87	2.19	35.90
Rain Days.	27	15	20	18	15	8	7	12	12	19	16	10	179

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
12 JAN 1916

W DL

REGISTER OF RAINFALL IN 1914

Kept at Dillington Park Gardens
in the County of Somerset. 3
by Wilson Goldthorpe

Lat. Long.
Time of Observation 9 am to 9 am.
Nearest Railway Station Ilminster
Diameter of Rain Gauge 4 in Aeup in. 8 inc lower
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 1614 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.02	.02		.03	.12	.68			.16	.05	1
2				.04	.05	.02	.69				.71	.65	2
3			.08	.08	.53		.04	.51			.05	.09	3
4	.06		.01	.29	.05		.15	.15			.62	.62	4
5	.07			.31	.07						.10	.02	5
6		.15	.10	.13	.02		.94	.03	.04		.04	.47	6
7		1.20	.10	.04	.14	.08	.21	.07				.27	7
8	.02 ~~.XX~~	.01	.92	.12	.13	.38		.04				.11	8
9			.49	.30	.05	.60		.14	.98				9
10	.02 ~~.XX~~	.40	.03	.07	.01	.03			.27				10
11		.14	.38			.36	.37					.55	11
12		.19	.05						.18	.06		.57	12
13		.33	.44						.09	.35	.29	.39	13
14		.22	.36			.98	.02	.64		.18	.37		14
15	.01	.01	.15					.40	.07	.11	.07	.06	15
16							.03		.21				16
17		.39	.32									.83	17
18		.03	.10				.23		.06			.50	18
19		.02	.30				24 hours rain 2.02				.07	.24	19
20		.71	.48									.29	20
21		1.05				.23		.02	—	.41		.03	21
22		.01				.08	.02	.03		.22			22
23		.09	.31		.23	.03	.04		.04	.47			23
24		.07	.23		.01					.39	.06	[illegible]	24
25	.12		.19		.31		.10	.32		.36	.02	.40 [illegible]	25
26	.02	.02					.15	.11		.04	.26	.72 [illegible]	26
27	.12										.12	.16	27
28	.01	.06	.34		.06					.11	.18	1.18	28
29	.15		.16		.19					.16	.55		29
30		X	.06				.05			.29	.50	1.18	30
31	.10	X		X	.03	X	.27		X	.84	X	.44	31
Total	.70	5.10	5.62	1.40	1.88	2.82	5.45	3.14	1.94	3.99	4.17	9.84 2	YEAR'S TOTAL 46.03
Rain Days.	11	19	23	10	15	11	17	13	9	14	17	23	182 days

W. 8,000. X. 14.

[illegible] 6.V.16

2162

FORM A. BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Dillington Park Gardens Ilminster

in the County of Somersetshire

by Wilson Goldthorpe

3

Lat. Long.

Time of Observation 9 a.m. to 9 a.m.

Nearest Railway Station Ilminster

Diameter of Funnel of Rain Gauge 8 ins

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 161.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.56	.10						.40	.09	.27		.06	1
2	.28	.24	.06	.15		.01		.44	.02	.09		.28	2
3	.04	.29	.08	.07	.24							.60	3
4	.02	.15			.03							.19	4
5	.07	1.00		.05				.23				.42	5
6	.64	.07		.40			.66					.30	6
7	.28	.40		.06			.13					.22	7
8	.12	.41						.11				.64	8
9		.02						.32			.54	.65	9
10	.15	.05	.04	.07						.08		.02	10
11	.07	.40		.07	.02			.45		.04	.89	.04	11
12	.17	.69		.18	.56			.43		.06	.15		12
13	.02	.54			.91			.25	.09		.11		13
14	.02	.03					.10	.29	.04	.03		.95	14
15	.24	.01			.22					.06	.14	.11	15
16		1.50			.09		.64					.21	16
17		.88			.14			.27					17
18		.32			.02					.02			18
19					.15		.15						19
20	.12			.14		.05				.02		.04	20
21	.13	.05					.08			.16		.06	21
22	.13	.10	.29	.03		.11	.36					.25	22
23			.10				.29		.14	24 hours. 2.32		.31	23
24				.06			.26		.18	.45		.54	24
25			.02	.03		.67	.49					.14	25
26		.21					.29		.02			.94	26
27		.04				.54	.04		.02	.58			27
28		.03				.16			.79	.09			28
29						.24	.15				.23	.06	29
30	.08	×				.10	.02			.59	.47	.40	30
31		×		×		×	.04	.01	×	1.07	×	.38	31
Total	~~3.06~~ 3.14	7.51 7.53	.59	1.31	2.38	1.88	3.70	3.20	1.39	5.93	~~2.45~~ 2.53	~~7.07~~ 7.21	YEAR'S TOTAL ~~40.79~~ 40.47
Rain Days.	18	23	6	12	10	8	15	11	9	16	7	24	159

W. 8,000. X. 15.

2100

FORM A.
BRITISH RAINFALL.

8 JAN 1917

W DL

REGISTER OF RAINFALL IN 1916

Kept at Dillington Park Gardens
in the County of Somerset
by Wilson Goldthorpe

Lat. .... Long. ....
Time of Observation 9am to 9 a.m.
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 8 inc
Height of top of Gauge above Ground 2 ft. 8 in.
" " " " Sea Level 1614 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13		.58		.56		.03		.16	.14	.43		1
2	~~.27~~ ·14				.01				.02	.27	.30		2
3		1.82 ~~2.84~~			.30				.06	.48	.50		3
4	~~.36~~ ·09		.07		.11	.41			.02	.13	1.11		4
5	~~.39~~ ·03	4.05 ~~2.84~~			.09	.07					.58		5
6		.16			.15		.52			.14	1.10		6
7	~~.46~~ ·07	.14	.10		.28	.11	.10			.01	.60	.16	7
8		.07	.10		.07	.18					.24	.07	8
9		.08	.03			.18	.03			.10	.07	.23	9
10		.36		.05	.03	.01	.01			.02		.19	10
11	~~.47~~ ·01	.01		.03									11
12	~~.49~~ ·02	.02	.13	.02	.12			.06					12
13		.25	.15		.02			.48			.02		13
14		.48			.04			.03		.08			14
15		.11	.05	.05				.20					15
16	~~.58~~ ·09	.10		.20	.03		.02	.82		.07			16
17		.17		.09				.03	.20	.34	.38		17
18	~~.72~~ ·14	.09	.25					.01	.21	.06	.03	.05	18
19	.83 ·11		.64								.11	.06	19
20	~~.98~~ ·15	.45	.36					.02			.04	1.04	20
21	~~1.01~~ ·03	.14	.18		.05							.52	21
22	~~1.02~~ ·01					.04		.04		.44	.02	.69	22
23						.03		.27		.10	.16	.07	23
24		.25		.11	1.24	.13		.04		.92	.02	.29	24
25			.14		.02			.54	.05	.02	.15	.04	25
26		.50	.05			.37		.07	.98	.90	.10		26
27		.25	1.28			.02		.32	.21	.22			27
28		.14			.14			.08	.18	.61		.17	28
29		.18	.07			.25		2.33	.38	.27		.17	29
30		×				.02				.35			30
31		×		×	.02	×		.04	×	.17	×	.03	31
Total	1.02	5.82	4.18	.55	3.28	1.82	.71	5.38	2.47	5.84	5.96	3.78	YEAR'S TOTAL 40.81
Rain Days.	13	22	16	7	18	13 ~~14~~	6	17	11	22	19	15	180

179

W. 8,000, VIII. 16

✓ 2007

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Dillington Park Gardens.
in the County of Somersetshire.
by Wilson Goldthorpe.

Lat. .... Long. ....
Time of Observation 9 a.m. 9 a.m.
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 inc
Height of top of Gauge above Ground 3 ft. – in.
" " " " Sea Level 161.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·24	·43		·24		·73	·03		·04		1
2				·02		·08			·05				2
3				·03			·52	·03		·22	·21		3
4		·09	·39				·02			·43	·05		4
5	·07		·38	·18		·12		1·25	·20	·10	·10		5
6			·04							·06	·19		6
7	·19						·75	·24		·27	·06		7
8	·09			·08			·44	·41		·24	·05	·17	8
9			·21		·02		·20	·06	·09	·19	·09		9
10	·32		·30	·13				·19					10
11			·76	·26				·24	·02	·15	·07		11
12					·24					·19			12
13			·16					·54	·01	·14			13
14			·02	·11			·05	·22					14
15							·39	·10		·23		·38	15
16		·14		·08			·34	·02		·26		·10	16
17				·10	·04		·23	·17	·43	·06			17
18		·05					·22		·64				18
19		·40	·10			·08			·13				19
20		·16	·2		·42	·07	·01	·07	·15				20
21			·17			·18		·04		·02			21
22			·02					·18		·06			22
23		·13			·06			·30		·10			23
24		·02				·13	·32	·06		·06	·16	·04	24
25		·09	·04					·07	·04	·04			25
26						·09		·63	·08	·03			26
27						·20		1·18					27
28			·08		·43	2·05		·15		·05			28
29			·04		·43	·59	·22			·74		·20	29
30		X	·17		·28		·40	·09					30
31		X	·03	X		X			X	·13	X		31
Total	·67	1·08	3·17	1·42	1·92	3·83	4·11	6·97	1·84	3·77	1·02	·89	YEAR'S TOTAL 30·72 ✓
Rain Days.	4	8	18	10	8	11	14	23	12	22	10	5	145 ✓ (days)

W. 8,000, IX. 17.

~~W~~ m.99 end of own stats 94

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9. 1. 19

Kept at Dillington Park. Ilminster
in the County of Somerset.
by Wilson Goldthorpe

Lat. .... Long. ....
Time of Observation 9 a.m. 9 a.m.
Nearest Railway Station Ilminster.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. — in.
" " " " Sea Level 161.4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06		.07				.76		.01	(1.27)		1
2		.17		.02				.42		.03		.14	2
3		.13		.09	.15			.08		.05	.05		3
4		.02						.07	.32		.97	.21	4
5			.19		.09			.23	.15	.16		.05	5
6	.21	.16		.21				.07	.16	.10		.15	6
7		.15			.26				.32	.04	.41	.18	7
8		.22							.17	.28		.07	8
9	.04 ~~.21~~	.05		.08		.16	.85		.39	.03		.27	9
10	.05 ~~.30~~			.29			.33		.18	.21	.03	.45	10
11				.02			.47			.30	.06	.06	11
12		.04	.12		.19		.08		.14				12
13					.13		.15		.49	.04		.05	13
14	.39 ~~.69~~					.07	.10		.09	.08		.19	14
15	1.69			.33		.06	.38		.26	.04		.30	15
16	.19		.05	.41			.04		.02	.01		.11	16
17	.71			.28			.32					.19	17
18	1.17					.76	.06		.28	.04		.15	18
19	.15	.07					.27		.05	.04		.10	19
20	.08	.07		}(.25)			.14		.28	.15			20
21						.03	.02		.41	.10		.23	21
22	.04				.12		.62		.07	.20		.10	22
23	.06				.07		.59		.03		.05	.06	23
24		.15					.01	.08	.08		.09	.03	24
25				.11	.06		.09	.64		.02	.08		25
26				.08			.41			.03	.05	.05	26
27		.12						.08	.22		.07		27
28		.09	.38									.06	28
29			.09	.09					1.10	.03			29
30		X	.37						.13	.11	.10	.02	30
31		X	.51	X		X			X	.06	X		31
Total	4.78	1.50	1.71	2.33	1.07	1.08	4.93	2.43	5.34	2.16	3.23	3.22	YEAR'S TOTAL 33.78
Rain Days.	12	14	7	15	8	5	18	9	22	24	12	23	169

W. 8,000, IX. 17.

~~9112~~

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Dillington Park, Ilminster
in the County of Somerset
by Wilson Goldthorpe

Lat. Long.
Time of Observation 9 a.m. to 9 a.m.
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 161'4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	(.49)		.06		.06		.84	.02	.03	.31		.98	1
2	.24		.02		.02		.02		.11				2
3	.42		.33		.02				.27		.05	.17	3
4	.47	.32	.47			.05		.06	.60		.10	.10	4
5	.46	.33	1.06				.21		.33		.03	.03	5
6	1.13	.29	.03						.02		.08	.26	6
7	.36		.38	.09								.05	7
8	.40		.23										8
9	.12			.32	.03						.61		9
10	.10		.14							.09	.05	.52	10
11	.01		.34	.10	.22		.23					.09	11
12	.14		.04	.02		.06	.01			.04	.05	.01	12
13	.05			.62			.04					.08	13
14	.48	.10		.67	.19		.15		.06	.17		.35	14
15	.18	.04		.04	.03					.09		.15	15
16	.06	.60						.34			.06		16
17		.40									.09		17
18	.07	.31	.71				.15				.07		18
19	.61	.20	.57				.42	.66	.35		.14	.05	19
20	.56	.05	.13			.33		.41	.03				20
21		.63					.02		.03			.10	21
22		.03					.12		.13			.06	22
23										.44	.02	.04	23
24						.10				1.10	.03	.35	24
25	.09			.10		.02		.25			.01	.12	25
26	.05		.07					.04			.04	.43	26
27	.17		.04	.26			.03	.69	.03			.04	27
28			.35					.58				.28	28
29			.02	.08				.13		.11	.37	.01	29
30		✕		.09		.25		.52			.46	.62	30
31		✕	.03	✕		✕			✕		✕	.49	31
TOTAL	6.58	3.20	5.02	2.39	.57	.81	2.24	3.70	1.99	2.35	2.26	5.38	YEAR'S TOTAL 36.59
Days with ·01 in. or more	22	12	19	11	7	6	12	11	12	8	17	24	161 days

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] 1797

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

21 JAN 1921

Kept at The Gardens Dillington P.K. Ilminster

in the County of Somerset.

by Wilson Goldthorpe

Lat. .... Long. ....

Time of Observation 9 a.m. 9 a.m.

Nearest Railway Station [illegible]

Diameter of Funnel of Rain Gauge 8 inches

Height of top of Gauge above Ground 3 ft. — in.

" " " " Sea Level 161'4 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04			.11	.43		.44		.05	.13	.25	.80	1
2	.54			.16			.14	.37		.16		.11	2
3	.09			.07			.10		.02	.77			3
4		.05		.06			.22	.42		.38			4
5			.14		.05		.41	.08		.12			5
6			.46		.14		.15			.15			6
7			.04	.24	.02		.68						7
8	.15	.13		.23	.03		.29					.12	8
9	.54	.04		.04		.15	.02						9
10	.94	.06				.25	.27						10
11	.38		.15	.60	.22		.13						11
12	.19	.04		.16		.27	.02				.08		12
13	.19	.04	.60	.08						.07			13
14		.03	.25	.69			.02		.12	.10	.28	.03	14
15		.18	.10	.47	.12	.07				.14	.05		15
16				.05	.02	.03	.19		.25	.12			16
17				.38	.26	.03	.01		.24				17
18	.07		.03	.03	.06	.11	.03	.40	(45)				18
19				.38	.13	.13		.01					19
20		.29		.22		.24						.38	20
21				.02			.09			.01		.06	21
22				.07								.39	22
23							.53					.34	23
24	.03		.21					.03		[illegible]	.35		24
25		.08	.10		.05		.35						25
26	.35		.30		.28		.04				.17	.10	26
27	.83		.17	.08		.15					.04	.34	27
28	.58		.10	.04		.02	.04					.02	28
29	.41		.30	.06		.06			.03		.21	.18	29
30	.05	✕			.03	.10			.47	.03	.44	.34	30
31		✕	.54	✕		✕	.04		✕	.62	✕	.15	31
TOTAL	5.38	.94	3.49	4.24	1.84	1.61	4.21	1.31	1.32	2.80	1.87	3.36 ~~3.22~~	YEAR'S TOTAL 32.39 ~~32.54~~
Days with ·01 in. or more	16	~~5~~10	~~22~~15	22	14	13	22	6	~~7~~ 8	13	9	14	162
Days with ·04 in. or more	15	9	~~22~~14	20	10	10	17	~~2~~ 4	~~5~~ 6	11	9	12	~~134~~ 137

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

ILMINSTER
SOMERSET

1911 - 1920

cnd. 10.IV.12

REGIS 11

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Ilminst

in the County of Somer

by W Beck

ardm

5 in.

ve Ground 1 ft. in.

Sea Level 180 ft.

.30 am

Name Ilminster

Distance 1 mile Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·26	·03			·02	·005			·015	·22	1
2				·14	·02			·01				·02	2
3				·06	·20	·04		·17		·13	·18	·24	3
4		·005	·015		19						·07	·05	4
5			·09			·035			·03	·01	·10	·48	5
6			·07					·57		·105	·11		6
7	·07		·15					·02		·05	·07	·86	7
8	·34										·36	·01	8
9	·04		·115								·005	·80	9
10	·03										·07	·65	10
11	·03	·03	·45		·40						·02	·41	11
12	·30				·01						·65	·07	12
13			·79					·07			·075	·23	13
14			·02						·25	·005	·01	·40	14
15										·03		1·19	15
16	·005	·005				·045					·34	·01	16
17		02	·01			·35					·67	·55	17
18			·07			·12				·13	·115	·81	18
19		·17	·11	·24	05	·45				·03	·07	·63	19
20		·03		·02		·04			·27	·205	·065	·42	20
21	·06	·04	·14	·02		·01			·03	·12		·60	21
22	·005	·15	·005	·005					·12	·60		·12	22
23	·10	·02	03						·08	·29		·37	23
24		·09	03	·01		·37			·01	·15	·05	·19	24
25		·07				·32		·095		·46		·18	25
26		·05		·055		·19		·08	·075	·115		·13	26
27		·03		·28	·60			·01		·185	·04	·19	27
28		·20	·13	·03				·025	·06	·55	·02	·09	28
29				·35				·055		—	·10	·005	29
30				·47		·16	·16	·01	·055	·21	—		30
31				—		—		·01	—	·20		·02	31
		·26	·03			·02	·005			·015	·22		
Total	~~·98~~ ·98	~~·91~~ 1·17	~~2·485~~ 2·255	~~1·71~~ 1·68	~~1·46~~ 1·46	~~2·13~~ 2·15	~~·18~~ ·165	~~1·13~~ 1·125	~~·96~~ ·96	~~3·575~~ 3·59	~~3·205~~ 3·41	~~9·945~~ 9·725	TOTAL for year 28·670
No. of Rain Days.	9 ~~8~~ 9	13 ~~12~~ 14	1 ~~16~~ 17	12 11	7 7	12 13	2 2	13 ~~12~~ 12	10 10	18 19	22 ~~24~~ 22	28 27	~~158~~ 163

28·670

W. 8,000, X. 11.

cnd. 10.IV.12

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at Ilminster

in the County of Somerset 3

by W Beckwith

Rain Gauge
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 180 ft.

Time of Observation 8.30 am

Nearest Railway Station
Name Ilminster
Distance 1 mile Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·26	·03			·02	·005			·015	·22	1
2				·14	·02			·01				·02	2
3				·06	·20	·04		·17		·13	·18	·24	3
4		·005	·015		19						·07	·05	4
5			·09			·035			·03	·01	·10	·48	5
6			·07					·37		·105	·11		6
7	·07		·15					·02		·05	·07	·86	7
8	·34										·36	·01	8
9	·04		·115								·005	·80	9
10	·03										·07	·65	10
11	·03	·03	·45		·40						·02	·41	11
12	·30				·01						·65	·09	12
13			·79					·07			·075	·23	13
14			·02						·25	·005	·01	·40	14
15										·03		1·19	15
16	·005	·005				·045					·34	·01	16
17		02	·01			·35					·67	·55	17
18			·07			·12				·13	·115	·81	18
19		·17	·11	·24	05	·45				·03	·09	·63	19
20		·03		·02		·04			·27	·205	·065	·42	20
21	·06	·04	·14	·02		·01			·03	·12		·60	21
22	·005	·15	·005	·005					·12	·60		·12	22
23	·10	·02	03						·08	·29		·37	23
24		·09	03	·01		·37			·01	·15	·05	·19	24
25		·07				·32		·095		·46		·18	25
26		·05		·055		·19		·08	·075	·115		·13	26
27		·03		·28	·60			·01		·185	·04	·19	27
28		·20	·13	·03				·025	·06	·55	·02	·09	28
29				·35				·055		—	·10	·005	29
30				·47		·16	·16	·01	·055	·21	—		30
31				—		—		·01	—	·20		·02	31
		·26	·03			·02	·005			·015	·22		
Total	~~·98~~ ·98	~~·97~~ 1·17	~~2·485~~ 2·255	~~1·91~~ 1·68	~~1·46~~ 1·46	~~2·43~~ 2·15	~~·18~~ ·165	~~1·13~~ 1·125	~~·96~~ ·96	~~3·575~~ 3·59	~~3·205~~ 3·41	~~9·945~~ 9·725	TOTAL for year 28·670
No. of Rain Days.	9 ~~8~~ 9	13 ~~12~~ 14	15 ~~16~~ 17	12 11	7 7	12 13	2 2	13 ~~12~~ 12	10 10	18 19	22 ~~21~~ 22	28 27	~~158~~ 163

28·670

W. 8,000, X. 11.

FORM A.
BRITISH RAINFALL.

6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Ilminster

in the County of Somerset 3

by W Beckwith

Lat. Long.

Time of Observation 8·30 am

Nearest Railway Station Ilminster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·14			·41	·01	·22	·08	·68		·30	1
2			·26	·02	·03	·08	·17	·08		·05	·075		2
3			·08			·33	·30	·82	·01		·01	·01	3
4	·12		1·15		·005	·08		·07			·22		4
5	·52	·12	·08		·01	·14		·65				·16	5
6	·39	·22	·01		·12	·02	·82	·90				·08	6
7	·015	·43	·22		·05	·94		·10				·15	7
8	·38	·23	·53			·48	·01	·05			·005	·01	8
9	–	·12	·09	·07		·14	·02	·05			·01	·22	9
10	·01	·22	·01	·01				·036			·05	·28	10
11	·08	·09	·03		·005						·035	·41	11
12	·02	·42	·09	·08		·01	·04	·07				·01	12
13	–						·005	·02			·02	·04	13
14	·15		·39		·24	·005		·02				·01	14
15	·52	·045			·21	·38		·005				·28	15
16	·69	·02	·33		·08	·02		·03	·01	·02	·16	·025	16
17	·65		·10			·05		·72					17
18	·18	·01	·40					·21			·065	·04	18
19	·02	·02	·11			·015	·18	·38			·01	·03	19
20	·06	·015	·50		·10	·005	·01	·10		·28			20
21	–	·02	·32		·47		·04	·15		·15			21
22	·40	·23	·04		·04	·005	·06	·04		·16		·06	22
23	·29	·39	~~·18~~					·23		·19	·06	·23	23
24	·10	·015	·015			·29		·15				·22	24
25	·15					·13		·37		·09	·20	·68	25
26		·04					·03	·05		·40	·49	·26	26
27						·40	·64	~~·48~~		1·18	·02	·24	27
28		·06				·04	·14	·28	·26	·64	·48	·63	28
29		·13	·01			·05	·14	·27	·64	·40	·025	·005	29
30			~~·29~~		·01	1·11	·12	·01	·22	·20			30
31			·29				·40			·01		·09	31
Total	4·745	2·845	5·375	·18	1·37	5·13	3·135	6·22	1·22	4·45	1·895	4·42	YEAR'S TOTAL 40·965
Rain Days.	19	20	24	4	11	20	17	27	6	14	16	24	202

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

Kept at Ilminster

in the County of Somerset 3

by W. Beckwith

Lat. .... Long. ....

Time of Observation 8-30 am

Nearest Railway Station Ilminster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·32	·18	·035	·27				·19	·04	·14		1
2	·07	·15		·07	·10		·015		·005	·21	·15		2
3	·23		·04	·015	·22				·04	·02		20	3
4	1·04		·02		·33				·21	·24	·04	16	4
5	·63				·10	·05	·01		·52		·09	26	5
6	06	·04	·18		·02	·18	·21		·005	1·50	·03	37	6
7	02	·33	·01		·53		·35			·48	1·30	005	7
8	·025	·09			·43	·025	·015	·015		·02		005	8
9	—	·05		·015	·17	·05	·38	·07	·05	·02	·27	02	9
10	·27	·01		·005	·07	·01		·02		·38	·15		10
11	·73	·02		·12	·19	·005				·30	1·50		11
12	·01				·30	·02			·01		·18		12
13	·06					·005		·72	·40		·05		13
14	·31		·02	·01			·04		·12	·01	·08		14
15	·30	·025	·18	·50				·01	·07		·02	01	15
16	·11		·39	·07		·01		·04	·085				16
17	·005		·04	·025									17
18	·10		·26	·11							·02		18
19	·18		·14			·04	·01		·37	·07			19
20	·26		·12	·08		·12			·005	·11	·10		20
21	·005		·07	·22	·11						·41	005	21
22	·42		·49	·05		·08	·03	·01	·09			03	22
23	·005		·08			·005		·02			·08	71	23
24	01	·01		·015						·005			24
25	–	·05		·10					·005			04	25
26	—	02		·88				·15	·005	·005		19	26
27	·08		·23	·41				·01		·19			27
28	·10		·06	·45						·41		01	28
29	·09		·65	·30	·01			·12		·24		05	29
30	·49		·005	·005	·01					·46	·005		30
31	·21		·04				·035	·77		·06			31
Total	5·82	1·115	3·155	3·485	2·86	·60	1·095	1·355	2·18	4·66	3·595	2·065	YEAR'S TOTAL 31·985
Rain Days.	24	12	19	19	15	10	10	12	12	18	17	12	180

W.7,000, XI. 13

Ex. W.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Ilminster

in the County of Somerset 3

by W Beckwith

Lat. Long.

Time of Observation 8 30 am

Nearest Railway Station Ilminster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level . ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·005		·02	·02		·025	12	·68			·14	025	1
2				·03	·04	·015	·63	015			·70	64	2
3			·07	·09	·49	~~07~~	·03	·56			·05	07	3
4				·25	·10		·14	·14			·64	52	4
5	·06		·08	·27	·035	·02	·07	005			·07	035	5
6		·16	·01	·11	·025		·81	04			·055	43	6
7		1·03	·085	·04	·09	·03	·15	07	·06		·01	29	7
8	·02	·005	·80	·095	·12	·31	·02	05	·01			11	8
9		·01	·49	27	·04	·57		·15	·83				9
10	·02	·33	·025	08	·01	·02			·61			075	10
11		·14	·40		·08	·33	·46		·01			48	11
12		·13	·05				·005		·16	·05		61	12
13		·29	·41						·12	·32	·22	40	13
14		·17	·37			·95	·02	·62		·19	·40	05	14
15	·01	·01	·17			·01		·45	·065	·06	·07	005	15
16			·005				·005		·21				16
17		·39	·26				·005		·005			73	17
18		·02	·085				·79		·04			52	18
19		·02	·215				1·95		·11		·06	13	19
20		·64	·45		·005	·005	·01					24	20
21		·79	·06			·10		·05		·34		07	21
22		·075			·17	·03	·02	·01		·20			22
23		·125	·30		·015	·04	·03			·37		01	23
24		·04	·005		·21		·005	·005		·56	·05		24
25	·09		·20		·01		·09	·33		·38	·015	35	25
26	·01	·02	·18				·16	·09		·04	·26	77	26
27	·11						·09				·10	16	27
28		·05	·29		·07					·08	·17	1·15	28
29	·15		·20		·15		·035			·17	·50	·02	29
30		X	·04	·01	·02					·31	·43	1·07	30
31	·09	X		X		X	·275		X	·77	X	29	31
Total	·565	4·385	5·27	1·265	1·68	2·455	5·32	3·265	2·23	3·84	3·94	9·19	YEAR'S TOTAL 43·405
Rain Days.	~~9~~ 10	19	~~24~~ 25	11	~~17~~ 18	13	~~20~~ 22	~~14~~ 15	~~11~~ 12	14	18	~~27~~ 26	~~197~~

203 ~~197~~

W. 8,000. X. 14.

Exd 2160

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

3 JAN 1916

Kept at Ilminster

in the County of Somerset 3

by W. Beckwith

Lat. Long.
Time of Observation 8.30 am
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~XX~~ ft. 12 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·62	·10						·26	·11	·28	·11	·14	1
2	·26	·21	·06	·09		·005		·54	·01	·08		·29	2
3	·04	·25	·08	·09	·25		·005	·005			·01	·33	3
4	·02	·16			·03							·24	4
5	·05	·80		·04				·19				·39	5
6	·61	·14		·37			·62					·28	6
7	·26	·37		·11			·12					·22	7
8	·16	·39					·005	·11			·01	·03	8
9	·01	·02		·01				·03			·36	·60	9
10	·13	·06	·03	·06				·11		·10		·03	10
11	·08	·41		·08	·01			·40		·04	·78	·025	11
12	·16	·52		·18	·52			·46		·06	·25	·005	12
13	·02	·55			·88			·21	·09		·09		13
14	·02	·04			·005		·14	·18	·04	·02		·93	14
15	·13				·19		·04	·005		·04	·15	·14	15
16		1·44			·09		·62					·21	16
17		·79			·14		·01	·17				·01	17
18		·25			·015				·005	·01			18
19					·15		·15						19
20	·11			·13		·04				·02		·04	20
21	·14	·03					·09			·16		·06	21
22	·12	·16	·25	·03		·185	·35		·005			·26	22
23		·02	·09				·32		·14	2·27	·02	·29	23
24				·05			·34		·17	·52		·45	24
25			·01	·03		·67	·49					·23	25
26		·11					·24		·02			·93	26
27		·09				·02	·13		·03	·61		·01	27
28		·01				1·12		·005	·77	·06	·01	·01	28
29						·16	·19	·005	·01		·19	·04	29
30	·08					·11	·08			·53	·43	·33	30
31							·04			1·28		·37	31
Total	3·02	6·84	·52	1·23	2·26	2·31	3·96	2·68	1·40	6·08	2·41	6·89	YEAR'S TOTAL 39·60
Rain Days.	19	23	6	13	10	7	18	13	10	16	12	28	177

W. 8,000. X. 15.

[illegible] XT (B)

2098

FORM A.
BRITISH RAINFALL.

5 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Ilminster
in the County of Somt
by W. Beckwith

Lat. Long.
Time of Observation 8·30 am
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16		·02		·80	·03	·05		·15	·14	(~~·40~~)		1
2	·17	·08			·01				03	·29	·17		2
3		1·62			·23				05	·45	·55		3
4	·09	·05			·15	·29			07	·10	·95		4
5			·06		·08	·01				·01	·55		5
6	·01	·15			·13	·02	·52			·12	1·14		6
7	·08	·13	·11		·03	·09	·13			·01	·58	·15	7
8		·07	·10		·22	·25					·22	·09	8
9		·12	·06		·08	·15	·02			·08	·10	·23	9
10	~~·02~~	·32		·03	·03	·02	·02			·02		·20	10
11	·02		·01	·03									11
12	·01	·03	·11	·02	·12		~~·06~~	·06			·01		12
13		·23	·18				~~·43~~	·43					13
14		·42		·01	·04		~~·04~~	·04		·07	07		14
15		·14	·06	·03				·19		·02			15
16	·10	·12		·17	·02		·03	·77		·04			16
17	·11	·14		·06				·04	·16	·37		·01	17
18	·03	·06	·24						·20	05	·45	08	18
19	·10		·61								·11	04	19
20	·14	·42	·30						·13		·03	1·10	20
21	02	·16	·21		·04							·59	21
22			·01		·01	·04				·35	·02	·72	22
23		·01				·03		·27		·08	·20	·05	23
24		·24		04	1·19	·17		·04		(·80) ·89	·03	·32	24
25		04	·12		·02			·52	·05	·03	·13	02	25
26		·44	·05			·36		·04	1·04	·69	·12	~~·07~~	26
27		20	1·27			·02		·24	·24	22		·01	27
28		·40			·08			05	·23	·62		(21) ·28	28
29		·60	03			·27		2·35	·38	31		15	29
30		✕								35			30
31		✕		✕		✕		·05	✕	12	✕	03	31
Total	1·04	6·20	3·55	·39	3·28	1·75	·77	5·11	2·67	5·34	5·77	4·00	YEAR'S TOTAL 39·87
Rain Days.	13	24	18	8	18	14	6	14	12	24	19	17	187

1

REGISTER OF RAINFALL IN 1917

6 9

Kept at Laurel Bank Ilminster
in the County of Somerset
by W. Beckwith

Lat. Long.
Time of Observation 8. 30 am
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 180 ft.

BRITISH RAINFALL FORM A.
2 JAN 1918

7005

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	– [illegible]		·21	·14		·24	·01	·67	·05		·04		1
2	– [illegible]			·28		·07		·02	·10				2
3				·02			·40	·01		·20	·27		3
4		·09	·36				·02			·52		·01	4
5	·07		·38	·18		·12		·57	·13	·10	·08		5
6			·04						·01	·06	·16		6
7	·22						·92	·21		·20	·05	·02	7
8	·07			·08			·35	·37	·03	·25	·06	·09	8
9			·16	·01	·01		·18	·05	·09	·12	·05		9
10	·22		·29	·15				·18		·01			10
11	·01		·83	·27				·39		·15	·07		11
12	·07		} ·18		·22					·18			12
13				·01				·43	·01	·06			13
14			·01	·07			·06	·19					14
15				·01			·73	·12		·21		·31	15
16		·16		·10			·30	·01		·23		·13	16
17				·08	·01	·07	·22	·17	·47	·07			17
18					·03	·02	17		·58				18
19		·38	·08			·06			·15				19
20		·15			·36	·08		·05	·07				20
21	01		·05		·01	·09		·04		·02			21
22			·12					·17		·05			22
23		·10	·02		·06			·29		·12		·03	23
24		·03				·08	34	·06		·05	·09		24
25		·07	·03				·02	·05	·03	·03			25
26					·44	·08		·54	·06	·01			26
27					·39	21		1·14		·02			27
28		02	·09		17	1·90		·12				·04	28
29			·04			73	·16			·62		15	29
30		✕	14				·40	·09		·02			30
31		✕	·05	✕	01	✕			✕	·09	✕		31
Total	·67	1·00	3·08	1·40	1·71	3·69	4·28	5·88	1·78	3·39	·87	·78	YEAR'S TOTAL 28·53
Rain Days.	7	8	18	13	11	13	15	24	13	24	9	8	163

W. 8,000, IX. 17.

126

92

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
7.1.19

Kept at Ilminster
in the County of Somerset
by W. Beckwith

Lat. Long.
Time of Observation 8.30 am
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — ~~in.~~
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04		·01	·09			·69			1·08		1
2		·17		·07				·42		·03	·01	·18	2
3		·13		·09	·13			·06		·04	·02	·02	3
4		·02		·02				·07	·19		1·00	·21	4
5			·21					·22	·26	·14	·01	·05	5
6	·18	·15		·22	·09			·12	·15	·09		·14	6
7		·14			·23				·25	·05	·37	·21	7
8		·21							·24	·24		·05	8
9	·06	·04		·08		·12	·63		·42	·05		·27	9
10	·10			·24			·27		·12	·19	02	·50	10
11			·02	·02			·30		·10	·24	05	·05	11
12		05	·09		·21		·07		·04	·02		·01	12
13	·34				·19		·14		·57	·03		·01	13
14	·15				·01	·06	·09		·11	·14		·20	14
15	1·53			·31	·03	·02	·35		·01	·03		28	15
16	·25		·02	·38			·05		·28	·01		·12	16
17	·60			·27			·29		·02			·18	17
18	1·16		·01			·78	(18)		·28	·03		18	18
19	·15	05	·04				·09		·02	·05		10	19
20	·04	07		·16		·01	·10		·22	·13			20
21	·01	02		·04		·02	·02		·40	·11		22	21
22	·02				·07		·50		·07	·19		09	22
23	·06				07		·68	·04	·03		01	02	23
24		13				·01	·01	·03	·06		09	06	24
25				·10	07		·18	·68		02	08		25
26				·09			27			·05	08	07	26
27	·02	10	·04				01	·07	·19				27
28		08	·27								01	04	28
29		X	·09						1·24	·04			29
30		X	·37						·15	13	09	02	30
31		X	·45	X		X		02	X	·03	X		31
Total	4·67	1·40	1·61	2·10	1·19	1·02	4·23	2·40	5·33	2·08	2·92	3·28	YEAR'S TOTAL 32·23
Rain Days.	15	15	11	15	11	7	19	11	24	24	14	25	190

W. 6,500. VII. 18. W W C

1881

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at Ilminster
in the County of Somerset
by W. Beckwith

Lat. .... Long. ....
Nearest Railway Station Ilminster
RAIN GAUGE. Time of Observation 8.30 am
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 180 — ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·47	01	06		·06		·81		·05	·28		1·05	1
2	·16		·02		·02		·03		·13		·02	01	2
3	·57		·27		·01				·28		·12	·16	3
4	·39	·29	·47			·03		03	·63		·02	·08	4
5	·37	·32	1·10				·24		·31		·09	·04	5
6	·95	·23	·03	·02							·01	·25	6
7	·36		37	07								·05	7
8	40		·20			·01							8
9	·12		·01	·18	·01						56		9
10	·09		·12	·01	·01					07	·05	·49	10
11	—		·32	·10	·22	·01	·24					·10	11
12	·16		·04	·01		·02	·01			·01	·06		12
13	·03	·02	02	·64			·04			06	·01	·09	13
14	·45	·08		·64	·17		·14		·06	04		·32	14
15	·17	·09		·08	·03					·08		·14	15
16	·04	·56						·20			·06		16
17		·40			·03						·09		17
18	·04	·29	·55				·14	·02					18
19	·55	25	54		x	·02	·43	49	·30		·22	·04	19
20	·61	·02	14			29		·43	·02				20
21		·59					·02		·05			·07	21
22		·02	[illegible]				·12		12			·04	22
23			·07							35	·02	·03	23
24				·01		·08				1·03	·02	·40	24
25	·07		05	·08		·03		·23				·11	25
26	·05		05			01			03		·07	·42	26
27	·18		·32	·22			·05	·62				·04	27
28								·60			·36	·27	28
29	·01	—	—	·06				·12		·09		02	29
30		—	·02	·09		·17		·42		·01	41	57	30
31		—	·01	—		—	03		—		—	46	31
Totals	6·18	3·15	4·68	2·16	·56	·69 ·67	2·30	3·16	1·98	1·97	2·19	5·25	34·25
Total from Jan. 1	6·18	9·33	14·01	16·17	16·73	17·40	19·70	22·86	24·84	26·81	2900	34·25	

K/4000/12/04. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

22	14	21	14	8	10	13	10	11	10	17	24	175

Ent. ADB 1795

JAN 192

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Ilminster

in the County of Somerset

by W Beckwith

Lat. Long.

Time of Observation 8.30 am

Nearest Railway Station Ilminster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·10	·40		·42		·05	·12	·23	·63	1
2	·52			·15			·20	·37	·07	·19		·09	2
3	·09	·04		·06			·08			·64		·06	3
4			·04	·01			·21	·45	·01	·37			4
5			·06	·04	·03		·32	·09		·10			5
6			·45		·15		·21			·15			6
7			·02	·18			·63						7
8	·13	·08	·02	·23	·04		·27					·09	8
9	·50	·03	·01	·06		·15	·01						9
10	·82	·06	·03			·22	·32						10
11	·30		·11	·48	·21		·13						11
12	·19	02		·14		·28	·02				·04		12
13	·18	02	·55	·07		·02					·07	.07	13
14	·01	07	·22	·70			·02		·12	·19	·27	.01	14
15		14	·12	·37	·10	·09			·01	·16	·04		15
16				·11	·02	·02	·20		·15	·13	·01		16
17				·43	·23	·01	·07		·37				17
18	·05		·02	·05	·05	·12	·03	·38	·15			·01	18
19	·01			·34	·06	·12							19
20		·2		·18	·01	·25	·01					·28	20
21				·07			·10		·01	·01		·16	21
22	·01			·07			·01	·01				·39	22
23							·54					·28	23
24	02	01	·19					·02			·28	·04	24
25		09	·08		·04		·38						25
26	·33		·27		·88		·04				·14	·10	26
27	·79		·13	·06	·01	·15	·03				·04	·30	27
28	·60		·13	·05		·01	·04					·03	28
29	·40	01	·29	·03		·10					·22	·15	29
30	·06	╳		·03	·02	·14	·01		·40	·01	·41	·29	30
31	·01	╳	·49	╳		╳	·02		╳	·52	╳	·17	31
Total	5·07	·81	3·23	3·95	2·25	1·68	4·26	1·32	1·28	2·59	1·69	3·09	Year's Total 31·22
Days with ·01 in. or more	20	12	19	24	15	14	26	6	10	12	11	18	187
Days with ·04 in. or more	15	7	14	20	10	10	16	4	6	10	9	14	135 ~~23~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

RE

Kept at Whitelack

in the County of Som

by Saml Cread

ILMINSTER

WHITELACKINGTON HSE

SOMERSET

1911- 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

5 in.

Ground 3 ft. in.

Sea Level 200 ft.

M

Name Ilminster

Distance 2½ Direction West

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the rea ear in the space provided for it at the end of thi ment of rain, the selection and placi ritish Rainfall Organization are given in *Rules for Rainfall Observers*, sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·15	·01			·02					1
2				·04	·18			·20		·22	·18	·27	2
3			·02		·22						·07	·06	3
4			·10			·02			·02	·01	·15	·55	4
5	·11		·08					·64		·11	·10		5
6	·37		·13					·02		·05	·08	1·04	6
7	·02										·40		7
8	·01		·11									·92	8
9	·02										·09	·86	9
10	·03	·02	·53		·35						·03	·40	10
11	·34		·01		·01						·70	·10	11
12			·80					·07	·01		·08	·27	12
13			·02						·25	·01	·01	·50	13
14										·04	·36	1·50	14
15			·02			·04					·75		15
16						·34					·13	·67	16
17		·02	·06	·01		·12				·06		·87	17
18		·23	·08	·32	·03	·33				·02	·04	·65	18
19				·03		·06			·31	·20	·05	·47	19
20	·07	·09	·15	·03		·01			·03	·13		·68	20
21		·17							·12	·69		·15	21
22	·12	·02	·04						·07	·35		·49	22
23	·01	·13	·02	·02		·40			·01	·15	·03	·24	23
24		·07				·35		·09		·06		·18	24
25		·07		·07		·25		·05	·07	·12		·13	25
26		·02		·29	·32			·02		·14	·03	·20	26
27		·27	·13	·03	·01			·03	·05	·50	·02	·10	27
28		·28		·37				·06	·01		·14	·01	28
29				·55		·17	·11		·05	·21			29
30						·02		·02		·22	·23	·02	30
31			·02							·02			31
Total	1·10	1·39	2·32	1·91	1·13	2·11	·11	1·22	1·00	3·31	3·67	11·33	TOTAL for year 30·60 ✓
No. of Rain Days.	10	12	17	12	8	12	1	11	12	20	21	25	161 ✓

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE

Kept at Whitelackington

in the County of Somerset 3

by Saml Creed

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 200 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Ilminster
Distance 2½ Direction West

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·15	·01			·02					1
2				·04	·18			·20		·22	·18	·27	2
3			·02		·22						·07	·06	3
4			·10			·02			·02	·01	·15	·55	4
5	·11		·08					·64		·11	·10		5
6	·37		·13					·02		·05	·08	1·04	6
7	·02										·40		7
8	·01		·11									·92	8
9	·02										·09	·86	9
10	·09	·02	·53		·35						·03	·40	10
11	·34		·01		·01						·70	·10	11
12			·80					·07	·01		·08	·27	12
13			·02						·25	·01	·01	·50	13
14										·04	·36	1·50	14
15			·02			·04					·75		15
16						·34					·13	·67	16
17		·02	·06	·01		·12				·06		·87	17
18		·23	·08	·32	·03	·33				·02	·04	·65	18
19				·03		·06			·31	·20	·05	·47	19
20	·07	·09	·15	·03		·01			·03	·13		·68	20
21		·17							·12	·69		·15	21
22	·12	·02	·04						·07	·35		·49	22
23	·01	·13	·02	·02		·40			·01	·15	·03	·24	23
24		·07				·35		·09		·06		·18	24
25		·07		·07		·25		·05	·07	·12		·13	25
26		·02		·29	·32			·02		·14	·03	·20	26
27		·27	·13	·03	·01			·03	·05	·50	·02	·10	27
28		·28		·37				·06	·01		·14	·01	28
29				·55		·17	·11		·05	·21			29
30						·02		·02		·22	·23	·02	30
31			·02							·02			31
Total	1·10	1·39	2·32	1·91	1·13	2·11	·11	1·22	1·00	3·31	3·67	11·33	TOTAL for year ✓ 30·60
No. of Rain Days.	10	12	17	12	8	12	1	11	12	20	21	25	161 ✓

W. 8,000, X. '11.

Exc DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

18 JAN 1913

Kept at Whitelackington

in the County of Somerset 3

by Saml. Creed

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Ilminster
Distance 2½ M Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·15		·01	·55		·15	·09	·77		·35	1
2			·30	·02	·03	·10	·16	·06		·03		·01	2
3	·13		·11			·33	·25	·88	·01		·01		3
4			1·35		·01	·08					·29		4
5	·61	·18	·07		·02	·11		·61	·01			·19	5
6	·50	·19			·12	·03	1·12	·97					6
7		·48	·27		·03	1·05		·11				·16	7
8	·41	·25	·70	·01		·36	·01	·04				·01	8
9	·02	·04	·05	·06		·10	·02	·04				·19	9
10		·22		·01				·02		Fog ·02	·04	·30	10
11	·08	·08	·02								·02	·48	11
12	·02	·46	·08	·10		·01	·04	·05				·01	12
13						·01		·02			·02	·04	13
14	·17		·45		·30	·01		·01				·02	14
15	·69	·06			·18	·41						·30	15
16	·79	·02	·35		·08	·02		·02		·02	·13	·02	16
17	·65		·04		·01	·03		·67				·03	17
18	·08	·02	·44					·19			·03	·02	18
19	·06	·02	·12			·02	·19	·41			·02	·02	19
20	·06	·02	·55		·10		·02	·10		·32			20
21	·01	·10	·36		·78		·02	·14		·17			21
22	·44	·27	·03		·04		·04	·04		·17		·05	22
23	·27	·38	·14					·21		·25	·05	·50	23
24	·10	·02	·02			·33		·14					24
25	·16					·05		·44		·10		·68	25
26		·04					·03	·03		·45	·62	·36	26
27						·39	·73			1·25	·02	·25	27
28		·07				·04	·10	·48	·25	·65	·57	·65	28
29		·18	·02			·01	·09	·29	·75	·49		·02	29
30			·02		·02	1·18	·13		·22	·20			30
31			·30				·38			·02		·08	31
Total	5·25	3·10	5·94	·20	1·73	5·22	3·33	6·12	1·33	4·91	1·82	4·74	TOTAL for year 43·69
No. of Rain Days.	19	20	23	5	14	22	16	25	6	15	12	25	202

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

Ex 88

REGISTER OF RAINFALL IN 1913

Kept at Whitelackington Ilminster

in the County of Somerset

by Saml. Creed

3

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Ilminster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·33	·19	·08	·29				·21	·02	·17	·01	1
2	·07	·15		·07	·11		·02			·15	·15		2
3	·30		·06						·04	·01		·25	3
4	1·11		·03		·35				·35	·16	·03	·21	4
5	·02	·03			·09	·04	·02		·53		·07	·26	5
6	·05	·03	·15		·66	·27	·22			1·70	·05	·38	6
7	·04	·38	·01		·16	·02	·22			·56	·28	·02	7
8	·02	·10			·46	·05	·01	·03		·01		·01	8
9		·04		·02	·11		·28	·08	·04	·03	·27	·02	9
10	·34	·01			·11			·02		·25	·16		10
11	·75	·02		06	·11	·01				·31	1·48		11
12					·33	·04			·01		·20		12
13	·07	·01						·13	·41		·05		13
14	·38		·03	·02			·01		·14	·01	·09		14
15	·29	·04	·24	·61					·11		·02	·02	15
16	·07		·47	·07		·01		·03	·03				16
17			·03	·01									17
18	·15		·33	·11							·02		18
19	·88		·21	·11	·01	·18	·02		·39				19
20	·31		·13							·17	·16		20
21			·16	·16	·13						·46	·10	21
22	·44		·54	·06		·07		·02	·09			·65	22
23			·02			·01		·02			·07		23
24	·02	·02		·02									24
25		·05		·15		·01			·01	·01		·03	25
26				1·02				·15				·24	26
27	·05		·29	·48						·16		·06	27
28	·12		·10	·50						·40			28
29	·10		·66	·31	·02			·11		·24			29
30	·60				·01					·46			30
31	·25						·04	·72		·05			31
Total	6·43	1·21	3·65	3·86	2·95	·71	·84	1·31	2·36	4·70	3·73	2·26	YEAR'S TOTAL 34·01
Rain Days.	23	13	18	18	15	11	9	10	13	18	17	14	179

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

6 - JAN 1915

Kept at Whitelackington House Ilminster 3

in the County of Somerset

by Saml. Creed

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Ilminster

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·05		·02	·10	·25			·13	·03	1
2					·04	·01	·63				·80	·81	2
3			·10	·08	·51		·02	·34			·04	·07	3
4	·06		·01	·25	·10		·12	·12			·68	·61	4
5	·06		·10	·29	·05		·04				·13	·03	5
6		·18	·02	·12	·02		1·02	·04			·11	·47	6
7		1·13	·08	·05	·11	·07	·16	·05	·04		·02	·35	7
8	·02		·92	·09	·14	·33	·02	·03				·13	8
9			·50	·31	·07	·58		·15	1·02			·01	9
10	·02	·36	·03	·08	·05				·27			·01	10
11		·16	·38			·34	·26					·50	11
12		·14	·04						·16	·05		·55	12
13		·30	·40						·08	·32	·30	·42	13
14		·20	·38			·97	·01	·67		·18	·39	·04	14
15		·01	·19				·02	·35	·08	·06	·06	·02	15
16							·02		·19				16
17		·38	·30									·93	17
18		·02	·09				·20		·07			·42	18
19		·02	·59				1·61		·03		·06	·26	19
20		·62	·06									·31	20
21		·91	·04			·25		·04		·47			21
22					·19	·05	·03	·02		·20		·04	22
23		·12	·30		·02	·02	·08			·40			23
24		·07			·21		·01	·01		·35	·04	·02	24
25	·10		·26				·07	·30	·01	·38	·02	·38	25
26	·02	·01	·19				·13	·09		·02	·30	·64	26
27	·15						·01			·02	·11	·13	27
28		·06	·41		·06					·07	·17	1·09	28
29	·15		·12		·21		·07			·17	·59	·02	29
30		X	·04	·01						·27	·46	1·13	30
31	·10	X		X	·02	X	·26		X	·70	X	·38	31
Total	·68	4·69	5·57	1·33	1·80	2·64	4·89	2·46	1·95	3·66	4·41	9·80	YEAR'S TOTAL 43·88
Rain Days.	9	17	25	10	15	10	22	14	10	15	18	28	193

W. 8,000. X. 14.

Exe Del

2161

FORM A.
BRITISH RAINFALL.
8. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Whitelackington

in the County of Somerset

by Saml. Creed

3

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Ilminster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·54	·08						·28	·11	·29	·02	·11	1
2	·39	·25		·14				·33		·07		·30	2
3	·05	·27	·12	·08	·22	·01	·01					·38	3
4	·02	·13			·02							·26	4
5	·07	·85		·03				·18				·39	5
6	·14	·17		·43			·68					·31	6
7	·29	·38		·05			·14				·01	·23	7
8	·10	·36						·10				·02	8
9		·02		·02				·02			·41	·64	9
10	·15	·07	·04	·06				·16		·05		·03	10
11	·07	·37		·09	·02			·36		·02	·87	·03	11
12	·16	·69		·18	·56			·40		·04	·15		12
13	·02	·54			·91			·22	·09	·01	·14		13
14	·02	·02					·14	·19	·04	·02		·97	14
15	·16				·21		·06			·03	·17	·12	15
16		1·50			·06		·55					·18	16
17		·80			·15			·13				·02	17
18		·27			·02								18
19	·01				·14		·16						19
20	·11			·16		·05				·03		·04	20
21	·13	·03					·05		·02	·19		·08	21
22	·13	·09	·26	·02		·05	·40			·01		·27	22
23		·02	·10				·40		·13	2·38	·02	·28	23
24				·05			·36		·19	·46		·50	24
25				·02		·58	·51					·21	25
26		·17					·20		·02			·95	26
27		·03				·40	·04		·01	·61			27
28		·02				·15		·01	·75	·28	·01	·01	28
29						·22	·13	·01			·21	·02	29
30	·09					·07	·03			·68	·60	·40	30
31							·03	·01		1·05		·39	31
Total	2·65	7·13	·52	1·33	2·31	1·53	3·89	2·40	1·36	6·22	2·61	7·14	YEAR'S TOTAL 39·09
Rain Days.	19	23	4	13	10	8	17	14	9	17	11	26	171

W. 8,000. X. 15.

FORM A.
BRITISH RAINFALL.

22. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Whitelackington

in the County of Somerset

by Saml. Creed

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Ilminster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14		·02		·62	·02			·15	·13	·36		1
2	·15	·06			·01				·02	·27	·24		2
3		1·65			·31	·01			·03	·45	·44		3
4	·12	·07			·11	·36				·08	1·15		4
5			·05		·09	·01				·01	·53		5
6	·02	·17	·01		·14	·05	·50			·13	1·10		6
7	·07	·15	·15		·07	·09	·11			·02	·62	·18	7
8		·08	·05		·21	·20					·22	·09	8
9		·06			·08	·20	·03			·13	·07	·23	9
10	·01	·36	·01	·06	·03		·02					·18	10
11	·01	·02	·02	·03			·01						11
12	·02	·02	·12	·02	·08			·05			·01		12
13		·26	·25		·02			·45		·01	·01		13
14		·51	·06		·03			·06		·09			14
15		·10		·10	·02			·20		·02			15
16	·09	·11		·15			·03	·83		·07			16
17	·11	·19	·01	·10				·03	·24	·33	·37		17
18	·03	·08	·26	·01				·01	·22	·05	·05	·11	18
19	·11	·01	·64	·07							·13	·03	19
20	·14	·34	·36					·01			·04	1·43	20
21	·03	·15	·20		·05							·33	21
22				·01	·01	·03		·05		·43	·02	·74	22
23		·09				·05		·26		·09	·20	·09	23
24		·15		·04	1·27			·03			·03	·33	24
25		·50	·13		·02			·50	·04	·73	·14	·03	25
26	·01	·07	·06			·33		·03	·98	·79	·14		26
27		13	1·35			·02		·27	·21	·21			27
28		·35			·03			·06	·21	·68		·24	28
29		·60	·05			·24		2·49	·41	·30		·19	29
30		✕				·02			·01	·37		·03	30
31		✕		✕		✕		·05	✕	·21	✕		31
Total	1·06	6·28	3·80	·59	3·20	1·63	·70	5·38	2·52	5·60	5·87	4·23	YEAR'S TOTAL 40·86
Rain Days.	15	26	19	10	19	14	6	17	11	23	20	15	195

W. 8,000, VIII. 16

2006

FORM A.
BRITISH RAINFALL.
14 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Whitelackington Ilminster
in the County of Somerset
by Saml. Creed

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·23	·43		·19		·76	·05		·03	·02	1
2				·02		·03	·52	·02	·05		·27		2
3				·02				·02		·20		·02	3
4	·06	·08	·31							·46			4
5			·35	·20		·10		·04	·16	·11	·09		5
6			·03							·05	·20		6
7	·19						·75	·20		·28	·04	·02	7
8	·08		·12	·08			·45	·41	·04	·25	·05	·11	8
9			·02	·01	·02		·13	·04	·10	·16	·09		9
10	·24			·19				·21		·01			10
11			·82	·32	·01			·46	·02	·15	·09		11
12	·08		·02		·20					·21	·02		12
13			·13	·01				·30	·01	·06			13
14			·02	·06			·04	·19			·09	·01	14
15				·02			·71	·10		·21		·42	15
16		·15		·10			·30	·02		·25		·07	16
17		·01		·10	·01	·01	·21	·18	·48	·09			17
18		·07			·02	·02	·19		·66				18
19		·40	·08			·06		·01	·13				19
20		·16	·03		·36	·07		·04	·16			·02	20
21			·17			·41		·02		·03			21
22			·02					·15		·04			22
23		·13			·03			·28		·12			23
24		·05	·03			·09	·33	·09		·05	·12		24
25		·10						·07	·03	·03			25
26					·38	·09		·50	·07	·01			26
27					·40	·18		·95		·03			27
28		·02	·09		·19	2·05		·15				·03	28
29			·03		·01	·61	·16			·65		·15	29
30		X	·15				·38	·09		·01			30
31		X	·03	X		X			X	·11	X	·02	31
Total	·65	1·17	2·68	1·56	1·63	3·91	4·17	5·30	1·96	3·57	1·09	·89	YEAR'S TOTAL 28·58 28·58
Rain Days.	5	10	19	13	11	13	12	25	13	24	11	11	167

W. 8,000, IX. 17.

93

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

at Whitelackington Ilminster
in the County of Somerset
by Samuel Creed

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Ilminster 2½ Miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·03		·08	·10			·87		·02	1·39		1
2		·17		·03				·32		·01	·02	·20	2
3		·17		·10	·12			·50	·01	·05	·05		3
4		·16		·01				·05	·23		1·20	·21	4
5			·19		·21			·22	·23	·17		·05	5
6	·19	·16		·23				·07	·12	·13		·15	6
7					·27				·30	·05	·41	·29	7
8	·03	·15							·15	·25		·06	8
9		·20		·07		·11	·77		·39	·03			9
10	·05	·05	·04	·28			·34		·15	·18	·03	·04	10
11			·09				·37		·06	·41	·07	·04	11
12		·04			·20		·06		·07	·01			12
13	·34				·13		·35		·51	·03		·02	13
14	·15			·02	·02	·08	·07		·08	·07		·23	14
15	1·68			·43	·03	·05	·37		·01	·06		·31	15
16	·53			·34		·01	·04		·24	·01		·10	16
17	·33			·25			·27	·01				·20	17
18	1·12		·03			·72	·08		·38	·03		·15	18
19	·17	·05	·03	·01			·18		·03	·06		·14	19
20		·07		·20			·13		·23	·13			20
21		·02	·01	·05		·03	·02		·51	·08		·24	21
22	·02				·07		·55		·09	·29		·11	22
23	·02				·07		·53	·03	·02	·01	·02	·03	23
24	·05	·14				·02	·01	·05	·07		·09	·06	24
25				·07	·03		·14	·75		·02	·07		25
26		·01		·18			·34	·05	·01	·05	·06	·07	26
27	·01	·11					·01		·21	·01	·07		27
28		·09	·05	·01							·01	·06	28
29			·28						1·21	·02	·01	·01	29
30		✕	·39						·14	28	·08	·01	30
31		✕	·44	✕		✕		·03	✕		✕		31
Total	4·71	1·62	1·55	2·36	1·25	1·02	4·63	2·95	5·45	2·46	3·58 ~~5·58~~	2·78	YEAR'S TOTAL 34·36
Rain Days.	15	16	10	17	11	7	19	12	25	27	15	23	197

W, 6,500, VII. 18. w w c

Box. 4/6 [illegible] 1882

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

26 JAN 20

Kept at Whitelackington, Ilminster
in the County of Somerset
by Saml. Creed

Lat. Long.
Time of Observation 9 AM
Nearest Railway Station Ilminster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·51	·01	·05	·02	·10	~~·86~~	·86		·03	·31	·02	1·20	1
2	·16		·01			~~·02~~	·02		·13				2
3	·79		·29						·23		·01	·17	3
4	·57	·32	·57		·03	·03			·65		·11	·11	4
5	·02	·35	1·00				·17		·33		·08	·03	5
6	1·14	·26	·02	·01							·02	·28	6
7	·37		·44	·07	·01				·01			·02	7
8	·48		·24								·02		8
9	·49			·34	·03	·01					·61		9
10	·15		·17							·05	·05	·54	10
11	·07		·36	·09	·22		·30					·08	11
12	·13		·04	·02						·04	·06	·01	12
13			·02	·77		·04	·04			·09		·07	13
14	·52	·09		·86	·15		·06		·05	·09		·31	14
15	·18	·11		·03	·03					·08		·15	15
16		·60						·23			·07		16
17	·06	·58			·01		T				·09		17
18	·04	·02	·67				·13	·02			·05		18
19	·67	·28	·62			·08	·48	·65	·37		·13	·04	19
20	·68	·01	·13			·31		·40	·01		·01	·02	20
21		·62					·03		·03		·02	·07	21
22		·02				·02	·12		·11			·05	22
23			·01							·40		·03	23
24	·10			·01		·08		·01		1·03		·43	24
25	·02			·05		·01	·02	·20				·07	25
26	·04		·13			·01	·01	·03	·03			·45	26
27	·26		·03	·24				·74				·04	27
28			·37					·53			·43	·26	28
29	·01		·02	·06		·01		·13		·09		·02	29
30				·10		·26		(·52)		·01	·50	·59	30
31			·02				·03					·32	31
TOTAL	7·46	3·27	5·21	2·67	·58	·81	2·37	(3·40) ~~2·94~~	1·98	2·19	2·28	5·56	YEAR'S TOTAL (37·84) ~~37·32~~ ✓
Days with ·01 in. or more	23	13	21	14	8	11	13	~~10~~ 11	12	10	17	25	178 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WRL 1796

9 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Whitelackington

in the County of Somerset

by Saml. Creed

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Ilminster

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·12	·24		·40		·05	·19	·27	·78	1
2	·61			·15			·09	·38	·01	·19		·14	2
3	·10	·05		·07			·20		·02	·60		·02	3
4			·03	·01			·23	·26		·36			4
5		·01	·05	·13	·04		·40			·13			5
6			·45		·12		·14	·07		·12	02		6
7			·02	·22	·01		·60						7
8	·14	·11		·22	·03		·32					·07	8
9	·64	·04	·01	·06		·16	·02						9
10	1·07	·08	·02	·01		·23	23						10
11	·52		·10	·50	·20	·01							11
12	·18	·02		·17		·27	·01				·06	·01	12
13	·19	·03	·66	·07						·02		·02	13
14	·01	·07	·24	·84			·01		·12	·22	·33	·01	14
15		·14	·10	·39	·10	·07			·02	·13	·06		15
16		·01		·10	·01	·03	·19		·35	·10	·01		16
17				·35	·22	·02	·01		·31				17
18	·05		·03	·06	·05		·02	·41	·16				18
19	·05			·34	·14	·15		·01				·01	19
20		·24		·20		·24	·01					·44	20
21				·05			·09		·02	·01		·04	21
22				·04			·01	·01				·35	22
23							·57	·01				·28	23
24	·02		·21					·02			·15	·04	24
25	·01	·11	·07		·05		·34						25
26	·30		·28		·16		·03				·17	·09	26
27	1·06		·15	·09	·01	·14					·02	·36	27
28	·62		·08	·02		·01	·03			·02		·02	28
29	·49		·28	·05		·12					·25	·20	29
30	·04	✕		·02	·02	·12	·01		·46	·02	·49	·35	30
31	·01	✕	·57	✕		✕	·01		✕	·30	✕	·15	31
TOTAL	6·15	·91	3·35	4·28	1·60	1·57	3·91	1·37	1·32	2·61	1·83	3·38	YEAR'S TOTAL 32·48
Days with ·01 in. or more	20	12	18	25	15	13	24	8	10	14	11	19	189
Days with ·04 in. or more	16	8	13	21	10	9	13	4	6	10	8	13	131

(44.283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

KEYNSHAM
WEST VIEW RD
SOMERSET
1911 - 1916

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REG 1911

Snowdon

Kept at West View R
in the County of Som
by S. B. Froud

top 5 in.
above Ground 1 ft. 0 in.
„ Sea Level 102 ft.
8·30 am
tion { Name Keynsham
Distance 600 yds Direction N40E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·03	—	0·01	0·06	0·01	—	—	—	—	0·01	0·04	0·01	1
2	—	—	0·01	0·03	0·24	—	—	—	—	0·07	0·35	0·13	2
3	—	—	0·01	—	0·35	—	—	—	—	0·01	0·12	0·02	3
4	—	—	0·19	—	—	—	—	—	0·02	—	0·27	—	4
5	0·03	—	0·03	—	—	—	—	0·18	—	0·02	0·56	0·45	5
6	0·23	—	0·08	—	—	—	—	0·08	—	—	0·13	0·52	6
7	0·01	—	—	—	—	—	—	—	—	—	0·44	—	7
8	0·08	—	0·16	—	—	—	—	—	—	—	—	0·43	8
9	0·14	—	0·04	—	—	—	—	—	—	—	0·09	0·40	9
10	0·03	0·08	0·36	—	0·12	—	—	—	—	—	—	0·32	10
11	0·36	0·03	0·03	—	—	—	—	—	—	—	0·58	0·36	11
12	—	—	0·67	—	—	—	—	—	0·46	—	0·37	0·16	12
13	—	—	0·03	—	0·14	—	—	—	—	0·22	—	0·45	13
14	—	—	—	—	—	—	—	—	—	—	—	0·80	14
15	—	0·03	—	—	—	—	—	—	—	—	0·25	0·08	15
16	—	0·04	—	—	—	0·21	—	—	—	—	0·41	0·33	16
17	—	—	—	—	—	0·05	—	—	—	—	0·03	0·41	17
18	—	0·40	0·09	0·11	—	0·15	—	—	—	0·05	0·02	0·29	18
19	—	0·04	—	0·06	—	0·06	—	—	0·25	0·14	—	0·13	19
20	—	0·01	0·10	0·09	—	0·03	—	—	0·29	0·03	—	0·52	20
21	—	0·21	0·12	0·02	—	0·02	—	0·13	0·06	0·53	0·01	0·35	21
22	0·02	0·08	0·43	0·01	—	0·27	—	—	0·05	0·12	—	0·62	22
23	—	0·18	0·37	0·01	—	0·02	—	0·06	0·13	0·14	0·05	0·21	23
24	0·02	0·16	—	—	—	0·37	—	0·03	—	0·62	—	0·13	24
25	—	0·06	0·01	0·10	—	0·07	—	—	—	—	—	0·20	25
26	—	0·11	—	0·27	0·02	—	0·16	0·12	—	0·20	0·05	0·26	26
27	—	0·26	0·12	0·06	0·03	—	—	0·07	—	—	0·06	0·13	27
28	—	0·41	—	0·50	—	—	—	0·13	—	—	0·03	0·01	28
29	—	}	—	0·06	—	0·03	0·01	—	—	0·28	—	—	29
30	—		0·01	0·02	—	0·38	—	—	0·10	0·20	0·01	0·01	30
31	—		—	}	—	{	—	—	}	0·35	)	—	31
Total	0·95	2·10	2·87	1·40	0·91	1·66	0·17	0·80	1·36	2·99	3·87	7·73	TOTAL for year 26·81
No. of Rain Days.	10	15	20	14	7	12	2	8	8	16	20	27	159

W. 8,000. X. '11.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at West View Rd, Keynsham

in the County of Somerset

by S. B. Froude

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 102 ft.

Time of Observation 8·30 am

Nearest Railway Station
Name Keynsham
Distance 600 yds Direction N 40 E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	—	0·01	0·06	0·01	—	—	—	—	0·01	0·04	0·01	1
2	—	—	0·01	0·03	0·24	—	—	—	—	0·07	0·35	0·13	2
3	—	—	0·01	—	0·35	—	—	—	—	0·01	0·12	0·02	3
4	—	—	0·19	—	—	—	—	—	0·02	—	0·27	—	4
5	0·03	—	0·03	—	—	—	—	0·18	—	0·02	0·56	0·45	5
6	0·23	—	0·08	—	—	—	—	0·08	—	—	0·13	0·52	6
7	0·01	—	—	—	—	—	—	—	—	—	0·44	—	7
8	0·08	—	0·16	—	—	—	—	—	—	—	—	0·43	8
9	0·14	—	0·04	—	—	—	—	—	—	—	0·09	0·40	9
10	0·03	0·08	0·36	—	0·12	—	—	—	—	—	—	0·32	10
11	0·36	0·03	0·03	—	—	—	—	—	—	—	0·58	0·36	11
12	—	—	0·67	—	—	—	—	—	0·46	—	0·37	0·16	12
13	—	—	0·03	—	0·14	—	—	—	—	0·22	—	0·45	13
14	—	—	—	—	—	—	—	—	—	—	—	0·80	14
15	—	0·03	—	—	—	—	—	—	—	—	0·25	0·08	15
16	—	0·04	—	—	—	0·21	—	—	—	—	0·41	0·33	16
17	—	—	—	—	—	0·05	—	—	—	—	0·03	0·41	17
18	—	0·40	0·09	0·11	—	0·15	—	—	—	0·05	0·02	0·29	18
19	—	0·04	—	0·06	—	0·06	—	—	0·25	0·14	—	0·13	19
20	—	0·01	0·10	0·09	—	0·03	—	—	0·29	0·03	—	0·52	20
21	—	0·21	0·12	0·02	—	0·02	—	0·13	0·06	0·53	0·01	0·35	21
22	0·02	0·08	0·43	0·01	—	0·27	—	—	0·05	0·12	—	0·62	22
23	—	0·18	0·37	0·01	—	0·02	—	0·06	0·13	0·14	0·05	0·21	23
24	0·02	0·16	—	—	—	0·37	—	0·03	—	0·62	—	0·13	24
25	—	0·06	0·01	0·10	—	0·07	—	—	—	—	—	0·20	25
26	—	0·11	—	0·27	0·02	—	0·16	0·12	—	0·20	0·05	0·26	26
27	—	0·26	0·12	0·06	0·03	—	—	0·07	—	—	0·06	0·13	27
28	—	0·41	—	0·50	—	—	—	0·13	—	—	0·03	0·01	28
29	—	{	—	0·06	—	0·03	0·01	—	—	0·28	—	—	29
30	—		0·01	0·02	—	0·38	—	—	0·10	0·20	0·01	0·01	30
31	—		—	}	—	{	—	—	}	0·35	}	—	31
Total	0·95	2·10	2·87	1·40	0·91	1·66	0·17	0·80	1·36	2·99	3·87	7·73	TOTAL for year 26·81
No. of Rain Days.	10	15	20	14	7	12	2	8	8	16	20	27	159

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

9- JAN 1913

Kept at West View Rd, Keynsham

in the County of Somerset

by Samuel Baker Froude

RAIN GAUGE
Pattern Snowdon
Diameter of top 5" in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 102 ft.

Time of Observation 9.0 am

Nearest Railway Station
Name Keynshan G.W.R
Distance 600 yds Direction N 40° E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	0.01	0.17	—	—	0.22	0.38	—	0.01	0.77	—	0.23	1
2	—	—	0.11	—	—	0.19	0.21	—	—	0.01	—	—	2
3	—	—	0.05	—	—	—	0.03	0.49	0.08	—	0.02	0.01	3
4	0.20	—	0.87	—	0.22	0.32	—	0.14	—	—	0.14	—	4
5	0.31	0.01	0.11	—	—	—	—	0.56	—	—	—	0.09	5
6	0.41	0.11	0.05	—	0.06	—	0.06	0.61	—	—	0.02	0.13	6
7	0.01	0.17	0.06	—	0.07	0.35	—	0.10	—	—	—	—	7
8	0.31	0.17	0.37	—	—	0.14	0.16	0.04	—	—	—	0.05	8
9	0.03	0.02	0.27	0.18	—	0.01	0.01	0.02	—	—	—	0.40	9
10	—	0.05	0.02	—	—	0.13	—	0.01	—	—	0.05	0.11	10
11	0.08	0.03	—	—	—	0.09	—	—	—	—	—	0.38	11
12	0.01	0.41	0.06	0.06	—	0.06	0.03	—	—	—	0.01	0.06	12
13	—	—	—	—	—	—	—	—	—	—	0.02	0.27	13
14	0.10	—	0.59	—	0.31	0.04	—	0.04	—	—	—	0.06	14
15	0.06	0.14	—	—	0.19	0.52	—	0.02	—	—	—	0.60	15
16	0.50	—	0.17	—	—	0.03	—	0.18	—	0.03	0.07	0.05	16
17	1.07	—	0.06	—	0.03	—	—	0.67	—	—	—	0.35	17
18	0.17	—	0.43	—	—	—	—	0.06	—	0.03	—	0.04	18
19	0.10	—	0.08	—	—	0.19	0.03	0.29	—	0.18	—	—	19
20	0.01	0.06	0.33	—	0.27	—	0.13	0.14	—	0.52	0.04	—	20
21	—	0.04	0.25	—	0.61	—	0.02	0.14	—	0.26	—	—	21
22	0.53	0.31	0.12	—	0.30	—	0.02	0.11	—	0.04	0.01	0.15	22
23	0.20	0.61	0.38	—	—	0.05	0.01	0.87	—	0.13	—	0.35	23
24	0.06	—	0.08	—	—	0.36	—	0.20	—	—	—	0.25	24
25	—	—	—	—	—	0.44	—	0.89	—	0.09	0.61	0.52	25
26	—	0.05	—	—	—	—	0.19	0.28	—	0.50	0.75	0.20	26
27	—	0.01	—	—	—	0.14	0.96	—	—	0.74	0.11	0.69	27
28	—	—	—	—	—	—	0.30	0.46	0.12	0.45	0.36	0.88	28
29	—	0.12	0.02	—	—	0.18	0.48	0.03	0.44	0.39	—	0.08	29
30	—		—	—	—	0.16	0.19	0.02	0.09	0.39	—	—	30
31	—		0.13		0.03		0.48	0.01		—		0.11	31
Total	4.16	2.32	4.78	0.24	2.09	3.62	3.69	6.38	0.74	4.53	2.21	6.06	TOTAL for year 40.82
No. of Rain Days.	18	17	23	2	10	19	18	25	5	15	13	24	189

W. 8,000, X. '11.

V

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
24 JAN 1914

Kept at West View Rd, Keynsham

in the County of Somerset E 4 R

by Samuel Baker Froude

Lat. 51° 24′ 49″ Long. 2° 30′ 5″

Time of Observation 9 a.m.

Nearest Railway Station Keynsham

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0·02	0·16	0·20	0·04	—	—	—	—	0·43	—	0·13	0·02	1
2	0·02	0·17	—	—	0·08	—	0·06	—	0·03	0·20	0·23	0·05	2
3	0·08	0·01	0·21	0·07	0·54	—	—	—	—	—	—	0·38.	3
4	0·80	—	0·14	—	0·43	—	—	—	1·02	0·33	0·02	—	4
5	—	0·04	—	—	0·24	—	0·18	—	0·29	—	—	0·40	5
6	0·01	0·07	0·15	—	0·16	0·21	0·08	—	—	0·65	0·08	0·54	6
7	—	0·22	—	—	0·36	0·25	0·05	—	—	0·21	0·12	—	7
8	—	0·04	0·02	—	0·14	—	—	—	—	0·31	—	0·02	8
9	—	0·08	0·02	—	—	0·21	—	0·61	0·12	—	0·13	—	9
10	0·19	—	—	0·09	—	—	—	0·06	—	0·11	0·11	—	10
11	0·71	—	—	—	—	—	—	—	—	0·05	0·62	—	11
12	—	—	0·03	—	—	—	—	—	0·12	—	0·06	—	12
13	—	—	—	—	—	—	—	0·02	0·25	—	0·17	—	13
14	0·21	—	0·29	0·04	—	—	—	—	0·01	—	0·16	—	14
15	0·16	0·10	0·24	0·91	0·02	—	—	—	—	—	0·10	—	15
16	0·33	—	0·54	0·03	0·10	—	—	—	0·19	—	—	—	16
17	0·02	—	—	0·06	—	—	—	—	0·06	—	0·09	—	17
18	0·10	—	0·18	0·19	0·13	—	—	—	—	—	0·09	—	18
19	0·42	—	—	—	0·01	—	0·05	—	—	—	—	0·01	19
20	0·17	—	0·22	0·07	—	—	—	—	0·06	0·37	0·11	—	20
21	—	—	0·24	0·08	0·28	—	0·07	—	—	—	0·31	—	21
22	0·56	—	0·71	—	—	0·11	—	0·04	—	—	—	—	22
23	—	—	—	—	—	—	—	0·15	0·55	—	0·08	0·18	23
24	—	—	—	—	—	0·05	—	—	—	—	—	—	24
25	—	—	—	0·18	—	—	—	—	—	—	—	0·26	25
26	—	0·07	—	0·32	—	—	—	0·23	—	—	—	0·25	26
27	—	—	0·12	0·08	—	—	—	—	—	0·10	—	0·02	27
28	0·23	—	—	0·14	—	—	—	—	—	0·06	—	0·09	28
29	—		0·67	0·54	—	—	—	—	—	0·17	—	—	29
30	0·55		—	—	—	—	—	0·06	—	—	0·04	—	30
31	0·17		0·08		—		—	0·07		—		—	31
Total	4·75 ✓	0·96 ✓	4·06 ✓	2·84 ✓	2·49 ✓	0·83 ✓	0·49 ✓	1·24 ✓	3·13 ✓	2·56 ✓	2·65 ✓	2·22 ✓	YEAR'S TOTAL 28·22 ✓
Rain Days.	18	10	17	15	12	5	6	8	12	11	18	12	144

✓

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
JAN 1915

Kept at Keynsham (West View Rd)
in the County of Somerset
by S. B. Froude

Lat. 51° 24′ 49″ Long. 2° 30′ 5″ W
Time of Observation 9 a.m
Nearest Railway Station Keynsham
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			0·02	0·05			0·01				0·03	0·03	1
2				0·09			0·86				0·77	0·49	2
3					0·21							0·17	3
4	0·16		0·10	0·13	0·23		0·24				0·53	0·56	4
5	0·06			0·48	0·08		0·18				0·03	0·37	5
6		0·07		0·11			0·05					0·22	6
7		0·68	0·53	0·29	0·31	0·16	0·30		0·01			0·05	7
8	0·06		0·73		0·07	0·50			0·12			0·10	8
9	0·20		0·31	0·21	0·02	0·82		0·56	0·10				9
10									0·24				10
11			0·36	0·03	0·10	0·22	0·22					0·40	11
12			0·04						0·20			0·32	12
13		0·14	0·32								0·03	0·59	13
14		0·55	0·51					0·15	0·22	0·30	0·03		14
15		0·07	0·06					0·37	0·10	0·20	0·33		15
16			0·19						0·05				16
17			0·04				0·04		0·12			0·71	17
18			0·18				0·22					0·34	18
19		0·53	0·46				0·46				0·13	0·05	19
20		0.40	0·04										20
21		0·67				0·52				0·18			21
22		0·03			0·11	0·25				0·08			22
23			0·27		0·05					0·10			23
24			0·08				0·07			0·20			24
25			0·17					0·26		0·34	0·06	0·30	25
26										0·08	0·37	0·51	26
27										0·10	0·41	0·11	27
28		0.16	0·10								0·37	1·20	28
29			0·04		0·05					0·15			29
30	0·19				0·06	0·25				0·24	0·21	0·70	30
31	0·06				0·02					0·24		0·07	31
Total	0·73	3·30	4·55	1·39	1·31	2·72	2·65	1·34	1·16	2·21	3·30	7·29	YEAR'S TOTAL 31·95
Rain Days.	6	10	20	8	12	7	11	4	9	12	13	20	132

W. 8,000. X. 14.

f. MM9

2099

FORM A.
BRITISH RAINFALL.

22 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Keynsham

in the County of Somerset

by Samuel Baker Froude

Lat. 51°24′49″ Long. 2°30′5″

Time of Observation 9 am

Nearest Railway Station Keynsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·39	0·10	–	–	–	–	–	–	0·10	0·32	0·03	0·20	1
2	0·34	0·25	0·17	0·18	–	–	–	0·68	0·02	0·03	–	–	2
3	0·48	0·05	0·06	0·05	–	–	0·05	0·10	–	–	–	0·45	3
4	–	0·01	–	–	–	–	0·97	–	–	–	–	0·40	4
5	0·07	0·65	–	–	–	–	–	0·09	–	–	–	0·20	5
6	0·37	0·02	–	0·26	–	–	0·37	0·04	–	–	–	0·21	6
7	0·41	0·32	–	0·10	–	–	0·41	–	–	–	–	0·19	7
8	0·42	0·29	–	0·04	–	–	–	0·16	–	–	0·09	–	8
9	0·02	0·06	–	0·02	–	–	–	0·01	–	–	0·33	0·93	9
10	0·27	0·04	0·12	0·02	–	–	–	0·35	–	–	0·15	–	10
11	0·03	0·32	0·02	–	–	–	–	0·18	–	–	0·97	–	11
12	0·16	0·50	–	0·17	0·46	–	–	0·20	–	0·02	0·26	–	12
13	0·01	0·38	–	–	1·13	–	–	0·25	–	–	–	–	13
14	0·20	0·01	–	–	–	–	0·20	0·07	0·06	–	~~0~~	0·58	14
15	0·42	0·01	–	–	0·07	–	0·17	0·03	–	–	0·11	0·14	15
16	–	0·72	–	–	0·32	–	0·79	–	–	–	–	–	16
17	–	0·31	–	–	0·02	–	0·02	–	–	–	–	–	17
18	–	0·35	–	–	–	–	0·28	–	–	0·03	–	–	18
19	–	0·06	–	–	0·03	–	–	–	–	–	–	–	19
20	0·29	0·03	–	0·16	–	–	–	–	–	–	–	–	20
21	(snow) 0·11	0·03	–	0·02	–	–	–	–	–	0·09	–	0·33	21
22	0·05	0·44	0·43	–	–	–	0·45	–	–	–	–	0·45	22
23	–	–	0·19	–	–	–	0·18	–	0·09	1·00	–	0·35	23
24	–	–	0·02	0·07	–	–	0·54	–	0·51	0·56	–	0·39	24
25	–	–	–	–	–	0·29	0·30	–	–	–	–	0·07	25
26	–	0·13	–	–	–	0·06	0·18	–	0·03	–	–	0·45	26
27	–	0·10	–	–	–	0·18	0·16	–	0·60	0·30	–	0·01	27
28	–	0·03	–	–	–	–	–	–	0·03	–	–	–	28
29	–	✕	–	–	–	0·20	–	–	–	–	0·07	0·04	29
30	0·21	✕	–	–	–	0·20	–	–	–	0·46	0·25	0·21	30
31	0·02	✕	–	✕	–	✕	0·13	0·26	✕	0·80	✕	0·16	31
Total	4·27	5·21	1·01	1·09	2·03?	0·93	5·20	2·42	1·44	3·61	2·26	5·76	YEAR'S TOTAL 35·23?
Rain Days.	19	25	7	11	6	5	16	13	8	10	9	19	148

W. 8,000. X. 15.

traced by

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

27. JAN 1917

Kept at West View Road, Keynsham

in the County of Somerset

by S. B. Froude

Lat. 51°24′49″ Long. 2°30′5″ w.

Time of Observation 9 am.

Nearest Railway Station Keynsham

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 102 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	~~March.~~ April	~~April.~~ May	~~May.~~ MARCH	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·03	–	–	–	–	–	–	–	0·03	0·30	0·12	–	1
2	0·95	0·04	–	0·21	–	–	–	–	–	1·10	0·04	–	2
3	–	0·76	–	0·04	–	–	0·22	–	–	0·42	0·13	–	3
4	0·31	0·05	–	0·02	–	0·91	–	–	0·20	0·13	0·51	–	4
5	–	0·01	–	0·28	–	0·14	–		–	0·01	0·02	–	5
6	0·12	0·25	–	0·17	–	0·27	–		–	0·06	0·16	–	6
7	0·04	0·02	–	0·19	–	–	0·49	–	–	0·04	0·65	–	7
8	0·01	0·16	–	–	–	0·49	0·02	–	–	0·03	0·50	–	8
9	–	0·43	–	0·14	–	0·27	–	–	–	0·01	0·12	–	9
10	–	0·13	–	0·17	–	0·01	–	–	–	0·08	0·65	–	10
11	–	–	0·10	0·04	0·50	–	0·05	–	–	–	–	–	11
12	0·01	0·13	0·16	0·20	–	–	0·18	–	–	0·13	–	–	12
13	–	0·47	–	0·02	–	–	–	0·19	–	–	0·42	1·90	13
14	–	0·50	–	0·02	0·21	–	–	0·25	–	0·13	–	0·19	14
15	–	0·11	–	0·15	–	–	–	0·29	–	–	–	0·16	15
16	0·04	0·07	0·35	–	–	–	0·07	–	–	0·05	–	–	16
17	0·01	0·14	0·03	–	0·07	–	–	1·05	0·38	0·64	–	–	17
18	–	0·01	0·26	–	–	–	–	0·01	–	0·13	–	0·05	18
19	0·25	0·02	–	–	0·44	–	–	–	–	0·18	–	–	19
20	0·25	–	–	–	0·50	–	0·01	–	0·02	–	–	0·63	20
21	0·15	×0·04	–	0·15	0·66	–	0·12	–	–	–	–	0·75	21
22	0·01	×0·06	–	–	0·01	0·09	–	–	–	0·21	–	0·65	22
23	0·01	×0·01	–	–	0·07	–	–	0·18	–	0·06	–	–	23
24	–	–	0·25	0·57	0·01	0·08	–	0·02	–	0·40	–	–	24
25	–	–	–	–	0·23	–	–	0·31	–	0·02	–	0·15	25
26	0·01	–	–	–	–	–	–	0·44	0·37	0·40	–	–	26
27	0·09	–	–	0·31	2·25	0·27	–	0·06	0·26	0·50	–	0·45	27
28	–	–	–	–	–	0·01	–	–	0·03	1·00	–	0·30	28
29	–	–	0·22	–	0·01	–	–	1·32	0·01	0·64	–	0·75	29
30	–	X	–	–	0·01	0·32	–	0·25	–	0·57	–	0·01	30
31	–	X	–	X	–	X	–	0·05	X	0·20	X	–	31
Total	2·29	3·41	1·37	2·68	4·91	2·86	1·16	4·42	1·30	7·44	3·32	5·99	YEAR'S TOTAL 41·15
Rain Days.	16	20	7	16	13	11	8	13	8	26	11	12	161
			apr	may	mar								

W. 8,000, VIII. 16 × snow : rain

1912
2095

FORM A.
BRITISH RAINFALL
3 JAN 20

corrd for WD

REGIS 19.

2095

KILVE

1919 – 1920

Kept at Kilve
in the County of Somer
by A.E.C. Woodh

ong.
8.0 am
on Williton
Rain Gauge 5 in.
e above Ground 1 ft. in.
„ Sea Level say 50 ft.

IMPORTANT NOTE. and the result entered to the previous day. If an Obse universal rule, he is earnestly requested to add the reading year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	·02	-	·02	·13	·01	·36	·11				·39	1
2	·42		-		·06		·85		·01	·19		·82	2
3	·08		·02				·03		·53		·02	·15	3
4	·23		·22		·07				·08		·14	·49	4
5	·48	·29	·35			·33	·13	·05	·23		·01	·09	5
6	0	·47	·65		·05				·23		·06	·18	6
7	·78	·24	·02									·36	7
8	·41		·13	·11								·03	8
9	·12		·19			·02							9
10	·30		·02	·07	·02						·41		10
11	·02		·32	·10	·07					·16		·19	11
12	·02		·28	·04	·02		·12					·16	12
13	·08		·21			·11	·02			·17	·10	·02	13
14	·01		·04	·25						·05		·03	14
15	·21	·06		·47	·24		·08		·06	·02		·17	15
16	·28	·02		·02	·02					·05		·31	16
17	·08	·78									·10		17
18	0	·45				·01		·02			·27		18
19	·04		·48					·22	·07		·06		19
20	·21	·25	·45			·05	·89	·27	·35		·18	·11	20
21	·29	·04	·20			·14		·32	·03				21
22	·03	·61	·02				·27		·05			·15	22
23	0	·05					·09		·09		·01	·04	23
24	0									·47	·06	·04	24
25	0			·03		·13				1·15	·09	·37	25
26	·06					·06		·40			·05	·08	26
27	·07		·10	·03		·01		·19	·14			·13	27
28	·27		·12	·31		·01	·01	·39				·11	28
29	0		·38					·41			·35	·26	29
30	0			·16				·10		·04	·04	·13	30
31	0		·01					·23		·08		·32	31
	·02	-	·02	·13	·01	·36	·11	-	-	-	·39	·38	
Total	~~4·49~~ 4·51	~~3·28~~ 3·26	~~4·21~~ 4·23	~~1·61~~ 1·72	~~·68~~ ·56	~~·88~~ 1·23	~~2·85~~ 2·60	~~2·71~~ 2·60	1·87	2·33	~~1·94~~ 2·33	5·13 5·09	YEAR'S TOTAL ~~31·98~~ 32·33
Rain days	23 ~~22~~	~~12~~ 11	21 ~~20~~	12	9	11	11	~~12~~ 11	12	10	~~16~~ 17	25	~~172~~ 173

6,500, VII. 18. W W C

1912
2095

FORM A.
BRITISH RAINFALL

3 JAN 20

WD REGIS 19.

Kept at Kilve
in the County of Somerset
by A. E. C. Woodhouse

Lat. Long.
Time of Observation 8·0 am
Nearest Railway Station Williton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level say 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	·02	-	·02	·13	·01	·36	·11				·39	1
2	·42		-		·06		·85		·01	·19		·82	2
3	·08		·02				·03		·53		·02	·15	3
4	·23		·22		·07		·		·08		·14	·49	4
5	·48	·29	·35			·33	·13	·05	·23		·01	·09	5
6	0	·47	·65		·05				·23		·06	·18	6
7	·78	·24	·02									·36	7
8	·41		·13	·11								·03	8
9	·12		·19			·02							9
10	·30		·02	·07	·02						·41		10
11	·02		·32	·10	·07					·16		·19	11
12	·02		·28	·04	·02		·12					·16	12
13	·08		·21			·11	·02			·17	·10	·02	13
14	·01		·04	·25						·05		·03	14
15	·21	·06	·	·47	·24		·08		·06	·02		·17	15
16	·28	·02	·	·02	·02					·05		·31	16
17	·08	·78	·		·						·10		17
18	0	·45	·		·	·01		·02			·27		18
19	·04		·48		·			·22	·07		·06		19
20	·21	·25	·45		·	·05	·89	·27	·35		·18	·11	20
21	·29	·04	·20		·	·14		·32	·03				21
22	·03	·61	·02		·		·27		·05			·15	22
23	0	·05	·		·		·09		·09		·01	·04	23
24	0	·	·		·					·47	·06	·04	24
25	0	·	·	·03	·	·13				1·15	·09	·37	25
26	·06	·			·	·06		·40			·05	·08	26
27	·07	·	·10	·03	·	·01		·19	·14			·13	27
28	·27	·	·12	·31	·	·01	·01	·39				·11	28
29	0		·38		·			·41			·35	·26	29
30	0	X	·	·16	·			·10		·04	·04	·13	30
31	0	X	·01	X	·	X		·23	X	·03	X	·32	31
Total	·02 ~~4·49~~ 4·51	~~3·28~~ 3·26	·02 ~~4·21~~ 4·23	·13 ~~1·61~~ 1·72	·01 ~~·68~~ ·56	·36 ~~·88~~ 1·23	·11 ~~2·85~~ 2·60	~~2·71~~ 2·60	1·87	2·33	~~1·94~~ 2·33	5·73 5·09	YEAR'S TOTAL ~~31·98~~ 32·33
Rain days	23 ~~22~~	11 ~~12~~	21 ~~20~~	12	9	11	11	~~12~~ 11	12	10	~~16~~ 17	25	~~172~~ 173

6,500, VII. 18. W W C

2824
2095

ORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at KILVE
in the County of Somerset
by A. E. C. Woodhouse

Lat. 6·25. Long. 3·25 about
Time of Observation 9·0 a.m.
Nearest Railway Station Williton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10		·	·14	·18		·13	07	·15	·27	·26	·57	1
2	·34		·02	·24	·02		·35	·34	·05	·28		·08	2
3	·07	·03	·	·06		·02	·26	·	·	·71		·07	3
4			·04	·10			·36	·39	·02	·19			4
5			·06		·05			·02	·08	·02			5
6			·21		·02		·16			·20	·02		6
7			·04	·11			·27				·02		7
8	21	·14	·	·24	·14		·83	·02					8
9	24		·03	·34		·25	·05	·01					9
10	81	·06	·07	·61		·27	·12						10
11	43		·23	·34	·24		·05						11
12	10	·02	·	·17		·09	·02				·07		12
13	12	·02	·75	·02			·					·01	13
14		·03	·14	·54		·09	·		·02	·27	·24		14
15		·11	·03	·29	·35	·10	·		·14	·49	·08		15
16			·	·04	·19		·10		·22	·40	·15		16
17	04		·04	·15	·15	·09	·		·10				17
18	09		·	·01	·05		·	·26	·29				18
19	04	·31	·	·25		·42	·	·02	·16				19
20	·08	·11	·	·28		·21	·					·13	20
21			·				·09			·03		·25	21
22			·	·13			·					·45	22
23							·48	·03				·23	23
24	·03		·17				·	·01	·09		·09	·04	24
25		·09	·16				·32					·01	25
26	·21		·29				·			·08	·08	·08	26
27	·41	·03	·14	·11	·22	·57	·09			[illegible]	·16	·32	27
28	·85		·13	·07	·05	·07	·12					·02	28
29	·28		·39		·13						·06	·11	29
30	·03	X	·03	·08		·04	·04		·28		·32	·16	30
31	·14	X	·47	X	·01	X	·08		X	·83	X	·08	31
TOTAL	4·62	·95	3·44	4·32	1·80	2·22	3·92	1·17	1·43	3·69	1·55	2·61	YEAR'S TOTAL 31·72
Days with ·01 in. or more	20	11	20	22	14	12	19	10	11	11	12	16	178.
			16		11	11			9	9	10	13	146

most in month

44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

LANGFORD BUDVILLE
RITHBERDENS
SOMERSET

1911 – 1916

FORM A2.
BRITISH RAINFALL.
5 JAN 1

REGI 1

Kept at Rithurdens ... lla

... ive in.

... Ground ft. 9½ in.

in the County of Somer... Sea Level about 380 ft.

... .m.

by Henry Jones (... C/o Miss Rod... Name Wellington Som.

Distance 2½ m Direction S.

IMPORTANT NOTE.—... the result entered to the previous day. If an Observ... ersal rule, he is earnestly requested to add the reading ... year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·08.	·01.			·01.		·01.	·02.	·02.	1
2					·38,	·01.		·44,		·09.	·27.	·27.	2
3			·02.		·32,			·09.	·02.		·14,	·03.	3
4			·11,	·01.				·10/·01		·12,	·15.	·49	4
5	·18,		·12,					·62,		·02.	·21,	·03.	5
6	·30,		·24,					·01.		·09	·14,	·45.	6
7	·02.			·02.							·60,	·01.	7
8	·06.		·13,								·05,	·54,	8
9	·02.		·01.								·31,	·45.	9
10	·10,	·02.	·53,		·61,						·01.	·23,	10
11	·30,		·02.		·19,						·46,	·11,	11
12			·77,								·18,	·37	12
13									·27,		·05.	·55,	13
14		·02.								·02	·01,	1·02.	14
15		·02.				·08.					·37,	·06.	15
16	·01.	·03.	·01.			·12,					·36	·38,	16
17		·02.	·11,	·02.		·27,					·10,	·73,	17
18		·34,	·13,	·33,	·02.	·35,	·01.			·18,	·12,	·54	18
19		·07.		·22,		·04.			·57,	·16	·08.	·46,	19
20	·04.	·02.	·09.	·12,		·01			·15.	·21,		·47,	20
21		·15,		·02,		·02.			·13.	·84,		·20.	21
22	·07.	·02.	·02.	·06		·15.			·05.	·36,		·57.	22
23		·21,	·01.	·01.		·13,			·07.	·30,	·04	·12.	23
24		·31,				·31.		·23,		·41.		·22.	24
25	·01.	·11,		·12,		·04.		·02.	·06.	·15,		·30,	25
26		·09.	·06.	·37,	·05.	·01.	·01.	·03.		·06.	·06.	·34,	26
27		·42,		·10,	·01.			·15.	·09.	·36,	·01.	·12,	27
28		·30,	·01	·41,	·11.			·11,	·03.		·09.	·01.	28
29				·51,		·26,	·19,		·13,	·28			29
30						·03.	·16,		·01.	·18,	·07.	·04.	30
31							·02.			·09,		·01.	31
Total	1·11.	2·15.	2·41.	2·40.	1·70,	1·83,	0·39.	1·72.	1·58,	3·83,	3·90	9·14.	TOTAL for year 32·16
No. of Rain Days	11	16	18	15	9	15	5	11	12	19	24	30	185

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
5 JAN 19

REGISTER OF RAINFALL IN 1911

Kept at Ritherdens Gardens,
in the County of Somersetshire, 3
by Henry Jones (Gardener)
C/o Miss Rodd

RAIN GAUGE
Pattern Casella
Diameter of top five in.
Height of top above Ground ft. 9½ in.
" " " Sea Level about 380 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wellington Som.
Distance 2½ m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·08	·01			·01		·01	·02	·02	1
2					·38	·01		·44		·09	·27	·27	2
3			·02		·32			·09	·02		·14	·03	3
4			·11	·01				~~·10~~ ·01		·12	·15	·49	4
5	·18		·12					·62		·02	·21	·03	5
6	·30		·24					·01		·09	·14	·45	6
7	·02			·02							·60	·01	7
8	·06		·13								·05	·54	8
9	·02		·01								·31	·45	9
10	·10	·02	·53		·61						·01	·23	10
11	·30		·02		·19						·46	·11	11
12			·77								·18	·37	12
13									·27		·05	·55	13
14		·02								·02	·01	1·02	14
15		·02				·08					·37	·06	15
16	·01	·03	·01			·12					·36	·38	16
17		·02	·11	·02		·27					·10	·73	17
18		·34	·13	·33	·02	·35	·01			·18	·12	·54	18
19		·07		·22		·04			·57	·16	·08	·46	19
20	·04	·02	·09	·12		·01			·15	·21		·47	20
21		·15		·02		·02			·13	·84		·20	21
22	·07	·02	·02	·06		·15			·05	·36		·57	22
23		·21	·01	·01		·13			·07	·30	·04	·12	23
24		·31				·31		·23		·41		·22	24
25	·01	·11		·12		·04		·02	·06	·15		·30	25
26		·09	·06	·37	·05	·01	·01	·03		·06	·06	·34	26
27		·42		·10	·01			·15	·09	·36	·01	·12	27
28		·30	·01	·41	·11			·11	·03		·09	·01	28
29				·51		·26	·19		·13	·28			29
30						·03	·16		·01	·18	·07	·04	30
31							·02			·09		·01	31
Total	1·11	2·15	2·41	2·40	1·70	1·83	0·39	1·72	1·58	3·83	3·90	9·14	TOTAL for year 32·16
No. of Rain Days	11	16	18	15	9	15	5	11	12	19	24	30	185

9,000, IX. '10.

made

Ex. Hob

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
14 JAN 1913

Kept at Rithurdens, Gardens, Wellington.

in the County of Somersetshire. 3

by Henry Jones. – C/o Miss Rodd,

RAIN GAUGE
Pattern Casella
Diameter of top five in.
Height of top above Ground ft. 9½ in.
" " " Sea Level about 380 ft.

Time of Observation 9. a. m.

Nearest Railway Station
Name Wellington Somerset
Distance 2½ m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·21		·01	·41	·04	·05	·07	·92		·43	1
2			·26	·01	·01	·21	·04	·01		·03	·04	·01	2
3		·02	·12			·13	·05	·64	·04		·01	·01	3
4	·14	·01	1·00		·01	·37		·06			·23		4
5	·59	·08	·30			·16	·03	·42				·08	5
6	·69	·22	·03		·19	·25	·40	1·29				·07	6
7	·02	·55	·12		·12	·81		·16				·13	7
8	·35	·16	·28	·01		·29	·12	·14				·06	8
9	·02	·02	·01	·13		·19	·01	·05				·30	9
10	·15	·12	·02	·01		·01		·04	·02		·09	·20	10
11	·06	·09						·01			·10	·40	11
12	·02	·47	·12	·03	·01		·08					·10	12
13	·02	·01	·01				·01	·04		·02	·01	·23	13
14	·11	·02	·85		·12	·01		·05	·01			·02	14
15	·26	·03	·01		·33	·62		·01				·38	15
16	·63	·01	·22		·05	·08		·25		·07	·09	·07	16
17	·19		·10		·06	·04		·81			·01	·09	17
18	·20	·01	·38					·26		·02	·01	·12	18
19	·04	·11	·09			·03	·23	·41		·04		·01	19
20	·06	·06	·33		·14	·01	·11	·46		·55	·03		20
21	·01	·13	·63		·58		·02	·17		·19			21
22	·34	·29	·13		·18	·02	·25	·15		·15	·01	·10	22
23	·55	·50	·28		·02	·05	·01	·61		·18	·12	·38	23
24	·10	·03	·05			·23		·01	·02	·05		·10	24
25	·04	·01	·01			·17		·41		·11	·31	·50	25
26		·05					·01	·12		·54	·52	·31	26
27		·01				·45	·75			1·09	·04	·37	27
28		·12				·03	·31	·49	·28	·34	·39	·59	28
29		·12	·06			·14	·14	·15	·49	·67		·06	29
30			·03			·59	·20	·01	·16	·41			30
31			·35				·23			·02		·10	31
Total	4·59	3·25	6·00	0·19	1·83	5·30	3·04	7·28	1·08	5·40	2·01	5·22	TOTAL for year 45·19
No. of Rain Days.	22	26	27	5	14	24	20	28	8	18	16	27	235

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.
12 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Ritherdens, Langford Budville.
in the County of Somersetshire. 3
by Henry Jones (Gardener) C/o Miss Rodd

RAIN GAUGE
Pattern Casella
Diameter of top Five in.
Height of top above Ground ft. 9½ in.
" " " Sea Level about 380 ft.

Time of Observation 9 a. m.

Nearest Railway Station
Name G.W.R. Wellington, Som.
Distance 2½ m Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·19	·28	·06	·09				·16	·02	·17	·13	1
2	·14	·17	·02	·19	·14		·03		·01	·09	·12	·01	2
3	·12		·11	·03	·22				·10	·04		·43	3
4	1·19		·12	·01	·30				·15	·03	·02	·32	4
5	·02	·01			·16	·16			·40		·08	·31	5
6	·02	·06	·20		·01	·12	·09		·01	·79	·03	·31	6
7	·01	·41	·02		·74	·25	·05			·53	·18	·01	7
8	·01	·08			·48	·02		·03					8
9		·07		·05	·20	·14	·01	·04	·01		·25	·01	9
10	·44			·02	·12		·01	·01	·01	·37	·20		10
11	·64	Fog ·01		·09	·12	·02		·02		·05	1·17	·02	11
12	·01	Fog ·01				·01			·01		·40	·01	12
13	·09	Fog ·01	·02				·05	·13	·44		·09		13
14	·23	Fog ·01	·17	·05			·03	·01	·01		·29	·01	14
15	·21		·53	·83					·10		·08	·02	15
16	·16		·71	·05		·02	·02	·29	·30				16
17	·03		·04	·11			·01				·02		17
18	·18		·22	·13							·06		18
19	·47		·13		·05	·04	·01		·35	·02			19
20	·43		·18	·16						·06	·12		20
21			·14	·04	·12						·30		21
22	·85		·83			·09	·01	·02	·09			·06	22
23			·03			·02		·02		·02	·06	·65	23
24	·04	·07		·05						Fog ·01	·04		24
25		·05		·24					·04	Fog ·02	·01	·02	25
26				·88				·15		·01		·22	26
27	·11		·24	·20						·64		·06	27
28	·12		·08	·28	·02					·51		·14	28
29	·08		·54	·26	·01			·01		·25	·01	·01	29
30	·57				·01					·50	·05		30
31	·25		·07		·20			·92					31
Total	6·42	1·15	4·68	3·73	2·99	0·89	0·32	1·65	2·19	3·96	3·75	2·75	TOTAL for year 34·48
No. of Rain Days.	25	13	21	20	17	11	11	12	16	18	22	19	205

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
6 - JAN 1915

Kept at Ritherdens, Wellington,
in the County of Somerset. Ep 3 R
by H Jones. – Gardener – to Miss Rodd

Lat. Long.
Time of Observation 9. a. m
Nearest Railway Station Wellington, Som.
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground ft. 9½ in.
" " " " Sea Level about 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·10		·06	·35	·27			·22	·10	1
2			·04	·16	·03		·48				·37	·52	2
3	·02		·17	·18	·43			·04				·10	3
4	·09		·07	·27	·06		·23	·22			·47	·60	4
5	·09		·11	·44	·11		·03	·01			·01	·12	5
6		·06	·05	·22	·05		·25	·02			·02	·20	6
7		·45	·15	·15	·12	·05	·28	·10	·03			·20	7
8	·06		·94	·09	·25	·51		·09					8
9	·03	·03	·31	·20	·06	·55		·11	·52				9
10	·08	·13	·03	·18	·05	·05			·52		·02	·03	10
11		·08	·55		·08	·24	·10				·10	·52	11
12		·33	·07						·24	·03	·02	·51	12
13		·30	·43				·02		·19	·36	·28	·15	13
14		·22	·38			·77	·01	·76	·02	·16	·37	·01	14
15			·21				·02	·60	·09	·03	·25		15
16			·05						·17			·01	16
17		·58	·31				·02		·01			·93	17
18		·08	·05			·13	·04		·11	·07		·42	18
19		·03	·53				[illegible] 2·96		·04		·10	·08	19
20		·25	·27			·07						·29	20
21		·61				·07				·15		·08	21
22		·04			·15	·37		·01		·76			22
23		·12	·17			·05	·05			·32			23
24			·02		·02		·02	·10		·03	·16	·03	24
25	·12		·46				·13	·45		·44	·02	·27	25
26	·04		·13				·05	·10		·02	·20	·47	26
27	·01									·09	·19	·39	27
28	·02	·09	·18		·06					·18	·09	·87	28
29	·20		·06		·09					·20	·41	·06	29
30			·06			·03				·30	·35	·87	30
31	·02						·38			·77		·31	31
Total	0·78	3·40	5·81	1·99	1·56	2·95	5·42	2·88	1·94	3·91	3·65	8·14	YEAR'S TOTAL 42·43
Rain Days.	12	16	27	10	14	13	18	14	11	16	19	26	196

W.7,000, XI. 13

3 made

2173

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
- 6. JAN 1916

Kept at Ritherdens, Wellington,

in the County of Somersetshire.

by Henry Jones, gardener to Miss Rodd.

3

Lat. Long.

Time of Observation 9 a. m.

Nearest Railway Station Wellington Som.

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground — ft. 9½ in.

" " " " Sea Level About 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·12			·01			·57	·11	·40	·03	·10	1
2	·16	·32	·14	·04		·02		·81	·03	·21		·73	2
3	·02	·15	·09	·05	·13		·05					·50	3
4	·13	·10			·03		·08					·32	4
5	·08	·50		·05				·11				·35	5
6	·74	·08		·31			·58	·02				·18	6
7	·43	·32		·07	·41		·14	·01				·31	7
8	·23	·27						·11			·08	·09	8
9	·02	·04		·09				·25			·40	·93	9
10	·22	·26	·02	·04		·02		·42		·06	·03	·04	10
11	·35	·53	·02				·03	·20			·96	·05	11
12	·21	·52		·05	·56			·32		·07	·33	·01	12
13	·03	·35			·73		·02	·03	·10		·25	·04	13
14	·07						·06	·16	·06	·03		1·00	14
15	·17	·03			·29		·14		·03		·28	·13	15
16	·02	·93			·12		·79					·02	16
17		·29			·14			·05				·01	17
18		·28								·01	·01		18
19	·01	·02			·05		·18						19
20	·19			·07		·05				·09		·04	20
21	·28	·02					·05		·03	·15		·09	21
22	·07	·04	·41	·10		·03	·41		·02			·24	22
23		·03	·11			·06	·37		·02	·95	·01	·57	23
24				·03			·23		·06	·30		·38	24
25				·02		·36	·34					·23	25
26	·02	·17							·02			·71	26
27		·10				·14	·02			·46		·01	27
28		·05				·02			·52	·12	·01	·02	28
29						·12		·01	·01		·08	·08	29
30	·18						·03			·53	·24	·43	30
31							·06			·70		·27	31
Total	3·97	5·52	0·79	0·92	2·47	0·82	3·58	3·07	1·01	4·08	2·71	7·88	YEAR'S TOTAL 36·82
Rain Days.	22	24	6	12	10	9	18	14	12	14	13	29	183

W. 8,000. X. 14.

W Df

2111

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
3 JAN 1917

Kept at Ritherdens, Langford Budville,
in the County of Somersetshire
by Henry Jones, Gardener, C/o Miss Rodd

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Wellington, Som.
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground — ft. 9½ in.
" " " " Sea Level about 380 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·15		·01		·82	·05	·36		·09	·19	·19	·01	1
2	·39	·07			·04				·07	·32	·26		2
3		1·09			·22	·01			·15	·37	·37		3
4	·04	·17			·20	·42			·09	·12	·77		4
5	·08	·02	·09		·16	·05				·02	·45		5
6	·04	·18	·02		·24	·10	·52			·05	·42		6
7	·05	·20	·12		·12	·09	·03			·01	·96	·15	7
8		·15	·11		·19	·34					·47	·10	8
9		·07			·12	·15	·02			·12	·13	·25	9
10		·39		·08	·03					·03		·12	10
11			·02	·10	·02	·01			·01				11
12	·06	·11	·09	·06	·11		·05	10		·03			12
13		·40	·10	·04				·37		·01			13
14	·02	·50			·08			·02		·04			14
15	·03	·21	·07	·11				·38		·05			15
16	·10	·19		·16			08	1·94		·08			16
17	·11	·19		·07				·01	·29	·24	·53		17
18		·25	·21	·05					·22	·15	·01	·03	18
19	·12	·02	·33	·14							·08		19
20	·17	·43	·34								·11	·73	20
21	·08	·12	·21		·07							·35	21
22				·01		·06		·04		·26	·03	·51	22
23		·16		·04		·07		·15		·18	·12	·18	23
24		·24	·02	·05	·36	·01		·04		·81		·19	24
25		·45	·17					·37	·05	·01	·17	·08	25
26		·09	·09			·15		·24	·50	·80	·04		26
27	·03	·04	1·40			·05		·35	·35	·54			27
28		·14			·23			·07	·20	·33		·48	28
29		·53	·20			·30		1·73	·15	·22		·34	29
30								·01		·21		·04	30
31								·07		·18		·04	31
Total	1·47	6·41	3·60	0·91	3·01	1·86	1·06	5·89	2·17	5·37	5·11	3·60	YEAR'S TOTAL 40·46
Rain Days.	15	26	18	12	16	15	6	16	12	26	17	16	195

W. 8,000. X. 15.

~~Day~~ W. REGIS 11

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

LANGPORT
HUISH EPISCOPI
BROOKLANDS

SOMERSET

1911 - 1920

Kept at Brooklan

in the County of Somers

by Miss A. M.

in.
ove Ground ft. in.
, Sea Level ft.
9-a.m.

Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·30				·02					·03	1
2			~~·30~~				·02				·08		2
3				·10	·15			·12		·42	·01	·14	3
4					·10						·16	·06	4
5			·07								·02	·28	5
6								·60		·05	·08	·03	6
7			·14							·01	·10	·43	7
8											·02		8
9	·02		·14								·20	·63	9
10												·55	10
11			·11		·40						·12	·12	11
12	·33										·04	·15	12
13			·83					·06			·48	·25	13
14											·04	·35	14
15		·05								·01		1·03	15
16						·05					·41	·01	16
17						·31					·20	·11	17
18	~~·35~~					·10			·18		·07	·44	18
19		·12		·16		·11				·02	·02	·33	19
20		·09		·06		·14			·11	·18	·11	·37	20
21		·03	·12	·01					·03	·08		·37	21
22		·05	·07						·03	·50		·12	22
23	·10		·12	·01					·03	·23		·26	23
24		·09	·05			·15			·14	·10	·01	·06	24
25		·09				·44		·02		·48		·18	25
26		·09		·10		·12				·94		·07	26
27		·04		·17	·12					·06	·02	·31	27
28		·16	·03	·03				·03	·10	·05	·05	·14	28
29				·29	·02	·20		·12			·06		29
30				·38			·10		·05	·15	·02		30
31								·12		·10			31
Total	— ~~·45~~	·30 ~~·83~~	~~1·98~~ ~~1·98~~	— ~~1·31~~	— ~~·79~~	·02 ~~1·65~~	— ~~·12~~	— ~~1·07~~	— ~~·67~~	— ~~2·18~~	·03 ~~2·32~~	— ~~6·84~~	TOTAL for year 20·19 ~~20·26~~
No. of Rain Days	4	~~10~~ 11	~~11~~ 10	10	5	~~9~~ 10	~~2~~ 1	7	8	16	~~22~~ 23	~~26~~ 25	130
9,000, IX. '10.	·45	1·13	1·68	1·31	·79	1·67	·10	1·07	·67	2·18	2·35	6·81	20·24

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

~~wrong day~~ WD.

REGISTER OF RAINFALL IN 1911

for wrong day 29·III·12

Kept at Brooklands, Langport

in the County of Somersetshire 3

by Miss A. M. Kelway

RAIN GAUGE
Pattern
Diameter of top ______ in.
Height of top above Ground ______ ft.
" " " Sea Level ______ ft.

Time of Observation 9 - a.m.

Nearest Railway Station
Name
Distance ______ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·30				·02					·03	1
2			~~·30~~				·02				·08		2
3				·10	·15			·12		·42	·01	·14	3
4					·10						·16	·06	4
5			·07								·02	·28	5
6								·60		·05	·08	·03	6
7			·14							·01	·10	·43	7
8											·02		8
9	·02		·14								·20	·63	9
10												·55	10
11			·11		·40						·12	·12	11
12	·33										·04	·15	12
13			·83					·06			·48	·25	13
14											·04	·35	14
15		·05								·01		1·03	15
16						·05					·41	·01	16
17						·31					·20	·11	17
18	~~·35~~					·10			·18		·07	·44	18
19		·12		·16		·11				·02	·02	·33	19
20		·09		·06		·14			·11	·18	·11	·37	20
21		·03	·12	·01					·03	·08		·37	21
22		·05	·07						·03	·50		·42	22
23	·10		·12	·01					·03	·23		·26	23
24		·09	·05			·15			·14	·10	·01	·06	24
25		·09				·44		·02		·48		·18	25
26		·09		·10		·12				·94		·07	26
27		·04		·17	·12					·06	·02	·31	27
28		·16	·03	·03				·03	·10	·05	·05	·14	28
29				·29	·02	·20		·12			·06		29
30				·38			·10		·05	·15	·02		30
31								·12		·10			31
Total	~~·45~~	·30 ~~·83~~	~~1·98~~	~~1·31~~	~~·79~~	·02 ~~1·65~~	~~·12~~	~~1·07~~	~~·67~~	~~2·18~~	·03 ~~2·32~~	~~6·84~~	TOTAL for year ~~20·26~~
No. of Rain Days	4	~~10~~ 11	~~11~~ 10	10	5	~~9~~ 10	~~2~~ 1	7	8	16	~~22~~ 23	~~26~~ 25	130
	·45	1·13	1·68	1·31	·79	1·67	·10	1·07	·67	2·18	2·35	6·81	20·29

9,000, IX. '10.

Somerset

cal fr auth 28.11.13 ..WD

REGISTER OF RAINFALL IN 1912.

FORM A.
BRITISH RAINFALL.

1 JAN 1913

Kept at Brooklands HRM

in the County of Langport Somerset B

by Miss A. M. Keluay.

Lat.   Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge   in.

Height of top of Gauge above Ground   ft.   in.

"   "   "   " Sea Level   ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·32			·14	·14		·20			1
2			·05			·22		·03	·02	·60		·22	2
3			·13			·12	·12				·06		3
4			·11			·31	·04	·60					4
5	·15		·37			·09					·37	~~·15~~	5
6	·37		·24			·02		·28				·05	6
7	·31	·23			·15	·02	·26	·36				·03	7
8	·06	·30	·22		·05	1·03		·45				·07	8
9	·20	·14	·28			·46	·09						9
10				·05		·10	·02					·37	10
11	·03	·14						·24				·17	11
12	·04	·03										·26	12
13	·04	·45	·09				·03	·41					13
14													14
15	·10	·01	·40		·22								15
16	·16	·03			·18	·43						·21	16
17	·65		·10		·05						·05	·03	17
18	·57		·03			·03		·43				·06	18
19	·05		·30					·22				·12	19
20			·09				·14	·12					20
21	·03		·39		·25		·04	·38		·30			21
22		·05	·27		·52			·05		·12			22
23	·30	·11			·40	·03		·20		·10		·03	23
24	·20	·35	·15					·48		·08	·09	·20	24
25	·10	·01				·12		·03				·14	25
26	·06					·11		·63		·17	·22	·56	26
27						·17	·07	·21		·27	·31	·19	27
28							·54			·66	·05	·19	28
29		·04						·22	·11	·45	·57	·48	29
30							·15		·48	·26	·03	·04	30
31							·17			·15			31
Total	– ~~3·42~~	·03 ~~1·89~~	·32 ~~3·25~~	– ~~·37~~	– ~~1·82~~	·14 ~~3·26~~	·14 ~~1·81~~	– ~~5·48~~	·20 ~~·61~~	– ~~2·36~~	– ~~1·75~~	·03 ~~3·52~~	YEAR'S TOTAL ~~29·56~~
Rain Days.	3·42 18	1·92 13 14	3·54 17	·05 2	1·82 8	3·40 15 16	1·81 13	5·34 18 19	·81 3 4	3·16 12	1·75 9	3·55 20	30·57 149

149

W. 7,500, XI. ·12

Forwarded ✓ Cnd for arith. - - WD 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Brooklands

in the County of Langport. Somerset

by Miss A. M. Kelway.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·15							·59				1
2		·30	·09	·29	·23				·21		·11	·33	2
3	·06	·09		·03	·07		·03		·03	·05	·05		3
4	·14		·02		·56				·03	·18		·15	4
5	·71				·39		·07		·27	·16		·15	5
6					·14	·16			·21	[illegible]	·03	·19	6
7		·04	·04		·07	·16	·11			1·18	·05	·36	7
8	·03	·19			·22	·03	·17			·26	·19		8
9					·22		·03			·04			9
10		·03			·08	·03	·75	·45	·03	·35	·16		10
11	·13				·02			·05		·19	·11		11
12	·64			·20	·18						·96		12
13					·17				·06		·36		13
14								·08	·45		·12		14
15	·19		·16	·03					·15		·33		15
16	·27	·05	·20	·21				·03	·12		·03		16
17	·26		·41	·03					·12				17
18			·02										18
19	·10		·12		·03	·05					·07		19
20	·55		·07			·20			·51		[illegible]		20
21	·05		·07	·11					·03	·09	·03		21
22			·02	·15	·18		·05				·33		22
23	·77		·38	·18		·08		·03	·21				23
24											·04	·57	24
25								·21					25
26		·06		·04					·03			·03	26
27		·02		·43				·16				·15	27
28	·11		·15	·12						·13		·03	28
29	·09		·06	·28						·35		·03	29
30	·09		·38	·28				·15		·15			30
31	·22									·33			31
Total	·15 ~~4·41~~ 4·56	~~·93~~ ·78	2·19	2·38	2·56	·71	1·21	·59 ~~1·46~~ 1·75	~~3·05~~ 2·46	3·46 3·46	2·94	1·19	YEAR'S TOTAL ~~26·45~~ 26·22
Rain Days.	18	~~7~~ 8	15	14	14	7	7	~~8~~ 9	~~16~~ 15	13	16	10	14~~7~~ 146

W.7,000, XI. 13

Cwd [illegible] for WD 12.11.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

2 - JAN 1915

Kept at Brooklands

in the County of Langport Somerset

by Miss A. M. Kelway.

3

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·21

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03	·03					·12			·44	·33	1
2			·03	·04		·04	·14	55			·07	·08	2
3			·06	·06			·55				·96	·32	3
4			·15	·11	·21		·07	·61			·09	·02	4
5	·11		·03	·14	·05		·08	·22			·27	·37	5
6	·04		·15	·23	·09		·02				·12	·03	6
7		·14	·03	·11	·02		·85	·03			·19	·12	7
8	·03	·42	·12	·09	·18		·42	·03	·03		·03	·12	8
9	·03	·03	1·04	·05	·07	·46		·04	·03			·02	9
10			·39	·11	·09	·86		·12	·86				10
11	·04	·11	·03	·05	·03	·03			·29			·03	11
12		·12	·18		·09	·21	·12		·05			·50	12
13		·12	·09						·19			·24	13
14		·14	·33						·12	·22	·35	·28	14
15		·12	·19			·29		·50	·03	·12	·23	·05	15
16							·47	·45	·11		·12	·03	16
17			·05				·04		·05			·03	17
18		·12	·24									·41	18
19		·03	·07				·17					·45	19
20		·09	·51				·86		·03		·06	·11	20
21		·33	·10					·03				·32	21
22		·56				·19		·06		·28		·03	22
23		·04			12	·30		·03		·21			23
24		·06	·23		·03	·09	·03			·22			24
25		·03			·03		·04			·31	·06		25
26	·05		·42		·03		·29	·17		·22	·06	·19	26
27	·03	·03					·57	·03		·01	·14	·41	27
28	·18						·03			·17	·09	·09	28
29			·15		·03					·12	·12	1·02	29
30	·03	X	·14		·27		·14			·08	·18	·07	30
31		X	·03	X		X			X	·22	X	·66	31
	·03	·03	–	–	·2	–	·12	–	–	·44	·33	·21	YEAR'S TOTAL
Total	·54	2·52	4·70	·99	1·24	2·47	4·89	2·99	1·79	2·18	3·58	6·35	34·53
	·57	2·52	4·76	·99	1·34	2·47	5·01	2·87	1·79	2·62	3·47	6·23	34·64
Rain Days.	~~9~~ 10	18	~~25~~ 24	10	15	9	~~18~~ 19	~~15~~ 14	11	~~12~~ 13	18	27	~~186~~ 188

W. 8,000. X. 14.

corrected for W.D. 11.v.16. corr pr arith 6.V.16 2180

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 1. JAN 1916

Kept at Brooklands Langport
in the County of Somerset.
by Miss A. M. Kelway.

3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21		·06				·18	·04			·53	·38	1
2	·41	·15			·03			·14	·35	·28		·07	2
3	·21	·21	·08	·07		·09		·16	·08	·07		·56	3
4	·03	·11	·05	·15	·21		·13					·45	4
5	·05	·05			·03							·17	5
6	·12	·58		·04				·38				·21	6
7	·53	·11		·17			·55	·03				·16	7
8	·22	·22		·09			·15					·24	8
9	·20	·25						·11			·03	·05	9
10		·05		·03							·25	·65	10
11	·14	·03		·06				·05		·03		·05	11
12	·05	·07		·07				·28		·02	·66	·09	12
13	·25	·38		·07	·54			·22		·03	·09	·03	13
14	·03	·48			·53			·33	·08		·12	·06	14
15	·06	·03					·10	·26	·08	·03		·42	15
16	·11				·21		·08				·16	·08	16
17		·45			·16		·51					·14	17
18		·52			·55							·04	18
19		·16			·03								19
20		·03			·07		·12						20
21	·15			·14								·06	21
22	·15						·03			·07		·12	22
23	·11	·12	·41	·03		·03	·37					·14	23
24		·03	·05				·17			1·53		·41	24
25				·05			·12		·25	·53		·39	25
26				·03		·50	·68					·16	26
27		·03					·42					·54	27
28		·12				·44	·03			·41			28
29						·06			·72	·09		·03	29
30		X				·08	·94	·03			·11	·07	30
31	·09	X		X		X	·03		X	·35	X	·32	31
Total	— ~~3·12~~ 2·91	·06 ~~4·18~~ 4·24	— ~~·65~~ ·59	— ~~1·00~~ 1·00	— ~~2·36~~ 2·36	·18 ~~1·20~~ 1·38	·04 ~~4·61~~ 4·47	— ~~2·03~~ 1·99	— ~~1·56~~ 1·56	·53 ~~3·44~~ 3·97	·38 ~~1·95~~ 1·80	·11 ~~6·79~~ 5·82	YEAR'S TOTAL ~~31·29~~ 32·09 ✓
Rain Days.	~~19~~ 18	~~22~~ 23	~~5~~ 4	13	10	~~6~~ 7	17	~~12~~ 11	6	~~12~~ 13	8	28	158 ✓

W. 8,000. X. 15.

[made]

and for ault ffor W.P. C J E

2117

REGISTER OF RAINFALL IN 19*16*.

FORM A. BRITISH RAINFALL.
2 JAN 1917

Kept at Brooklands, Huish Episcopi, Langport

in the County of Somerset

by Miss A. M. Kelway

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·06.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·64						·04	·03	·11		1
2	·09	·03	·03		·46				·11	·15	·15		2
3	·09	·04			·04				·03	·39	·16		3
4		·96			·16	·02			·07	·29	·22		4
5	·11	·05			·14	·22	·18		·11	·15	·92		5
6	·07	·03	·04		·37	·18				·03	·15		6
7	·03	·16			·14	·08	·33			·07	·48		7
8	·03	·09	·12		·04	·09	·19			·05	·51		8
9	·03	·12	·03		·19	·03					·35	·33	9
10		·09			·03	·19	·03			·14	·07	·15	10
11	·03	·54		·03	·03	·03	·11			·03		·05	11
12	·03		·07	·03									12
13	·04	·03	·03	·07	·12		·03	·19		·03			13
14		·23	·23	·03	·03		·03	·41					14
15	·03	·27			·08			·03		·09			15
16	·02	·06	·05	·14				·38		·03			16
17	·05	·11		·17			·03	·86		·10			17
18	·04	·21		·07				·03	·31	·32	·25		18
19	·03	·06	·23	·03					·12	·04	·12	·03	19
20	·09		·52	·04							·15		20
21	·07	·27	·37	·03							·04	·92	21
22	·05	·11	·23	·05	·07							·57	22
23	·03			·03						·35	·07	·66	23
24	·02	·09		·03		·07		·28		·12	·06	·06	24
25		·21			1·20			·04		·50	·03	·28	25
26		·41	·11		·05	·02		·40	·03	·02	·11		26
27			·09			·42		·08	1·31	·50	·03		27
28	·05	·11	1·09			·03		·44	·27	·15			28
29		·25			·05			·07	·26	·41		·15	29
30		X	·03			·22		1·50	·48	·18		·18	30
31		X		X		X			X	·25	X		31
	√	·64	√	√	—	—	√	·04	·03√	·11√	√	·06	YEAR'S TOTAL
Total	~~1·14~~	~~4·53~~	~~3·91~~	~~·75~~	~~3·02~~	~~1·58~~	~~·93~~	~~4·71~~	~~3·14~~	~~4·42~~	~~3·98~~	~~3·38~~	~~35·49~~
	1·03√	5·17√	3·21	·75√	3·20	1·60	·93	4·75√	3·13	4·50	3·87	3·44	35·64
Rain Days.	~~22~~	~~24~~	~~17~~	13	17	13	8	~~13~~	12	~~25~~	19	~~11~~	194
	21	25	16					14		24		12	

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Brooklands, Langport
in the County of Somerset
by (Miss) A. M. Kelway

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

2. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06		·02	·05					·03		·16		1
2	·03		·15	·36 snow		·12		·69	·05		·06		2
3				·03 snow		·03		·11	·08				3
4	·03			·11 snow			·78			·17	·04		4
5		(snow) ·17	·13				·05	·07	·03	·27			5
6	·12		·28	·12		·08			·13	·14	·11		6
7	·03		·05								·13		7
8	·17						·45	·22			·04	·03	8
9	·03		·12 snow	·05		·03	·29	·45	·09		·09	·04	9
10			·05		·03		·08	·24	·06		·03		10
11	·24		·22	·11				·12		·50			11
12	·04		·76	·31 snow				·25	·18	·04	·07		12
13			·03		·37 thunder rain			·22		·18	·02		13
14			·17	·03				·37	·06	·07			14
15			·06	·07			·07	·42					15
16				·05			·04	·04		·08		·22	16
17		·12		·09			·20	·03		·21		·06	17
18				·11	·03		·31	·03	·35	·11			18
19		·08				·03	·19		·62		·03		19
20		·42				·12			·13				20
21		·13	·02 snow	·09	·32 thunder rain			·06					21
22			·21			·06				·03			22
23			·03					·06		·03			23
24		·24			·03			·28		·11		·04	24
25		·05				·23	·17	·03		·08	·03		25
26		·14	·03				·03	·03		·06			26
27					·31 thunder rain			·32	·14	·02	·03		27
28					·56	·21		·64		·03			28
29			·03		·06	1·50 thunder rain		·19					29
30		✕	·18			·54	·03			·15		·12	30
31		✕	·31	✕		✕	·09	·03	✕	·05	✕		31
Total	·75	·02 1·35	·05 2·85	1·58	1·71	2·95	2·78	·03 4·90	1·95	·16 2·33	·88	·51	YEAR'S TOTAL 24·50
Rain Days.	·69 9	1·37 8	2·88 19	1·53 14	1·71 8	2·95 11	2·78 14	4·93 23	1·92 13	2·49 19	·68 13	·51 ✓ 6	24·41 159

156

W. 8,000, IX. 17.

107

FORM A.
BRITISH RAINFALL.

8. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Brooklands

in the County of Huish Episcope Langport, Somerset.

by Miss A. M. Keleway.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11	·16					·03	·06	·03	·21	1
2		·05		·09	·21			·33		·03	·82	·03	2
3		·05		·09				·60		·03	·05	·03	3
4		·03		·09	·18			·22		·04	·03	·03	4
5		·02		·01				·07	·06	·03	·43	·05	5
6		·02	·06	·03				·39	·18	·15		·03	6
7	·14	·10		·19					·16	·11		·11	7
8		·11			·36				·12	·07	·23	·05	8
9		·07						·03	·24	·28		·09	9
10	·03	·07		·15		·16	·25		·22	·12		·14	10
11	·03			·19			·36		·17	·21	·05	·55	11
12			·06	·03			·33		·14	·18	·11	·11	12
13			·10		·21		·11		·12			·03	13
14					·16		·19		·29	·05		·12	14
15	·41		·02		·03	·12	·15		·08	·15		·13	15
16	1·18			·37	·05	·08	·20			·03		·15	16
17				·32		·03	·06		·12			·21	17
18	·71		·03	·16			·23		·03			·09	18
19	·65					·39	·11		·23	·11		·11	19
20	·09	·05	·07				~~·44~~		·03	·04		·07	20
21	·03			·19			·08		·09	·05			21
22	·03						·05		·37	·14		·17	22
23	·03	·07			·11		·50		·18	·19	·03	·19	23
24	·03				·17		·51	·03	·07		·03	·14	24
25		·07						·07	·11		·11		25
26							·09	·47			·07		26
27				·17			·45		·03	·03	·07	·11	27
28		·07					·14	·09	·12		·13	·03	28
29			·12					·03	·07		·03	·05	29
30		X	·03						1·05		·03	·02	30
31		X	·36	X		X			X	·05	X	·10	31
Total	3·36 3·36	·11 ~~·78~~ ·89	·16 ~~·96~~ 1·01	~~2·24~~ 2·08	~~1·48~~ 1·48	~~·78~~ ·78	4·25 ~~2·34~~ 4·25	·03 ~~2·33~~ 2·36	·06 ~~4·31~~ 4·34	·03 ~~2·15~~ 2·12	·21 ~~2·27~~ 2·45	~~3·17~~ 2·96	YEAR'S TOTAL ~~29·09~~ 28·08
Rain Days.	12	13 4	10	15 4	9	5	18	12	23	22	16	26	184

W. 8,000, IX. 17.

1896

WD ~~W. H 06~~

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Brooklands, Langport
in the County of Somerset
by (Miss) A. M. Kelway.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·39

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·03	·14		·25					·32	1
2	·43		·02	·17	·03		·79			·28		1·03	2
3	·15		·02		·04		·14		·05		·05	·05	3
4	·50		·38		·16				·13		·05	·21	4
5	·61	·31	·34			·04	·32	·06	·22			·06	5
6	·03	·42	·63				·03		·32		·03	·14	6
7	·54	·16	·03									·22	7
8	·19		·21	·12									8
9	·15		·22	·03									9
10	·06			·11	·03	·03					·22		10
11	·09		·03	·03	·03					·11	·05	·19	11
12	·04		·21	·09	·09		·25			·03		·09	12
13	·15		·09	·03	·03	·04	·03			·09	·12	·04	13
14	·03	·05	·03	·24			·09			·23		·03	14
15	·17	·03		·52	·10		·14			·09		·09	15
16	·09	·52		·06	·04					·12		·12	16
17	·15	·21						·42			·12		17
18	·04	·11		·03							·14		18
19	·12	·15	·15				·17	·25	·05		·05		19
20	·46	·05	·78			·04	·82	·11	·45		·09	·11	20
21	·29		·35			·18		·49				·03	21
22	·03	·46	·03				·16		·03			·06	22
23		·02					·15		·17		·03	·04	23
24			·03			·03				·61		·05	24
25				·05		·15			·03	·60	·03	·36	25
26	·12	·05		·02		·03		·89			·09	·12	26
27			·08	·09		·03		·05	·12		·03	·15	27
28	·21	·09	·12	·26		·03		·46				·09	28
29			·31					·39			·31	·32	29
30	·03	✕		·11				·22		·09		·03	30
31		✕	·11	✕		✕		·44	✕		✕	·22	31
TOTAL	4·70	·03 ~~2·63~~ 2.66	·03 4·20	·14 ~~1·99~~ 2.10	~~·69~~ ·55	·25 ~~·60~~ ·85	~~3·34~~ 3.09	3·78	1·5	2·25	32 ~~1·41~~ 1.73	39 4·17 4.24	YEAR'S TOTAL ~~31·93~~ 31.72
Days with ·01 in. or more	24	~~14~~ 15	22	17	~~10~~ 9	~~10~~ 11	~~13~~ 12	11	10	10	~~15~~ 16	25	~~183~~ 182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

WD -W- AH 1809

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Brooklands
in the County of Huish Episcopi
Langport Somerset
by Miss A. M. Kelway.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·06

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·39	·03	·03	·33	·09	·03	·09	·25		·36	·32	·36	1
2	·03		·03	·11	·21		·21		·09	·05	·25	·41	2
3	·35		·05	·21			·22	·38	·09	·15		·05	3
4	·09	·05		·15			·32		·03	·45		·03	4
5	·03		·09	·03			·66	·25		·32			5
6			·05				·45	·12		·14			6
7		·03	·26		·15		·16			·07			7
8	·03		·04	·35			·30						8
9	·09	·21		·23	·03		·41					·03	9
10	·31	·03	·04	·12		·12	·07						10
11	·49	·06	·05	·03	·31	·14	·12						11
12	·22		·07	·30		·03	·06						12
13	·14	·03		·14		·17	·20				·03		13
14	·29	·05	·35	·06								·05	14
15	·04	·05	·21	·36		·12			·12	·44	·21		15
16		·09	·04	·17	·19	·03	·04		·03	·32	·03		16
17		·03	·03	·03					·09	·08			17
18	·04			·12	·15	·04			·25		·03		18
19	·08	·03	·04	·03	·12	·21	·13	·35	·22			·03	19
20	·05			·32	·04	·29			·09				20
21	·06	·25		·12	·04	·24						·16	21
22				·05						·02		·14	22
23	·04			·14		·03		·06		·01		·32	23
24							·53	·03				·21	24
25	·05	·03	·09					·03			·11	·05	25
26	·03	·09	·03		·72		·23				·03	·03	26
27	·14		·15			·05	·06				·05	·05	27
28	·24	·05	·03	·22	·06	·26	·04					·17	28
29	·67		·06	·11		·03	·04					·03	29
30	·14	✕	·18	·04	·03						·05	·12	30
31	·05	✕ ·03	·03	✕	·04	✕			✕		✕ ~~·36~~	·11	31
TOTAL	·03 ~~4·09~~ 3·78	1·11 ~~[illegible]~~	·33 ~~1·94~~ 2·27	·09 ~~3·77~~ 3·53	·03 ~~2·48~~ 2·12	·09 ~~1·79~~ 1·85	·25 ~~4·36~~ 4·52	~~1·47~~ 1·22	·36 ~~1·01~~ 1·37	·32 ~~2·41~~ 2·37	~~1·11~~ ~~x·xx~~ 1·15	·06 ~~2·35~~ 2·05	YEAR'S TOTAL 27·29 ~~29·02~~
Days with ·01 in. or more	25	16	22	24	14	13	20	~~8~~ 7	~~9~~ 10	12	10	~~18~~ 19	~~192~~ 193
Days with ·04 in. or more	~~21~~ 20	9	17 18	20	~~12~~ 11	~~10~~	20	~~6~~ 5	~~7~~ 8	10	5	13	150

(44,283). 1010 (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Account Day

RE

LANGPORT
THE GRANGE
SOMERSET
1911 - 1920

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at The Grange La

in the County of Se

by Dr Page

5 in.
Ground 1 ft. 0 in.
Sea Level 50 ft.
a.m.
Name Langport-West
Distance ½ mile Direction E.

IMPORTANT NOT the result entered to the

yes. previous day. If an Ob ersal rule, he is earnestly
requested to add the read ear in the space provided
for it at the end of this nent of rain,
the selection and placin itish Rainfall
Organization are given in application to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·03				·02			·015	·025	1
2				·04	·14			·145		·16	·155	·13	2
3		·005			·10			·015	·03	·01	·025	·04	3
4			·085		·01			·005	·005	·025	·065	·305	4
5	·015		·06					·61		·06	·11	·03	5
6	·21		·11					·01		·02	·055	·495	6
7	·04		·005					·01			·19		7
8	·025		·155								·015	·60	8
9	·05		·01								·09	·55	9
10	·015	·015	·13		·39						·07	·14	10
11	·31		·005	·005	·055						·45	·15	11
12	·01	·025	·72		·015			·07		·005	·065	·24	12
13		·01	·01						·20		·01	·285	13
14		·055							·01	·02	·005	1·08	14
15		·025	·02			·05					·165	·035	15
16	·01	·01				·32					·41	·25	16
17	·005	·01	·05			·065					·075	·53	17
18	·005	·15	·055	·19		·11				·025	·025	·37	18
19		·07	·005	·05		·17			·125	·12	·11	·30	19
20	·045	·065	·14	·015		·02			·04	·165	·01	·42	20
21		·06	·05	·025					·12	·51		·10	21
22	·09	·055	·10	·04					·06	·14	·015	·29	22
23	·01	·105	·105			·25			·11	·12	035	·05	23
24	·01	·13	·01	·005		·495		·07	·01	·49		·16	24
25		·08	·005	·13		·15		·105	·02	·10		·09	25
26		·07		·18				·03	·005	·05	·04	·305	26
27		·16	·01	·04	·01	·01		·035	·10	·09	·025	·08	27
28		·25		·345	·05			·105			·055	·01	28
29				·415	·01	·19	·19	/	·05	·125	·005		29
30				·01		·04		·28		·07	·035		30
31								·005		·06			31
Total	0·850	1·350	1·830	1·520	0·780	1·870	0·190	1·515 ✓	0·885	2·365	2·325	7·060	TOTAL for year 22·560 ✓
No. of Rain Days.	13	18	18	13	9	12	1	13	12	19	25	27	180

W. 8,000, X. '11.

Accounts Dept

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at The Grange Langport

in the County of Somerset 3

by Dr Page

RAIN GAUGE	Pattern	Howard
	Diameter of top	5 in.
	Height of top above Ground	1 ft. 0 in.
	" " " Sea Level	50 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Langport-West
Distance ½ mile Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. yes. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·03				·02			·015	·025	1
2				·04	·14			·145		·16	·155	·13	2
3		·005			·10			·015	·03	·01	·025	·04	3
4			·085		·01			·005	·005	·025	·065	·305	4
5	·015		·06					·61		·06	·11	·03	5
6	·21		·11					·01		·02	·055	·495	6
7	·04		·005					·01			·19		7
8	·025		·155								·015	·60	8
9	·05		·01								·09	·55	9
10	·015	·015	·13		·39						·07	·14	10
11	·31		·005	·005	·055						·45	·15	11
12	·01	·025	·72		·015			·07		·005	·065	·24	12
13		·01	·01						·20		·01	·285	13
14		·055							·01	·02	·005	1·08	14
15		·025	·02			·05					·165	·035	15
16	·01	·01				·32					·41	·25	16
17	·005	·01	·05			·065					·075	·53	17
18	·005	·15	·055	·19		·11				·025	·025	·37	18
19		·07	·005	·05		·17			·125	·12	·11	·30	19
20	·045	·065	·14	·015		·02			·04	·165	·01	·42	20
21		·06	·05	·025					·12	·51		·10	21
22	·09	·055	·10	·04					·06	·14	·015	·29	22
23	·01	·105	·105			·25			·11	·12	035	·05	23
24	·01	·13	·01	·005		·495		·07	·01	·49		·165	24
25		·08	·005	·13		·15		·105	·02	·10		·09	25
26		·07		·18				·03	·005	·05	·04	·305	26
27		·16	·01	·04	·01	·01		·035	·10	·09	·025	·08	27
28		·25		·345	·05			·105			·055	·01	28
29				·415	·01	·19	·19	/	·05	·125	·005		29
30				·01		·04		·28		·07	·035		30
31								·005		·06			31
Total	0·850	1·350	1·850	1·520	0·780	1·870	0·190	1·515 ✓	0·885	2·365	2·325	7·060	TOTAL for year 22·560 ✓
No. of Rain Days.	13	18	18	13	9	12	1	13	12	19	25	27	180

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
14 JAN 1913

REGISTER OF RAINFALL IN 19 12

W. 1766

Kept at Langport

in the County of Somerset 3

by H. Markant Page

Lat. Long.
Time of Observation 9 A.M
Nearest Railway Station Langport West
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·09	·015	·02	·26	·025	·085	·035	·63		·25	1
2			·12	·025	–	·12	·185	–	·01	·03	·09	·01	2
3			·095		–	·33	·01	·71	·01		·02		3
4	·15		·465		·02	·115	·005	·01			·39		4
5	·395	·115	·135		·025	·04	–	·35			·01	·16	5
6	·35	·15	·01		·16	·67	·25	·88			·01	·04	6
7	·04	·32	·11	·01	·07	1·090	·14	·105				·07	7
8	·205	·14	·495	·02	·01	·495	·09	·34				·01	8
9	·015	·13	·04	·05	–	·13	·035	·05				·38	9
10	·05	·18	·02	·005	–	·015	·01	·19			·04	·14	10
11	·035	·035	·01	–	–	·005	–	·15			·02	·25	11
12	·62	·42	·04	·005	·005	·005	·035	·03				·02	12
13	–	·01	·015	·005	–	–	·005	·31					13
14	·08	·015	·44		·225	·015		·035				·02	14
15	·22	·025	·045		·21	·45		·015				·21	15
16	·75	·005	·135		·05	·025		·045			·08	·03	16
17	·68	–	·06		·015	·04		·405		·06	·03	·08	17
18	·055	·01	·295		–	–		·165		–	·01	·07	18
19	·015	·015	·105		–	·035	·15	·15		·01	·03	·02	19
20	·04	·02	·39		·24	–	·05	·50		·33			20
21	–	·04	·26		·57	–	·05	·06		·15		·21	21
22	·30	·10	·105		·41	·01	·025	·05		·14		·04	22
23	·23	·355	·115		·015	·02	·01	·575		·09	·09	–	23
24	·105	·015	·015			·20	–	·02		·02	·01	·18	24
25	·04	·01	–			·12	–	·61		·28	·21	·56	25
26	·005	·02	–			–	·06	·245		·18	·34	·13	26
27		–	·01			·20	·55	·01		·74	·11	·25	27
28		·07	–			·035	·025	·27	·17	·42	·49	·49	28
29		·04	·02			·02	·17	·03	·59	·28	·01	·05	29
30			·015		·015	·265	·165	·005	·20	·14		·01	30
31			·35				·16	·01		·02		·04	31
												3·72	YEAR'S TOTAL 35·145
Total	3·780	2·240	4·025	0·135	2·060	4·045	2·205	6·410	1·015	3·52	1·99	3·72	35·145
Rain Days.	21	~~23~~ 22	28	~~8~~ 7	~~16~~ 15	~~25~~ 24	~~22~~ 21	30	6	16	18	~~20~~ 26	~~239~~ 234

W. 7,500, XI. '13

wr. for write 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

5- JAN 1914

Kept at Langport
in the County of Somerset
~~for~~ by Dr. Markant Page

3

Lat. .... Long. ....
Time of Observation 9. a. m.
Nearest Railway Station Langport West
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·33	·03	·31	·30	·03			·04		·10	·01	1
2	·06	·07	·13	·04	·10		·01		·02	·05	·05	·27	2
3				·05	·47				·06	·32	·01	·66	3
4	·78		·01	·01	·20		·05		·27	·19		·15	4
5	·02 (2)	·03			·16	·07	·01		·27	·02		·25	5
6	·02 (3)	·07	·07		·07	·29	·10		·02	1·43	·08	·36	6
7	·62	·18	·03		·28	·03	·10			·80	·19	·01	7
8		·02			·31		·03	·08		·05	·01	·01	8
9				·02	·07	·02	·39	·40	·06	·01	·15	·01	9
10	·25				·03		·02	·04		·15	·10		10
11	·60	·03		·20	·25				·01	·18	·89		11
12	·	·01		·01	·30			·63	·05	·02	·25		12
13	·10	·01	·01		·01		·03	·08	·50		·11		13
14	·25		·14	·05	·01			·01	·18				14
15	·28	·03	·23	·20				·05	·19		·04	·02	15
16	·22		·47	·03		·03			·10				16
17	·09			·07				·02	·02				17
18	·13		·17	·03	·09	·06			·01		·04		18
19	·57		·66	·04		·07			·53		·01		19
20			·07	·13	·02	·09			·04	·11	·02		20
21	·01		·18	·27	·18		·03		·01		·34		21
22	·78		·35	·20		·10		·04	·19	·04		·03	22
23			·01	·01	·01	·01		·06	·01	·01	·06	·57	23
24		·02				·02		·29		·01	~~·06~~	·05	24
25		·05		·13				·01	·01		·01	·66	25
26				·46		·03		·16	·01		~~·01~~	·15	26
27	·13		·18	·13				·02		·12	·01		27
28	·09		·09	·32						·43	~~·01~~	·03	28
29	·09		·40	·27				·20		·23	·01	·05	29
30	·21		·02	·03				·02		·37	·01		30
31	·19		·03					·78		·02			31
Total	4·94	·85	2·68	3·01	2·86	·85	·77	2·29	2·60	4·56	2·49	2·69	YEAR'S TOTAL 30·59
Rain Days.	22	10	20	23	18	13	10	17	22	20	21	17	215

4·94 2·86 30·59

W.7,000, XI. 13

andlyBoys 12.III.15 DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 4 JAN 1915

Kept at Langport

in the County of Somerset 3

~~by~~ for Dr Markant-Page

Lat. Long.

Time of Observation 9. A. M

Nearest Railway Station Langport-West-

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·05			·24	·62			~~·01~~ ·10	·05	1
2			·03	·04		·07	·60	·01			·92	·30	2
3	·02		·12	·11	·02	·04	—	·52		·03	·07	·09	3
4	·06	—	·02	·16	·19		·10	·29			·36	·32	4
5	·05		·13	·27	·10		·03	·03			·12	·10	5
6	—	·09	·02	·12	·06		1·08	·04			·33	·16	6
7	·02	·52	·08	·08	·21		·55	·07	·02		·03	·11	7
8	·01	·01	1·02	·06	·11	·44	·01	·03	·04		·01	·03	8
9	·01	·02	·41	·12	·62	·75		·12	·85			·01	9
10		·12	·02	·10	·04	·01		·01	·30		·02	·02	10
11		·06	·17	·01	·06	·25	·20		·04	·01	·01	·35	11
12		·14	·08	·01					·24	·02		·30	12
13		·15	·32				·02		·16	·25	·30	·26	13
14	·02	·13	·14					·58	·03	·12	·20	·65	14
15		·01	·10			·50	·72	·34	·15	·02	·13	·02	15
16			·02				·07		·07				16
17		·13	·28				·01		·01	·01		·48	17
18		·05	·03				·27					·39	18
19		·06	·63				·91		·05		·06	·04	19
20		·32	·08			·01		·01				·23	20
21		·66	·02					·15		·18			21
22		·04	·25		·13	·48	·02	·03		·22			22
23		·06	·02		·02	·15	·02			·54			23
24		·02	·21		·08		·02			·08	·06		24
25		·01	·06		·01		·29	·18		·22	·03	·18	25
26	·08		·18				·46	·05		·03	·13	·42	26
27	·16	·01	—				·03			·13	·09	·11	27
28	·02	·02	·19		·03					·10	·10	·99	28
29	·02		·17		·32		·21			·11	·13	·09	29
30	·01	✕	·03		·02		·01			·23	·30	·69	30
31	—	✕		✕		✕	·13		✕	·47	✕	·35	31
Total	·48	2·63	4·83	1·13	1·42	2·70	6·00	3·08	1·96	2·77	3·50	6·14	YEAR'S TOTAL 36·64
Rain Days.	12	21	28	12	16	10	23	17	12	18	21	26	216

W. 8,000. X. 14.

~~W~~ DL cw dly Borp 6.v.16

2179

FORM A.
BRITISH RAINFALL.
4 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Langport
in the County of Somerset.
by Dr. Markant Page

3

Lat. 51° 2' 20" Long. 2° 50' 20" W.
Time of Observation 9 A.M.
Nearest Railway Station Langport West.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·08	—	—	·03	—	—	·21	·40	·30	·07	·05	1
2	·18	·20	—	·08	—	·10	—	·22	·08	·62	—	·56	2
3	·04	·14	·04	·12	·20	—	·17	—	—	·61	—	·53	3
4	·02	·04	—	·09	·03	—	·01	·01	—	—	—	·15	4
5	·21	·63	·01	·64	—	—	—	·35	—	—	—	·24	5
6	·55	·07	—	·18	—	—	·60	·05	—	-	—	·23	6
7	·23	·22	—	·10	—	—	·16	—	—	·01	·03	·20	7
8	·17	·29	—	—	—	—	—	·12	—	—	·05	·09	8
9	·03	—	—	·01	—	—	·03	—	—	—	·26	·64	9
10	·12	·10	·05	·09	—	·12	·01	·08	—	·07	·03	·04	10
11	·07	·02	—	·07	·02	—	·01	·67	—	·03	·71	—	11
12	·27	·54	—	·05	·49	—	—	·14	—	·03	·09	·02	12
13	·03	·40	—	—	·70	—	—	·45	·11	·02	·21	—	13
14	·02	·02	—	—	—	—	·12	·19	·07	·01	—	·45	14
15	·0~~5~~9 (09)	—	—	—	·23	—	·11	·01	·01	·01	·15	·66	15
16	·01	·49	—	—	·18	—	·49	·01	—	—	—	·15	16
17	—	·46	—	—	·52	—	·01	—	—	—		·62	17
18	—	·16	—	—	·03	—	—	—	—	—		—	18
19	—	—	—	—	·08	—	·12	—	—	—		—	19
20	·13	—	—	·09	—	·02	—	—	—	·06		·07	20
21	·10	·05	—	—	—	·01	·05	—	—	·05		·10	21
22	·11	·03	·38	·02	—	·02	·43	—	·02	·03		·13	22
23	·01	·09	·09	—	—	—	·13	—	·05	1·81		·11	23
24		—	·01	·06	—	—	·11	—	·18	·55		·48	24
25		—	—	—	—	·66	·78	—	·03	—		·36	25
26		·04	—	·03	—	·02	·25	—	·01	—		·58	26
27		·07	—	—	—	·13	·08	—	—	·39		·01	27
28		·05	—	—	—	·03	·01	—	·75	·69		—	28
29			—	—	—	·09	1·37	·02	—	·76	·04	·04	29
30		✕	—	—	—	·19	·07	—	·01	·36	·44	·30	30
31	·10	✕	—	✕	—	✕	·04	·01	✕	·74	✕	·09	31
Total	2·79	4·19	·58	1·03	2·51	1·39	5·16	2·5~~3~~4 2·54	1·72	5·3~~8~~5 5·35	2·08	5·70	YEAR'S TOTAL 35·04
Rain Days.	21	22	6	14	11	11	23	15	12	20	11	26	192

W. 8,000. X. 15.

~~W~~ J L and for month

2116

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Langport.

in the County of Somerset

for ~~by~~ Dr. Markant Page

Lat. 51° 2' 20" Long. 20° 50' 20"

Time of Observation 9 A.M.

Nearest Railway Station Langport West. 917

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08	–	·38	·01	·02	·01	·01	–	·13	·24	·08	–	1
2	·06	·05	·07	–	·48	–	·01	–	·02	·35	·24	·01	2
3	·02	·99	·06	–	·26	·03	–	–	·06	·29	·29	–	3
4	·06	·05	·04	–	·12	·16	·10	–	·08	·10	·83	–	4
5	·05	·01	·08	–	·39	·21	–	–	–	·02	·19	–	5
6	·02	·15	·04	–	·18	·05	·36	–	–	·05	·58	–	6
7	·01	·13	·14	–	·07	·14	·09	–	–	·08	·54	·25	7
8	–	·09	·03	–	·23	·03	–	–	–	–	·34	·07	8
9	·01	·12	–	–	·03	·28	·05	–	–	·15	·06	·17	9
10	·01	·55	·04	·04	·05	·03	·01	–	–	·02	·01	·07	10
11	·04	·05	·02	·14	·01	·01	–	–	–	–	–	–	11
12	·02	·02	·02	·04	·13	–	·03	·19	–	·02	–	–	12
13	–	·09	·10	·04	·03	–	·02	·52	–	–	·02	–	13
14	·01	·15	·25	–	·06	–	–	·04	–	·05	–	–	14
15	·01	·16	·09	·04	·03	–	–	·58	·01	·09	–	–	15
16	·05	·08	·01	·15	·01	–	·05	1·04	·02	·10	–	–	16
17	·03	·18	·02	·24	–	–	–	·02	·27	·31	·27	–	17
18	·03	·03	·23	·02	–	–	–	–	·13	·05	·07	·02	18
19	·10	·15	·62	·05	–	–	–	–	·01	–	·17	·02	19
20	·04	·24	·35	–	–	–	–	–	–	–	·03	·96	20
21	·09	·25	·25	–	·08	·01	–	–	–	–	·02	·70	21
22	–	·10	·06	·02	·01	·03	–	·09	–	·38	·05	·20	22
23	·01	·16	–	·03	–	·09	–	·26	–	·18	·07	·07	23
24	–	·28	–	–	1·25	·03	–	·03	–	·54	·02	·21	24
25	–	·08	·10	–	·04	·01	–	·46	·03	·03	·11	–	25
26	–	·06	·06	–	·01	·49	–	·06	1·20	·60	·01	–	26
27	·05	·40	1·12	–	–	·03	–	·26	·23	·16	·02	–	27
28	–	·16	·01	·10	·04	–	–	·10	·35	·40	·01	·16	28
29	–	·18	·05	–	–	·22	–	1·95	·53	·16	–	·14	29
30	–	×	–	–	–	–	–	–	·63	·22	–	·02	30
31	–	×	·02	×	·01	×		·02	×	·15	×	·07	31
Total	·80	3·96 4·96	4·26	·92	3·54	1·86	·73	5·62	3·10	4·74	4·03	3·14 3·14	YEAR'S TOTAL 36·70 37·70
Rain Days.	21	28	27	13	23	18	10	15	15	25	23	16	234

W. 8,000, VIII. 16

from M.O.

2020

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Langport

in the County of Somerset

by Dr. Page per H. A Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·13	·32		·12		·72	·02		·05		1
2			·02					·11					2
3	·02					·04	·82	·03		·13	·09		3
4		·06	·14	·04			·05	·07	·15	·30			4
5			·27	·22		·09				·10	·06		5
6	·13		·07			·08				·03	·15		6
7	·15						·39	·31		·09	·04		7
8	·03		·10	·07		·03	·35	·46	·07	·22	·10	·08	8
9			·16	·03	·06		·04	·23	·06	·25	·06		9
10	·25		·14	·08				·14	·02				10
11	·05		·80	·39	·04			·32	·23	·07	·07		11
12	·04		·04		·36			·26	·01	·16			12
13			·17				·06	·37	·04	·04			13
14			·05	·02				·53		·01		·03	14
15		·14		·12			·09	·10		·02		·20	15
16	·02	·13		·13			·15	·01	·01	·25		·07	16
17		·01		·04	·04		·35	·07	·35	·10			17
18	·01	·09			·02	·03	·14		·64	·01	·01		18
19	·01	·47	·03			·07			·08				19
20		·07	·03		·46	·09		·04	·05			·02	20
21			·22			·06							21
22	·01		·02					·10		·04			22
23		·21			·04			·25		·18	·02	·04	23
24		·04	·02			·27	·20	·03		·10	·05	·01	24
25		·15					·05	·05	·03	·08			25
26					·38	·02		·34		·02	·02		26
27					·65	·26		·71	·11				27
28		·03	·04		·05	3·20		·16				·03	28
29			·18			·21	·04	·03		·45		·09	29
30		X	·21				·15			·05			30
31		X	·04	X	·01	X	·02	·06	X	·16	X	·02	31
Total	·74	1·40	2·88	1·46	2·11	4·57	2·90	5·50	1·87	2·86	·72	·59	YEAR'S TOTAL 27·60
Rain Days.	12	11	21	11	11	14	15	25	15	23	12	10	180

W. 8,000, IX. 17.

1·07

from Original ret'd to Rev H a Bop

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Langport Hr Grange

in the County of Somersetshire

by V M Page Rev H a Bop

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.10	.16			.63		.03	.91	.01	1
2		.06		.08				.30		.01	.04	.02	2
3			.01	.09	.15			.05	.01	.02	.05	.01	3
4		.04						.10	.15		.37	.05	4
5			.04	.04	.10			.42	.18	.09		.09	5
6	.11	.03		.14				.02	.08	.05			6
7		.16		.01	.36	.03			.18	.04	.25	.04	7
8	.03	.07			.03				.12	.29		.03	8
9	.04	.06		.18		.10	.25		.18	.06		.20	9
10	.03			.16			.46		.22	.20	.03	.50	10
11	.01		.06	.02			.22		.11	.15	.09	.10	11
12		.02	.07		.20		.09		.06			.08	12
13	.36				.22		.20		.30	.05		.15	13
14	.12				.03	.15	.08		.09	.12		.11	14
15	1.30			.43	.02	.05	.29		.01	.03		.16	15
16	.52		.07	.24			.05		.09	.02		.15	16
17	.39		.02	.18			.24		.03			.08	17
18	.60					.37	.10		.20			.14	18
19	.12	.05	.07	.02			.40	.01	.11	.12		.07	19
20	.03	.04		.19		.02	.11		.20	.06			20
21		02		.02			.09		.26	.10		.17	21
22	.03				.08		.90		.16	.13		.27	22
23	.02				.12		.11	.05	.06		.04	.05	23
24		.07					.01	.08	.08		.07		24
25					.02		.14	.42		.02	.12		25
26				.09			.35	.01	.03	.03	.03	.08	26
27		.04	.01					.09	.09		.16	.01	27
28		.11	.13	.01					.08		.02	.04	28
29			.02						1.09			.01	29
30	01		.38						09	.03	.17	.09	30
31			.16					.02		.05			31
Total	3.72	.77	1.04	2.00	1.49	.72	4.09	2.20	~~4.36~~ 4.26	1.70	2.35	2.71	YEAR'S TOTAL 27.05 ~~27.15~~
Rain Days.	16	13	12	17	12	6	18	13	27	22	14	26	196

W, 6,500, VII. 18. W W C

Ec 8L

1895

20 MAR 20

20 MAR 20

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Langport

in the County of Somerset

by V. M. Page per Boys

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ______

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38		·02	·14	·02		·77		·02	·35		1·02	1
2	·05		·02		·03		·16		·03		·04	·04	2
3	·73		·42		·13				·13		·08	·20	3
4	·47	·57	·31		·01	·06	·22	·06	·20		·01	·08	4
5	·06	·12	·77				·02		·41		·04	·17	5
6	·71		·03									·13	6
7	·22		·20	·10					·01				7
8	·14		·23			·04							8
9	·06		·02	·09	·06						·27		9
10	·07		·06	·01	·02					·09	·03	·19	10
11			·21	·08	·11		·23			·02		·09	11
12	·14		·05	·01		·05	·02			·15	·11	·07	12
13	·02		·03	·24			·06			·19		·07	13
14	·16	·07		·58	·08		·12					·12	14
15	·07	·15			·02					·06		·09	15
16	·10	·59						·38			·12		16
17	·04	·28						·01			·08		17
18	·08	·02	·75				·20	·19			·04	·02	18
19	·40	·20	·57			·04	·73	·43	·44		·07	·06	19
20	·32	·03	·11			·19		·28				·03	20
21		·50					·07		·04			·05	21
22		·02	·02				·17		·21		·01	·03	22
23			·02				·01		·02	·63	·03	·04	23
24				·08		·04				·66		·36	24
25	·13	·04				·13		·70			·09	·11	25
26	·04		·06	·09		·03	·01	·06	·07			·14	26
27	·20	·09	·37	·29		·01		·89				·08	27
28			·10			·01		·03			·31	·34	28
29	·02		·01	·10				·25		·09		·02	29
30	·01		·02	·12		·25		·46			·33	·25	30
31	·03		·01									·39	31
Total	4·65	2·68	4·41	1·93	·48	·85	2·79	3·74	1·58	2·24	1·66	4·19	Year's Total 31·20
Days with ·01 in. or more	25	13	24	13	9	11	14	12	11	9	16	26	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Ex Al [illegible] 1808

MAR 192

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at The Grange, Langport

in the County of Somersetshire

by Jun Boys Miss V M Page

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·01		·11	·20		·19	·03	·13	·05	·18	·39	1
2	·35			·18	·01		·25	·26	·07	·24		·05	2
3		·03		·13	·01		·40	·01		·46		·02	3
4			·09	·06			·15	·24		·27			4
5			·05	·01	·02		·40	·07		·11			5
6			·20	·01	·08		·27			·11			6
7	·02		·03	·31	·07		·41						7
8	·15	·19		·23	·03		·25				·02	·02	8
9	·29	·01	·02	·14		·13	·04						9
10	·38	·04	·03	·05		·21	·31						10
11	·28		·07	·31	·32	·04	·12						11
12	·16	·01	·01	·11	·01	·15	·03				·02		12
13	·17	·03	·37	·05					·10			·02	13
14	·01	·03	·21	·37						·31	·18		14
15		·07	·04	·17	·19	·09			·02	·38	·03		15
16		·01	·01	·03	·02	·06	·19		·06	·12	·01		16
17			·01	·10	·11	·03	·01		·26		·01	·01	17
18	·04	·01		·04	·08	·17	·11	·35	·21			·01	18
19	·07	·07		·33	·05	·28			·15		·01		19
20	·02	·21		·10	·01	·27	·01					·16	20
21				·03			·13			·06 ~~·21~~		·14	21
22	·03		·01	·11			·01	·07	·01			·35	22
23	·01		·07	·01			·46	·02				·19	23
24	·02		·01								·12	·07	24
25	·01	·11	·04		·32		·24				·02		25
26	·13		·14		·04	·03	·05				·07	·04	26
27	·23	·04	·08	·21	·06	·25	·02					·19	27
28	·64	·01	·08	·07	·0.1	·02	·06				·01	·02	28
29	·15	·01	·22	·08	·04	·01	·01				·05	·07	29
30	·04	╳	·02	·08	·03	·07	·01		·39		·31	·11	30
31	·04	╳	·40	╳	·02	╳	·17		╳	·38	╳	·06	31
Total	3·24	·89	2·21	3·43	1·73	1·81	4·30	1·05	1·40	2·49 ~~2·64~~	1·04	1·92	Year's Total 25·51 ~~25·66~~
Days with ·01 in. or more	22	17	23	27	22	15	26	8	10	11	14	18	213
Days with ·04 in. or more	15	7	14	22	12	11	19	5	8	11	6	12	142

LANGFORD
HYBBROKE
SOMERSET
1914

REGIST 14

FORM A.
BRITISH RAINFALL.
15 JAN 1915

Kept at Hybbroke ong.

in the County of Somer ion

by P. T. Marshall uge in.

ge above Ground ft. in.

„ Sea Level ft.

IMPORTANT NOTE. . and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.30.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.	. 1	.17	.	.	. 2	. 4	.20	.	.	.10	.32	1
2	.	.	.	.17	.	. 4	.16	.65	.	.	. 4	. 1	2
3	.	.	.	. 2	. 2	.	.64	. 2	.	.	.80	.45	3
4	.	.	.11	.25	.13	.	.	1.17	.	.	. 4	.14	4
5	.21	.	.18	.28	.34	.	.14	.14	.	.	.58	.36	5
6	. 8	.	.18	.45	. 3	.	.14	. 1	.	.	. 8	.21	6
7	. 3	.12	. 3	.20	. 5	.	.27	.20	.	.	. 4	.13	7
8	. 2	.69	.29	.42	.18	. 4	1.00	.16	.	.	.	.	8
9	.17	.	.90	. 6	. 8	.38	.10	. 5	.15	.	.	.14	9
10	.15	. 1	.20	.15	. 3	.73	.	.10	.21	.	.	.	10
11	. 2	.17	. 1	.12	.11	.	.	.	.39	.	.	.39	11
12	.	.10	.59	.	.13	.23	.17	.	. 2	.	. 8	.15	12
13	.	.12	.10	.	.	.	.	.	.22	.	.10	.30	13
14	.	.29	.39	.	.	.	. 2	.	.30	.38	. 8	.	14
15	.	.10	.23	.	.	.	.	.27	. 4	. 2	.41	.	15
16	.	. 1	.22	.	.	.	.	.34	.10	.34	.17	.	16
17	. 1	.	. 1	.	.	.	. 6	.	.19	.	.	.	17
18	.	.56	.27	.	.	.	. 4	.	. 1	.	.	.44	18
19	.	. 4	. 7	.	.	.	.15	.	. 1	.	.	.41	19
20	.	. 8	.29	.	.	.	.93	.	.	.	. 5	.	20
21	.	.27	. 7	.	.	.21	.	.	.	.	.	.37	21
22	.	.63	.	.	.	.	.	.	.	.15	.	.	22
23	.	. 2	. 4	. 2	.43	.22	.	. 9	.	. 5	.	.	23
24	.	. 9	.41	.	. 6	. 2	.	.	.	.20	.	.	24
25	.	.	. 4	.	.21	.	. 9	. 4	.	. 5	.20	. 4	25
26	. 8	.	.13	.	. 1	.	. 3	.64	.	.46	. 2	.53	26
27	.	.	. 3	.	.	.	. 6	. 3	.	.12	.35	.41	27
28	. 7	.	. 1	.	.	.	.	.	.	.14	.29	.11	28
29	. 2		.21	.	. 7	.	.	.	.	.10	.67	.85	29
30	.27	✕	.15	.	.13	.	. 2	.	.	.12	.16	.	30
31	. 1	✕	. 2	✕	.	✕	.	.	✕	.32	✕	.56	31
	.01	.17	–	–	.02	.04	.20	–	–	.10	.32	.30	YEAR'S TOTAL
Total	~~1.14~~	~~3.31~~	~~5.35~~	~~2.14~~	~~2.01~~	~~1.89~~	~~4.06~~	~~4.11~~	~~1.64~~	~~2.45~~	~~4.26~~	~~6.32~~	~~38.68~~
	1.15	3.47	5.18	2.14	2.03	1.91	4.22	3.91	1.64	2.55	4.48	6.30	38.98
Rain Days.	13 14	17	28	11.	10	9	18	15	11	13 14	19	20	192

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
15 JAN 1915

Kept at Hylsbroke Langford
in the County of Somerset
by P. T. Marshall Esq.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·30.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·1	·17	·	·	·2	·4	·20	·	·	·10	·32	1
2	·	·	·	·17	·	·4	·16	·65	·	·	·4	·1	2
3	·	·	·	·2	·2	·	·64	·2	·	·	·80	·45	3
4	·	·	·11	·25	·13	·	·	1·17	·	·	·4	·14	4
5	·21	·	·18	·28	·34	·	·14	·14	·	·	·58	·36	5
6	·8	·	·18	·45	·3	·	·14	·1	·	·	·8	·21	6
7	·3	·12	·3	·20	·5	·	·27	·20	·	·	·4	·13	7
8	·2	·69	·29	·42	·18	·4	1·00	·16	·	·	·	·	8
9	·17	·	·90	·6	·8	·38	·10	·5	·15	·	·	·14	9
10	·15	·1	·20	·15	·3	·73	·	·10	·21	·	·	·	10
11	·2	·17	·1	·12	·11	·	·	·	·39	·	·	·39	11
12	·	·10	·59	·	·13	·23	·17	·	·2	·	·8	·15	12
13	·	·12	·10	·	·	·	·	·	·22	·	·10	·30	13
14	·	·29	·39	·	·	·	·2	·	·30	·38	·8	·	14
15	·	·10	·23	·	·	·	·	·27	·4	·2	·41	·	15
16	·	·1	·22	·	·	·	·	·34	·10	·34	·17	·	16
17	·1	·	·1	·	·	·	·6	·	·19	·	·	·	17
18	·	·56	·27	·	·	·	·4	·	·1	·	·	·44	18
19	·	·4	·7	·	·	·	·15	·	·1	·	·	·41	19
20	·	·8	·29	·	·	·	·93	·	·	·	·5	·	20
21	·	·27	·7	·	·	·21	·	·	·	·	·	·37	21
22	·	·63	·	·	·	·	·	·	·	·15	·	·	22
23	·	·2	·4	·2	·43	·22	·	·9	·	·5	·	·	23
24	·	·9	·41	·	·6	·2	·	·	·	·20	·	·	24
25	·	·	·4	·	·21	·	·9	·4	·	·5	·20	·4	25
26	·8	·	·13	·	·1	·	·3	·64	·	·46	·2	·53	26
27	·	·	·3	·	·	·	·6	·3	·	·12	·35	·41	27
28	·7	·	·1	·	·	·	·	·	·	·14	·29	·11	28
29	·2		·21	·	·7	·	·	·	·	·10	·67	·86	29
30	·27	X	·15	·	·13	·	·2	·	·	·12	·16	·	30
31	·1	X	·2	X	·	X	·	·	X	·32	X	·56	31
	·01	·17	–	–	·02	·04	·20	–	–	·10	·32	·30	YEAR'S TOTAL
Total	~~1·14~~	~~3·31~~	~~5·35~~	~~2·14~~	~~2·01~~	~~1·89~~	~~4·06~~	~~4·11~~	~~1·64~~	~~2·45~~	~~4·26~~	~~6·32~~	~~38·68~~
Rain Days.	1·15 ~~13~~ 14	3·47 17	5·18 28	2·14 11.	2·03 16	1·91 9	4·22 18	3·91 15	1·64 11	2·55 ~~13~~ 14	4·48 19	6·30 20	38·98 192

W. 8,000. X. 14.

84/

341

LANGFORD BUDVILLE
~~BINDON~~

SOMERSET

1911- 1914

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RI 1911

Kept at Bindon

in the County of S. T

by Major T. G. L

er of top 5 in.

of top above Ground 6 ft. in.

" " Sea Level 400 ft.

tion

Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·09	·01			·02			·01		1
2					·32			·43		·09	·23	·21	2
3		·02	·01		·23			·05	·01		·08	·04	3
4			·10					·02		·15	·14	·43	4
5	·13		·15					·47		·02	·19	·03	5
6	·27		·23							·06	·16	·41	6
7	·02										·56	·02	7
8	·06		·11	·02							·06	·55	8
9	·01										·30	·37	9
10	·07		·41		·65							·24	10
11	·26		·01		·22						·45	·15	11
12			·84						·01		·19	·34	12
13									·29		·04	·48	13
14		·02								·02		1·00	14
15		·01				·07					·35	·06	15
16		·04				·13				·01	·40	·37	16
17		·01	·14			·20					·06	·56	17
18		·36	·17	·34	·01	·35				·18	·11	·47	18
19		·07		·20		·05			·66	·16	·10	·47	19
20	·05	·02	·09	·09					·14	·08		·40	20
21		·13				·01			·15	·80		·20	21
22	·08	·02		·07		·09			·06	·32		·60	22
23		·21	·04			·19			·07	·24	·05	·12	23
24		·30				·32		·24		·50		·20	24
25	·01	·11		·11		·04			·04	·06		·23	25
26		·10		·31	·06			·03		·12	·05	·32	26
27		·32	·07	·14	·04			·15	·10	·35	·02	·11	27
28		·27		·39	·06			·15	·12		·10		28
29				·39		·25	·15			·22			29
30						·03	·24			·14	·06	·04	30
31							·02			·14		·01	31
Total	·96	2·01	2·40	2·15	1·60	1·73	·41	1·56	1·65	3·66	3·71	8·43	TOTAL for year 30·27
No. of Rain Days	10	16	14	11	9	12	3	9	11	19	22	28	164

9,000, IX. '10.

87

341

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Bindon Langford Budville

in the County of S. Somerset

by Major T. G. C. Reynolds

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 6 ft. in.
" " " Sea Level 400 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.09	.01			.02			.01		1
2					.32			.43		.09	.23	.21	2
3		.02	.01		.23			.05	.01		.08	.04	3
4			.10					.02		.15	.14	.43	4
5	.13		.15					.47		.02	.19	.03	5
6	.27		.23							.06	.16	.41	6
7	.02										.56	.02	7
8	.06		.11	.02							.06	.55	8
9	.01										.30	.37	9
10	.07		.41		.65							.24	10
11	.26		.01		.22						.45	.15	11
12			.84						.01		.19	.34	12
13									.29		.04	.48	13
14		.02								.02		1.00	14
15		.01				.07					.35	.06	15
16		.04				.13				.01	.40	.37	16
17		.01	.14			.20					.06	.56	17
18		.36	.17	.34	.01	.35				.18	.11	.47	18
19		.07		.20		.05			.66	.16	.10	.47	19
20	.05	.02	.09	.09					.14	.08		.40	20
21		.13				.01			.15	.80		.20	21
22	.08	.02		.07		.09			.06	.32		.60	22
23		.21	.04			.19			.07	.24	.05	.12	23
24		.30				.32		.24		.50		.20	24
25	.01	.11		.11		.04			.04	.06		.23	25
26		.10		.31	.06			.03		.12	.05	.32	26
27		.32	.07	.14	.04			.15	.10	.35	.02	.11	27
28		.27		.39	.06			.15	.12		.10		28
29				.39		.25	.15			.22			29
30						.03	.24			.14	.06	.04	30
31							.02			.14		.01	31
Total	.96	2.01	2.40	2.15	1.60	1.73	.41	1.56	1.65	3.66	3.71	8.43	TOTAL for year 30.27
No. of Rain Days	10	16	14	11	9	12	3	9	11	19	22	28	164

9,000, IX. '10.

8L Wrote for Oct. 25 II 13 HC

Exp D 12

342

FORM A2.
BRITISH RAINFALL.
23 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Bindon

in the County of Somersetshire 3

by T. G. C. Reynolds

RAIN GAUGE
Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station
Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·22			·53	·04	·04	·08	·91		·36	1
2			·27			·20	·05			·04	·04		2
3			·14			·10	·07	·71	·04		·02	·01	3
4	·15	·02	·88			·40		·05			·22		4
5	·60	·16	·35			·36		·40				·06	5
6	·71	·12	·03		·17	·23	·27	1·22				·04	6
7		·46	·12		·11	·80		·19				·11	7
8	·34	·15	·27	·03		·16	·16	·15				·03	8
9	·02	·04		·14		·20		·03			·01	·23	9
10	·14	·14	·05			·02		·07	·02		·10	·20	10
11	·09	·08									·12	·35	11
12	·02	·49	·09	·04		·01	·07					·16	12
13	·02							·04		·01	·01	·17	13
14	·11	·01	·77		·11	·01		·06	·01			·02	14
15	·20	·03			·34	·63						·36	15
16	·57		·22		·04	·03		·24		·05	·14	·09	16
17	·34		·09		·03	·08		·71			·01	·09	17
18	·04		·39					·22		·02	·01	·13	18
19	·05	·13	·08			·02	·20	·40		·03	·01	·01	19
20	·07	·06	·33		·25	·06	·08	·35		·59	·02		20
21	·01	·11	·58		·66		·02	·17		·17			21
22	·36	·25	·13		·14	·03	·22	·13		·13	·01	·12	22
23	·56	·63	·24		·02	·05	·01	·59		·21	·11	·28	23
24	·11	·03	·05			·20				·04		·07	24
25	·05					·52		·45		·13	·30	·43	25
26		·03					·02	·11		·44	·42	·29	26
27						·38	·70			1·04		·39	27
28		·11				·01	·22	·44	·27	·30	·46	·50	28
29		·09	·07			·15	·13	·14	·49	·50		·08	29
30			·03			·29	·23		·14	·47			30
31			·40				·20			·02		·07	31
Total	4·56	3·15	5·80	·21	1·87	5·47	2·69	6·91	1·05	5·10	2·01	4·65	TOTAL for Year 43·47
No. of Rain Days.	21	21	23	3	10	25	17	23	7	18	17	26	211

W. 8,000, X. '11.

81 written for Aug. 27.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

35-3

28 JAN 1914

[illegible] 3

Kept at Bindon

in the County of Somerset

by Major J. G. C. Reynolds

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.18	.25	.06	.11			.16		.05	.17	.13	1
2	.10	.16		.13	.14		.02	.01		.07	.10		2
3	.09		.06	.03	.21			.09		.11		.36	3
4	1.36		.06	.01	.35			.16		.04	.01	.41	4
5	.02	.02			.17	.17		.39			.07	.35	5
6	.02	.04	.12		.02	.07	.10			.79	.05	.28	6
7		.31	.03		.71	.16	.06			.62	.16	.01	7
8	.01	.05			.40				.05				8
9		.07		.05	.16	.11		.01	.07	.01	.25	.02	9
10	.35		.01	.01	.14		.01		.01	.50	.12		10
11	.69			.14	.19	.03			.02	.05	1.08	.01	11
12		.02			.11			.02			.42		12
13	.10		.01				.08	.47	.13		.07		13
14	.21	.02	.16				.03				.32	.01	14
15	.20	.02	.52	.76				.11			.08	.01	15
16	.18		.65	.06		.02	.01	.30	.40				16
17	.05		.05	.09			.01						17
18	.21		.16	.10							.04		18
19	.34		.12		.04	.04		.37		.01			19
20	.36		.18	.16						.10	.08		20
21	.01		.13	.03	.07						.29		21
22	.89		.74			.06	.01	.10	.01			.04	22
23			.03			.02			.02	.05	.05	.70	23
24	.04	.07		.05					.02	.01	.05		24
25		.05		.27				.05		.03	.02	.02	25
26				.66					.13	.02		.19	26
27	.14		.21	.14						.43		.04	27
28	.22		.09	.26	.02					.49		.16	28
29	.09		.52	.29						.28	.01		29
30	.44			.02						.42	.06		30
31	.29		.07		.20				.79				31
Total	6.41 ✓	1.01	4.17	3.32	3.04	.68	.33	2.24	1.65	4.08	3.50	2.74	YEAR'S TOTAL 33.17
Rain Days.	24	12	21	20	16	9	9	13	11	19	21	16	191

W. 7,500, XI. ·12

88 15·III·15

337

28 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Bindon

in the County of Somersetshire 3

by Major T. G. C. Reynolds

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·11		·07	·30	·27			·22	·09	1
2			·04	·14	·02		·50				·40	·52	2
3	·01		·18	·17	·40			·07				·10	3
4	·11		·11	·25	·05		·23	·27			·49	·58	4
5	·09		·13	·41	·10		·01				·03	·10	5
6		·09	·05	·23	·05		·39	·05			·02	·17	6
7		·36	·11	·17	·12	·06	·27	·10	·04			·18	7
8	·04		·94	·05	·25	·61		·08					8
9	·06	·02	·38	·11	·06	·60		·11	·56				9
10	·17	·09	·03	·16	·04	·05			·53		·02	·05	10
11		·07	·47		·09	·23	·07				·11	·59	11
12		·27	·07						·20	·05	·01	·55	12
13		·25	·42				·02		·24	·41	·30	·15	13
14		·19	·33			·90		·74		·19	·33	·02	14
15		·02	·18				·02	·63	·05	·05	·32	·01	15
16			·06						·15				16
17		·43	·24				·02					·81	17
18		·10	·06			·28	·02		·12	·03		·35	18
19		·03	·52				3·07		·05		·10	·08	19
20		·20	·30			·10						·30	20
21		·52				·01				·14		·11	21
22		·04			·17	·32		·01		·84			22
23		·13	·14			·09	·04			·32			23
24			·02		·02		·01	·10		·03	·17	·01	24
25	·14		·45				·15	·41		·46	·02	·22	25
26	·05		·14				·04	·13		·02	·21	·48	26
27	·02									·10	·20	·39	27
28	·01	·06	·16		·06					·23	(·07) ·07	·93	28
29	·12		·08		·10					·26	·39	·08	29
30			·06			·06				·31	·31	·78	30
31							·37			·73		·28	31
Total	·82	2·67	5·70	1·80	1·53	3·38	5·53	2·97	1·94	4·17	3·72 ✓	7·93	YEAR'S TOTAL 42·36
Rain Days.	11	17	27	10	14	13	17	13	9	16	19	26	192

W.7,000, XI. 13

81 ✓

34

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

RE

LITTON

SHERBORNE RES

SOMERSET

1911 – 1920

Kept at Litton

in the County of S. So

by

in.

round ft. in.

a Level ft.

me

tance Direction

IMPORTANT NOTE.- he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the reading in the space provided for it at the end of this p of rain, the selection and placing Rainfall Organization are given in "R application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·05	·12	·03			·10			·08	·05	1
2			·01	·54	·65			·35		·03	·49	·24	2
3			·04		·46			·13			·16	·10	3
4		·02	·19					·09		·12	·29	·48	4
5	·22		·06					·70		·02	·65	·03	5
6	·93		·08					·09		·01	·40	·68	6
7	·03										·63		7
8	·13		·34									·50	8
9	·12		·04								·15	·61	9
10	·20	·07	·86		·82							·46	10
11	·55	·04	·01		·02						·80	·39	11
12			·93						·01		·67	·28	12
13			·04						·30	·18	·12	·42	13
14		·11								·02	·08	1·01	14
15		·11	·02			·04					·55	·02	15
16		·10				·34					·61	·60	16
17		·07	·01			·10					·06	·44	17
18		·50	·13	·30		·40				·02	·03	·29	18
19		·13		·08		·11			·45	·12	·07	·50	19
20	·02	·07	·11	·43					·11	·10		·49	20
21		·61	·01	·02				2·21		·81		·40	21
22	·03	·18	·24	·06		·16			·01	·42		·47	22
23	·01	·23	·22			·06			·12	·20		·23	23
24	·01	·32				·45		·16		·79		·25	24
25		·16	·02	·30		·15		·01				·37	25
26		·09		·64	·01			·03		·18	·06	·51	26
27		·67	·22	·08				·15	·12		·04	·14	27
28		·58	·01	·88				·04			·08		28
29		X		·16		·50		·01	·21	·69	·01		29
30		X				·03				·30	·03	·01	30
31		X		X		X	·03		X	·19	X		31
Total	2·28	4·06	3·64	3·61	1·99	2·34	·03	4·07	1·33	4·20	6·06	9·97	TOTAL for year 43·58
No. of Rain Days	12	18	22	12	6	11	1	13	8	17	22	27	169

9,000, IX. '10.

81 ✓

343

FORM A2. BRITISH RAINFALL.
26 JAN 1912

RE

Kept at Litton

in the County of S. Somerset

by

RAIN GAUGE { Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station { Name
Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03		·05	·12	·03			·10			·08	·05	1
2			·01	·54	·65			·35		·03	·49	·24	2
3			·04		·46			·13			·16	·10	3
4		·02	·19					·09		·12	·29	·48	4
5	·22		·06					·70		·02	·65	·03	5
6	·93		·08					·09		·01	·40	·68	6
7	·03										·63		7
8	·13		·34									·50	8
9	·12		·04								·15	·61	9
10	·20	·07	·86		·82							·46	10
11	·55	·04	·01		·02						·80	·39	11
12			·93						·01		·67	·28	12
13			·04						·30	·18	·12	·42	13
14		·11								·02	·08	1·01	14
15		·11	·02			·04					·55	·02	15
16		·10				·34					·61	·60	16
17		·07	·01			·10					·06	·44	17
18		·50	·13	·30		·40				·02	·03	·29	18
19		·13		·08		·11			·45	·12	·07	·50	19
20	·02	·07	·11	·43					·11	·10		·49	20
21		·61	·01	·02				2·21		·81		·40	21
22	·03	·18	·24	·06		·16			·01	·42		·47	22
23	·01	·23	·22			·06			·12	·20		·23	23
24	·01	·32				·45		·16		·79		·25	24
25		·16	·02	·30		·15		·01				·37	25
26		·09		·64	·01			·03		·18	·06	·51	26
27		·67	·22	·08				·15	·12		·04	·14	27
28		·58	·01	·88				·04			·08		28
29		X		·16		·50		·01	·21	·69	·01		29
30		X				·03				·30	·03	·01	30
31		X		X		X	·03		X	·19	X		31
Total	2·28	4·06	3·64	3·61	1·99	2·34	·03	4·07	1·33	4·20	6·06	9·97	TOTAL for year 43·58
No. of Rain Days	12	18	22	12	6	11	1	13	8	17	22	27	169

9,000, IX. '10.

88 335

C.E.M.C.

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Litton

in the County of Somerset

by

Rain Gauge { Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·23			·16	·25	·02	·02	·68		·40	1
2		·02	·23			·23	·32				·02		2
3	·03		·14			·23	·10	·55	·16		·02	·13	3
4	·38		1·22		·25	·23		·29	·01		·17		4
5	·61	·07	·41		·06	·02		·31			·01	·25	5
6	·59	·17	·04		·10		·31	2·07				·24	6
7	·05	·29	·17		·09	·69		·07				·08	7
8	·51	·27	·83			·10	·09	·10				·06	8
9	·11	·03	·37	·15		·05	·02	·07			·02	·90	9
10	·04	·12				·18		·06			·08	·12	10
11	·08	·08	·02									·63	11
12	·10	·80	·21	·08			·03					·28	12
13		·01	·02				·01	·01			·02	·20	13
14	·26		1·00		·28			·43				·10	14
15	·07	·14			·23	·88		·02			·08	·91	15
16	·67	·02	·95		·12	·02		·36		·19	·04	·15	16
17	·89		·12		·04	·05		1·07			·01	·20	17
18	·22		·82					·11		·12		·12	18
19	·04	·15	·17			·03	·14	·38		·26		·02	19
20	·02	·01	·84		·45		·10	·55		·86	·01		20
21		·26	·50		·49		·01	·09		·36			21
22	·50	·30	·04		·05	·02	·18	·25		·05	·03	·13	22
23	·23	·56	·43		·01	·02		·92		·16	·20	·57	23
24	·11	·02	·07			·46	·02	·12		·06		·22	24
25			·01			·40		·58		·07	·57	·64	25
26		·06	·01				·15	·15		·53	·78	·40	26
27		·02				·37	·92			1·22	·06	·70	27
28		·09				·11	·28	·74	·11	·70	·54	·54	28
29		·12				·05	·50	·07	·41	·60		·09	29
30		X				·07	·27	·02	·15	·61			30
31		X	·29	X	·05	X	·35	·05	X	·02	X	·50	31
Total	5·51	3·61	9·14	·23	2·22	4·37	4·05	9·46	·86	6·49	2·66	8·57	TOTAL for year 57·17
No. of Rain Days.	20	22	26	2	13	21	19	27	6	16	17	26	214

W. 8,000, X. '11.

82

Written 2·4·14

348

FORM A.
BRITISH RAINFALL.

28 JAN 1914

REGISTER OF RAINFALL IN 1913

Ex. H [illegible]

Kept at Litton

in the County of Somerset 1

by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·25	·30	·12	·10				·39		·22	·23	1
2	·10	·14	·03	·22	·08		·07		·02	·11	·17	·05	2
3	·22	·01	·23	-	·45							·45	3
4	1·58		·13	-	·43		·02		·50	·11	·04	·25	4
5	·05	·08	·01	-	·24	·67	·13		·39		·07	·12	5
6	·16	·12	·16	-	·09	·30	·02			·79	·10	·51	6
7	·02	·37	·03	-	·53	·21	·20			·37	·17		7
8	·01	·11		-	·32	·04				·04		·05	8
9		·16	·09	·02	·08	·31	·09	·31	·09		·11	·08	9
10	·23		·04	·05	·03			·04		·17	·17		10
11	·70			·14	·14	·06				·02	·85	·10	11
12	·10			-	·18		·02		·01		·15		12
13	·04		·11	-		·01	·02	·07	·79		·30		13
14	·17		·26	·16				·02	·11	·10	·43		14
15	·27	·11	·62	·69				·02	·02		·24	·12	15
16	·22		·93	·23					·13		·01		16
17	·14	·01	·03	·10			·06				·19		17
18	·15		·37	·38		·04					·10		18
19	·68		·05	-	·08	·32	·02		·37				19
20	·22		·13	·05		·01				·23	·16		20
21			·28	·12	·25		·11	·01			·54		21
22	·71		·61	·18	·05	·10		·06	·21	·01			22
23	·03		·01	-				·20	·01		·10	·31	23
24	·07	·03		·08				·15			·02		24
25		·08		·29							·05	·22	25
26		·03		·37				·21				·22	26
27	·06		·26	·43						·12		·07	27
28	·20		·13	·41						·19		·19	28
29	·04	×	·73	·49				·14		·31	·03		29
30	·70	×		-						·56	·20		30
31	·15	×	·04	×	·03	×		·34	×		×		31
Total	7·02	1·50	5·58	4·53	3·08	2·07	·76	1·57	3·04	3·13	4·42	2·97	YEAR'S TOTAL 39·67
Rain Days.	~~26~~	~~13~~	~~24~~	~~19~~	~~16~~	~~11~~	~~11~~	~~12~~	~~13~~	~~14~~	~~23~~	~~15~~	197

W. 7,500, XI. ·12

DL

[illegible]

REGISTER OF RAINFALL IN 1914

332

28 JAN 1915

FORM A.
BRITISH RAINFALL.

Kept at Litton

in the County of Somersetshire

by

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02	·05		·03	56	·54				·08	1
2				·12	·01		·50	·06			1·05	·37	2
3			·14	·32	·33		·12	·46			·05	·24	3
4	·23		·28	·55	·15		·16	·21			·58	·78	4
5	·18		·25	·65	·07		·15	·04			·05	·44	5
6	·01	·17	·05	·38	·09		·25	·14			·05	·26	6
7	·02	·95	·31	·42	·76	·01	·41	·16	·01			·14	7
8	·21	·05	1·25	·06	·11	·56	·06	·18	·21				8
9	·22		·29	·27	·03	·65		·07	·24				9
10	·02	·16	·03	·24	·11				·58				10
11		·18	·95		·10	·23	·29		·01			·36	11
12		·13	·14						·40		·25	·28	12
13		·43	·56						·32	·30	·26	·54	13
14		·65	·52			·04	·03	·25	·03	·27	·29		14
15		·02	·33				·03	·57	·05	·04	·20		15
16			·01				·10		·54				16
17		1·41	·36						·03			·88	17
18		·06	·05				·32					·53	18
19		·13	·45				·97				·07	·24	19
20		·73	·12			·04						·34	20
21		·55	·02			·35				·23			21
22		·02	·02		·19	·38		·08		·32			22
23		·14	·32			·05	·01			·17			23
24			·08		·10		·40			·28	·33		24
25	·06		·13		·06		·03	·66		·77	·02	·59	25
26			·01				·10	·01		·16	·46	·56	26
27	·13									·05	·21	·24	27
28	·03	·27	·25		·03					·15	·53	1·08	28
29	·43	X	·14		·10					·17	·27		29
30	·01	X	·04							·30	·39	1·12	30
31	·04	X		X		X	·25		X	·25	X	·18	31
Total	1·59	6·05	7·12	3·06	2·24	2·34	4·74	3·43	2·42	3·46	5·06	9·25	YEAR'S TOTAL 50·76
Rain Days.	13	17	26	10	15	10	19	14	11	14	17	20	188

W.7,000, XI. 13

82

2078
325

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Litton

in the County of Somersetshire

by J. A. McPherson

Ex Dd

Lat. ____ Long. ____

Time of Observation ____

Nearest Railway Station ____

Diameter of Rain Gauge ____ in.

Height of top of Gauge above Ground ____ ft. ____ in.

" " " " Sea Level ____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ____

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·53	·28			·13			23	·38	·27	·01	·36	1
2	·41	·33	·26	·28		·04	·01	·59	·09	·05		·31	2
3	·33	·10	·21	·14	·19		·03	·01				·32	3
4	·03	·02	·01		·06		·09					·44	4
5	·14	·77	·01	·07				·08				·33	5
6	·43	·05		·57			·49	·06				·19	6
7	·50	·55		·08	·24		·28	·02				·43	7
8	·59	·47		·03				·11			·21		8
9	·01	·12		·12				·03			·51	·96	9
10	·43		·07	·05				·49				·10	10
11	·03			·04	·01			·18			·84	·06	11
12	·16	·32		·15	·57			·28		·05	·26		12
13	·02	·98			1·16		·01	·02	·13			·04	13
14	·12						·07	·79	·08	·03		1·58	14
15	·52			·01	·15		·13	·03	·05	·04	·17	·06	15
16		1·36			·72		1·22	·04				·13	16
17		·72			·90							·04	17
18		·39	·07		·01								18
19	·03	·04			·07		·40						19
20	·56			·14						·04		·11	20
21	·07	·18			·14		·03			·05		·19	21
22	·08	·30	·47	·06		·02	·87		·02			·40	22
23		·03	·14				·40		·12	1·22		·54	23
24			·01	·07			·29		·33	·74		·43	24
25				·02		·30	·24			·01		·41	25
26		·10				·01	·15		·02			·65	26
27		·07				·07	·18			·72		·01	27
28		·07	·04			·03			·77	·07			28
29						·32		·05			·16	·07	29
30	·30					·08				·40	·42	·41	30
31	·08						·14	·02		1·15		·29	31
Total	5·37	7·25	1·29	1·83	4·35	·87	5·03	3·03	1·99	4·84	2·58	8·86	YEAR'S TOTAL 47·29
Rain Days.	21	21	10	15	13	8	18	17	10	14	8	26	181

W. 8,000. X. 14.

82 [illegible]

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

Kept at Litton

in the County of Somersetshire

by J. A. McPherson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30				·25	·14	·41		·06	·40	·19		1
2	1·05	·14	·04		·08		·06			·82	·07		2
3	·01	1·13			·21	·04			·20	·68	·23		3
4	·27	·09			·19	1·06			·30	·22	·58		4
5	·06	·05	·02		·24	·12				·02	·36		5
6	·20	·34	·01		·40	·11	·61			·09	·78		6
7	·05	·11	·28			·02				·12	·82	·16	7
8		·12	·06		·30	·13					·05	·18	8
9		·01	·01		·17	·25				·10	·04	·09	9
10		·42	·03	·13	·04	·02	·02			·02	·02	·09	10
11			·02	·17	·02	·14			·02				11
12	·10	·22	·11	·11	·27		·24	·07		·15			12
13		·48	·16				·01	·44		·01			13
14		·47	·05	·06	·15			·22		·08			14
15		·27	·11	·05				·39		·02			15
16	·06			·36	·03		·01	·70					16
17	·25	·17						·09	·70	·55	·11		17
18			·16	·09						·16	·37	·12	18
19	·29		·46	·61							·17	·03	19
20	·27	·08	·55								·12	·92	20
21	·25	·06	·50		·14							·69	21
22	·03			·03		·11				·21	·07	·79	22
23	·02	·42		·18		·03		·20		·23	·49	·14	23
24		·11	—	·16	1·26	·07		·06		·71		·31	24
25		·33	·21		·03	·01		·40			·35	·08	25
26	·03	·07	·29			·23		·90	·72	·43	·05		26
27	·05	·20	1·58			·02		·14	·33	·27			27
28		·54	·04			·14		·08	·29	·72	·03	·85	28
29		·48	·17		—	·63		2·14	·26	1·43		·95	29
30		×								·41		·03	30
31		×		×		×		·13	×	·27	×	·09	31
Total	3·29	6·31	4·86	1·95	3·78	3·27	1·36	5·96	2·88	8·12	4·90	5·52	YEAR'S TOTAL 52·20
Rain Days.	17	23	21	11	16	18	7	14	9	24	19	16	195

W. 8,000. X. 15.

81

273

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

2 6. JAN 1918

Kept at Litton

in the County of Somersetshire

by J. A. McPherson

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·01	·10	·68		·23		1·20			·04		1
2	·03			·03		·33		·17	·72		·03		2
3	·11						·39	·01	·02	1·06	·15		3
4		·37	·10	·04			·13	·11		·28			4
5	·32		·23	·58		·16				·39	·20		5
6			·35						·32	·20	·29	·04	6
7	·49						·20	·37		·38	·03	·03	7
8	·17		·25	·17			·63	·65		·82	·22	·04	8
9			·05	·05	·11		·02	·19	·04	·28	·20		9
10	·18		·33	·19				·17	·05				10
11	·02		·65	·49				·94	·11	·36	·03		11
12					·27	·02		·51	·14	·77			12
13			·13	·02		·04		·27		·01		·02	13
14			·20	·24				·93	·16			·01	14
15							·56		·12	·34		·32	15
16	·01	·08		·42			·46			·35		·07	16
17				·26	·15		·41	·10		·10			17
18	·02			·01	·01	·02	·65	·02	·73	·01			18
19		·49	·06			·06		·02	·75		·04		19
20		·11	·06		·33	·16		·12	·07				20
21		·02	·51			·05			·04	·04			21
22			·05		·01	·08		·19		·16			22
23		·08			·12			·53		·04	·01	·04	23
24		·03	·01			·84	·10	·34		·32			24
25		·10	·03					·03		·77			25
26					·14			1·07	·04	·62	·07		26
27					·79	·05		1·56	·42	·01	·01		27
28			·15		·01	2·91		·92			·02	·04	28
29		✕	·15			·42	·07	·07		·67	·03	·22	29
30		✕	·06				·15	·34		·14			30
31		✕	·22	✕		✕		·06	✕	·06	✕	·05	31
Total	1·36	1·29	3·69	3·18	1·94	5·37	3·77	10·89	3·73	8·18	1·37	·88	YEAR'S TOTAL 45·65
Rain Days.	10	9	20	13	10	14	12	26	15	24	15	11	179

W. 8,000, VIII. 16

DL

15
~~207~~

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Litton
in the County of Somerset
by J. A. McPherson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·04	—	·11	·05			·37		·02	·70		1
2		·05		·20				·40		·02	·11	·65	2
3		·06	—	·17	·13	—		·03	·05	·08	·03	·02	3
4		·07		·05				·04		·15	·96	·19	4
5				·06	·12			·28	·06	·40	·02	·02	5
6	·13	·91		·55						·17		·17	6
7	·06	·27	—	·03	·70			·02	·45	·25	·34	·04	7
8	·01	·08							·92	·27		·02	8
9		·28	—	·40		·23	·54		·74	·18	·04	·45	9
10	·02	·05	—	·11			·60		·38	·17	·03	·53	10
11	·07	·24	·05	·01			·25		·34	·23	·08	·22	11
12		·17	·13		·49		·58		·08			·11	12
13	·30				·04	·05	·10		·65	·09		·41	13
14	·24		·05			·07	·37		·35	·15		·12	14
15	1·24			·47	·09	·07	·32			·02		·39	15
16	·45		·05	·70			·05		·22	·01	—	·25	16
17	·35		·04	·13			·20	·17	·08	·01		·44	17
18	1·24					1·07	·14		·53	·02		·37	18
19	·06		·07				·08	·02	·80	·04		·08	19
20	·05	·34		·06		·03	·61		·31	·10			20
21	·04	·10				·01	·22		·90	·03		·09	21
22					·04		·43		·64	·09		·44	22
23	·28	·03			·25		·40	·02	·02	·01	·07	·05	23
24		·15					·02	·03	·15		·08		24
25				·02			·33	1·00		·01	·04		25
26				·03			·61	·02	·14	·02	·15	·53	26
27		·05						·34	·54		·15	·06	27
28		·12	·28								·13	·29	28
29			·10						1·07			·03	29
30			·48					·08	·04	·04	·07	·25	30
31			·51					·09		·04			31
Total	4·54	3·01	1·76	3·10	1·91	1·53	5·85	2·91	9·46	2·62	3·00	6·22	YEAR'S TOTAL 45·91
Rain Days.	15	17	10	16	9	7	18	15	23	26	16	26	198

W. 8,000, IX. 17.

81

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Litton
in the County of Somersetshire
by J. A. McPerrow

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m, on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.03	.02	.06	.12	.49		.67		.02	.20	.02	1.33	1
2	.27		.04		.05		.07		.09		.07	.29	2
3	1.34		.25		.04				.09		.10	.65	3
4	.56	.14	.41		.05	.05		.05	.39			.14	4
5		.39	.87		.08		.06		.53		.03	.63	5
6	.42	.12	.37								.01	.21	6
7	.16		.60	.09								.02	7
8	.22		.09	.05		.01							8
9	.13		.07	.09							.33		9
10	.07		.24	.02						.06		.52	10
11	.07		.30	.20	.35		.30					.08	11
12	.08		.08	.07		.35				.10	.10	.20	12
13	.18		.03	.68			.01					.11	13
14	.62	.08		.78	.02		.16		.02			.15	14
15	.21	.02		.04						.14		.37	15
16	.21	1.04									.18		16
17		.73				.01					.54		17
18	.06	.02	.44				.18	.48	.07		.34	.12	18
19	.35	.26	1.07			.11	.87	.58	.27		.45	.09	19
20	.57	.24	.18			.34		.26	.02			.26	20
21		.81	.02				.18	.01	.02		.01	.16	21
22		.31				.03	.12		.25		.04	.25	22
23									.10	.61	.14	.05	23
24				.07		.16			.05	1.10	.21	.66	24
25	.11			.01		.03		.75			.04	.07	25
26	.08	.04	.30	.05		.02		.48	.21			.91	26
27	.19	.03	.05	.59				.53				.07	27
28	.03		.38					.47			.53	.53	28
29		X		.09						.08		.08	29
30		X		.18		.26		.19		.03	.48	.87	30
31	.03	X		X		X			X		X	.22	31
Total	6.99	4.25	5.85	3.13	1.08	1.37	2.62	3.80	2.13	2.32	3.62	9.04	YEAR'S TOTAL 46.20
Rain Days.	~~23~~	~~15~~	~~20~~	~~16~~	~~7~~	~~11~~	~~10~~	~~10~~	~~14~~	~~8~~	~~18~~	~~27~~	~~179~~

W, 6,500, VII. 18. W W O

298A

1724

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Bristol W.W. Litton

in the County of Somersetshire

by J. A. McPherson

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·29	·40		·39	·03	·10	·30	·31	·56	1
2	·16			·07	·02		·45	·20	·08	·28		·21	2
3	·06	·08		·06			·61			·65		·02	3
4			·09	·11			·07	·78	·01	·23			4
5			·15	·02	·26		·55	·01		·21			5
6			·37	·04	·60		·11			·06		·03	6
7	·05		·13	·12			·13						7
8	·06	·10		·59	·06		·77			·01			8
9	·95	·19	·03	·74		·15	·33	·04					9
10	1·03	·55	·22	·04		·20	·80						10
11	·39		·20	·53	·36		·12						11
12	·36	·07		·16		·61	·15				·22		12
13	·11	·17	·61	·22								·03	13
14	·19	·04	·28	·82			·05		·16	·20	·49		14
15	·03	·18	·03	·54	·07	·04	·02		·12	·40	·12		15
16		·01	·01	·23	·04	·34	·51		·08	·06	·32		16
17	·12		·04	·21	·31	·81			·34				17
18	·09			·28	·07	·02		·38	·24			·04	18
19	·02	·20		·40	·07	·08							19
20		·28		·31		·34						·54	20
21				·02			·08		·02			·17	21
22	·07			·17		·02	·09	·13				·44	22
23	·01						1·04	·02				·61	23
24			·29	·06							·14	·19	24
25		·14	·11		·02		·41						25
26	·43		·25				·06				·08	·12	26
27	·28	·02	·08	·20		·75	·02					·30	27
28	1·24	·02	·19		·36	·01	·11					·03	28
29	·26		·18		·24	·03	·04				·35	·38	29
30	·13	╳	·02	·06	·01	·44	·31		·33		·38	·25	30
31	·31	╳	·30	╳		╳	·10		╳	·80	╳	·24	31
Total	6·37	2·05	3·58	6·29	2·89	3·84	7·32	1·59	1·48	3·20	2·41	4·16	Year's Total 45·18
Days with ·01 in. or more	~~23~~	~~14~~	~~20~~	~~25~~	~~15~~	~~14~~	~~25~~	~~8~~	~~10~~	~~11~~	~~9~~	~~17~~	~~191~~
	~~19~~	~~11~~	~~16~~	~~23~~	~~12~~	~~10~~	~~23~~	~~5~~	~~8~~	~~10~~	~~9~~	~~13~~	~~159~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

RE 1911

LONG ASHTON
SOMERSET
1911-17, 19-20

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

Kept at *Long A*
in the County of *S*
by *H. B. Napier*

of top *6* in.
top above Ground *1* ft. *—* in.
,, ,, Sea Level *134* ft.
on *9.30 a.m.*
tation { Name *Clifton Bridge.*
Distance *1½* Direction *E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·05			·07			·06		1
2					·29			·23		·04	·47	·14	2
3			·07		·41						·11	·06	3
4				·41				·36		·03	·27	·39	4
5	·18									·02	·48		5
6			·08								·14	·38	6
7											·48		7
8	·50		·13								·04	·46	8
9	·18	·08									·17	·49	9
10	·11		·52									·04	10
11	·35				·12						·95	·32	11
12			·75						·05		·44	·16	12
13									·59	·11	95	·40	13
14		·04										·92	14
15		·05				·04				·02	·22	·06	15
16		·04				·14					·36	·39	16
17		·05									·07	·18	17
18		·42	·11	·19		·28				·03		·32	18
19				·07		·05			·33	·07	·05	·37	19
20		·04	·16	·19					·15	·09		·36	20
21		·18	·11					·05		·40		·33	21
22		·04	·37			1·29				·21		·52	22
23	·04	·21	·30						·08	·10	·04	·25	23
24		·16		·19						·54		·07	24
25						·72		·17	·02	·04		·11	25
26		·18		·33	·06			·26		·40	·10	·40	26
27		·54							·16		·04	·20	27
28		·48		·57		·03		·33			·05		28
29			·11	·10		·51			·08	·33		·02	29
30						·01		·05		·25			30
31										·33		·04	31
Total	1·36	2·51	2·71	2·05	·93	3·07	—	1·52	1·46	3·01	4·54	7·38	TOTAL for year
No. of Rain Days.	6	14	11 ~~211~~	8	5	9	—	8	8	17	19	26	30·54

W. 8,000, X. '11.

131

FORM A2.
BRITISH RAINFALL
3 JAN 1912

REGISTER OF RAINFALL IN 1911

Exd

Kept at Long Ashton,
in the County of Somerset
by H. B. Napier.

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 134 ft.

Time of Observation 9.30 a.m.

Nearest Railway Station
Name Clifton Bridge.
Distance 1½ Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1					·05			·07			·06		1
2					·29			·23		·04	·47	·14	2
3			·07		·41						·11	·06	3
4				·41				·36		·03	·27	·39	4
5	·18									·02	·48		5
6			·08								·14	·38	6
7											·48		7
8	·50		·13								·04	·46	8
9	·18	·08									·17	·49	9
10	·11		·52									·04	10
11	·35				·12						·95	·32	11
12			·75						·05		·44	·16	12
13									·59	·11	95	·40	13
14		·04										·92	14
15		·05				·04				·02	·22	·06	15
16		·04				·14					·36	·39	16
17		·05									·07	·18	17
18		·42	·11	·19		·28				·03		·32	18
19				·07		·05			·33	·07	·05	·37	19
20		·04	·16	·19					·15	·09		·36	20
21		·18	·11					·05		·40		·33	21
22		·04	·37			1·29				·21		·52	22
23	·04	·21	·30						·08	·10	·04	·25	23
24		·16		·19						·54		·07	24
25						·72		·17	·02	·04		·11	25
26		·18		·33	·06			·26		·40	·10	·40	26
27		·54							·16		·04	·20	27
28		·48		·57		·03		·33			·05		28
29			·11	·10		·51			·08	·33		·02	29
30						·01		·05		·25			30
31										·33		·04	31
Total	1·36	2·51	2·71	2·05	·93	3·07	—	1·52	1·46	3·01	4·54	7·38	TOTAL for year
No. of Rain Days.	6	14	11 ~~2·41~~	8	5	9	—	8	8	17	19	26	30·54

W. 8,000, X. '11.

131

Exmd

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
7 - JAN 1913

Kept at Long Ashton
in the County of Somerset
by Henry Burroughes Napier

Lat. 51·43 Long. 2·64
Time of Observation 9 a.m.
Nearest Railway Station Flax Bourton
Diameter of Rain Gauge 8" in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·30			·33	·21			·77		·34	1
2			·20			·21	·32	·61				·01	2
3	·02		·52	·01		·23			·15		·02		3
4	·25		·30		·81	·32		×			·15		4
5	·52		·03		·03	·40		} 1·15 ×			·01	·13	5
6	·34	·19	·15		·03	·15		×				·05	6
7		·14	·24		·22	·49	·12	·49			·02		7
8	34	·18	·18				·41					·23	8
9	·04	·02	·10	·14		·18	·02	·02				·41	9
10	·09	·08	·03			·05						·05	10
11	·05	·07	·01					·05				·51	11
12	·03	·47	·08	·11	·04	·15		·26				·06	12
13		·02	·03					·12				·21	13
14	·07	·18	·93	·01	·26	·60							14
15	·08	·20	·02	·01	·24	·80						·54	15
16	·65	·01	·36		·02			·10	~~·15~~	·15	·02	·11	16
17	·91	·01	·28		·05	·13	·62	·90			·06	·46	17
18	·11	·02	·41					·16	~~·08~~	·08	·01	·10	18
19	·04	·10	·05			·07	·21	·94				·03	19
20	·04	·01	·40		·30			·13	~~·82~~	·82			20
21		·13	·20		·71		·22	·22	~~·35~~	·35	·02	·18	21
22	·50	·38	·30		·56		·13	·20	~~·05~~	·05	·02		22
23	·30	·48	·41			·07		1·37	~~·15~~	·15	·05	·41	23
24	·05	·02	·20			·26	·03	·12	~~·10~~	·10	·42		24
25						95		50	~~·60~~	·60	1·00		25
26		·05						·47	~~·5~~	·53		·86	26
27		·02					·53			·35	·01	·41	27
28		·13				·53	1·23	·72			·56	·68	28
29		·20	·02				·45	·04	·38	·42		·64	29
30			·01			·03	·23		·20	·23		·01	30
31			·30		·12		·42					·20	31
Total	4·43	3·11	6·06	·28	3·39	5·40	5·15	8·57	·73	4·60	2·37	6·63	YEAR'S TOTAL 50·72
Rain Days.	19.	23	27	5	13	17	15	2~~0~~2	3	13	14	23	194

W. 7,500, XI. '12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at Ashton Court Estate Office, Long Ashton
in the County of Somerset.
by F. B. Napier

Lat. 51·43 Long. 2·64
Time of Observation 9·30
Nearest Railway Station Flax Bourton
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·13	·26	·05	·15	·00	·00	·00	·33	·00	·00	·08	1
2	·02	·15	·02	·04	·04	·00	·00	·00	·03	·07	·32	·02	2
3	·20	·02	·16	·00	·72	·01	·00	·00	·00	·23	·01	·30	3
4	·97	·01	·15	·00	·25	·32	·00	·00	1·12	·15	·02	·15	4
5	·40	·02	·05	·00	·38	·12	·10	·00	·30	·00	·19	·13	5
6	·03	·06	·15	·00	·07	·00	·02	·00	·00	·73	·15	·52	6
7	·01	·18	·03	·00	·27	·37	·01	·00	·00	·11	·26	·03	7
8	·00	·05	·00	·00	·19	·00	·00	·01	·00	·09	·00	·01	8
9	·00	·11	·02	·01	·15	·27	·00	·47	·10	·14	·05	·01	9
10	·31	·03	·03	·05	·01	·00	·03	·18	·00	·20	·15	·00	10
11	·98	·00	·01	·11	·14	·01	·00	·01	·00	·00	·77	·05	11
12	·02	·01	·00	·00	·10	·00	·00	·00	·10	·02	·23	·01	12
13	·06	·00	·05	·00	·00	·00	·03	·06	·95	·00	·21	·00	13
14	·14	·00	·31	·03	·00	·00	·00	·00	·06	·26	·09	·05	14
15	·22	·02	·43	1·01	·00	·00	·00	·04	·01	·01	·11	·03	15
16	·31	·01	·50	·01	·00	·00	·02	·00	·03	·00	·00	·00	16
17	·10	·00	·02	·10	·00	·00	·06	·00	·06	·00	·06	·00	17
18	15	·02	·13	·15	·00	·01	·01	·00	·00	·00	·07	·00	18
19	·31	·00	·01	·00	·02	·02	·01	·00	·26	·00	·02	·01	19
20	·34	·00	·08	·03	·00	·00	·00	·00	·00	·04	·19	·00	20
21	·20	·00	·08	·09	·21	·00	·19	·00	·00	·00	·31	·00	21
22	·69	·00	·65	·00	·02	·08	·00	·00	·27	·07	·00	·00	22
23	02	·00	·00	·00	·00	·02	·00	·04	·02	·00	·10	·21	23
24	·13	·00	·00	·04	·00	·02	·00	·32	·00	·00	·01	·01	24
25	·00	·09	·00	·24	·00	·00	·00	·00	·01	·01	·00	·15	25
26	·00	·04	·00	·31	·00	·00	·00	·00	·00	·01	·02	·17	26
27	·09	·00	·13	·58	·00	·00	·00	·00	·00	·10	·01	·02	27
28	·30	·00	·14	·19	·00	·00	·00	·00	·00	·15	·01	·05	28
29	·00	·00	·68	·48	·00	·00	·00	·07	·00	·16	·01	·01	29
30	·68		·02	·01	·00	·00	·00	·00	·00	·37	·04	·00	30
31	·18		·04		·33		·00	·10		·00		·00	31
Total	6·89	·95	4·15	3·53	3·05	1·25	·48	1·30	3·65	2·92	3·41	2·02	YEAR'S TOTAL 33·60
Rain Days.	26	16	25	19	16	11	10	10	15	19	25	21	213

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
14 JAN 1915

Kept at Ashton Court Estate Office.
in the County of Somerset.
by H. B. Napier Esq.

Lat. 51· 43 Long. 2·64
Time of Observation 9·30 a. m.
Nearest Railway Station Flax Bourton.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01		·15		·03	1·10	·90			·06	·01	1
2						·02	·76				·70	·45	2
3			·06	·21	·27		·01	·31			·04	·16	3
4	·20		·07		·11		·04	·06			·67	·40	4
5	·12		·07	·73	·07		·38	·03			·07	·12	5
6		·09	·10	·09	·05		·23	·08			·03	·30	6
7	·02	·65		·35	·39	·07	·84	·17				·20	7
8	·19		1·32	·14	·05	·46	·13	·02	·31			·03	8
9	·29		·32	·16		·88		·10	·13				9
10		·16	·01		·07			·01	·30				10
11		·10	·36		·07	·27					·07	·46	11
12		·16	·14				·15		·29		·06	·38	12
13		·42	·43				·02		·43	·17	·04	·28	13
14		·28						·16	·03	·17			14
15			·65				·02	·44	·27		·53		15
16							·13		·14				16
17		·62	·18				·06		·03			·78	17
18		·03	·06				·06		·01			·31	18
19		·14	·24				·77				·08	·07	19
20		·44	·08									·19	20
21						·49				·17			21
22		·54	·08	·01	·55	·21		·06		·10			22
23		·07	·26		·06	·01	·01	·02		·23			23
24			·07				·11			·12	·08		24
25	·11		·13					·52		·35	·02		25
26							·12	·06		·06	·31	·78	26
27	·13									·09	·53		27
28	·01	·11			·05						·54	1·56	28
29	·38		·36		·07					·12	·24		29
30	·03	X	·03		·01	·15				·25	·42	·58	30
31	·01	X		X	·02	X	·23		X	·28	X		31
Total	1·49	3·82	5·02	1·84	1·84	2·59	5·22	2·94	1·94	2·11	4·49	7·56	YEAR'S TOTAL 40·86
Rain Days.	11	15	21	8	14	10	19	15	10	12	18	19	172

W. 8,000. X. 14.

2101

FORM A.
BRITISH RAINFALL.

28 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Ashton Court Estate Office
in the County of Somerset
by H. B. Napier

Lat. 51·43 Long. 2·64
Time of Observation 9 a.m.
Nearest Railway Station Clifton Bridge
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·10			·02				·08	·30		·13	1
2		·27	·14	rain	·10			·85	·01	·04		·16	2
3	·70	·06	·08	fine	·15		·30	·06				·26	3
4	·06	·03	·01	·61 rain	·07		1·02					1·62	4
5	·06	·44	·01	rain				·13					5
6	·34	·04		fine			·31	·06				·36	6
7	·49	·36		·08			·43	·04			·03	·28	7
8	·37	·26		·03				·11			·19		8
9	·01	·10		·03				·10			·36	1·15	9
10	·23	·01	·11					·06		·01	·01		10
11	·03		·05	·07				·14			1·14		11
12	·15	·30		·21	·49			·04		·08	·28	·10	12
13	·02	·58			1·33				·28			·05	13
14	·11						·22	·41	·03	·03		·76	14
15	·32						·12	·31	·15		·15	·05	15
16		·74			·77			·05				·08	16
17		·20			·57		·94					·01	17
18		·30	·01										18
19	·02	·04			·07		·25						19
20	·29			·20								·14	20
21	·01	·06			·31							·09	21
22	·07	·22	·47	·04		·03			·01			·25	22
23		·02	·19				·74			1·70		·75	23
24			·02	·04			·10		·47	·55		rain	24
25						·25	·20			·05		rain	25
26							·33		·05			1·31 rain	26
27		·18				·26	·44		·02	·40		rain	27
28		·05				·01			·61				28
29						·28		·02	·02	·01	·08	·05	29
30	·29					·08				1·28	·23	·28	30
31	·01							·26				·44	31
Total	3·81	4·36	1·09	1·31	3·88	·91	5·40	2·64	1·73	4·45	2·47	8·32	YEAR'S TOTAL 40·37
Rain Days.	20	21	10	11	10	6	13	15	11	12	9	25	163

W. 8,000, X. 15.

Exd FW

2047

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

3 FEB 1917

Kept at Long Ashton

in the County of Somerset

by H. B. Napier

Lat. 51·43 Long. 2·64

Time of Observation 9 a.m.

Nearest Railway Station Clifton Bridge

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·10				·17	·12	·46		·01	·40	·15		1
2	·92	·05	·02		·07						·08		2
3	·01	·95			·17		·01		·13	1·31	·03		3
4	·55	·15			·27	·77			·27	·41	·15		4
5	·02		·02		·20	·15				·12	·58		5
6	·10	·36	·01		·41	·20	·57						6
7	·05	·21	·09		·10					·28	·84		7
8		·27	·12		·24		·01				·47	·36	8
9		·03			·17	·28	·09			·10	·04	·14	9
10		·54		·13	·05					·05	·04		10
11	·01			·24	·08	·21				·06		·16	11
12	·03		·15	·04	·28		·22			·01			12
13	·01	·71	·14					·24		·30			13
14	·01	·39	·15	·02	·22			·63		·01	·01		14
15	·00	·14	·08	·10	·01			1·41					15
16	·08	·05		·38	·02		·04	·39		·03			16
17	·12	·16		·01				·08		·05			17
18	·01	·01							·44	·72	·09		18
19	·20		·63	·24					·02	·10		·12	19
20	·21	·10	·55								·48		20
21	·26	·07	·74		·08						·07	1·03	21
22		·35		·06		·15							22
23	·02			·20		·04		·16		·24	·09	·66	23
24					1·24	·15		·06		·11	·16	·29	24
25		·57	·31					·62		·45		·31	25
26	·10					·29				·07		·33	26
27	·15	·17	·72			·06		·69	·58	·42	·28	·47	27
28		·29	·31	·10	·26	·04		·01	·39	·68		·17	28
29		·51	·06			·32		1·79	·15	1·20		·11	29
30		✕							·02	·81		·81	30
31		✕		✕		✕		·05	✕		✕	·10	31
Total	2·96	6·08	4·10	1·52	4·04	2·78	1·40	6·13	2·01	7·93	3·56	4·96	YEAR'S TOTAL 47·47
Rain Days.	20	21	16	11	18	13	7	12	9	23	16	14	180

W. 8,000, VIII. 16

end for WD

1953

APR 1918

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Long Ashton

in the County of Somerset

by H B Napier

Lat. 51·43 Long. 2·64

Time of Observation 9 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·01)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01			·16							·05		1
2	·02		·36	·56		·09	·01	·80	·27		·09		2
3	·02		·03	·02		·19		·16			·05		3
4	·53	·06		·01				·02		1·71	·02		4
5	·52	·24	·12	·04			·07	·04		·22			5
6			·26	·45		·26			·40	·35	·11	·02	6
7	·11		·61	·10							·34	·05	7
8	·12						·14	·29		·23		·02	8
9	·23		·26	·11			·68	·77	·06	·73	·11	·11	9
10			·07	·03	·14			·48	·07	·22			10
11	·16		·26	·24				·24	·03	·02			11
12	·05		·48	·37	·02			·11	·29	·11	·02	·03	12
13	·02		·03		·34			·35	·01	·89	·01	·01	13
14			·13	·08		·06	·03	·21	·14	·02			14
15	·02		·29	·07			·02	·23	·02	·04		·14	15
16				·02			·52	·06		·13		·10	16
17		·07		·11			·03			·14			17
18		·03		·31	·23		·41	·57	·33	·25			18
19	·01	·03			·03		·43		·89				19
20	·01	·58				·04		·13	·03		·02		20
21		·33	·08		·26	·09			·07		·03		21
22		·03	·37			·03				·02	·04		22
23	·03		·06			·18		·05		·11			23
24		·14			·06	·34		·30					24
25		·03						·34		·17			25
26		·08	·04					·03		·26			26
27					·05			·76	·28	·34	·03		27
28					1·23	·06		·89			·01		28
29			·17			1·41	·08	1·37			·02	·03	29
30		X	·10			·35	·14	·03		·56			30
31		X	·04	X		X	·01	·25	X	·31	X		31
Total	~~·86~~ 1·85	1·62	~~3·76~~ ·16 3·92	~~2·68~~ 2·52	2·36	3·10	2·57	8·48	2·89	~~6·83~~ ·05 6·88	~~·45~~ ·90	~~·51~~ (·01) ·52	YEAR'S TOTAL 37·61
Rain Days.	~~15~~ 14	11	~~14~~ 20	~~16~~ 15	9	12	13	24	14	22	~~13~~ 14	~~9~~ 10	178

W. 8,000, IX. 17.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

31 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Ashton Court Estate Office Long Ashton.
in the County of Somerset
by H. B. Napier Esq.,

Lat. 51. 43. Long 2. 64
Time of Observation 9. 30 A. M.
Nearest Railway Station Clifton Bridge. G. W. R.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 134 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·57				·10		·64		·06	·21		1·12	1
2	·17				·06		·14		·09		·15	·68	2
3	1·00		·31						·10		·09	·89	3
4		·15	·70		·06	·09	·06	·12	·16			·12	4
5	·36	·36	·85		·09				·50		·03	·50	5
6	·26	·06	·29								·02	·20	6
7	·11		·52	·07								·03	7
8	·19		·28	·15		·09							8
9	·28			·05	·01						·18		9
10			·51									·24	10
11			·48	·17	·13	·01	·26					·04	11
12	·07		·19			·35						·05	12
13	·14			·50			·03					·24	13
14	·78	·09		·80			·18						14
15	·71	·34		·03								·28	15
16	·24	·86									·29	·02	16
17		·34									·15		17
18		·09	·65					·45			·24	·07	18
19	·41	·27	1·80			·32	1·31	·49	·20		·08		19
20	·34	·16	·37			·22		·22	·02		·02	·13	20
21		·85	·01				·16	·02			·02		21
22		·16	·02			·04	·10		·39			·37	22
23									·04	1·35	·11	·03	23
24	·01					·17			·05	1·53	·25	·84	24
25				·01		·02		·48	·03			·48	25
26	·36		·11			·03		·06	·17	·02	·06	·13	26
27	13		·08	·36		·01		·70				·03	27
28	·03		·33					·34			·51	·42	28
29	·02		·02	·19				·02		·06		·33	29
30	·02			·28		·41		·27		·04	·37	·60	30
31	·02		·05									·12	31
TOTAL	6·22	3·73	7·57	2·61	·45	1·76	2·88	3·17	1·81	3·21	2·57	7·96	YEAR'S TOTAL 43·94
Days with ·01 in. or more	22	12	20	11	6	12	9	12	12	6	16	27	165

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Exd 970

1741

15 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Ashton Court Estate Office

in the County of Somerset

by H. B. Napier, Esqre.

134

Jan. 1.
.99

Date.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec.	
1.	-	.23	.01	-	.07	.02	.55	.16	.14	.20	.25	.72	
2.	.11	-	.03	-	-	-	.06	.51	.04	.30	-	.24	
3.	-	.10	.01	-	.52	-	.73	.02	.03	.69	-	-	
4.	-	-	.03	-	-	-	.08	.74	-	.62	-	-	
5.	-	-	.13	-	-	-	-	.03	-	.23	-	-	
6.	-	-	.35	-	-	-	.73	-	-	.05	-	-	
7.	.09	-		.85	.52	-	.05	-	-	.01	.04	-	
8.	.02	.08	.01	.06	.14	-	.11	.10	-	-	-	-	
9.	.62	.47	.03	.78	-	-	.42	.03	-	-	-	-	
10.	1.78	.35	.05	.93	.14	-	.04	-	-	-	-	-	
11.		-	.09	.79	-	.55	.03	-	-	-	-	-	
12.	.21	.08	-	.16	.10	-	.01	-	-	-	.12	-	
13.	.13.	.10	.98	-	.01	-	.05	-	-	-	-	-	
14.	.02	-		.25	-	1.07	-	-	.16	.26	.67	.06	
15.	.06	-	.04	.67	-	.24	.01	-	.09	-	.21	-	
16.	-	-	.01	.16	-	.09	.01	.01	.44	.06	.64	-	
17.	.46	-	.01	.34	.17	.08	.24	.08	.71	.01	-	..01	
18.		-	.02	-	.04	.50	-	.30	.24	-	-	-	
19 .	.01	.50	.01	.39	-	.01	.01	-	-	-	-	-	
20.	.03	.05	-	.48	-	-	-	-	.07	-	-	.35	
21.	-	-	-	.04	-	.40	.04	-	-	.04	-	.02	
22.	.02	-	-	.09	-	-	.06	.15	-	-	-	.45	
23.	-	-	-	.02	-	.02	.12	.04	-	-	-	.43	
24.	-	.12.	.29	-	-	-	1.15	.01	-	-	.08	.33	
25.	.03	.02	.15	-	-	-	.53	-	-	-	-	-	
26.	.38	.02	.46	-	-	.02	.03	-	-	-	.08	.05	
27.	.40	.02	.13	-	-	.70	.05	-	-	-	-	.25	
28.	1 .10	.01		.07	.02	.07	-	-	-	-	-	.03	
29.	.04	-	.25	.01	.06	.01	.01	-	-	-	-	.51	
30.	-		.06	.63	-	.46	.99	-	.43	.72	.10	.50	
31.	-		.41		.06			-			.39	.53	
Total	5·51	2·15	3·56	6·12	1·85	4·24	6·11	2·18	2·35	3·19	2·58	4·48	
Days with ·01 or more	~~18~~ 20	14	~~25~~ 26	18	12	15	25	13	10	12	10	15	185
With ·04 or more	~~12~~ 14	10	~~13~~ 16	15	10	10	18	8	9	10	10	12	~~13~~7

Year's Total 44.32 inches. ✓

190
142

20
14

26
16

This record compares badly with neighbouring stations. 12.3.25

FORM A.
BRITISH RAINFALL.

16 FEB 1914

REGIST

Kept at Long Ashl …… 40
…… m.
…… Bourton
in the County of Som …… in.
by Agricultural & Horticu …… nd …… ft. 9 in.
…… Level 165 ft.

UNIVERSITY of BRISTOL
AGRICULTURAL AND HORTICULTURAL RESEARCH STATION
LONG ASHTON, BRISTOL

LONG ASHTON
RESEARCH ST.

SOMERSET

1913, + 15-17
1920.

IMPORTANT NOTE.—I …… result entered to the previous day. If an Observe …… rule, he is earnestly requested to add the reading a …… the space provided for it at the end of this par …… of rain, the selection and placing of r …… Rainfall Organization are given in "Ru …… ation to Dr. H. R. Mill, 62, Camden S

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.15	·30	—	—	·12	—	·09	.03 ·10	1
2					·04	—	—	—	·32	·06	·21	·02	2
3					·72	—	—	—	—	—	·05	·33	3
4					·25	—	—	—	·02	—	—	·16	4
5					·38	·01	—	—	1·34	·29	·17	·12	5
6					·07	·33	·15	—	·25	—	·15	·57	6
7					·27	·13	·04	—	—	·71	·24	·07	7
8					·19	·36	·01	—	—	·11	—	·02	8
9					·15	·01	—	—	—	·05	·06	—	9
10					·09	·33	—	·21	·11	·22	·18	—	10
11					·14	—	·02	·18	—	·20	·87	·05	11
12					·10	—	—	·02	—	—	·22	·02	12
13					—	—	·02	·03	·10	—	·20	—	13
14					—	·01	·02	·05	·80	·21	·08	·04	14
15					—	—	·03	·04	·02	—	·13	·05	15
16					—	—	—	·01	·01	—	—	—	16
17					—	—	—	—	·04	—	·09	—	17
18					—	—	·08	—	·02	—	·09	—	18
19					—	·02	·01	—	—	—	·02	—	19
20					·03	·02	—	—	·29	·04	·15	—	20
21					—	—	—	—	—	—	·33	—	21
22					·24	—	·25	·01	—	·09	—	—	22
23					·03	·07		·30	·26	—	·12	·22	23
24					—	·02		·27	·02	—	—	—	24
25					—	·01		·15	—	—	·02	·14	25
26					—	—		·10	—	—	—	·17	26
27					—	—		—	·01	·07	·01	·01	27
28					—	—		—	—	·12	—	·07	28
29					—	—	—	—	—	·13	·01	·02	29
30					—	—	—	—	—	·42			30
31					—			·10					31
Total					2·85	1·62	·63	1·47	3·73	2·72	3·49 ~~3·62~~	2·09 ~~2·00~~	YEAR'S TOTAL
Rain Days.					15	13	10	13	16	14	22 ~~23~~	19 ~~18~~	

W.7,000, XI. 13

✓

REGIST

Exd DH

FORM A.
BRITISH RAINFALL.

16 FEB 1914

Kept at Long Ashton

in the County of Somerset

by Agricultural & Horticultural Research Station

UNIVERSITY of BRISTOL
LONG ASHTON BRISTOL
AGRICULTURAL AND HORTICULTURAL RESEARCH STATION

Lat. 51°25' Long. 2°40

Time of Observation 9 a.m.

Nearest Railway Station Flax Bourton

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					.15	·30	—	—	·12	—	·09	·03 ·10	1
2					·04	—	—	—	·32	·06	·21	·02	2
3					·72	—	—	—	—	—	·05	·33	3
4					·25	—	—	—	·02	—	—	·16	4
5					·38	·01	—	—	1·34	·29	·17	·12	5
6					·07	·33	·15	—	·25	—	·15	·57	6
7					·27	·13	·04	—	—	·71	·24	·01	7
8					·19	·36	·01	—	—	·11	—	·02	8
9					·15	·01	—	—	—	·05	·06	—	9
10					·09	·33	—	·21	·11	·22	·18	—	10
11					·14	—	·02	·18	—	·20	·87	·05	11
12					·10	—	—	·02	—	—	·22	·02	12
13					—	—	·02	·03	·10	—	·20	—	13
14					—	·01	·02	·05	·80	·21	·08	·04	14
15					—	—	·03	·04	·02	—	·13	·05	15
16					—	—	—	·01	·01	—	—	—	16
17					—	—	—	—	·04	—	·09	—	17
18					—	—	·08	—	·02	—	·09	—	18
19					—	·02	·01	—	—	—	·02	—	19
20					·03	·02	—	—	·29	·04	·15	—	20
21					—	—	—	—	—	—	·33	—	21
22					·24	—	·25	·01	—	·09	—	—	22
23					·03	·07		·30	·26	—	·12	·22	23
24					—	·02		·27	·02	—	—	—	24
25					—	·01		·15	—	—	·02	·14	25
26					—	—		·10	—	—	—	·17	26
27					—	—		—	·01	·07	·01	·01	27
28					—	—		—	—	·12	—	·07	28
29					—	—	—	—	—	·13	·01	·02	29
30					—	—	—	—	—	·42			30
31					—			·10					31
Total					2·85	1·62	·63	1·47	3·73	2·72	3·49 ~~3·62~~	2·09 ~~2·01~~	YEAR'S TOTAL
Rain Days.					15	13	10	13	16	14	22 ~~23~~	19 ~~18~~	

W.7,000, XI. 13

Recd 11-v-16

~~to~~ Mr corrected for arith errors 15.v.16

2100

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

JAN 1916

Kept at Long Ashton

in the County of Somerset

by University of Bristol Research Station

Lat. 51° 25' Long. 2° 40'

Time of Observation 9 a.m.

Nearest Railway Station Flax Bourton

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 8½ in.

" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·09			·16				·11	·30	·04	·12	1
2	·36	·29	·14	·21				·64	·12			·16	2
3	·16	·07	·09	·12	·14			·10				·21	3
4	·37	·03	·01		·06		1·15					1·06	4
5	·03	·40	·01	·03				·12				·22	5
6	·07	·06					·37	·04				·31	6
7	·34	·35		·29			·05					·24	7
8	·28	·28		·03				·11			·14		8
9		·10		·06				·07			·22	·87	9
10	·22		·13	·22								·04	10
11	·02		·05	·02	·01			·17			·89		11
12	·15	·32			·46			·03		·09	·24	·05	12
13	·02	·50			1·04		·01		·26		·05	·02	13
14	·12			·02			·25	·30	·01	·01		·52	14
15	·30				·06		·16	·31	·14		·13	·03	15
16		·68			·70		1·02	·06				·09	16
17		·31			·66							·02	17
18		·05	·01		·01								18
19	·03			·20	·06								19
20	·25									·06		·10	20
21	·02	·07			·60		·01			·09		·23	21
22	·07	·27	·48	·04		·03	·84		·02			·11	22
23		·02	·03				·01		·06	1·32		·70	23
24							·49		·44	·70		·30	24
25						·36	·03		·30	·03		·33	25
26		·14	·01			·02	·27		·31			·50	26
27						·27	·35			·38		·07	27
28		·05				·02				·14			28
29						·22					·08	·06	29
30	·25	X				·05				·30	·18	·26	30
31		X		X		X		·31	X	·91	X	·03	36 31 36
Total	3·22	4·08	·96	1·24	3·96	·97	~~5·21~~ 5·01	2·26	1·77	4·33	1·97	6·59	YEAR'S TOTAL ~~36·56~~
Rain Days.	19	19	10	11	12	7	14	12	10	12	9	26	161

8,000. XII. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at The Research Station Long Ashton. Bristol
in the County of Somerset
by E W West

Lat. 51° 25′ Long. 2° 40′
Time of Observation 9 a.m.
Nearest Railway Station, Flax Bourton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 8½ in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14				18	·15	·34		·06		·07		1
2	·92	·06	·01		·06				·03	·35	·14		2
3		·95	·01		·22				·02	1·38	·03		3
4	·44	·15			·25	·70			·04	·35	·11		4
5	·03				·20	·21			·25	·12	·41		5
6	·11	·38			·41	·24	·54			·02	·11		6
7	·03	·18	·08		·10		·01			·35	·64		7
8		·26	·11		·20		·05			·10	·40	·18	8
9		·03	·01		·17	·27	·07				·04	·15	9
10		·44		·12	·04	·03	·02			·08	·02	·09	10
11	·01	·02	·18	·22	·10	·19				·07	·01	·06	11
12	·03	·15		·03	·34		·23			·01			12
13		·46	·10				·01			·36			13
14	·07	·52	·14	·01	·22			·30		·03	·07		14
15	·01	·13	·09	·06	·01			·45		·03			15
16	·06	·07		·41	·03			1·47		·02			16
17	·11	·15		·04			·03	·25		·03			17
18		·03	·19					·04	·47	·52	·03		18
19	·01		·40	·13					·03	·13	·44	·08	19
20	·41	·06	·44	·[illegible]							·08		20
21	·30		·65	·05	·08						·12	·64	21
22	·03				·01	·15						·52	22
23	·02	·01		·18		·04				·27	·10	·57	23
24		·18		·04	1·36	·17		·25		·10	·13	·15	24
25		·13	·28			·01		·05		·38	·01	·23	25
26	·08	·25	·05			·26		·57		·11	·26	·08	26
27	·14	·10	·65		·26	·05		·27	·68	·33	·07	·02	27
28		·08	·10			·01		·35	·35	·64		·02	28
29		·10	·05			·33		·01	·08	·76		·86	29
30		×						1·78		·43		·67	30
31		×		×		×		·01 ·06	×	·71	×	·02	31
Total	2·89	4·89	3·57	1·29	4·24	2·81	1·30	~~5·74~~ 5·80	~~2·01~~ 1·95	7·68	3·17	4·34	YEAR'S TOTAL 43·93
Rain Days.	19	24	18	11	19	15	9	~~13~~ 14	~~10~~ 9	26	21	16	201

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL
7 JAN 1918

and for WD

REGISTER OF RAINFALL IN 1917

Kept at The University of Bristol Hort. & Agricult. Research Station. Long Ashton
in the County of Somerset
by

Lat. 51°. 25' Long. 2°. 40'
Time of Observation 9. a.m.
Nearest Railway Station Flax Bourton
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 8½ in.
" " " " Sea Level 165 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05			·16				·02	·17		·04		1
2	·01		·30	·48		·09		·89	·17		·12		2
3	·02		·03	·02		·24		·13		·01	·06		3
4	·03	·05		·02			·14	·02		1·74	·02		4
5	·01	·22	·10	·02			·07	·02		·24			5
6	·35		·23	·45		·22			·45	·35			6
7			·56							·07		·05	7
8	·18						·16	·25		·19		·10	8
9	·16		·16	·11		·05	·66	·71	·07	·78	·15		9
10			·05	·03	·15			·52	·09	·25	·12		10
11	·20		·23	·24				·16	·02				11
12	·04		·39	·33	·02			·06	·13	·12	·03		12
13	·06		·01		·36			·33	·01	·79	·03	·01	13
14	·01		·13	·08		·04		·23	·17	·06			14
15			·23	·07			·02	·19		·03			15
16				·04			·57	·02	·01	·11	·01	·20	16
17	·01	·11		·07			·06			·19		·10	17
18		·02		·23	·18		·36	·15	·36	·24	·03		18
19	·01	·03			·01	·01	·02	·16	·86	·01			19
20		·57	·05			·05		·02	·03		·03		20
21		·31	·05		·34	·13			·07				21
22		·01	·56			·03		·01					22
23			·05			·08		·07		·16			23
24		·14			·06			·33			·03		24
25		·02				·26	·02	·43		·19			25
26		·08	·06					·03		·28	·02		26
27								·76	·25	·20	·05		27
28					1·09	·10		·84			·02		28
29			·14		·01	1·38		1·49			·02	·03	29
30		✕	·13			·15		·05		·53			30
31		✕	·03	✕		✕	·20	·27	✕	·30	✕		31
Total	− 1·14 1·09	− 1·50 1·50	·16 3·49 3·65	− 2·35 2·19	− 2·22 2·22	− 2·83 2·83	·02 2·28 2·30	·17 8·16 8·31	− 2·86 2·69	·04 6·84 6·88	− ·78 ·74	·04 ·49 ·53	YEAR'S TOTAL 34·94 34·93
Rain Days.	~~14~~ 13	11	20	~~15~~ 14	9	14	11	21	~~15~~ 14	~~22~~ 23	~~16~~ 15	6 9	179 180

W. 8,000, IX. 17.

RM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Long Ashton (M.O.)

in the County of Somerset

by

Lat. 51°26'N Long. 2°40'W

Time of Observation 9h GMT.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 162 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

no observations received

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1					0·36	-	0·40	0·16	0·09	0·06	0·17	0·48	1
2					-	-	0·08	0·40	0·04	0·15	-	0·18	2
3					-	-	0·75	0·01	0·02	0·32	-	0·01	3
4					-	-	0·05	0·58	-	0·26	-	-	4
5					0·12	-	0·59	0·02	-	0·21	-	-	5
6					0·30	-	0·02	-	-	0·01	-	-	6
7					0·13	-	0·11	-	-	-	0·02	-	7
8					0·11	-	0·24	0·07	-	-	-	-	8
9					-	0·09	0·06	0·03	0·02	-	-	-	9
10					-	0·18	0·28	-	-	-	-	-	10
11					0·29	0·01	0·06	-	-	-	-	-	11
12					-	0·82	0·05	-	-	-	0·07	-	12
13					-	-	-	-	-	-	-	-	13
14					-	0·36	0·03	-	0·14	0·43	0·50	0·02	14
15					0·09	0·07	-	-	0·07	0·33	0·20	-	15
16					0·01	0·06	0·24	0·01	0·42	0·12	0·51	-	16
17					0·31	0·34	0·01	0·05	0·53	0·01	-	0·01	17
18					0·02	0·03	-	0·35	0·26	-	-	-	18
19					-	0·09	-	-	-	-	-	-	19
20					-	0·21	0·05	-	0·09	-	-	0·26	20
21					-	-	0·05	-	-	-	-	0·02	21
22					-	0·01	0·10	0·15	-	-	-	0·32	22
23					-	-	0·79	0·02	-	-	-	0·43	23
24					-	-	0·03	0·01	-	-	0·07	0·10	24
25					-	-	0·36	-	-	-	-	-	25
26					-	0·02	0·03	-	-	-	0·05	0·05	26
27					-	0·69	-	-	-	-	-	0·19	27
28					0·06	0·06	0·01	-	-	-	-	0·02	28
29					0·04	0·01	0·52	-	-	-	0·12	0·38	29
30		X			-	0·39	0·26	-	0·41	-	0·34	0·37	30
31		X		X	0·01	X	0·02	-	X	0·50	X	0·32	31
TOTAL					1·85 ✓	3·44 ✓	5·19 ✓	1·86 ✓	2·09 ✓	2.40 ✓	2·05 ✓	3·16 ✓	YEAR'S TOTAL
Days with ·01 in. or more					13 ✓	17 ✓	26 ✓	13 ✓	11 ✓	11 ✓	10 ✓	16 ✓	
					10	12	20	7	9	9	9	11	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M 3203.

MAPERTON
REC.
SOMERSET

1911 - 1912

REGI 9*11*

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

Kept at Maperton

in the County of Somers

by Revd D. E. No

nnel in Glass bottle

op 5 in.

bove Ground 1 ft. — in.

„ Sea Level 367 ft.

9 a.m.

n { Name Wincanton
Distance 3m. Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	.	.04	.06	.	.	.	.02	.	.	.01	.05	1
2	.03	.	.02	.67	.31	.	.	.13	.	.04	.23	.23	2
3	.	.	.	.01	.15	.	.	.01	.	.	.07	.06	3
4	.01	.	.09	.02	.	.	.	.	.	.06	.18	.50	4
5	.04	.	.03	.	.	.	.	.27	.	.04	.18	.03	5
6	.24	.	.12	.	.	.	.	.	.	.04	.02	.92	6
7	.03	.	.	.	.	.	.	.	.	.	.29	.	7
8	.04	.01	.24	.	.	.	.	.	.	.	.03	.58	8
9	.23	.	.04	.	.	.	.	.	.	.	.06	.43	9
10	.13	.05	.27	.	.54	.	.	.	.	.	.02	.29	10
11	.36	.06	.01	.	.04	.	.	.	.	.	.65	.16	11
12	.	.	1.18	.	.01	.	.	.01	.	.	.11	.36	12
13	.	.	.	.	.	.	.	.	.25	.20	.01	.68	13
14	.	.09	.	.	.	.	.	.	.	.01	.	.97	14
15	.	.07	.04	.	.	.06	.	.	.	.	.30	.21	15
16	.	.01	.	.	.	.31	.	.	.	.	.43	.51	16
17	.	.05	.02	.	.	.09	.	.	.	.	.11	.65	17
18	.	.23	.04	.13	.02	.10	.	.	.	.02	.06	.56	18
19	.	.20	.	.04	.	.15	.	.	.18	.15	.04	.53	19
20	.03	.04	.17	.04	.	.02	.	.	.28	.09	.	.73	20
21	.01	.28	.05	.06	.	.	.	.77	.08	.53	.	.31	21
22	.12	.02	.10	.02	.	.	.	.01	.04	.34	.	.50	22
23	.03	.07	.11	.	.	.17	.	.	.14	.10	.03	.14	23
24	.	.20	.01	.	.	.78	.	.08	.	.45	.	.20	24
25	.	.10	.02	.20	.	.12	.	.15	.03	.04	.	.20	25
26	.01	.09	.	.32	.07	.	.	.02	.	.11	.01	.41	26
27	.	.33	.14	.08	.	.	.	.08	.15	.03	.01	.29	27
28	.	.33	.	.28	.	.	.	.15	.	.01	.08	.02	28
29	.	—	.	1.01	.	.29	.05	.	.17	.45	.	.	29
30	.	—	.	.	.02	.12	.	.02	.	.23	.17	.02	30
31	.	—	.	—	.	—	.	.01	—	.08	—	.01	31
Total	1.40	2.23	2.74	2.94	1.16	2.21	.05	1.73	1.32	3.02	3.10	10.55	TOTAL for year 32.45
No. of Rain Days.	15	18	20	14	8	11	1	14	9	20	23	29	182

8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
4 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Maperton Rectory
in the County of Somerset 3
by Revd D. E. Norton

RAIN GAUGE
Pattern Funnel in Glass bottle
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 367 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wincanton
Distance 3m. Direction N. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.09	.	.04	.06	.	.	.	.02	.	.	.01	.05	1
2	.03	.	.02	.67	.31	.	.	.13	.	.04	.23	.23	2
3	.	.	.	.01	.15	.	.	.01	.	.	.07	.06	3
4	.01	.	.09	.02	.	.	.	.	.	.06	.18	.50	4
5	.04	.	.03	.	.	.	.	.27	.	.04	.18	.03	5
6	.24	.	.12	.	.	.	.	.	.	.04	.02	.92	6
7	.03	.	.	.	.	.	.	.	.	.	.29	.	7
8	.04	.01	.24	.	.	.	.	.	.	.	.03	.58	8
9	.23	.	.04	.	.	.	.	.	.	.	.06	.43	9
10	.13	.05	.27	.	.54	.	.	.	.	.	.02	.29	10
11	.36	.06	.01	.	.04	.	.	.	.	.	.65	.16	11
12	.	.	1.18	.	.01	.	.	.01	.	.	.11	.36	12
13	.	.	.	.	.	.	.	.	.25	.20	.01	.68	13
14	.	.09	.	.	.	.	.	—	.	.01	.	.97	14
15	.	.07	.04	:	.	.06	.	.	.	.	.30	.21	15
16	.	.01	.	.	.	.31	.	.	.	.	.43	.51	16
17	.	.05	.02	.	.	.09	.	.	.	.	.11	.65	17
18	.	.23	.04	.13	.02	.10	.	.	.	.02	.06	.56	18
19	.	.20	.	.04	.	.15	.	.	.18	.15	.04	.53	19
20	.03	.04	.17	.04	.	.02	.	.	.28	.09	.	.73	20
21	.01	.28	.65	.06	.	.	.	.77	.08	.53	.	.31	21
22	.12	.02	.10	.02	.	.	.	.01	.04	.34	.	.50	22
23	.03	.07	.11	.	.	.17	.	.	.14	.10	.03	.14	23
24	.	.20	.01	.	.	.78	.	.08	.	.45	.	.20	24
25	.	.10	.02	.20	.	.12	.	.15	.03	.04	.	.20	25
26	.01	.09	.	.32	.07	.	.	.02	.	.11	.01	.41	26
27	.	.33	.14	.08	.	.	.	.08	.15	.03	.01	.29	27
28	.	.33	.	.28	.	.	.	.15	.	.01	.08	.02	28
29	.	—	.	1.01	.	.29	.05	.	.17	.45	.	.	29
30	.	—	.	.	.02	.12	.	.02	.	.23	.17	.02	30
31	.	—	.	—	.	—	.	.01	—	.08	—	.01	31
Total	1.40	2.23	2.74	2.94	1.16	2.21	.05	1.73	1.32	3.02	3.10	10.55	TOTAL for year 32.45
No. of Rain Days.	15	18	20	14	8	11	1	14	9	20	23	29	182

FORM A.
BRITISH RAINFALL.

10 MAR 1913

REGISTER OF RAINFALL IN 1912

Kept at Mapertor Rectory Ex Rl

in the County of Somerset 3

by Rev D E Norton
Miss Norton 3 Rev H a Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1													1
2													2
3	.01												3
4	.27												4
5	.56	.09											5
6	.70	.15											6
7	.03	.32											7
8	.41	.23											8
9	.01	.03											9
10	.01	.13											10
11	.12	.12											11
12	.04	.57											12
13	.01	.02											13
14	.19												14
15	.14	.08											15
16	85	.03											16
17	1.31												17
18	.24	.01											18
19	.03	.12											19
20	.04	.04											20
21	.04	.15											21
22	.54	(.15)											22
23	.10	.49											23
24	.06	03											24
25	06	* .02											25
26		.04											26
27													27
28		.04 #											28
29		(.10)											29
30													30
31													31
Total	5.77	(2.96)											YEAR'S TOTAL
Rain Days.	23	22											

W. 7,500, XI. 12

MELLS

(SELWOOD)

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

10 JAN 1912

R

Kept at Mells ... wdon ... 5 in.

... ove Ground 1 ft. ... in.

in the County of Som ... Sea Level 344 ft.

... 9.30

by E. G. Horne ... Name Mells Road

Distance 1¾ miles Direction N.W.

IMPORTANT N ... nd the result entered to the previous day. If an ... niversal rule, he is earnestly requested to add the ... year in the space provided for it at the end of ... urement of rain, the selection and pl ... British Rainfall Organization are given ... on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.09	.05	.01			.03			.05	.03	1
2	.01			.08	.50			.28		.06	.27	.31	2
3	.01	.01	.02		.41			.02			.23	.09	3
4	.01	.02	.11	.01					.01	.03	.42	.46	4
5	.19		.06					.66		.22	.31		5
6	.60		.11								.24	.56	6
7	.04		.01								.59	0.01	7
8			.18								.03	.39	8
9	.06		.01					.01			.04	.55	9
10	.22	.03	.60		.21							.43	10
11	.53	.04	.02		.16						.79	.21	11
12	.01		.77		.01				.01		.40	.25	12
13			.04						.25	.34	.15	.67	13
14		.05								.01	.01	.82	14
15	.01	.07	.01			.04					.55	.05	15
16		.05				.34					.70	.68	16
17		.02				.09					.14	.42	17
18	.01	.49	.09	.16		.35				.05	.03	.45	18
19		.06		.06		.22			.40	.22	.06	.48	19
20	.03	.08	.11	.37		.01		.13	.11	.10		.40	20
21	.01	.35	.06	.01		.02		.07	.01	.62		.26	21
22	.06	.03	.34	.08		.03		.01		.37		.64	22
23	.01	.25	.17	.04		.15			.08	.11	.03	.52	23
24		.30	.01			.34		.08		.68		.20	24
25	.02	.19	.01	.28		.09			.02	.10		.32	25
26		.08		.54	.10	.01				.14	.03	.46	26
27		.63	.25	.12					.09		.03	.16	27
28		.65		.44							.06	.01	28
29				.31		.36	.03		.18	.74			29
30				.03		.02				.24	.70	.01	30
31										.19			31
Total	1.87	3.40	3.07	2.58	1.40	2.07	0.03	1.29	1.16	4.22	5.26	9.84	TOTAL for year 36.19
No. of Rain Days.	18	19	21	15	7	14	1	9	10	17	23	28	182

W. 8,000, X. '11.

R

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Wells

in the County of Somerset

by E. G. Horner

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 344 ft.

Time of Observation 9.30

Nearest Railway Station
Name Wells Road
Distance 1¾ miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		.09	.05	.01			.03			.05	.03	1
2	.01			.08	.50			.28		.06	.27	.31	2
3	.01	.01	.02		.41			.02			.23	.09	3
4	.01	.02	.11	.01					.01	.03	.42	.46	4
5	.19		.06					.66		.22	.31		5
6	.60		.11								.24	.56	6
7	.04		.07								.59	0.01	7
8			.18								.03	.39	8
9	.06		.01					.01			.04	.55	9
10	.22	.03	.60		.21							.43	10
11	.53	.04	.02		.16						.79	.21	11
12	.01		.77		.01				.01		.40	.25	12
13			.04						.25	.34	.15	.67	13
14		.05								.01	.01	.82	14
15	.01	.07	.01			.04					.55	.05	15
16		.05				.34					.70	.68	16
17		.02				.09					.14	.42	17
18	.01	.49	.09	.16		.35				.05	.03	.45	18
19		.06		.06		.22			.40	.22	.06	.48	19
20	.03	.08	.11	.37		.01		.13	.11	.10		.40	20
21	.01	.35	.06	.01		.12		.07	.01	.62		.26	21
22	.06	.03	.34	.08		.03		.01		.37		.64	22
23	.01	.25	.17	.04		.15			.08	.11	.03	.52	23
24		.30	.01			.34		.08		.68		.20	24
25	.02	.19	.01	.28		.09			.02	.10		.32	25
26		.08		.54	.10	.01				.14	.03	.46	26
27		.63	.25	.12					.09		.03	.16	27
28		.65		.44							.06	.01	28
29				.31		.36	.03		.18	.74			29
30				.03		.02				.24	.10	.01	30
31										.19			31
Total	1.87	3.40	3.07	2.58	1.40	2.07	0.03	1.29	1.16	4.22	5.26	9.84	TOTAL for year 36.19
No. of Rain Days.	18	19	21	15	7	14	1	9	10	17	23	28	182

W. 8,000, X. '11.

Exc DJ

FORM A2.
BRITISH RAINFALL.
7 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Wells

in the County of Somerset

by Miss E. G. Horner

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 344 ft.

Time of Observation 9.30

Nearest Railway Station
Name Wells Road
Distance 1¾ mil Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.17			0.25	0.11		0.02	0.72		0.46	1
2			0.37			0.23	0.25				0.03		2
3	0.01		0.14			0.26	0.15	0.41	0.09		0.04	0.07	3
4	0.18		1.08		0.09	0.37		0.06			0.11		4
5	0.55	0.11	0.24		0.08			0.71	0.01			0.35	5
6	0.47	0.19	0.06		0.13	0.02	0.11	0.95				0.08	6
7	0.02	0.28	0.14		0.10	0.54		0.03			0.01	0.13	7
8	0.38	0.23	0.66	0.01		0.07	0.05	0.16	0.06			0.03	8
9	0.04	0.08	0.34	0.13		0.02	0.02	0.06			0.01	0.63	9
10	0.06	0.10	0.02			0.30		0.10			0.12	0.14	10
11	0.09	0.06	0.01			0.02					0.01	0.56	11
12	0.06	0.48	0.19	0.03		0.03	0.03				0.03	0.05	12
13	0.01	0.03	0.01	0.01		0.01					0.01	0.21	13
14	0.16		0.46		0.17	0.01		0.30		0.01		0.08	14
15	0.08	0.09			0.24	0.62		0.05				0.88	15
16	0.81	0.01	0.54		0.06	0.03		0.14		0.13	0.04	0.09	16
17	0.60		0.11					0.82			0.04	0.12	17
18	0.15		0.71					0.17		0.04	0.01	0.06	18
19	0.06	0.15	0.10			0.03	0.17	0.23		0.14		0.02	19
20	0.06	0.02	0.52		0.03	0.02	0.04	1.25		0.58	0.01		20
21	0.02	0.18	0.49		0.63			0.03		0.40			21
22	0.41	0.29	0.06		0.32		0.03	0.25		0.05	0.02	0.10	22
23	0.30	0.37	0.33			0.04	0.10	0.66		0.13	0.21	0.43	23
24	0.11	0.04	0.02			0.40	0.03	0.06		0.02		0.28	24
25	0.02	0.01				0.15		0.52		0.10	0.49	0.58	25
26		0.02					0.25	0.16		0.63	0.61	0.21	26
27		0.03				0.23	1.05			1.17	0.03	0.65	27
28		0.12				0.11	0.04	0.52	0.10	0.54	0.55	0.53	28
29		0.09	0.01			0.38	0.18	0.08	0.41	0.59	0.01	0.07	29
30						0.13	0.28		0.21	0.34			30
31	0.01		0.25				0.27	0.04		0.02		0.52	31
Total	4.66	2.98	7.03	0.18	1.85	4.27	3.16	7.76	0.90	5.61	2.39	7.33	TOTAL for year 48.12
No. of Rain Days.	24	22	25	4	10	24	18	24	7	17	20	26	221

W. 8,000, X. '11.

✓ Exd [illegible]

FORM A2.

BRITISH RAINFALL.
9 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Mells

in the County of Somerset

by E. G. Horner

Rain Gauge:
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 344 ft.

Time of Observation 9.30

Nearest Railway Station:
Name Mells Road
Distance 1¾ miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01	0.33	0.24	0.09	0.02				0.41	0.02	0.19	0.20	1
2	0.07	0.11	0.05	0.21	0.05		0.04		0.02	0.04	0.19	0.01	2
3	0.16	0.01	0.13	0.01	0.50					0.01		0.32	3
4	1.03	0.01	0.10		0.43	0.02			1.05	0.35	0.03	0.20	4
5	0.02	0.03	0.01		0.15	0.34	0.04		0.32		0.02	0.12	5
6	0.08	0.04	0.24		0.15	0.20	0.03		0.01	0.60	0.04	0.59	6
7	0.02	0.40	0.03		0.35	0.11	0.02			0.58	0.19	0.02	7
8		0.13			0.19	0.03	0.01			0.07	0.01	0.02	8
9		0.11	0.03		0.07	0.16	0.01	0.42	0.09	0.03	0.09	0.05	9
10	0.13		0.05		0.03	0.01	0.06	0.01		0.31	0.15		10
11	0.52	0.01	0.01	0.12	0.46	0.06				0.12	0.53	0.04	11
12	0.01	0.02			0.20				0.03	0.01	0.11	0.01	12
13	0.04		0.11			0.01		0.04	0.19		0.21		13
14	0.10		0.21	0.12	0.03				0.02	0.04	0.31	0.01	14
15	0.20	0.08	0.48	0.66			0.01	0.04	0.03		0.35		15
16	0.21		0.77	0.11				0.01			0.02		16
17	0.08		0.02	0.04					0.02		0.03	0.01	17
18	0.08		0.29	0.21		0.10	0.01				0.07		18
19	0.64		0.03		0.02	0.17	0.04		0.52				19
20	0.06		0.17	0.06					0.01	0.20	0.28		20
21			0.05	0.16	0.18		0.09			0.02	0.50		21
22	0.74		0.48	0.06	0.02	0.07		0.08	0.19	0.03			22
23	0.03		0.01					0.11	0.01	0.01	0.04	0.38	23
24	0.06	0.03	0.01	0.12				0.04		0.01	0.03		24
25		0.18		0.16							0.02	0.07	25
26		0.03		0.44				0.18		0.02		0.34	26
27	0.04		0.19	0.22						0.14		0.03	27
28	0.24		0.07	0.39					0.01	0.12	0.01		28
29	0.04		0.48	0.40	0.01			0.11		0.26	0.02		29
30	0.65		0.01	0.07				0.22		0.42	0.06		30
31	0.12		0.05		0.02			0.59		0.03			31
Total	5.38	1.52	4.32	3.65	2.88	1.28	0.36	1.85	2.93	3.44	3.50	2.42	TOTAL for year 33.53
No. of Rain Days.	26	15	27	19	18	12	11	12	16	23	25	17	221

W. 8,000, X. '11.

[illegible] 11-III-15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

9 - JAN 1915

Kept at Mells

in the County of Somerset

by Miss E. G. Horner

Lat. 51.14 N Long. 2.32 W
Time of Observation 9.30
Nearest Railway Station Mells Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0.01	0.03		0.01	0.03	0.42			0.05	0.07	1
2				0.09	0.03		0.57	0.02			0.74	0.60	2
3	0.02		0.12	0.21	0.40		0.02	0.48			0.19	0.15	3
4	0.13		0.11	0.39	0.07		0.20	0.42			0.68	0.77	4
5	0.18		0.18	0.45	0.23		0.18				0.08	0.27	5
6		0.17	0.05	0.33	0.06	0.03	0.28	0.18			0.02	0.29	6
7	0.03	0.58	0.23	0.21	0.31	0.07	0.24	0.19			0.01	0.24	7
8	0.14	0.03	1.15	0.04	0.22	0.35	0.01	0.23	0.22			0.01	8
9	0.15		0.37	0.34	0.02	0.81		0.16	0.28				9
10	0.03	0.29	0.02	0.08	0.07				0.30		0.03	0.02	10
11		0.16	0.75	0.01		0.24	0.12		0.01		0.08	0.31	11
12		0.15	0.18						0.27		0.10	0.21	12
13		0.47	0.47						0.17	0.21	0.23	0.56	13
14		0.44	0.47					0.24	0.02	0.37	0.36	0	14
15			0.32					0.55	0.03		0.18	0.01	15
16			0.01				0.13		0.41				16
17		1.35	0.30				0.01		0.02			1.55	17
18		0.03	0.11				0.42		0.02			0.47	18
19		0.11	0.45				0.72				0.06	0.24	19
20		0.46	0.11			0.01						0.30	20
21		0.54	0.01			0.02				0.11	0.01		21
22		0.10	0.01		0.11	0.41		0.07		0.57			22
23		0.26	0.25		0.09	0.02				0.28		0.02	23
24		0.01	0.05		0.03		0.27			0.25	0.26	0.03	24
25	0.04	0.01	0.14		0.04		0.07	0.34		0.61	0.03	0.45	25
26			0.02				0.03	0.04	0.01	0.09	0.48	0.59	26
27	0.05									0.08	0.13	0.26	27
28	0.02	0.19	0.21		0.02					0.06	0.34	(1.09)	28
29	0.44		0.10		0.06		0.03	0.02		0.18	0.35	0.01	29
30			0.04			0.03				0.19	0.48	1.13	30
31							0.22			0.37		0.13	31
Total	1.23	5.35	6.24	2.18	1.76	2.00	3.55	3.36	1.76	3.37	4.89	9.78	YEAR'S TOTAL 45.47
Rain Days.	11	18	28	11	15	11	18	14	12	13	22	26	199

W. 7,500, XI. 12

P.T.O

card [illegible] 5.V.16

2068

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
3 JAN 1916

Kept at Mells

in the County of Somerset

by C. G. Horner

Lat. 51.14 Long. 2.32

Time of Observation 9.30 a.m.

Nearest Railway Station Mells Road

Diameter of Rain Gauge 5 ins.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.59	0.22			0.07			0.20	0.23	0.30	0.02	0.31	1
2	0.37	0.49	0.23	0.19		0.03		0.73	0.31	0.13		0.42	2
3	0.48	0.09	0.16	0.05	0.22		0.05	0.01		0.01		0.33	3
4	0.01	0.02	0.01		0.01							0.42	4
5	0.08	0.77		0.08				0.17				0.36	5
6	0.51	0.09		0.40			0.67	0.12		0.01	0.01	0.33	6
7	0.38	0.67		0.04	0.35		0.12					0.34	7
8	0.32	0.47		0.01				0.12			0.17	0.03	8
9		0.05		0.10							0.58	1.05	9
10	0.39	0.02	0.09	0.06				0.31				0.09	10
11	0.04		0.05	0.02	0.01		0.02	0.35		0.02	0.93	0.06	11
12	0.15	0.27		0.10	0.58			0.51		0.06	0.30		12
13	0.01	1.04			1.00			0.04	0.11	0.01	0.03	0.04	13
14	0.08						0.04	0.78	0.09	0.05		1.56	14
15	0.41	0.14			0.20		0.13	0.32		0.04		0.24	15
16		1.35			0.76		1.15	0.06				0.21	16
17		0.67			0.71		0.01	0.74		0.01		0.01	17
18		0.48			0.04					0.01			18
19	0.02	0.01			0.09		0.26				0.02		19
20	0.32			0.09	0.04					0.02		0.15	20
21	0.16	0.13			0.02		0.07			0.07		0.22	21
22	0.10	0.45	0.47	0.11		0.01	0.75		0.02	0.02		0.40	22
23		0.04	0.12				0.28		0.30	0.93		0.67	23
24				0.09			0.51		0.52	0.85		0.26	24
25			0.03	0.03		0.57	0.14		1.01			0.16	25
26	0.01	0.13				0.13	0.10					0.74	26
27		0.06				0.11	0.77			0.47		0.02	27
28	[illegible]	0.10				0.01			0.75				28
29						0.09			0.02		0.12	0.06	29
30	0.28	╳				0.15				0.53	0.54	0.36	30
31	0.04	╳		╳		╳	0.04		╳	1.16	╳	0.37	31
Total	4.65 4.65	7.76	1.16	1.34	4.10	1.10	5.11	4.46	3.36	4.70	2.72	9.21	YEAR'S TOTAL 49.65
Rain Days.	21	23	8	14	14	8	17	14	10	19	10	27	185

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 JAN

Kept at Mells
in the County of Somerset
by E. G. Horner

Lat. 51.14 N. Long. 9.32 W.
Time of Observation 9.30 AM.
Nearest Railway Station Mells Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.18	0.01	0.01		0.30	0.05	0.06		0.09	0.63	0.44		1
2	0.58	0.12			0.03	0.02	0.01		0.01	0.46	0.08		2
3	0.02	1.27	0.01		0.10	0.05			0.09	0.54	0.23		3
4	0.19	0.14		0.01	0.07	0.84	0.01		0.32	0.28	0.76		4
5	0.03	0.02	0.03		0.37	0.23				0.09	0.56		5
6	0.11	0.24	0.02		0.20	0.05	0.61			0.11	0.75		6
7	0.02	0.14	0.09		0.02	0.04	0.02			0.14	0.55	0.14	7
8	0.01	0.11			0.30	0.03					0.04	0.13	8
9		0.01	0.02		0.17	0.19				0.12	0.05	0.06	9
10		0.45	0.02	0.07	0.02	0.11	0.08			0.05	0.02	0.08	10
11	0.02	0.01	0.04	0.07	0.01	0.31						0.04	11
12	0.10	0.15	0.05	0.06	0.12	0.01	0.22	0.11		0.06			12
13		0.41	0.10					0.64			0.01		13
14		0.46	0.05	0.04	0.06			0.43				0.02	14
15		0.42	0.08	0.04				0.28		0.03			15
16	0.06	0.15		0.26	0.02		0.04	0.48		0.03			16
17	0.24	0.15		0.04				0.13	0.45	0.48	0.04		17
18	0.04	0.05	0.12	0.17					0.06	0.04	0.20		18
19	0.20		0.34	0.37					0.01		0.18	0.13	19
20	0.28	0.08	0.45	0.01				0.03			0.19	0.93	20
21	0.06	0.08	0.44		0.07					0.30		0.17	21
22			0.01	0.08	0.03	0.05				0.12	0.07	0.48	22
23	0.02			0.16		0.06		0.17			0.51	0.13	23
24			0.01	0.07	0.51	0.11		0.05		0.60	0.04	0.07	24
25		0.25	0.19		0.04			0.72	0.01	0.02	0.18		25
26	0.02	0.16	0.11			0.23		0.16	0.54	0.52			26
27	0.03		1.05			0.02	0.09	0.08	0.37	0.35		0.01	27
28		0.06	0.08			0.07		0.09	0.20	0.38	0.02	0.78	28
29		0.60	0.10			0.59		2.22	0.07	0.79	0.03	0.60	29
30		X	0.02					0.01		0.36			30
31		X		X	0.01	X			X	0.20	X	0.06	31
Total	2.21	5.54	3.44	1.45	2.45	3.06	1.14	5.60	2.22	6.70	4.95	3.83	YEAR'S TOTAL 42.59
Rain Days.	19	24	24	14	19	19	9	15	12	24	21	16	216

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

21 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Wells

in the County of Somerset

by E. G. Horner

Lat. 51.14 Long. 2.32

Time of Observation 9.30

Nearest Railway Station Wells Road

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.01		0.18	0.42	(	0.17		0.83	0.27		0.01	0.01	1
2	0.02		0.01	0.06		0.07		0.07			0.06		2
3	0.06			0.01			0.61	0.02		0.74	0.09		3
4		0.16	0.11	0.45			0.05	0.15	0.01	0.20		0.02	4
5	0.21		0.21	0.01		0.18			0.56	0.32	0.14		5
6										0.22	0.13	0.02	6
7	0.32		0.40	0.11			0.18	0.22		0.14	0.02	0.06	7
8	0.27		0.09	0.04			0.47	0.54	0.06	0.64	0.16	0.08	8
9	0.01		0.04	0.21	0.05		0.04	0.33	0.11	0.38	0.15	0.01	9
10	0.12		0.31	0.18				0.04	0.04	0.04		0.01	10
11	0.03		0.02	0.01				0.45	0.01	0.42	0.01		11
12	0.03		0.18	0.01	0.43	0.50		0.26		0.75	0.01	0.01	12
13			0.25	0.15		0.03		0.35	0.10	0.01			13
14			0.02	0.01	0.01		0.07	0.15	0.06	0.01	0.01	0.01	14
15							0.07			0.35		0.33	15
16	0.02	0.08		0.27	0.04		0.01	0.02		0.69		0.04	16
17		0.01		0.15	0.11	0.01	0.36	0.12	0.37	0.66	0.02		17
18	0.03	0.02	0.16		0.01	0.04	0.29		0.60				18
19	0.01	0.45	0.05			0.07			0.07		0.02		19
20	0.02	0.01	0.17		0.25	0.11		0.17	0.02				20
21		0.02	0.02		0.01	0.04				0.09			21
22						0.04		0.06		0.09			22
23		0.10	0.02		0.13			0.93		0.01	0.01		23
24		0.05	0.07			0.24	0.13	0.10		0.34	0.04		24
25		0.05					0.08	0.02	0.07	0.37	0.02		25
26					0.29			0.91	0.31	0.24	0.04		26
27			0.14		0.14	0.12		1.18		0.02		0.01	27
28			0.24		0.02	3.35		0.41			0.01	0.04	28
29			0.12			0.29	0.11	0.11	0.01	0.44		0.15	29
30			0.22				0.20	0.18	0.01	0.14			30
31			0.27				0.01	0.02		0.05		0.02	31
Total	1.16	0.95	3.30	2.09	1.49	5.26	2.68	7.72	2.68	7.36	0.95	0.82	YEAR'S TOTAL 36.46
Rain Days.	14	10	23	15	12	15	15	25	17	25	18	15	204

W.7,000, XI. 13

~~W~~ 9L 87 cordly own stats

6

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

Kept at Mells

in the County of Somerset

by E. G. Horner

Lat. 51.14 N Long. 9.32 W

Time of Observation 9.30

Nearest Railway Station Mells Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1		0.03		0.06	0.05			0.37		0.02	0.65	0.01	1
2		0.04		0.14				0.40		0.01	0.03	0.40	2
3		0.08		0.22	0.12			0.07	0.06	0.06	0.02	0.02	3
4		0.03	0.01	0.04				0.04	0.03	0.09	0.76	0.09	4
5				0.05	0.14			0.36	0.13	0.43		0.03	5
6	0.13	0.80		0.46					0.03	0.25		0.16	6
7		0.21		0.03	0.48			0.01	0.55	0.19	0.30	0.02	7
8		0.02		0.02					0.42	0.25	0.01	0.06	8
9		(0.23)		0.33		0.20	0.76		0.60	0.09		0.38	9
10	0.02	0.02		0.08			0.68		0.20	0.20	0.01	0.58	10
11	0.01	0.04	0.01	0.02			0.38		0.25	0.01	0.04	0.18	11
12		0.18	0.01	0.01	0.44		0.10		0.09			0.04	12
13		0.03			0.02	0.01	0.34		0.78	0.05		0.22	13
14	0.46		0.05		0.03	0.04	0.42		0.31	0.13		0.17	14
15	1.13			0.44	0.06	0.10	0.34			0.01		0.29	15
16	0.14		0.07	0.34			0.04		0.27	0.03		0.20	16
17	0.25			0.20			0.37	0.05	0.06	0.02		0.36	17
18	1.05					0.68	0.06		0.25	0.03		0.33	18
19	0.12		0.09	0.04			0.30		0.21	0.03		0.18	19
20	0.02	0.26		0.11		0.01	0.86		0.16	0.04			20
21	0.05	0.11		0.01			0.05		0.88	0.08	0.02	0.10	21
22	0.04				0.07		0.55		0.43	0.01		0.35	22
23	0.37	0.01			0.31		0.29	0.06	0.04		0.07	0.04	23
24		0.15					0.10		0.09		0.05		24
25	0.01						0.16	0.75		0.02	0.04		25
26				0.01			0.56	0.01	0.05	0.04	0.16	0.30	26
27		0.05	0.05				0.21	0.18	0.36		0.11	0.07	27
28		0.06	0.32	0.01							0.14	0.12	28
29	0.01		0.11						1.16		0.01	0.06	29
30	0.01	X	0.31					0.15	0.01	0.05	0.08	0.06	30
31	0.01	X	031	X		X		0.04	X		X		31
Total	3.83 ✓	2.35 ✓	1.34 ✓	2.62 ✓	1.72	1.04	6.57	2.49	7.42	2.14	2.50 ✓	4.75 ✓	YEAR'S TOTAL 38.77 ✓
Rain Days.	17 ✓	18 ✓	11 ✓	20 ✓	10 ✓	6 ✓	19 ✓	13 ✓	25 ✓	24 ✓	17	27 ✓	207 ✓

W. 8,000, IX. 17.

1796

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Mells

in the County of Somerset

by E. G. Horner

Lat. 51.14 N. Long. 9.32 W.
Time of Observation 9.30 a.m
Nearest Railway Station Mells Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.76		0.12	0.01	0.33				0.09	0.11	0.01	1.18	1
2	0.18		0.04	0.01	0.03		0.05		0.53		0.06	0.21	2
3	0.84		0.20		0.03				0.11		0.04	0.42	3
4	0.35		0.53			0.03	0.02	0.05	0.55			0.07	4
5	0.02	0.48	0.73		0.08		0.38		0.30		0.09	0.37	5
6	0.43	0.11	0.34		0.07						0.17	0.14	6
7	0.15		0.40	0.05								0.02	7
8	0.20		0.18	0.01									8
9	0.04		0.04	0.14	0.02						0.20		9
10	0.11		0.15	0.01						0.05		0.26	10
11	0.09		0.27	0.14	0.36	0.01	0.23						11
12	0.02		0.10	0.02		0.18	0.02			0.08	0.08	0.08	12
13	0.13	0.01	0.06	0.56			0.03			0.03		0.04	13
14	0.57	0.06		0.81			0.12		0.02	0.02		0.09	14
15	0.17	0.02		0.02						0.07		0.32	15
16	0.09	1.03										0.01	16
17	0.03	0.25									0.48	0.03	17
18	0.03		0.58				0.11	0.18	0.03		0.21	0.06	18
19	0.40	0.32	0.93			0.10	0.56	0.35	0.22		0.30	0.06	19
20	0.40		0.09			0.23		0.38	0.02			0.18	20
21	0.01	0.65					0.08		0.01		0.02	0.11	21
22		0.22					0.04		0.28		0.02	0.28	22
23									0.01	0.44	0.11	0.11	23
24				0.03		0.12				1.31	0.04	0.44	24
25	0.09	0.01		0.02		0.02		0.86			0.04	0.07	25
26	0.01			0.03		0.01		0.52	0.10			0.76	26
27	0.20		0.02	0.46				0.80			0.36	0.06	27
28		0.01	0.30					0.50				0.48	28
29	0.02		0.01	0.02				0.04		0.04		0.06	29
30		X		0.19				0.34		0.02	0.57	0.65	30
31		X		X		X	0.04		X	0.01	X	0.30	31
Total	5.34	3.17	5.09	2.53	0.92	0.70	1.68	4.02	2.27	2.18	2.74	6.86	YEAR'S TOTAL 37.50
Rain Days.	26	12	19	17	7	8	12	10	13	11	17	28	180

W. 8,000, IX. 17.

1715

18 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Mells
in the County of Somerset
by E. G. Horner

Lat 51.14 Long 9.32
Time of Observation 9. 30 A.M.
Nearest Railway Station Mells Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 344 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.06			0.24	0.45		0.45	0.03	0.06	0.26	0.26	0.59	1
2	0.10			0.06			0.12	0.29	0.05	0.08		0.14	2
3	0.06		0.01	0.04	0.03		0.86			0.65		0.02	3
4			0.03	0.04			0.02	0.70		0.14			4
5			0.12	0.02	0.22		0.48	0.02		0.24			5
6			0.35	0.02	0.55		0.26			0.04		0.01	6
7	0.07		0.02	0.20			0.21			0.01			7
8	0.04	0.06		0.50	0.06		0.54			0.02		0.01	8
9	0.96	0.14	0.02	0.21			0.08	0.01					9
10	1.07	0.35	0.13	0.08			0.13						10
11	0.36		0.15	0.49	0.32		0.20					0.02	11
12	0.32	0.06	0.02	0.22		0.82					0.22		12
13	0.17	0.11	0.50	0.12								0.02	13
14	0.13	0.02	0.50	0.62			0.03		0.16	0.27	0.58		14
15	0.01	0.14	0.02	0.47	0.03	0.03	0.02		0.14	0.38	0.06		15
16			0.01	0.04		0.10	0.25		0.22	0.09	0.07		16
17	0.04		0.07	0.14	0.36	0.87	0.01		0.50		0.03	0.04	17
18	0.07		0.01	0.11	0.08	0.03		0.31	0.27			0.02	18
19	0.02	0.04		0.26	0.08	0.11							19
20	0.02	0.15		0.35		0.35						0.60	20
21	0.01						0.08			0.01		0.10	21
22	0.03			0.14			0.13	0.09	0.01			0.40	22
23	0.01	0.01					0.71					0.60	23
24	0.01		0.23	0.02							0.09	0.10	24
25	0.03	0.07	0.14				0.36			0.02			25
26	0.36		0.17		0.05		0.02			0.01	0.05	0.10	26
27	0.26	0.02	0.05	0.36		0.45	0.02					0.32	27
28	0.95	0.01	0.11			0.01	0.12					0.04	28
29	0.26	0.01	0.15	0.10	0.23						0.28	0.41	29
30	0.09	×	0.02		0.06	0.35	0.22		0.42		0.38		30
31	0.20	×	0.15	×	0.02	×			×	0.34	×		31
Total	5.71	1.19	2.98	4.85	2.54	3.12	5.32	1.45	1.83	2.56	202	3.54	Year's Total 37.11
Days with ·01 in. or more	27	14	23	24	14	10	23	7	9	15	10	18	194

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

19 9 14 21 11 7 17 4 8 10 9 12 141

MENDIP
SANATORIUM
SOMERSET
1918

REGIST 18

FORM A.
BRITISH RAINFALL.
4.1.19

Kept at Mendip S
in the County of Som
by Dr Rowland

ng.
9. a.m.
n Blagdon
Rain Gauge 5 in.
above Ground ft. 5 in.
" Sea Level 862 ft.

IMPORTANT NOTE.— and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
(–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.00	0.20	0.09	0.00	0.00	0.25	0.03	0.08	0.03	0.10	1
2	0.00	0.10	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.04	0.78	0.02	2
3	0.00	0.14	0.00	0.18	0.00	0.00	0.00	0.48	0.00	0.04	0.07	0.67	3
4	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.10	0.07	0.12	0.03	0.02	4
5	0.00	0.00	0.00	0.07	0.10	0.00	0.00	0.36	0.00	0.14	0.69	0.19	5
6	0.30	0.86	0.00	0.39	0.00	0.00	0.00	0.08	0.31	0.30	0.09	0.02	6
7	0.00	0.32	0.00	0.05	0.73	0.00	0.00	0.00	0.02	0.17	0.00	0.20	7
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.46	0.39	0.25	0.02	8
9	0.08	0.25	0.00	0.44	0.00	0.22	0.56	0.00	1.19	0.32	0.00	0.11	9
10	0.08	0.02	0.00	0.15	0.00	0.00	0.60	0.00	0.71	0.22	0.06	0.42	10
11	0.16	0.39	0.08	0.24	0.00	0.00	0.55	0.00	0.46	0.14	0.08	0.52	11
12	0.00	0.24	0.~~06~~ 14	0.00	0.50	0.00	0.38	0.00	0.39	0.21	0.15	0.42	12
13	* × 0.00	0.00	0.00	0.03	0.08	0.00	0.09	0.00	0.06	0.00	0.00	0.22	13
14	0.46	0.00	0.07	0.00	0.00	0.00	0.50	0.00	0.63	0.12	0.00	0.59	14
15	0.89	0.00	0.00	0.28	0.12	0.00	0.30	0.00	0.40	0.22	0.00	0.10	15
16	× *	0.00	0.00	0.74	0.00	0.00	0.03	0.~~00~~	0.00	0.02	0.00	0.51	16
17	1.43	0.00	0.00	0.16	0.00	0.00	0.21	0.03	0.25	0.00	0.00	0.15	17
18	0.73	0.00	0.00	0.00	0.00	0.87	0.75	0.31	0.25	0.02	0.00	0.35	18
19	0.00	0.00	0.24	0.00	0.00	0.00	0.09	0.00	0.32	0.07	0.00	0.42	19
20	0.~~00~~ 11	0.43	0.00	0.09	0.00	0.06	0.92	0.10	1.06	0.04	0.00	0.08	20
21	0.03	0.10	0.00	0.03	0.00	0.04	0.18	0.00	0.35	0.07	0.00	0.00	21
22	0.00	0.02	0.00	0.00	0.16	0.00	0.65	0.00	0.92	0.04	0.00	0.15	22
23	0.29	0.00	0.00	0.00	0.28	0.00	0.55	0.00	0.49	0.06	0.00	0.56	23
24	0.00	0.00	0.00	0.00	0.00	0.06	0.02	0.00	0.04	0.00	0.00	0.12	24
25	0.00	0.02	0.00	0.00	0.00	0.00	0.33	0.07	0.39	0.00	0.13	0.01	25
26	0.00	0.00	0.00	0.18	0.00	0.00	0.57	1.08	0.00	0.01	0.04	0.01	26
27	0.00	0.16	0.04	0.00	0.00	0.00	0.00	0.04	0.10	0.08	0.21	0.85	27
28	0.00	0.12	0.20	0.00	0.00	0.00	0.00	0.42	0.56	0.01	0.24	0.08	28
29	0.00	×	0.09	0.00	0.00	0.00	0.00	0.02	0.01	0.01	0.04	0.57	29
30	0.00	×	0.60	0.00	0.00	0.00	0.00	0.00	1.00	0.01	0.00	0.03	30
31	0.00	×	0.24	×	0.00	×	0.00	0.13	×	0.04	×	0.25	31
Total	4.56	3.17	1.70	3.44	2.06	1.25	7.28	.03 3.49 3.52	.08 10.47 10.55	.03 2.99 2.94	.10 2.89 2.96	(–) 7.76 7.66	YEAR'S TOTAL 51.06
Rain Days.	13	14	9	17	8	5	18	16 6	25	27	13	30 29	196

* Snow.

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL

4.1.19

Kept at Mendip Sanatorium
in the County of Somerset
by Dr Rowland Thurnam

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Blagdon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 862 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (–)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.00	0.20	0.09	0.00	0.00	0.25	0.03	0.08	0.03	0.10	1
2	0.00	0.10	0.00	0.10	0.00	0.00	0.00	0.00	0.00	0.04	0.78	0.02	2
3	0.00	0.14	0.00	0.18	0.00	0.00	0.00	0.48	0.00	0.04	0.07	0.67	3
4	0.00	0.00	0.00	0.11	0.00	0.00	0.00	0.10	0.07	0.12	0.03	0.02	4
5	0.00	0.00	0.00	0.07	0.10	0.00	0.00	0.36	0.00	0.14	0.69	0.19	5
6	0.30	0.86	0.00	0.39	0.00	0.00	0.00	0.08	0.31	0.30	0.09	0.02	6
7	0.00	0.32	0.00	0.05	0.73	0.00	0.00	0.00	0.02	0.17	0.00	0.20	7
8	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.46	0.39	0.25	0.02	8
9	0.08	0.25	0.00	0.44	0.00	0.22	0.56	0.00	1.19	0.32	0.00	0.11	9
10	0.08	0.02	0.00	0.15	0.00	0.00	0.60	0.00	0.71	0.22	0.06	0.42	10
11	0.16	0.39	0.08	0.24	0.00	0.00	0.55	0.00	0.46	0.14	0.08	0.52	11
12	0.00	0.24	0.~~06~~ 14	0.00	0.50	0.00	0.38	0.00	0.39	0.21	0.15	0.42	12
13	*× 0.00	0.00	0.00	0.03	0.08	0.00	0.09	0.00	0.06	0.00	0.00	0.22	13
14	0.46	0.00	0.07	0.00	0.00	0.00	0.50	0.00	0.63	0.12	0.00	0.59	14
15	0.89	0.00	0.00	0.28	0.12	0.00	0.30	0.00	0.40	0.22	0.00	0.10	15
16	×	0.00	0.00	0.74	0.00	0.00	0.03	0.00	0.00	0.02	0.00	0.51	16
17	1.43	0.00	0.00	0.16	0.00	0.00	0.21	0.03	0.25	0.00	0.00	0.15	17
18	0.73	0.00	0.00	0.00	0.00	0.87	0.75	0.31	0.25	0.02	0.00	0.35	18
19	0.00	0.00	0.24	0.00	0.00	0.00	0.09	0.00	0.32	0.07	0.00	0.42	19
20	0.~~20~~ 11	0.43	0.00	0.09	0.00	0.06	0.92	0.10	1.06	0.04	0.00	0.08	20
21	0.03	0.10	0.00	0.03	0.00	0.04	0.18	0.00	0.35	0.07	0.00	0.00	21
22	0.00	0.02	0.00	0.00	0.16	0.00	0.65	0.00	0.92	0.04	0.00	0.15	22
23	0.29	0.00	0.00	0.00	0.28	0.00	0.55	0.00	0.49	0.06	0.00	0.56	23
24	0.00	0.00	0.00	0.00	0.00	0.06	0.02	0.00	0.04	0.00	0.00	0.12	24
25	0.00	0.02	0.00	0.00	0.00	0.00	0.33	0.07	0.39	0.00	0.13	0.01	25
26	0.00	0.00	0.00	0.18	0.00	0.00	0.57	1.08	0.00	0.01	0.04	0.01	26
27	0.00	0.16	0.04	0.00	0.00	0.00	0.00	0.04	0.10	0.08	0.21	0.85	27
28	0.00	0.12	0.20	0.00	0.00	0.00	0.00	0.42	0.56	0.01	0.24	0.08	28
29	0.00	×	0.09	0.00	0.00	0.00	0.00	0.02	0.01	0.01	0.04	0.57	29
30	0.00	×	0.60	0.00	0.00	0.00	0.00	0.00	1.00	0.01	0.00	0.03	30
31	0.00	×	0.24	×	0.00	×	0.00	0.13	×	0.04	×	0.25	31
Total	4.56.	3.17	1.70	3.44	2.06	1.25	7.28	·03 3.49 3.52	·08 10.47 10.52	·03 2.99 2.94	·10 2.89 2.96	(–) 7.76 7.66	YEAR'S TOTAL 51.06
Rain Days.	13	14	9	17	8	5	18	16	25	27	13	30 29	196

* Snow.

W. 8,000, IX. 17.

1965. —

MIDSOMER NORTON

DYMBORO.

1911 – ~~[illegible]~~ 20

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

R 1

bought at Suttons Reading

Kept at Dymboro'

5 in.

e Ground 1 ft. in.

in the County of

Sea Level 357 ft. measured from benchmark by surveying level

AM.

by Dr Arthur

Name Midsomer Norton

Distance 3/4 mile Direction South

IMPORTANT NO d the result entered to the previous day. If an iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·00	·05	·08	·00	·00	·00	·18	·00	·00	·03	·03	1
2	·01	·00	·00	·02	·56	·00	"	·15	"	·05	·29	·29	2
3	·00 F	·00	·00	·00	·39	·00	"	·00	"	·00	} ·40	·02	3
4	·00 F	·00	·16	·00 Snow	·00	·00	"	·03	"	·07		·35	4
5	·13	·00	·03	·01 Snow	·00	·00	"	·66	"	·04	·43	·02	5
6	·55	·00	·07	·00	·00	·00	"	·09	"	·00	·33	·53	6
7	·01	·00	·00	·00	·00	·00	"	·00	"	"	·64	·00	7
8	·04 F	·00	·23	·00	·00	·00	"	·00	"	"	·00	·34	8
9	·06	Snow ·02	·00	·00	·00	·00	"	·00	"	"	·12	·42	9
10	·20	·04	·56	·00	·36 Thunder	·00	"	·00	"	"	·00	·30	10
11	·37	·00	·72	·00	·00	·00	"	"	"	"	·73	·23	11
12	·00 F	·00	·00	·00	·03	·00	"	"	·01	"	S ·43	·29	12
13	·00 F	·00	·00	·00	·00	·00	"	"	·32	·22 Thunderstorm	·12	·64	13
14	·00 F	·05	·00	·00	·00	·00	"	"	"	·00	·02	·86	14
15	·00 F	·00	·00	·00	·00	·04	"	"	"	"	·43	·06	15
16	·00 F	·11	·00	·00	·00	·25	"	"	"	"	·48	·45	16
17	·00 F	·04	·00	·00	·00	·08	"	"	"	"	·00	·42	17
18	·00 F	·39	·16	·17	·00	·17	"	"	"	·03	·08	·34	18
19	·00 F	·07	·11	·08	·00	·11	"	"	·43	·22	·07	·38	19
20	·02	·04	·00	·25	·00	·00	"	"	·14	·20	·00	·39	20
21	·00	·30	·09	·01	·00	·01	"	·43	·00	·55	·00	·32	21
22	·03	·03	·25	·04	·00	·11	"	·16	·00	·34	·00	·67	22
23	·01	·19	·00	·00	·00	·18	"	·00	·04	·18	·00	·23	23
24	·00 F	·23	·00	·00	·00	·43	"	·00	·11	·70	·00	·24	24
25	·00 F	·13	·00	·30	·00	·09	"	·00	·00	·03	·00	·35	25
26	·00 F	·07	·00	·55	·07	·00	·04	·02	·00	·17	·04	·38	26
27	·00 F	·43	·26	·03	·18	·00	·00	·13	·00	·00	·03	·14	27
28	Frosts ·00 F	·54	·00	·45	·00	·00	·00	·02	·00	·00	·05	·00	28
29	·00 F		·00	·00	·00	·35	·02	·00	·14	·47	·00	·00	29
30	·00 F		·00	·00	·00	·03	·00	·00	·00	·26	·00	·01	30
31	·00 F		·00		·00		·00	·00		·18		·00	31
Total	1·48	2·68	2·69	1·99	1·59	1·85	·06	1·87	1·19	3·71	4·72 4·72	8·70	TOTAL for year 32·53 32·53
No. of Rain Days	12	16	12	12	6	12	2	10	7	10	19	27	151 ✓

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

Received 2 - JAN 1912

Kept at Dymboro', Midsomer Norton

in the County of Somerset

by Dr Arthur Bulleid

RAIN GAUGE
Pattern Copper, bought at Suttons
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 357 ft. measured from benchmark by surveying level

Time of Observation 9 AM.

Nearest Railway Station
Name Midsomer Norton
Distance 3/4 mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·00	·05	·08	·00	·00	·00	·18	·00	·00	·03	·03	1
2	·01	·00	·00	·02	·56	·00	〃	·15	〃	·05	·29	·29	2
3	·00 F	·00	·00	·00	·39	·00	〃	·00	〃	·00	}	·02	3
4	·00 F	·00	·16	Snow ·00	·00	·00	〃	·03	〃	·07	} ·40	·35	4
5	·13	·00	·03	·01 Snow	·00	·00	〃	·66	〃	·04	·43	·02	5
6	·55	·00	·07	·00	·00	·00	〃	·09	〃	·00	·33	·53	6
7	·01	·00	·00	·00	·00	·00	〃	·00	〃	〃	·64	·00	7
8	·04 F	·00	·23	·00	·00	·00	〃	·00	〃	〃	·00	·34	8
9	·06	Snow ·02	·00	·00	·00	·00	〃	·00	〃	〃	·12	·42	9
10	·20	·04	·56	·00	·36 Thunder	·00	〃	·00	〃	〃	·00	·30	10
11	·37	·00	·72	·00	·00	·00	〃	〃	〃	〃	·73	·21	11
12	·00 F	·00	·00	·00	·03	·00	〃	〃	·01	〃	·43	·29	12
13	·00 F	·00	·00	·00	·00	·00	〃	〃	·32	·22 Thunderstorm	·12	·64	13
14	·00 F	·05	·00	·00	·00	·00	〃	〃	〃	·00	·02	·86	14
15	·00 F	·00	·00	·00	·00	·04	〃	〃	〃	〃	·43	·06	15
16	·00 F	·11	·00	·00	·00	·25	〃	〃	〃	〃	·48	·45	16
17	·00 F	·04	·00	·00	·00	·08	〃	〃	〃	〃	·00	·42	17
18	·00 F	·39	·16	·17	·00	·17	〃	〃	〃	·03	·08	·34	18
19	·00 F	·07	·11	·08	·00	·11	〃	〃	·43	·22	·07	·38	19
20	·02	·04	·00	·25	·00	·00	〃	〃	·14	·20	·00	·39	20
21	·00	·30	·09	·01	·00	·01	〃	·43	·00	·55	·00	·32	21
22	·03	·03	·25	·04	·00	·11	〃	·16	·00	·34	·00	·67	22
23	·01	·19	·00	·00	·00	·18	〃	·00	·04	·18	·00	·23	23
24	·00 F	·23	·00	·00	·00	·43	〃	·00	·11	·70	·00	·24	24
25	·00 F	·13	·00	·30	·00	·09	〃	·00	·00	·03	·00	·35	25
26	·00 F	·07	·00	·55	·07	·00	·04	·02	·00	·17	·04	·38	26
27	·00 F	·43	·26	·03	·18	·00	·00	·13	·00	·00	·03	·14	27
28	Frosts ·00 F	·54	·00	·45	·00	·00	·00	·02	·00	·00	·05	·00	28
29	·00 F		·00	·00	·00	·35	·02	·00	·14	·47	·00	·00	29
30	·00 F		·00	·00	·00	·03	·00	·00	·00	·26	·00	·01	30
31	·00 F		·00		·00		·00	·00		·18		·00	31
Total	1·48	2·68	2·69	1·99	1·59	1·85	·06	1·87	1·19	3·71	4·72 4·72	8·70	32·53 TOTAL for year 32·53
No. of Rain Days	12	16	12	12	6	12	2	10	7	16	19	27	151

9,000, IX. '10.

Simode

Ex. JHb

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

JAN 1913

Kept at Dymboro', Midsomer Norton

in the County of Somerset

by Arthur Bulleid F.S.A.

RAIN GAUGE
Pattern Copper from Suttons.
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 357 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Midsomer Norton
Distance ½ mile Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·14			·29	·48			·55		·31	1
2		·04 Snow	·26			·20	·27						2
3		~~Frost~~	·10			·22	·07	·54	·09		·06	·04	3
4	·20	·01 Snow	·85		·28	·33		·02			·03		4
5	·43	·06 Snow & Rain	·27					·56			·12	·29	5
6	·40	·24	·01		·10		·03	1·71			·01	·11	6
7	·02	·26	·17		·05	·60		·03				·14	7
8	·37	·22	·70	·01		·17	·13	·09	·01			·02	8
9	·02	·03	·43	·10		·03		·01				·53	9
10	·02	·09				·08		·07			·09	·10	10
11	·07	·06				·02						·44	11
12	·06	·58	·18							·02	·02	·13	12
13			·02	·04							·03	·19	13
14	·16		·64		·27			·35				·12	14
15	·07	·08			·12			·06				·69	15
16	·76		·56		·05	·60		·35		·10	·03	·09	16
17	including ·81 6ins snow		·06			·02		·70			·03	·12	17
18	including ·16 1in snow		hail, snow and rain ·92			·03		·12		·08		·10	18
19	·05	·09	·15			·04	·12	·21		·18	·01	·01	19
20	·02		·46 Some Snow		·08		·04	·67		·70			20
21	·01	·14	·44		·48		·02	·02		·28			21
22	·37	·23	·04		·09		·20	·17		·04		·11	22
23	·27	·41	·33					·74		·09	·15	·40	23
24	·07	·02	·03			·31		·17		·13		·20	24
25						·18		·63		·06	·48	·41	25
26	Frost	·03					·20	·13		·40	·63	·28	26
27	Frost	·01				·16	·92			·92	·06	·74	27
28	Frost	·17				·08	·15	·61	·10	·61	·41	·58	28
29	Frost	·10				·02	·37	·07	·45	·34		·03	29
30	Frost		·01			·04	·16		·15	·40			30
31	Frost		·27				·27	·02		·09		·35	31
Total	4·34	2·87	7·04	·15	1·52	3·42	3·43	8·05	·80	4·99	2·16	6·53	TOTAL for year 45·30
No. of Rain Days	20	20	23	3	9	19	15	24	5	17	15	26	196

9,000, IX. '10.

cnd for arith. 25.III.14

REGISTER OF RAINFALL IN 1913

Please note change of level.

FORM A.
BRITISH RAINFALL.
13 JAN 1914

Kept at Dymboro', Midsomer Norton
in the County of Somerset
by Dr Arthur Bulleid

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Midsomer Norton
Diameter of Rain Gauge 5 in. Snowdon
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·25	·23	·09	·01				·43		·26	·22	1
2	·12	·17		·10	·05		·08		·37	·11		·03	2
3	·07	·01		·01	·38						·14	·73	3
4	1·02				·58				·96	·26	·03	·15	4
5		·05			·14	·56	·09		·39			·12	5
6	·11	·05	·18		·10	·25	·03			·73	·04	·53	6
7	·02	·39	·01		·28	·18	·12			·40	·18	·01	7
8	·01	·10			·29					·06		·03	8
9		·12	·04		·06			·22	·06	·35	·11	·06	9
10	·18		·04	·10	·03	·21	·05	·01		·02	·13		10
11	·61	·01		·01	·16						·89	·05	11
12	·06	– fog			·24	·08	~~·08~~		·03		·11		12
13	·01	– fog.	·07				·06	·06	·49		·21		13
14	·11	·02 fog.	·25	·15		·02	~~·42~~	·03	·08	·06	·31		14
15	·26	·09	·55	·72				·03	·05		·16	·06	15
16	·26		·70	·13					·09				16
17	·09		·02	·04			·05		·03		·07		17
18	·10		·31	·21			·02				·09		18
19	·64				·03	·06	·04		·38				19
20	·22		·17	·04	·06	·27	~~·27~~				·16		20
21			·20	·10	·14		·12			·10	·52		21
22	·64		·54	·19	·02			·08	·17				22
23						·07	~~·07~~	·13			·08	·35	23
24	·06	·02		·04		·03	~~·03~~	·10					24
25		·07		·17		·01	~~·01~~				·02	·09	25
26		·03		·41				·23				·26	26
27	·01		·18	·43						·12		·06	27
28	·13		·08	·37						·08			28
29	·03		·60	·44				·12		·22	·02		29
30	·61			·02						·43	·08		30
31	·15		·06	~~·40~~									31
Total	5·53	1·38	4·23	3·77	2·57	1·74	·66 66	1·01	3·53	2·94	3·61	2·75	YEAR'S TOTAL 33·68 33·72
Rain Days.	25	14	18	20	16	11	10	10	13	13	20	15	185

W. 7,500, XI. ·12

written 13.11.15

[illegible] 11.11.15

FORM A. BRITISH RAINFALL.

6 - JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Dymboro, Midsomer Norton Bath

in the County of Somerset

by Dr Arthur Bulleid

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Midsomer Norton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·03			·22	·33			·04	·05	1
2				·07			·54	·14			·95	·41	2
3			·08	·21			·04	·30			·07	·16	3
4	·17		·18	·47	·34		·20	·56			·80	·76	4
5	·24		·24	·52	·12		·10	·01			·05	·41	5
6	·01	·13	·04	·35	·08	·03	·05	·14			·02	·41	6
7	·01	·63	·26	·26	·06		·35	·11				·15	7
8	·13		1·03	·03	·65	·43	·03	·15	·38				8
9	·19	·03	·39	·28	·05	·71		·06	·24				9
10	·01	·13		·07	·02				·24			·01	10
11			·74		·03	·15	·06		·02		·11	·47	11
12		·14	·10		·06				·42		·12	·29	12
13		·36	·46						·19	·21	·24	·64	13
14		·41	·63					·24	·02	·26	·28		14
15			·28					·47	·06	·04	·15		15
16			-				·11		·39				16
17		1·28	·20									1·01	17
18		·02	·02				·35		·03			·41	18
19		·10	·63 snow				·72				·03	·21	19
20		·47	·09									·13	20
21		·57	·03			·18				·13			21
22					·12	·26		·04		·38			22
23		·12	~~·27~~							·15			23
24			·27		·06	·05	·25			·21	·24	·03	24
25	·04		·05				·03	·35		·47		·46	25
26			·11				·05			·08	·48	·55	26
27	·07		·02					·07		·06	·12	·21	27
28	·02	·16	·20		·01					·10	·45	1·16	28
29	·40		·08		·08		·11			·21	·31		29
30			·03							·22	·54	1·08	30
31	·01				·02		·21			·34		·05	31
Total	1·30 1·30	4·55	6·16	2·29	1·70	1·81	3.42	2·97	1·99	2·86	5·00	9·06	YEAR'S TOTAL 43·71
Rain Days.	12	14	24	10	14	7	17	14	10	14	18	22	176

43·11

W.7,000, XI. 13

Ese DL

2076

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Dymboro' Midsomer Norton
in the County of Somerset
by Dr Arthur Bulleid

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Midsomer Norton ½ mile
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ..... in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·16			·09			·20	·23	·28		·28	1
2	·43	·34	·16	·17		·01		·60	·10	·08		·37	2
3	·34	·08	·16	·08	·17		·04	·01				·33	3
4	·01	·01			·05							·48	4
5	·11	·87		·02				·14				·38	5
6	·39	·04		·40			·52	·06				·19	6
7	·37	·48		·07	·27		·22	·01				·28	7
8	·35	·44		·06				·09			·12		8
9	–	·11		·05				·01			·51	·99	9
10	·37	·02	·10	·02				·09				·18	10
11	–		·02					·10			·86		11
12	·07	·38		·16	·56			·26		·05	·31		12
13	·01	·81			1·11			·58	·12			·12	13
14	·09						·04	·33	·04	·10	·02	1·48	14
15	·47				·14		·10	·07	·02		·12	·09	15
16		1·39			·35		1·09					·15	16
17		1·01			·84					·02		·01	17
18		·31			·03								18
19	·01				·07		·39						19
20	·33			·10		·03				·02		·05	20
21	·08	·21			·25		·02			·06		·34	21
22	·09	·36	·46	·05			·79					·40	22
23		·06	·15				·21		·09	·98		·45	23
24				·07			·50		·40	·73		·35	24
25				·03		·25	·10					·15	25
26		·12	·02			·09	·22					·65	26
27		·05				·07	·13			·53		·01	27
28		·12				·01		·01	·77	·07			28
29						·20		·04	·05		·14	·06	29
30	·27	X	·02			·15			~~[illegible]~~	·63	·32	·31	30
31	·15	X		X		X	·08		X	1·25	X	·35	31
Total	4·44	7·37	1·09	1·28	3·93	·81	4·45	2·60	1·82	4·80	2·40	8·45	YEAR'S TOTAL 43·44
Rain Days.	19	21	8	13	12	8	15	16	9	13	8	25	167

W. 8,000. X. 14.

2020

FORM A.
BRITISH RAINFALL.
8 JAN

REGISTER OF RAINFALL IN 1916

Kept at Dymboro' Midsomer Norton
in the County of Somerset
by Dr Arthur Bulleid

Lat. Long.
Time of Observation 9 Am.
Nearest Railway Station ½ mile - Midsomer Norton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 OD ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30			·01	·15	·09	·32		·06	·37	~~·20~~ ·35		1
2	·87	·12			·02	·03			~~6~~	·80	~~·35~~ ·06		2
3		1·26	·03		·20				·09	·53	~~·06~~ ·23		3
4	·25	·08			·15	·81			·45	·31	·37		4
5	·02	·03	·04		·30	·10				·03	·35		5
6	·12	·25	·12		·17	·12	·42			·19	·87		6
7	·07	·06	·10		·02					·12	·52	·16	7
8					·29	·15				·01	·13	·24	8
9			·04		·14	·43				·09	·03	·07	9
10		·50		·10	·02	·02					·02	·07	10
11	·02	·02	·08	·16		·20				–			11
12	·08	·12	·03		·20		·19	·03		·04			12
13		·45	·18					·24		–			13
14		·43	·06		·10			·33		·12			14
15		·29	·12					·25		·02			15
16	·04			·34	·02			·80		·03			16
17	·21	·23		·02				·04	·57	·43	·07		17
18	·04	·03	·16	·08					·04	·07	·27	·11	18
19	·18		·43	·51							·19	·12	19
20	·27	·04	·52								·12		20
21	·16		·44		·16		·18					2·22	21
22						·07				·46	·03		22
23				·15		·01		·16		·21	·50		23
24	·02	·32 snow		·08	·95			·24		·57	·02		24
25			·15					1·47		·45	·21		25
26	·01	·38	·30 hail & snow			·35			·56	·32	·01		26
27			1·68 snow		·05	·01		·16	·46				27
28		·15	·18			·15		·05	·28	·52		1·92	28
29	·02	·57	·11			·40		2·33	·13	·90			29
30		╳						·01		·38		·02	30
31		╳		╳		╳		·11	╳	·20	╳	·08	31
Total	2·68	5·33	4·77	1·45	2·94	2·94	1·11	~~4~~6·25 6·25	2·64	7·20	4·35	5·01	YEAR'S TOTAL 44·67 46·67
Rain Days.	17	19	19	9	16	15	4	15	9	24	19	14	180

W. 8,000. X. 15.

1930

14 JAN 1918

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Lymboro' Midsomer Norton ~~Dr Arthur Bulleid~~

in the County of Somerset

by Dr Arthur Bulleid

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Midsomer Norton Midland

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		snow ·01	·17	·23		·19		·96	·59		·04		1
2	·04		·03	·11		·17		·11					2
3	·07		·01				·44	·02		·94	·07		3
4		snow ·12					·10	·15	·01	·34			4
5	·21	17 degrees frost	·33	·42		·16			·51	·37	·11		5
6			·52							·19	·22		6
7							·16	·31		·40	·01	·05	7
8	·70		·14	·16			·55	·73	·03	·61	·05	·07	8
9			·05	·05	·07		·03	·13	·05	·27	·32		9
10	·10		·32	·21				·22	·14	·02	·19		10
11	·05		·56	·26				·33	·03	·38			11
12			·01		·62	·05		·69		·67			12
13			·14	·13		·03		·19	·08				13
14			·29					·53	·09	·03	·01		14
15							1·19			·29		·25	15
16		·07		·28	·02		·10			·40		·01	16
17				·17	·13	·05	·31	·13	·46	·08		·05	17
18	·03					·01	·36	·03	·68	~~·01~~	·01		18
19	·02	·39	·10			·03		·01	·07	~~·02~~	·02		19
20		·04	·06		·32	·10		·33	·04		·01		20
21		·02	·30			·05							21
22			·03			·02		·10		·12			22
23		·05			·15			·57		·01			23
24						·35		·34		·23	·01	·08	24
25		·11	·05				·10		·05	·56			25
26			·02		·21			1·08	·34	(·32)	·05		26
27					1·09	·05		1·17					27
28			·12		·15	3·46		·75				·21	28
29			·09			·35	rain	·05		·50	·02	·03	29
30		X	·10				rain	·15		·15			30
31		X		X		X	·36	·03	X	·06	X		31
Total	1·22	·81	3·44	2·02	2·76	5·07	3·70	9·11	3·17	6·74	1·14	·75	YEAR'S TOTAL 39·93
Rain Days.	8	8	21	10	9	15	13	25	15	22	15	8	169

W. 8,000, VIII. 16

14

C.J.E. #

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

13.1.19

Kept at Dymboro', Midsomer Norton
in the County of Somerset
by Dr Arthur Bulleid

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station ½ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·03		·02	·03			·38		·01	·53		1
2		·03		·17				·36		·03	·04	·53	2
3		·06		·17	·14			·04	·07	·07		·10	3
4		·02						·03		·14	·72		4
5		·70			·18	--		·13	·04	·36		·01	5
6	·11	·25		·33						·20		·12	6
7	·01	·05		·01	·65				·32	·19	·31	·02	7
8									·63	·22		·05	8
9		·24		·36		·24	·44		·49	·03		·29	9
10	·02	·01		·09			·51		·26	·17	·02	·45	10
11	·04	·05	·05				·11		·28	-	·05	·10	11
12		·14	·29		·29		·55		·10	-	~~·05~~	·05	12
13	·19					·02	·22		·71	·07		·25	13
14	·22					·04	·35		·18	·05		·13	14
15	Partly Snow 1·41			·40	·06	·06	·39		·02			·33	15
16	Snow ·42		·07	·70			·03		·16	·04		·41	16
17	·31			·09			·16	·08	·20	·01		·25	17
18	1·01					·72	·20		·54	·02		·35	18
19	·05		·11				·28	·03	·30			·07	19
20	·03	·22					·41		1·08	·03			20
21	·03	·08					·15		~~·23~~	·05		·11	21
22					·09		·63		·43				22
23	·25	·02			·18		·29	·07			·05	·42	23
24		·16					·02	·01	·10			·01	24
25							·18	·92			·09		25
26							·48			·06	·06	·35	26
27		·07	·03				·02	·23	(·38)	·01	·09	·06	27
28		·10	·22						·01		·16	·25	28
29			·08						1·12				29
30		✕	·27					·05	·04		·08	·01	30
31		✕	·36	✕		✕		·04	✕	·16	✕	·16	31
Total	4·13	2·23	1·48	2·34	1·62	1·08	5·42	2·37	7·46	1·92	2·20	4·88	YEAR'S TOTAL 37·13
Rain Days.	15	17	9	10	8	5	19	13	22	20	12	25	175

W. 8,000, IX. 17.

1803

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.
JAN 20

Kept at Dymboro' Midsomer Norton
in the County of Somerset
by Dr Arthur Bulleid

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station ½ mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·80		·07	·08	·45		·49		·01	·14		1·27	1
2	·16		·03		·01		·04		·18		·15	·17	2
3	chiefly 1·36 ~~snow~~		·24		·02				·21		·04	·48	3
4	·52	·09	·44			·10	·12	·05	·39			·09	4
5		·40	·71		·05				·43		·08 }	·41	5
6	·48	·07	·25									·18	6
7	·21		·47	·04								·03	7
8	·21		·17	·04		·01							8
9	·11		·03	·08	·02						·25		9
10	·10		·20							·04		·30	10
11	·03		·31	·14	·28	·01	·36					·03	11
12	·12		·07	·03		·28				·09	·05	·11	12
13	·30		·04	·49						·03		·07	13
14	·46	·11	·	·60			·03		·03	·05		·10	14
15	·16	·10		·01			·02			·05		·31	15
16	·15	·82									·12		16
17	·25	·38				·02		·01			·40	·02	17
18	·01	·01	·46				·12	·40	·01		·18		18
19	·30	·25	·99			·09	·80	·33	·21		·33	·12	19
20	·35	·18	·18			·29		·31	·02			·18	20
21		·92	·01			·01	·11		·01			·16	21
22		·01					·10		·17		·04	·22	22
23										·45	·07	·04	23
24				·01						1·10	·15	·51	24
25	·16			·02				·59	·02		·01	·03	25
26		·03		·04				·26	·15			·80	26
27	·03		·25	·43 snow				·56	·			·06	27
28	·12							·53			·16 snow	·41	28
29	·03			·07		·01		·03		·09		·11	29
30		✕				·17		·16			·38	·72	30
31	·04	✕		✕		✕	·01		✕		✕	·24	31
Total	6·46	3·37	4·92	2·08	·83	·99	2·20	3·23	1·84	2·04	2·41	7·17	YEAR'S TOTAL 37·54
Rain Days.	24	13	18	14	6	10	11	11	13	9	16	27	172

W. 6,500, VII. 18. w w c

[illegible] cnd frante

1722

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Dymboro', Midsomer Norton
in the County of Somerset
by Dr Arthur Bulleid

Lat. Long.
Time of Observation 9 Am.
Nearest Railway Station ½ mile S, Midsomer Norton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04			·17	·32		·36	·01	·05	·22	·25	·48	1
2	·12		·02	·10			·35	·33	·07	·22		·12	2
3	·08	·05		·07			·76			·69			3
4			·03	·11			·05	·67		·18			4
5				·05	·20		·41	·05		·23			5
6				·01	·47		·25			·08		·02	6
7	·05		·42	·06			·25						7
8	·04	·06	·04	·56	·02		·81						8
9	·83	·13	·02	·46		·12	·07	·02					9
10	1·47	·45	·09	·09		·20	·74						10
11	·34		·15	·52	·34		·09						11
12	·38	·03	·01	·11	·01	·67	·06				·17		12
13	·11	·10	·46	·12					·11			·03	13
14	·10	·01	·33	·72			·01		·13	·28	·55		14
15	·01	·17	·02	·40	·02	·03	·05			·27	·08		15
16	·			·07		·11	·31		·13	·09	·19		16
17	·05		·05	·12	·32	·62			·64				17
18	·06	·02		·13	·03	·01		·36	·24			·02	18
19	·01	·09		·37	·15	·07							19
20	·03	·15		·22		·22						·49	20
21				·02			·22		·01			·28	21
22	·03			·07	·02		·08	·12		·01		·21	22
23							·93	·02				·52	23
24			·28	·05							·09	·	24
25	·04					·02	·37					·14	25
26	·27		·21				·04				·07	·08	26
27	·28		·04	·26		·48						·33	27
28	·95	·04	·17		·33		·10					·03	28
29	·20		·17	·05	·08	·03	·01				·25	·35	29
30	·12	╳			·02	·29	·24		·38		·40	·25	30
31	·28	╳	·21	╳		╳	·06		╳	·61	╳	(·39	31
TOTAL	5·89	1·30	2·72	4·91	2·33	2·87	6·62	1·58	1·76	2·88	2·05	3·74	YEAR'S TOTAL 38·65
Days with ·01 in. or more	24	12	18	25	14	13	24	8	9	11	9	16	183
	20	9	13	23	8	9	22	5	8	10	9	12	148

(44,283). Wt. 21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Extd 1·XII·14

REGIST 2

MIDSOMER NORTON
SOMERSET
1912 - 1913

FORM A.
BRITISH RAINFALL.
5 MAY 1914

Kept at Midsomer Norto — W. 2°·29′
in the County of Somerset — ·0 a.m.
by Rex W. Bird. — Welton G. W. R.
5 in.
bove Ground 1 ft. 0 in.
, Sea Level 330. ft.

IMPORTANT NOTE.—R nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						·21	·48		·01	·56		·35	1
2						·29	·25						2
3						·23	·06	·58	·08		·05	·04	3
4						·30		·04			·13		4
5								·61				·24	5
6							·03	1·72			·01	·18	6
7						·60		·03				·09	7
8						·23	·14	·09				·09	8
9						·02		·02				·62	9
10						·09		·07			·11	·11	10
11						·02					·01	·50	11
12							·03				·02	·14	12
13												·17	13
14								·35				·10	14
15						·60		·07				·70	15
16						·03		·34		·10	·07	·09	16
17						·03		·75			·05	·11	17
18								·12		·08		·11	18
19						·06	·11	·23		·20	·01	·01	19
20							·06	·70		·71			20
21							·02	·03		·24			21
22							·18	·18		·07	·02	·12	22
23						·02	·02	·72		·11	·17	·42	23
24						·35	·04	·17		·10	·01	·24	24
25						·02		·59		·08	·50	·48	25
26						·20	·18	·15		·48	·66	·34	26
27						·17	·93			1·12	·05	·73	27
28						·03	·17	·65	·11	·68	·55	·64	28
29						·09	·26	·05	·48	·37	·01	·03	29
30						·06	·18	·02	·17	·40			30
31						—	·27	·02	—	·06	—	·37	31
Total						3·65	3·41	8·30	0·85	5·36	2·43	7·02	YEAR'S TOTAL —
Rain Days.						21	18	25	5	16	17	26	—

W. 7,500, XI. 12

C

Entd 1·XII·14

REGIST 2

Ex. H. [illegible]

FORM A.
BRITISH RAINFALL.
5 MAY 1914

Kept at Midsomer Norton

in the County of Somerset

by Rex H. Bird.

Lat. N. 51°·17'·15" Long. W. 2°·29'
Time of Observation 9·0 a.m.
Nearest Railway Station Welton G. W. R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 330. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1						·21	·48		·01	·56		·35	1
2						·29	·25						2
3						·23	·06	·58	·08		·05	·04	3
4						·30		·04			·13		4
5								·61				·24	5
6							·03	1·72			·01	·18	6
7						·60		·03				·09	7
8						·23	·14	·09				·09	8
9						·02		·02				·62	9
10						·09		·07			·11	·11	10
11						·02					·01	·50	11
12							·03				·02	·14	12
13												·17	13
14								·35				·10	14
15						·60		·07				·70	15
16						·03		·34		·10	·07	·09	16
17						·03		·75			·05	·11	17
18								·12		·08		·11	18
19						·06	·11	·23		·20	·01	·01	19
20							·06	·70		·71			20
21							·02	·03		·24			21
22							·18	·18		·07	·02	·12	22
23						·02	·02	·72		·11	·17	·42	23
24						·35	·04	·17		·10	·01	·24	24
25						·02		·59		·08	·50	·48	25
26						·20	·18	·15		·48	·66	·34	26
27						·17	·93			1·12	·05	·73	27
28						·03	·17	·65	·11	·68	·55	·64	28
29						·09	·26	·05	·48	·37	·01	·03	29
30						·06	·18	·02	·17	·40			30
31						—	·27	·02	—	·06	—	·37	31
Total						3·65	3·41	8·30	0·85	5·36	2·43	7·02	YEAR'S TOTAL —
Rain Days.						21	18	25	5	16	17	26	—

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

5 MAY 1914

REGISTER OF RAINFALL IN 1913.

Kept at North Rd., Midsomer Norton.
in the County of Somerset
by Rev. W. Bird

Lat. N. 51°. 17'. 15" Long. W. 2°. 29'
Time of Observation 9·0 a.m.
Nearest Railway Station Welton G.W.R.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 330 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·25	·25	·06	·03				·38		·26	·23	1
2	·09	·17	·04	·13	·05		·06		·01	·11	·14	·02	2
3	} 1·28		·18		·36					·01		·62	3
4			·08		·57				·89	·35	·02	·15	4
5	·01	·05			·11	·53	·08		·40		·04	·11	5
6	·09	·04	·17		·14	·21				·75	·03	·58	6
7	·02	·35			·28	·11	·13			·52	·19	·01	7
8	·01	·10			·30	·08				·06		·03	8
9		·12	·03		·06	·17		·21	·06		·12	·05	9
10	·19		·03	·01	·01			·01		·39	·12		10
11	·68	·01		·09	·16	·06				·01	·87	·04	11
12	·08				·25				·01		·10	·03	12
13	·05	·01	·06				·11	·06	·37		·20		13
14	·13	·01	·25	·19	·03		·01	·02	·04	·08	·32		14
15	·27	·08	·50	·75		·02			·03		·13	·04	15
16	·26		·72	·18					·01				16
17	·08		·02	·04			·03		·02		·05		17
18	·11		·29	·20		·04					·08		18
19	·70		·03		·02	·31	·02		·37				19
20	·24			·04						·08	·12		20
21			·35	·10	·13		·12				·54		21
22	·67		·57	·01	·01	·05		·07	·17				22
23	·01		·01			·04		·04			·08		23
24	·06	·03		·03		·01		·17			·01		24
25		·07		·17							·02	·09	25
26		·03		·47				·27				·58	26
27	·02		·16	·48								·10	27
28	·15		·10	·37						·20		·09	28
29	·03	—	·62	·48				·12		·24	·01		29
30	·64	—								·44	·07		30
31	·14	—	·05	—		—		·37	—	·01	—		31
Total	6·01	1·32	4·51	3·80	2·51	1·63	·56	1·34	2·76	3·25	3·52	2·77	YEAR'S TOTAL 33·98
Rain Days.	26	14	21	18	16	12	8	10	13	14	22	16	190

REGIS 11

MIDSOMER NORTON
ISLAND HOUSE
SOMERSET

1911 - 1917, 1919-20

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Island House, Mid

in the County of Somerset

by Dr. Pollard.

tti + Zambra.

5 in.

ve Ground 1 ft. 6 in.

Sea Level 300 ft.

A.M.

Name Midsomer Norton S.&D.

Distance ½ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·06	·09	·02			·15			·05	·04	1
2				·03	·52			·16		·05	·28	·31	2
3					(·39)			·02			·13	·03	3
4			·19					·03		·08	·26	·41	4
5	·14		·03	·02				·75		·05	·45	·02	5
6	·61		·11					·08		·03	·33	·53	6
7											·71		7
8	·05		·26								·	·37	8
9	·08		·01								·13	·44	9
10	·21	·06	·52		·35							·40	10
11	·43		·73		·04						·73	·32	11
12											·51	·73	12
13									·34	·25	·11	·85	13?
14		·07									·03	·36	14
15						·04					·36	·12	15
16		·13				·24					·51	·48	16
17		·04				·08				·05	·06	·51	17
18		·44	·19	·19		·12						·36	18
19		·08		·08		·11			·42	·25	·12	·33	19
20		·05	·13	·25				·03	·18	·1		·49	20
21		·32	·12					·43		·62		·36	21
22	·05	·04	·26			·09				·35		·71	22
23		·26	·27			·17			·05	·19		·25	23
24		·22			·03	·42		·16	^	·75		·25	24
25		·18		·35		·09						·39	25
26		·06		·51		·02		03 ·06		·23	·05	·40	26
27		·44	·28	·09	·28		·07	·09	·11			·16	27
28		·56		·45				·05			·08		28
29				·32		·32			·14	·49			29
30						·05	·04			·28	·03	·02	30
31										·14			31
Total	1·60	2·95	3·16	2·38	1·63	1·75	·11	1·98	1·24	3·91	4·93	9·64	TOTAL for year 35·28 35·28
No. of Rain Days.	8	15	14	11	~~6~~ 7	12	2	12	6	16	19	27	149

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Island House Midsomer Norton

in the County of Somerset.

by Dr Pollard.

RAIN GAUGE
Pattern Negretti & Zambra.
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 300 ft.

Time of Observation 9. A. M.

Nearest Railway Station
Name Midsomer Norton S.&D.
Distance ½ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03		·06	·09	·02			·15			·05	·04	1
2				·03	·52			·16		·05	·28	·31	2
3					(·39)			·02			·13	·03	3
4			·19					·03		·08	·26	·41	4
5	·14		·03	·02				·75		·05	·45	·02	5
6	·61		·11					·08		·03	·33	·53	6
7											·71		7
8	·05		·26								·	·37	8
9	·08		·01								·13	·44	9
10	·21	·06	·52		·35							·40	10
11	·43		·73		·04						·73	·32	11
12											·51	·73	12
13									·34	·25	·11	·85	13?
14		·07									·03	·36	14
15						·04					·36	·12	15
16		·13				·24					·51	·48	16
17		·04				·08				·05	·06	·51	17
18		·44	·19	·19		·12						·36	18
19		·08		·08		·11			·42	·25	·12	·33	19
20		·05	·13	·25				·03	·18	·1		·49	20
21		·32	·12					·43		·62		·36	21
22	·05	·04	·26			·09				·35		·71	22
23		·26	·27			·17			·05	·19		·25	23
24		·22			·03	·42		·16	↑	·75		·25	24
25		·18		·35		·09						·39	25
26		·06		·51		·02		03 ·06		·23	·05	·40	26
27		·44	·28	·09	·28		·07	·09	·11			·16	27
28		·56		·45				·05			·08		28
29				·32		·32			·14	·49			29
30						·05	·04			·28	·03	·02	30
31										·14			31
Total	1·60	2·95	3·16	2·38	1·63✓	1·75	·11	1·98	1·24	3·91	4·93	9·64	TOTAL for year 35·28
No. of Rain Days.	8	15	14	11	~~6~~ 7	12	2	12	6	16	19	27	35·38
													149

W. 8,000, X. '11.

cord by [illegible] 25·11·13

W. Z. E.

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL.

6 - JAN 1913

Kept at Island House Midsomer Norton.

in the County of Somerset.

by Dr J. S. Pollard.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Midsomer Norton.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 300 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·16			·10	·47		·01	·48		·35	1
2			·23			·42	·30		·07	·63		·06	2
3			·08			·25	·08	·54			·02		3
4	·22		1·06		·31	·33		·08	·02		·10		4
5	·38		·26					·64			·06	·22	5
6	·52	·04	·02		·11		·05	2·09				·21	6
7	·03	·52	·15		·06	·64					·10	·04	7
8	·35	·25	·67			·03	·16	·05					8
9	·02	·03	·60	·14		·08		·04					9
10		·11		·05		·02		·02				·77	10
11	·11	·07						·12		·02	·04	·05	11
12	·08	·59	·18				·04					·47	12
13	·01	·01										·14	13
14	·18		·71		·29			·34				·17	14
15	·08	·08			·14	·62						·09	15
16	·69		·52	·01				·30		·10	·06	·72	16
17	(1·31)		·08			·05		·74				·10	17
18			·84					·12		·06	·90	·18	18
19		·11	·19			·06	·09	·22		·10		·10	19
20	·03		·43		·10		·06	·79		·75	·11	·06	20
21		·09	·43		·51		·03	·05		·26		·12	21
22	·38	·31	·04		·10		·24	·11		·06	·20	·42	22
23	·31	·44	·31			·04		·70		·10			23
24	·08					·34	·06	·19		·12	·29	·24	24
25						·25		·72		·05	·72	·48	25
26		·04					·21	·15		·46		·32	26
27		·02					·93	·60		1·07		·70	27
28		·16				·05	·15	·05	·09	·66	·19	·75	28
29		·14				·07	·28	·03	·48	·37	·34		29
30						·06	·16		·18	·39		·33	30
31			·33				·28	·02		·06		·02	31
Total	4·78	3·01	7·29	·20	1·62	3·41	3·59	8·71	·85	5·74	3·33	7·11	YEAR'S TOTAL 49·64
Rain Days.	(19)	17	20	3	8	17	17	24	6	18	13	25	187

W. 7,500, XI. 12

Ex Dd

FORM A.
BRITISH RAINFALL.

3 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Island House. Midsomer Norton

in the County of Somerset

by Dr. G. S. Pollard.

Lat. as before Long.

Time of Observation 8.30 a.m.

Nearest Railway Station Midsomer Norton

Diameter of Rain Gauge as before in.

Height of top of Gauge above Ground as before ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27	·24	·07					·41			·20	1
2	·09		·02	·15	·05		·07				·27	·03	2
3	·07	·17	·19		·37					·03	·16	·55	3
4	1·15	·04	·08		·10				·83	·27	·03	·16	4
5	·02	·06				·54	·09		·52		·04	·13	5
6	·10	·04	·16		·18	·24	·02			·76	·05	·52	6
7	·02	·38			·25	·07	·13			·46		·02	7
8		·11			·30	·12				·09		·05	8
9	·01	·13	·05		·10	·17		·21	·07	·37	·14	·03	9
10	·12		·03	·02	·01						·13		10
11	·75			·10	·17	·08		·01			·84		11
12	·08		·07		·25				·01		·12	·09	12
13	·04		·25				·11	·05	·46		·22		13
14	·13		·52	·19	·03	·02		·03		·09	·18	·07	14
15	·29	·12	·68	·81			·04				·26		15
16	·27		·04	·01					·03		·05		16
17	·10		·27	·04									17
18	·08		·03	·21		·06	·05		·40				18
19	·68		·17			·30							19
20	·29									·10	·19		20
21			·22	·04			·15				·55		21
22	·66		·66	·19	·13			·07	·78				22
23	·07		·01	·06	·02	·11		·04			·12	·29	23
24								·17					24
25				·17								·07	25
26		·09	·17	·40				·27				·28	26
27	·02	·05	·13	·46						·12		·08	27
28	·14		·59	·36						·09		·10	28
29	·04			·46				·12		·28	·09		29
30	·64								·11	·42	·03		30
31	·17		·04					·38					31
Total	6·03	1·46	4·61	3·74	1·96	1·71	·66	1·35	3·01	3·08	3·47	2·67	YEAR'S TOTAL 33·75
Rain Days.	25	11	22	17	13	10	8	10	10	12	18	16	172

W.7,000, XI. 13

Ex. M.G.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

5 - JAN 1915

Kept at Island House. Midsomer Norton.

in the County of Somerset.

by Dr. G. S. Pollard.

Lat. .... Long. ....

Time of Observation 8.30. A.M.

Nearest Railway Station Midsomer Norton.

Diameter of Rain Gauge Same as last year

Height of top of Gauge above Ground " ft. " in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .41

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·01	·04		·03	·27	·31			·06	·07	1
2				·09			·51	·20			·95	·33	2
3			·07	·21	·30		·05	·26			·08	·17	3
4	·15		·12	·44	·20		·21	·58			·80	·71	4
5	·27		·20	·48	·06		·08	·02			·08	·41	5
6		·14	·05	·28	·09		·08	·14				·37	6
7	·11	·64	·26	·33	·71	·03	·34	·05				·15	7
8	·29	·06	·94	·03	·09	·43	·04	·22	·41				8
9			·40	·25	·03	·74		·07	·21				9
10	·02		·02		·03				·32			·02	10
11			·43		·10	·17			·02		·06	·44	11
12			·12				·07		·42		·08	·28	12
13		·78	·36						·18	·21	·25	·67	13
14		·37	·81					·26		·26	·27		14
15			·26					·52	·05	·04	·16		15
16							·13		·32				16
17		1·25	·26						·02			·85	17
18		·02	·04				·35		·03			·57	18
19		·11	·12				·71				·05	·21	19
20		·42	·64									·15	20
21		·56	·02			·21				·13			21
22		·02	·04		·11	·26		·03		·38			22
23		·11	·25		·05	·06				·15			23
24			·07		·01		·26			·24	·28	·02	24
25	·06		·07				·02	·34		·56	·05	·39	25
26			·02				·07	·08		·09	·44	·64	26
27										·09	·12	·22	27
28	·09	·15	·18							·13	·44	1·13	28
29			·11		·08		·12			·20	·30		29
30	·37	X	·04							·22	·45	1·07	30
31	·02	X		X		X	·22		X	·35	X	·04	31
Total	1·38	4·63	6·21	2·15	1·86	1·93	3·53	3·08	1·98	3·05	4·92	8·91	YEAR'S TOTAL 43·63
Rain Days.	9	13	27	9	13	8	17	14	10	14	18	22	174

W. 8,000. X. 14.

[illegible] 2075

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at Island House. Midsomer Norton
in the County of Somerset.
by Dr. G. S. Pollard.

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·41	·13			·08			·12	·21	·29	·04	·29	1
2	·42	·26	·18	·15				·61	·10	·09		·39	2
3	·34	·31		·06	·19	·06		·02				·31	3
4	·02	·07		—	·06							·45	4
5	·13	·83						·13				·33	5
6	·39	·03		·30		·53	·53	·06				·42	6
7	·35	·42			·26	·22	·22	·02				·30	7
8	·33	·12		·02				·10			·04		8
9	·02	·03		·09				·03			·60	1·00	9
10	·31		·09	·03				·08					10
11	·01		·05	·01				·11			·73	·10	11
12	·11	·32		·16	·49			·23		·06	·39	·01	12
13	·04	·82			1·11				·13		·04		13
14		·04					·05	·63	·04	·09		1·21	14
15	·42	·01			·15		·07	·29	·01	·05	·12	·06	15
16		1·32			·34		1·11	·07				·19	16
17		·99			·82			·02				·03	17
18	·01	·29	·02		·05						·03		18
19		·01			·04		·38						19
20	·32			·12								·11	20
21		·24			·27		·02			·09		·30	21
22	·15	·34	·44	·05		·04	·81		·01			·32	22
23		·06	·17				·21		·09	·86		·32	23
24				·08			·67		·42	·82		·29	24
25				·03		·27	·11					·25	25
26		·12				·10	·23		·01			·47	26
27		·05				·07	·13			·49		·02	27
28		·12	·03			·02			·78	·08			28
29						·21			·06		·12	·06	29
30	·26	X				·16		·03		·64	·34	·25	30
31	·15	X		X		X	·10		X	1·15	X	·31	31
Total	4·19	6·93	·98	1·10	3·89	1·68	4·64	2·55	1·86	4·71	2·46	4·49	YEAR'S TOTAL 42·47
Rain Days.	19	23	7	12	12	10	14	16	11	12	10	25	171

W. 8,000. X. 15.

2019

FORM A.
BRITISH RAINFALL.
30 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Island House Midsomer Norton

in the County of Somerset

by Dr G. S. Pollard.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Same

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24		·08		·19	·09	·27		·06	·27	·33		1
2	·77	·10	·02		·05	·01	·03			·89	·08		2
3	·01	1·16			·07	·02			·12	·52	·23		3
4	·21	·08			·17	·79			·30	·45	·63		4
5	·02	·03		·02	·28	·10				·04	·34		5
6	·06	·26	·21		·23	·09	·43			·22	·65		6
7	·08	·07	·08		·02					·07	·53	·16	7
8	·01	·10	·20		·29	·15					·13	·18	8
9		·01			·16	·35				·10	·04	·07	9
10		·38	·02	·11	·02	·03				·03	·02	·08	10
11	·02		·04	·04		·27	·01						11
12	·06	·14	·06	·11	·21		·18	·02					12
13		·42	·12					·23					13
14		·44	·06	·08	·09			·21		·09			14
15	·01	·28	·13	·03				·25		·01			15
16	·05	·07		·18	·04			·69		·03			16
17	·22	·16		·06				·06	·44	·43	·03	·12	17
18	·04	·04	·09	·11					·06	·12	·20		18
19	·21		·50	·46							·31	·02	19
20	·24	·04	·50								·13	·84	20
21	·12	·07	·44	~~·10~~	·15		·18					·71	21
22	·02		·03	·02		·06				·35	·04	·65	22
23	·02			·14				·17		·23	·49	·16	23
24		·16		·08	·90	·18		·05		·55	·03	·26	24
25		·14	·13		·07			·30		·01	·21		25
26	·01	·25	·26			·27		1·30	·59	·43	·03		26
27	·03	·22	1·11			·02		·12	·43	·30			27
28		·28	·91			·14		·02	·11	·42	·02	·66	28
29		·50	·12			·38		2·10	·33	·97		·65	29
30		X								·41		·02	30
31		X		X		X		·10	X	·18	X	·09	31
Total	2·45	5·40	5·11	1·44	2·94	2·95	1·10	5·62	2·44	7·12	4·67	4·67	YEAR'S TOTAL 45·91
Rain Days.	21	24	21	13	16	16	6	14	9	24	20	15	199

W. 8,000, VIII. 16

1929

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

Kept at Island House Midsomer Norton

in the County of Somerset.

by Dr. G. S. Pollard

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

Same

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01		·17	·20		·15		·95	·47		·05		1
2			·04	·11		·24		·12			·05		2
3	·06			·01			·47	·02		·83	·08		3
4		·14		·39			·12	·15	·02	·31			4
5	·20		·17			·17			·61	·33			5
6			·23							·14	·21	·02	6
7	·30		·49				·18	·26		·41	·02	·04	7
8	·31		·12	·17			·57	·70	·03	·62	·12	·08	8
9			·08	·05	·09		·03	·12	·07	·28	·08		9
10	·11		·30	·24				·20	·13	·03	·01		10
11	·04		·65	·25	·02			·46		·38			11
12	·02				·64	·11		·73		·71			12
13			·13	·03		·03		·17	·08	·03		·01	13
14		·14	·26	·14				·62	·07	·04			14
15							1·18			·27		·17	15
16				·25			·12	·02	·02	·39		·18	16
17				·15	·17		·31	·12	·41	·10	·02		17
18	·03	·02		·23		·02	·32	·02	·61				18
19	·02	·33	·11			·04		·02	·13				19
20		·07	·07	·25	·31	·11		·39	·02				20
21			·28							·04			21
22			·05			·10		·11		·08	·01		22
23					·16			·52		·02		·03	23
24		·04	·02			·30	·10	·28		·20		·17	24
25		·07	·03				·02		·03	·50	·02		25
26					·19			1·03	·31				26
27					1·10	·06		1·91			·02		27
28			·14		·15	3·49		·70				·04	28
29			·10			·50	·10	·07		·46	·02		29
30		×	·11				·27	·27		·16			30
31		×		×		×	·02	·03	×	·06	×		31
Total	1·10	·81	3·55	2·47	2·83	5·32	3·81	9·99	3·01	6·39	·71	·74	YEAR'S TOTAL 40 73
Rain Days.	10	7	20	14	9	13	14	26	15	23	13	9	173

W. 8,000, IX. 17.

148

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

28 JAN 20

Kept at Island Hse Midsomer Norton
in the County of Somerset
by Dr. G. S. Pollard

Lat. Long. Same
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~·07~~						·50			·14	·02	1·27	1
2	~~·09~~						·05		·18		·08	·16	2
3	~~·13~~								·24		·10	·48	3
4						·05		·07	·34			·12	4
5							·13		·44		·04	·41	5
6											·05	·14	6
7	~~·05~~											·04	7
8	~~·03~~												8
9	~~·75~~					·01					·24		9
10	~~1·19~~											·28	10
11	~~·47~~						·37			·04		·04	11
12	~~·29~~					·25	·03				·02	·14	12
13	~~·13~~						·03			·05		·04	13
14	~~·10~~						·13		·04	·04		·05	14
15	~~·01~~									·05			15
16											·17	·26	16
17	~~·06~~					·01		·03			·40	·02	17
18	~~·06~~						·13	·32	·02		·13	·05	18
19	~~·05~~					·10	·86	·34	·21		·31	·09	19
20	~~·04~~					·33	·10		·03			·12	20
21							·10		·01			·18	21
22									·18		·02	·22	22
23						·02			·02	·35	·10	·06	23
24						·12	·01		·02	1·23	·15	·48	24
25						·05		·56			·02	·16	25
26						·01		·23	·15			·75	26
27								·55				·07	27
28								·57				·40	28
29						·01		·03		·10	·22	·10	29
30		×				·18		·16		·03	·65	·62	30
31		×		×		×	·02		×		×	·19	31
Total						1·14	2·46	2·86	1·88	2·03	2·72	6·94	Total ~~20·03~~
Days with ·01 in. or more						12	13	10	13	9	17	28	~~102~~

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

5 JAN 1921

Kept at Island House Midsomer Norton

in the County of Somerset

by Dr. G. S. Pollard

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·64

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·18	·31		·39	·02	·04	·34	·26	·45	1
2	·09		·02	·12			·34	·25	·12	·19		·09	2
3	·13	·06		·08			·77			·67		·05	3
4			·04	·13			·13	·34		·21			4
5			·12	·06			·38			·16			5
6			·40		·45		·36	·06		·18		·02	6
7	·05		·05	·05	·02		·21			·02			7
8	·05	·07		·40	·03		·85						8
9	·75	·16	·04	·58		·11	·03	·03	·02	·03			9
10	1·19	·37	·08	·09		·22	·85						10
11	·47		·16	·45	·29		·10						11
12	·29		·01	·15	·07	·68	·07				·18		12
13	·13	·07	·48	·12									13
14	·10	·12	·30	·69			·02		·09	·28	·48	·02	14
15	·01	·18	·04	·37	·04	·05	·05		·13	·30	·12		15
16		·05		·12		·10	·32		·12	·10			16
17	·06		·05	·15	·28	·71			·56		·15	·03	17
18	·06			·07	·06	·02		·38	·25				18
19	·05	·04		·40	·15	·05							19
20	·04	·22		·20	·02	·25	·21					·38	20
21							·08		·02	·02		·18	21
22	·04			·07			·02		·02			·39	22
23							·94	·24				·50	23
24	·04		·26	·04				·03			·10	·30	24
25		·13	·08				·34						25
26	·28		·05				·06			·02		·15	26
27	·23	·03	·06	·28		·48					·12	·09	27
28	·93	·02	·17		·40	·02	·06					·04	28
29	·26		·18		·10	·04					·24	·31	29
30	·14			·07	·02	·26	·25		·27		·38	·25	30
31	·28		·22				·05			·60		·30	31
TOTAL	5·74	1·52	2·81	4·87	2·24	2·99	6·88	1·35	1·64	3·12	2·03	3·55	YEAR'S TOTAL 38·74
Days with ·01 in. or more	24	13	20	23	14	13	24	8	11	14	9	17	190
Days with ·04 in. or more	23	11	18	23	10	11	21	5	8	10	9	14	163

(44,283). 10/19. (52,638). Wt.10,000—859. 10,000. (2). 7/20. Gp.132. A.&E.W.

MILVERTON
SPRINGROVE

SOMERSET
1911 - 1918

RE 1

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Spring Grove

in the County of Somer

by C Roberts Ya

by A&N Co op

5 in.

Ground ft. 8 in.

Sea Level 500 ft.

m.

Name Milverton

Distance 2½ m Direction ExN

IMPORTANT NOT the result entered to the previous day. If an Ob versal rule, he is earnestly requested to add the rea ear in the space provided for it at the end of thi ment of rain, the selection and placi ritish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·00	·06	·09	·01	·00	·00	·02	·00	·02	·02	·02	1
2	·00	·00	·01	·01	·46	·01	·00	·44	·00	·06	·23	·26	2
3	·01	·00	·02	·01	·30	·00	·00	·03	·02	·01	·17	·03	3
4	·00	·00	·13	·01	·01	·00	·00	·03	·00	·15	·19	·52	4
5	·17	·00	·15	·00	·01	·00	·00	·47	·00	·02	·18	·04	5
6	·36	·00	·24	·00	·00	·00	·00	·01	·00	·04	·11	·47	6
7	·04	·00	·00	·02	·00	·00	·00	·00	·00	·00	·62	·01	7
8	·12	·00	·13	·00	·00	·00	·00	·00	·00	·00	·06	·56	8
9	·03	·00	·02	·00	·00	·00	·00	·00	·00	·00	·34	·48	9
10	·09	·01	·52	·00	·65	·00	·00	·00	·00	·00	·01	·28	10
11	·32	·00	·02	·00	·10	·00	·00	·00	·00	·00	·46	·24	11
12	·00	·00	·79	·00	·00	·00	·00	·01	·00	·00	·27	·40	12
13	·00	·00	·01	·00	·01	·00	·00	·00	·01	·00	·05	·50	13
14	·00	·03	·00	·00	·00	·00	·00	·00	·32	·00	·01	1·06	14
15	·00	·00	·00	·00	·00	·06	·00	·00	·00	·02	·51	·08	15
16	·00	·09	·01	·00	·00	·15	·00	·00	·00	·01	·39	·47	16
17	·00	·03	·10	·05	·00	·23	·00	·00	·00	·00	·07	·69	17
18	·00	·42	·19	·36	·04	·35	·00	·00	·00	·17	·12	·57	18
19	·00	·06	·01	·22	·00	·06	·00	·00	·75	·15	·11	·62	19
20	·04	·03	·07	·14	·00	·03	·00	·00	·15	·12	·00	·38	20
21	·00	·26	·01	·01	·00	·04	·00	·01	·13	·92	·00	·18	21
22	·07	·03	·02	·09	·00	·10	·00	·00	·07	·37	·00	·59	22
23	·00	·29	·02	·02	·00	·10	·00	·00	·10	·25	·00	·15	23
24	·00	·36	·00	·00	·00	·32	·00	·22	·00	·47	·00	·19	24
25	·05	·12	·00	·15	·00	·04	·00	·01	·08	·12	·00	·24	25
26	·00	·10	·00	·37	·10	·00	·01	·03	·00	·10	·10	·35	26
27	·01	·45	·05	·19	·00	·01	·00	·19	·08	·33	·01	·13	27
28	·00	·32	·01	·44	·03	·00	·00	·19	·01	·01	·10	·01	28
29	·00		·00	·43	·00	·26	·14	·01	·12	·30	·01	·00	29
30	·00		·00	·01	·00	·03	·23	·00	·00	·21	·07	·04	30
31	·00		·00		·00		·02	·00		·13		9·40 ·01	31
Total	1·32	2·60	2·59	2·62	1·72	1·79	·40	1·67	1·84	3·98	4·21	9·47	TOTAL for year 34·21
No. of Rain Days.	13	15	22	18	11	15	4	14	12	22	24	30	200

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE[illegible]1

Kept at Spring Grove

in the County of Somerset 3

by C Roberts Gawen

RAIN GAUGE
- Pattern supplied by A.H. Co of
- Diameter of top 5 in.
- Height of top above Ground ft. 8 in.
- ,, ,, ,, Sea Level 500 ft.

Time of Observation 9 a.m.

Nearest Railway Station
- Name Milverton
- Distance 2½ m Direction E×N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·00	·06	·09	·01	·00	·00	·02	·00	·02	·02	·02	1
2	·00	·00	·01	·01	·46	·01	·00	·44	·00	·06	·23	·26	2
3	·01	·00	·02	·01	·30	·00	·00	·03	02	·01	·17	·03	3
4	·00	·00	·13	·01	·01	·00	·00	·03	·00	·15	·19	·52	4
5	·17	·00	·15	·00	·01	·00	·00	·47	·00	·02	·18	·04	5
6	·36	·00	·24	·00	·00	·00	·00	·01	·00	·04	·11	·47	6
7	·04	·00	·00	·02	·00	·00	·00	·00	·00	·00	·62	·01	7
8	·12	·00	·13	·00	·00	·00	·00	·00	·00	·00	·06	·56	8
9	·03	·00	·02	·00	·00	·00	·00	·00	·00	·00	·34	·48	9
10	·09	·01	·52	·00	·65	·00	·00	·00	·00	·00	·01	·28	10
11	·32	·00	·02	·00	·10	·00	·00	·00	·00	·00	·46	·24	11
12	·00	·00	·79	·00	·00	·00	·00	·01	·00	·00	·27	·40	12
13	·00	·00	·01	·00	·01	·00	·00	·00	·01	·00	·05	·50	13
14	·00	·03	·00	·00	·00	·00	·00	·00	·32	·00	·01	1·06	14
15	·00	·00	·00	·00	·00	·06	·00	·00	·00	·02	·51	·08	15
16	·00	·09	·01	·00	·00	·15	·00	·00	·00	·01	·39	·47	16
17	·00	·03	·10	·05	·00	·23	·00	·00	·00	·00	·07	·69	17
18	·00	·42	·19	·36	·04	·35	·00	·00	·00	·17	·12	·57	18
19	·00	·06	·01	·22	·00	·06	·00	·00	·75	·15	·11	·62	19
20	·04	·03	·07	·14	·00	·03	·00	·00	·15	·12	·00	·38	20
21	·00	·26	·01	·01	·00	·04	·00	·01	·13	·92	·00	·18	21
22	·07	·03	·02	·09	·00	·10	·00	·00	·07	·37	·00	·59	22
23	·00	·29	·02	·02	·00	·10	·00	·00	·10	·25	·00	·15	23
24	·00	·36	·00	·00	·00	·32	·00	·22	·00	·47	·00	·19	24
25	·05	·12	·00	·15	·00	·04	·00	·01	·08	·12	·00	·24	25
26	·00	·10	·00	·37	·10	·00	·01	·03	·00	·10	·10	·35	26
27	·01	·45	·05	·19	·00	·01	·00	·19	·08	·33	·01	·13	27
28	·00	·32	·01	·44	·03	·00	·00	·19	·01	·01	·10	·01	28
29	·00		·00	·43	·00	·26	·14	·01	·12	·30	·01	·00	29
30	·00		·00	·01	·00	·03	·23	·00	·00	·21	·07	·04	30
31	·00		·00		·00		·02	·00		·13		9·40 ·01	31
Total	1·32	2·60	2·59	2·62	1·72	1·79	·40	1·67	1·84	3·98	4·21	9·47	TOTAL for year 34·21
No. of Rain Days.	13	15	22	18	11	15	4	14	12	22	24	30	200

W. 8,000, X. '11.

Ex M L

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
4 JAN 1913

Kept at Spring Grove

in the County of Somerset

3

by C Roberts Gawen

RAIN GAUGE
Pattern Winchester Oc Copper Funnel 4½" Gauge [illegible]
Diameter of top 5 in.
Height of top above Ground ft. 8 in.
„ „ „ Sea Level 500 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name ~~C.R.Cy~~ Milverton
Distance 2½ Direction ExN

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·30	·01	·00	·52	·03	·03	·08	·95	·00	·38	1
2	·00	·00	·30	·00	·00	·22	·04	·00	·00	·03	·04	·02	2
3	·01	·00	·14	·00	·00	·11	·06	·72	·09	·00	·00	·02	3
4	·12	·02	1·03	·00	·01	·42	·00	·04	·01	·00	·26	·00	4
5	·65	·08	·34	·00	·00	·36	·00	·40	·00	·00	·00	·07	5
6	·76	·22	·02	·00	·18	·24	·34	1·07	·00	·00	·00	·04	6
7	·02	·53	·12	·00	·15	·73	·01	·20	·00	·00	·02	·11	7
8	·40	·19	·30	·03	·00	·09	·18	·11	·00	·00	·00	·03	8
9	·04	·08	·02	·15	·00	·19	·02	·03	·00	·00	·02	·31	9
10	·17	·15	·05	·00	·00	·02	·00	·08	·02	·00	·15	·17	10
11	·07	·07	·01	·00	·00	·00	·00	·00	·00	·00	·12	·41	11
12	·03	·45	·12	·02	·01	·00	·06	·00	·00	·00	·01	·16	12
13	·04	·01	·01	·00	·00	·00	·01	·02	·00	·03	·01	·31	13
14	·12	·01	·77	·00	·10	·02	·00	·05	·01	·00	·00	·08	14
15	·27	·04	·02	·00	·37	·59	·00	·01	·00	·00	·00	·45	15
16	·60	·01	·22	·00	·03	·05	·00	·18	·00	·08	·13	·08	16
17	·33	·00	·07	·00	·04	·09	·00	·81	·00	·00	·01	·10	17
18	·05	·01	·39	·00	·00	·00	·00	·19	·00	·04	·01	·12	18
19	·04	·16	·07	·00	·00	·04	·19	·45	·00	·03	·01	·03	19
20	·07	·06	·39	·00	·29	·04	·12	·31	·00	·63	·03	·01	20
21	·01	·13	·55	·00	·66	·00	·01	·18	·00	·16	·00	·00	21
22	·35	·24	·11	·00	·18	·02	·12	·15	·00	·12	·02	·15	22
23	·52	·58	·29	·00	·02	·03	·01	·75	·00	·21	·12	·29	23
24	·11	·04	·09	·00	·00	·30	·00	·01	·00	·04	·01	·10	24
25	·04	·01	·00	·00	·00	·50	·00	·44	·00	·29	·35	·54	25
26	·00	·05	·00	·00	·00	·01	·02	·10	·00	·54	·53	·40	26
27	·00	·01	·00	·00	·00	·44	·69	·01	·00	1·25	·05	·47	27
28	·00	·15	·01	·00	·00	·02	·21	·54	·27	·37	·38	·48	28
29	·00	·14	·06	·00	·00	·29	·16	·15	·48	·60	·02	·09	29
30	·00		·02	·00	·00	·18	·18	·01	·13	·49	·00	·01	30
31	·00		·38		·00		·21	·00		·03		·14	31
Total	4·82	3·44	6·20	·21	2·04	5·52	2·67	7·04	1·09	5·89	2·30	5·67	TOTAL for year
No. of Rain Days.	23	25	28	4	12	25	20	27	8	18	21	29	46·79

W. 8,000, X. '11.

240

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2-JAN 1914

Kept at Spring Grove, Milverton

in the County of ~~Milver~~ Somerset 3

by C Roberts Gawen

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Milverton, GWR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·19	·31	·05	·18	·01	·00	·00	·14	·03	·27	·24	1
2	·10	·19	·02	·15	·14	·00	·02	·00	·02	·05	·14	·02	2
3	16	·00	·10	·05	·27	·00	·00	·00	·08	·39	·00	·43	3
4	1·41	·00	·12	·00	·36	·01	·00	·00	·16	·05	·03	·52	4
5	·02	·02	·01	·00	·22	·21	·00	·00	·37	·00	·07	·31	5
6	·03	·05	·14	·00	·02	·13	·11	·00	·00	·75	·07	·29	6
7	·01	·53	·02	·00	·77	·20	·05	·00	·00	·69	·20	·01	7
8	·00	·10	·00	·00	·45	·01	·00	·06	·00	·01	·00	·02	8
9	·00	·08	·02	·04	·19	·19	·00	·08	·01	·00	·28	·05	9
10	·41	·00	·03	·02	·12	·01	·02	·01	·00	·55	·13	·00	10
11	·68	·01	·00	·11	·40	·02	·00	·03	·00	·07	1·21	·04	11
12	·01	·00	·01	·00	·08	·01	·00	·00	·03	·00	·48	·02	12
13	·09	·00	·03	·00	·00	·00	·06	·13	·42	·00	·10	·00	13
14	·19	·00	·22	·06	·00	·00	·01	·02	·02	·01	·31	·04	14
15	·22	·02	·60	·86	·00	·00	·00	·00	·10	·00	·11	·02	15
16	·15	·00	·67	·09	·00	·01	·02	·31	·27	·00	·01	·00	16
17	·08	·00	·04	·08	·00	·00	·01	·00	·00	·00	·03	·00	17
18	·25	·00	·22	·15	·00	·00	·00	·00	·00	·00	·07	·00	18
19	·48	·00	·14	·01	·05	·03	·02	·00	·40	·02	·00	·00	19
20	·39	·00	·20	·16	·00	·00	·00	·00	·01	·11	·13	·00	20
21	·00	·00	·14	·05	·11	·00	·00	·01	·00	·00	·32	·00	21
22	·99	·00	·82	·01	·02	·06	·02	·03	·11	·01	·00	·05	22
23	·02	·00	·00	·00	·00	·03	·00	·04	·01	·03	·06	·64	23
24	·06	·06	·02	·05	·00	·00	·00	·10	·00	·00	·07	·01	24
25	·00	·06	·00	·27	·00	·00	·00	·00	·04	·03	·03	·06	25
26	·00	·01	·00	·94	·00	·00	·00	·13	·00	·01	·00	·25	26
27	·12	·00	·21	·22	·00	·00	·00	·00	·00	·41	·00	·05	27
28	·24	·00	·12	·29	·02	·00	·00	·00	·00	·52	·00	·11	28
29	·08		·52	·29	·01	·00	·00	·02	·00	·35	·03	·05	29
30	·64		·01	·04	·00	·00	·00	·00	·00	·47	·10	·00	30
31	·27		·07		·23		·00	·72		·01		·00	31
Total	7·10	1·32	4·81	3·99	3·64	·93	·34	1·69	2·19	4·57	4·25	3·23	YEAR'S TOTAL 38·06
Rain Days.	25	12	26	22	18	14	10	14	16	21	23	21	222

W.7,000, XI. 13

Ex Dz

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Spring Grove

in the County of Somerset

3

by C Roberts Gawen

Lat. 51° 13′ Long. 3° 18½′

Time of Observation 9 a.m.

Nearest Railway Station Milverton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·32

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	00	·03	·11	·00	07	33	29	·00	·00	23	·09	1
2	·00	00	03	12	02	00	48	01	00	00	38	58	2
3	·03	01	21	19	45	00	00	22	00	00	01	16	3
4	·13	00	18	36	09	00	25	26	00	00	46	66	4
5	08	00	16	41	12	00	02	01	00	00	03	09	5
6	01	10	06	22	06	00	31	07	00	00	01	25	6
7	01	58	19	17	10	04	29	11	06	00	00	27	7
8	11	01	99	04	25	60	00	10	00	00	00	00	8
9	10	02	36	14	06	57	00	13	50	00	00	00	9
10	17	16	03	18	07	·05	00	00	51	00	02	04	10
11	01	10	55	00	10	20	06	00	00	00	14	48	11
12	00	34	09	00	00	00	01	00	26	03	02	53	12
13	00	36	48	00	00	00	04	00	37	43	34	14	13
14	00	28	41	00	00	79	00	72	01	19	38	01	14
15	00	03	24	00	00	00	03	61	05	03	33	00	15
16	00	00	07	00	00	00	02	00	23	00	00	02	16
17	00	49	32	00	00	00	03	00	02	00	00	96	17
18	00	11	07	00	00	35	02	00	13	03	00	34	18
19	00	06	26	00	00	00	3·03	00	05	00	10	08	19
20	00	27	46	00	00	11	00	00	00	00	00	30	20
21	00	53	01	00	00	01	01	01	00	14	00	·11	21
22	00	03	00	00	17	47	00	02	00	82	00	00	22
23	00	17	16	00	00	02	03	00	00	29	00	00	23
24	01	00	02	00	02	00	02	10	00	01	21	02	24
25	17	00	47	00	00	00	19	43	00	41	02	23	25
26	05	00	15	00	00	00	05	16	00	03	25	59	26
27	03	02	00	00	00	00	00	00	00	15	22	57	27
28	03	09	19	00	06	00	00	00	00	21	08	98	28
29	24		11	00	12	00	00	00	00	25	49	06	29
30	01	X	08	00	00	03	00	00	00	30	42	91	30
31	04	X	00	X	01	X	41	00	X	72	X	30	31
Total	1·23	3·76	6·38	1·97	1·70	3·31	5·63	3·25	2·19	404	4·14	8·71	YEAR'S TOTAL 46·31
Rain Days.	17	20	28	10	15	13	20	16	11	16	20	26	212

W. 8,000. X. 14.

2175

FORM A.
BRITISH RAINFALL.
3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Spring Grove near Milverton
in the County of Somerset
by C. Roberts Gawen

3

Lat. 51·13 Long. 3·18½
Time of Observation 9 a.m.
Nearest Railway Station Milverton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 8 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·14	·00	·00	·02	·00	·00	·64	·13	·40	·02	·20	1
2	·16	·34	·16	·06	·00	·02	·00	·64	·04	·20	·00	·87	2
3	·02	·19	·10	·07	·12	·00	·07	·00	·00	·01	·00	·48	3
4	·13	·13	·01	·00	·03	·00	·06	·00	·00	·00	·00	·38	4
5	·16	·50	·00	·06	·00	·00	·01	·18	·00	·00	·00	·43	5
6	·68	·12	·00	·31	·00	·00	·57	·03	·00	·00	·00	·24	6
7	·40	·40	·00	·10	·70	·00	·12	·02	·00	·00	·00	·32	7
8	·28	·31	·00	·01	·00	·00	·00	·09	·00	·00	·07	·09	8
9	·03	·07	·00	·12	·00	·00	·00	·07	·00	·00	·44	·94	9
10	·29	·23	·02	·04	·00	·01	·00	·26	·00	·05	·03	·06	10
11	·31	·55	·02	·00	·00	·00	·03	·22	·00	·00	1·02	·06	11
12	·27	·42	·00	·06	·57	·00	·00	·80	·00	·10	·32	0·0	12
13	·06	·43	·00	·00	·63	·00	·05	·05	·10	·00	·18	·05	13
14	·11	·00	·00	·00	·00	·00	·25	·14	·09	·05	·00	1·06	14
15	·22	·01	·00	·00	·30	·00	·14	·00	·04	·00	·26	·14	15
16	·03	1·03	·00	·00	·16	·00	·95	·00	·00	·00	·00	·02	16
17	·00	·37	·00	·00	·10	·00	·00	·04	·00	·00	·00	·00	17
18	·00	·35	·00	·00	·00	·00	·00	·00	·00	·00	·00	·01	18
19	·01	·02	·00	·00	·07	·00	·23	·00	·00	·00	·00	·00	19
20	·32	·00	·00	·08	·00	·03	·00	·00	·00	·10	·00	·00	20
21	·30	·05	·00	·00	·00	·00	·07	·00	·03	·18	·00	·19	21
22	·04	·03	·41	·12	·00	·03	·41	·00	·02	·01	·00	·32	22
23	·01	·04	·11	·00	·00	·06	·32	·00	·02	·98	·02	·64	23
24	·00	·00	·00	·03	·00	·00	·18	·00	·05	·24	·00	·44	24
25	·00	·00	·00	·02	·00	·32	·84	·00	·00	·01	·00	·25	25
26	·01	·17	·00	·00	·00	·02	·01	·00	·03	·00	·00	·74	26
27	·00	·13	·00	·00	·00	·13	·04	·00	·01	·47	·00	·04	27
28	·00	·07	·00	·00	·00	·02	·00	·00	·54	·14	·00	·03	28
29	·00		·01	·00	·00	·18	·00	·00	·02	·00	·11	·12	29
30	·18	✕	·00	·00	·00	·01	·02	·00	·00	·47	·24	·53	30
31	00	✕	00	✕	00	✕	07	01	✕	68	✕	32	31
Total	4·34	6·10	·84	1·08	2·70	·83	4·38	3·19	1·12	4·09	2·71	8·91	YEAR'S TOTAL 40·29
Rain Days.	23	24	8	13	10	11	20	14	13	16	11	27	190

W. 8,000. X. 15.

2112

FORM A.
BRITISH RAINFALL.
2 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Spring Grove near Milverton

in the County of Somerset

by C Roberts Gawen

Lat. 51. 13 Long. 3. 18½

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Milverton, Somt.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	14	00	39	00	72	04	34	00	08	21	24	00	1
2	42	08	01	00	05	00	01	00	05	35	25	00	2
3	01	1.12	00	00	23	01	02	00	15	46	41	00	3
4	21	20	00	02	20	50	00	00	12	17	76	00	4
5	08	03	08	00	15	08	00	00	00	04	44	00	5
6	09	19	05	00	25	07	48	00	00	11	60	01	6
7	07	29	13	00	17	18	00	00	00	02	1.18	17	7
8	00	16	17	00	22	12	00	00	00	00	43	12	8
9	00	11	02	00	10	10	04	00	00	16	14	22	9
10	00	40	00	08	04	01	03	00	00	05	02	16	10
11	02	01	00	15	05	00	00	00	00	00	00	00	11
12	07	14	10	09	14	00	07	11	01	06	01	00	12
13	00	44	10	05	01	00	00	41	00	02	00	00	13
14	04	58	01	00	11	00	00	26	00	08	00	00	14
15	02	33	09	14	00	00	00	33	00	09	00	00	15
16	10	17	00	24	00	00	08	1.39	00	05	00	00	16
17	13	22	00	11	00	00	00	03	29	26	40	00	17
18	01	34	23	09	00	00	00	00	22	15	11	00	18
19	16	03	30	14	00	00	00	00	00	00	09	04	19
20	21	41	26	00	00	00	00	00	00	00	18	66	20
21	10	09	19	00	07	00	00	00	00	00	00	23	21
22	00	00	00	00	01	08	00	05	00	24	03	66	22
23	05	02	00	03	00	06	00	17	00	12	18	29	23
24	00	17	00	07	35	04	00	06	00	83	01	19	24
25	00	00	17	00	01	01	00	36	06	02	21	05	25
26	02	58	08	00	02	09	00	22	55	71	03	00	26
27	03	17	2.46	00	00	00	00	19	33	71	00	00	27
28	00	73	20	00	13	00	00	14	18	39	00	69	28
29	00	23	23	00	00	33	00	208	19	30	00	41	29
30	00		02	00	00	02	00	03	01	18	00	08	30
31	00		00		00		00	04		19		08	31
													YEAR'S TOTAL
Total	1·98	7·24	5·29	1·21	3·03	1·74	1·07	5·86	2·24	5·96	5·72	4·05	45·39
Rain Days.	20	26	21	12	20	16	8	16	13	26	20	16	214

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

JAN 1918

Kept at Spring Grove near Milverton

in the County of Somerset

by C Roberts Gawen

Lat. 57·13 Long. 3. 18½

Time of Observation 9 a m G.M.T.

Nearest Railway Station Milverton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	07	00	21	22	00	23	00	42	·05	00	06	01	1
2	05	00	03	19	00	06	00	01	01	00	03	00	2
3	14	00	01	11	00	00	41	00	00	47	52	00	3
4	00	01	21	01	00	00	03	00	04	41	01	00	4
5	20	00	37	28	00	12	00	00	12	20	21	02	5
6	01	05	16	00	00	03	00	00	00	07	35	01	6
7	·31	01	01	00	00	00	58	27	00	35	05	04	7
8	07	00	00	17	00	18	67	24	02	60	07	04	8
9	01	00	21	05	02	00	01	10	01	52	13	00	9
10	23	17	25	19	00	27	00	40	02	02	02	00	10
11	05	03	1·00	50	00	00	00	17	00	26	08	00	11
12	14	02	02	01	71	00	00	25	00	64	00	00	12
13	08	26	22	03	00	00	00	20	07	04	00	00	13
14	00	02	01	10	00	50	03	07	02	01	00	01	14
15	00	01	00	09	00	00	15	31	00	25	00	21	15
16	00	12	00	16	00	00	04	08	00	22	00	17	16
17	00	05	00	08	31	00	41	07	46	13	00	00	17
18	00	10	00	00	01	03	23	01	75	04	00	00	18
19	00	39	10	00	00	21	00	00	05	00	03	00	19
20	00	09	05	00	56	03	01	01	02	00	01	04	20
21	00	01	12	00	00	12	00	02	00	06	01	00	21
22	00	00	05	00	02	04	00	43	00	06	00	00	22
23	00	17	00	00	17	04	00	85	00	12	02	04	23
24	00	01	00	00	00	34	10	17	00	24	17	00	24
25	00	00	06	00	00	03	00	18	04	15	08	00	25
26	00	00	00	00	36	05	01	1·06	13	09	06	00	26
27	00	00	00	00	27	33	01	1·15	00	09	01	00	27
28	00	07	08	00	10	3·19	00	42	00	00	02	00	28
29	00		25	00	00	22	02	01	00	31	04	15	29
30	00	╳	05	00	00	01	20	15	00	07	00	01	30
31	00	╳	01	╳	02	╳	00	08	╳	17	╳	00	31
Total	1·36	1·59	3·48	2·19	2·25	5·53	2·91	7·13	1·81	5·59	1·98	·75	YEAR'S TOTAL 36·57
Rain Days.	12	18	22	15	11	19	16	26	15	26	21	12	213

W. 8,000, IX. 17.

Esd

103

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Spring Grove near Milverton

in the County of Somerset

by C Roberts Gawen

Lat. 51.13 N Long. 3.18½

Time of Observation 9 a.m. G.M.T.

Nearest Railway Station Milverton.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 8 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	17	00	13	08	00	00	78	00	04	78	00	1
2	00	06	00	10	00	00	00	40	00	02	01	22	2
3	00	07	01	10	05	00	00	04	02	06	11	03	3
4	00	06	00	00	00	00	00	06	28	03	65	16	4
5	00	00	11	06	02	00	00	33	23	23	01	03	5
6	14	26	00	33	02	01	00	01	01	28	00	12	6
7	00	19	01	02	20	00	00	00	52	23	38	09	7
8	00	04	00	00	00	01	02	00	18	28	02	02	8
9	36	14	00	05	00	20	11	00	39	05	00	23	9
10	21	01	00	20	00	01	55	00	35	09	00	45	10
11	04	03	06	02	00	00	25	00	28	20	05	30	11
12	01	23	13	00	21	00	15	00	03	01	00	07	12
13	00	01	00	00	09	00	10	00	48	08	00	24	13
14	79	00	00	00	02	01	17	00	17	13	00	13	14
15	1.57	00	00	27	06	06	30	00	02	10	00	42	15
16	00	00	00	73	00	04	06	05	30	01	00	26	16
17	1.49	00	01	26	00	00	20	06	12	00	00	27	17
18	1.14	00	03	01	00	74	12	00	1.16	17	00	31	18
19	·18	01	14	01	00	01	06	05	07	02	00	17	19
20	20	11	00	08	00	02	96	00	31	05	00	00	20
21	06	13	00	00	00	05	07	00	64	04	00	31	21
22	00	01	00	00	12	00	60	01	25	00	00	53	22
23	07	00	00	00	14	00	11	00	08	00	02	09	23
24	00	14	00	00	00	02	05	05	10	00	18	01	24
25	00	00	00	03	25	00	25	75	00	05	11	05	25
26	00	03	00	00	00	00	75	02	07	03	26	17	26
27	00	10	11	00	00	00	03	17	31	01	18	08	27
28	00	13	19	00	00	00	01	00	05	00	04	21	28
29	00		13	00	00	00	00	00	1.18	02	00	05	29
30	00	X	31	00	00	00	00	01	08	05	06	26	30
31	00	X	23	X	00	X	00	19	X	02	X	00	31
Total	6.28	1.93	1.47	2.40	1.26	1.18	4.91	2.89	7.68	2.30	2.86	5.28	YEAR'S TOTAL 40.44
Rain Days.	14	20	13	16	12	12	21	16	27	26	15	27	219

W. 8,000, IX. 17.

RE

Kept at Old Hall

in the County of Som

by Charles

MILVER~~TON~~
OLD HALLS

SOMERSET

1911 -

ary Jefferies Tin
FORM A. BRITISH RAINFALL. 17 JAN 1912
in.
Ground 1 ft. - in.
Sea Level 250 ft. (about)
Name Milverton
Distance 350 yds Direction N E

IMPORTANT NOTI … the result entered to the previous day. If an Obs … ersal rule, he is earnestly requested to add the read … ar in the space provided for it at the end of this … ent of rain, the selection and placing … tish Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·10	·01						·02	·01	1
2			·01	·01	·39			·43		·06	·26	·29	2
3			·01		·27			·01	·01		·15	·04	3
4			·15							·14	·18	·50	4
5	·15		·19					·51		·02	·21	·05	5
6	·30		·33		·02					·03	·19	·45	6
7	·05			·02							·68		7
8	·09		·16								·07	·53	8
9	·02										·33	·48	9
10	·08		·49		·64						·01	·27	10
11	·35		·01		·04						·45	·29	11
12		·02	·87								·36	·34	12
13									·31		·03	·62	13
14		·02								·02		1·08	14
15		·02				·09					·47	·08	15
16		·06				·15					·37	·46	16
17		·02	·10	·03		·25					·07	·70	17
18		·40	·19	·36		·27				·16	·15	·56	18
19		·07		·23		·07			·67	·11	·10	·48	19
20	·05	·03	·10	·11		·02			·09	·13		·47	20
21		·19				·03			·15	·87		·19	21
22		·04	·02	·10		·12			·07	·82		·58	22
23		·29	·02			·20			·65	·36	·10	·14	23
24	·01	·31				·33		·23		·43		·22	24
25	·02	·11		·14		·05			·07	·11		·22	25
26		·09		·36	·02			·03		·13	·05	·37	26
27		·41	·05	·16				·14	·09	·25		·13	27
28		·29	·01	·46	·01			·21			·11		28
29				·47		·27	·13		·09	·27			29
30						·02	·16			·21	·07	·02	30
31							·02			·09		·01	31
Total	1·12	2·37	2·74	2·55	1·40	1·87	·31	1·56	1·60	3·71	4·43	9·58	TOTAL 33·24
No. of Rain Days.	10	16	17	13	8	13	3	7	10	18	22	28	168 165

W. 8,000, X. '11.

RE[illegible]1.

FORM A.
BRITISH RAINFALL
17 JAN 1912

Kept at Old Halls Milverton
in the County of Somerset 3
by Charles Bere.

RAIN GAUGE
Pattern Ordinary Japanned Tin
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 250 ft. (about)

Time of Observation 9

Nearest Railway Station
Name Milverton
Distance 350 yds Direction N E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·10	·01						·02	·01	1
2			·01	·01	·39			·43		·06	·26	·29	2
3			·01		·27			·01	·01		·15	·04	3
4			·15							·14	·18	·50	4
5	·15		·19					·51		·02	·21	·05	5
6	·30		·33		·02					·03	·19	·45	6
7	·05			·02							·68		7
8	·09		·16								·07	·53	8
9	·02										·33	·48	9
10	·08		·49		·64						·01	·27	10
11	·35		·01		·04						·45	·29	11
12		·02	·87								·36	·34	12
13									·31		·63	·62	13
14		·02								·02		1·08	14
15		·02				·09					·47	·08	15
16		·06				·15					·37	·46	16
17		·02	·10	·03		·25					·07	·70	17
18		·40	·19	·36		·27				·16	·15	·56	18
19		·07		·23		·07			·67	·11	·10	·48	19
20	·05	·03	·10	·11		·02			·09	·13		·47	20
21		·19				·03			·15	·87		·19	21
22		·04	·02	·10		·12			·07	·82		·58	22
23		·29	·02			·20			·65	·36	·10	·14	23
24	·01	·34				·33		·23		·43		·22	24
25	·02	·11		·14		·05			·07	·11		·22	25
26		·09		·36	·02			·03		·13	·05	·37	26
27		·41	·05	·16				·14	·09	·25		·13	27
28		·29	·01	·46	·01			·21			·11		28
29				·47		·27	·13		·09	·27			29
30						·02	·16			·21	·07	·02	30
31							·02			·09		·01	31
Total	1·12	2·37	2·74	2·55	1·40	1·87	·31	1·56	1·60	3·71	4·43	9·58	TOTAL for Year 33·24
No. of Rain Days.	10	16	17	13	8	13	3	7	10	18	22	28	168 165

W. 8,000, X. '11.

corrd for auth – by mm stats } 21.11.13

FORM A.
BRITISH RAINFALL.

3 - JAN 1913

W DL

REGISTER OF RAINFALL IN 1912

Kept at Old Halls Milverton
in the County of Somerset 3
by Charles Bere

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Milverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	.03	.27	"	"	.64	.06	.02	.09	.96	.01	.39	1
2	"	"	.32	"	"	.28	.09	"	"	.02	.03	.01	2
3	"	"	.12	"	.01	.13	.07	.83	.67	[illegible]	"	"	3
4	.17	"	1.05	"	"	.44	"	.05	"	"	.28	"	4
5	.67	.11	.34	"	"	.26	"	.33	.02	"	"	.08	5
6	.60	.14	.02	"	.19	.43	.17	.65	"	"	"	.07	6
7	.03	.55	.13	"	.09	.82	"	.14	"	"	"	.10	7
8	.38	.15	.24	.03	"	.11	.18	.23	"	"	"	.07	8
9	.03	.06	"	.13	"	.17	"	.03	"	"	.07	.27	9
10	.17	.15	.01	.01	"	.10	"	.17	"	"	.16	.18	10
11	.09	.06	"	"	"	"	"	"	"	"	.12	.42	11
12	.02	.45	.12	.04	.01	"	.06	"	"	"	"	.11	12
13	.62	.01	"	"	"	"	"	.01	"	.02	.01	.29	13
14	.12	.01	.78	"	.10	"	"	.05	"	"	"	.07	14
15	.26	.03	"	"	.38	.54	"	"	"	"	"	.43	15
16	.57	"	.22	"	.01	.07	"	.16	"	.07	.18	.07	16
17	.21	.01	.88	"	.03	.06	"	.70	"	"	.02	.09	17
18	.07	.01	.31	"	"	"	"	.24	"	.01	"	.12	18
19	.67	.15	.06	"	"	.03	.24	.39	"	.03	.02	.02	19
20	.06	.07	.35	"	.25	.01	.09	.26	"	.58	.02 "	"	20
21	.01	.11	.46	"	.64	"	.02	.14	"	.13	.02	"	21
22	.32	.28	.10	"	.34	.02	.11	.15	"	.15	.13	.17	22
23	.48	.62	.29	"	.01	.04	"	.66	"	.18	"	.28	23
24	.15	.04	.06	"	"	.34	"	.04	"	.03	.36	.15	24
25	.05	"	"	"	"	.53	"	.66	"	.37	.59	.54	25
26	"	.05	"	"	"	"	.02	.19	"	.53	+	.38	26
27	"	"	"	"	"	.42	.70	"	"	1.23	.05	.48	27
28	"	.16	"	"	"	.01	.23	.52	.26	.33	.39	.54	28
29	"	.14	.04	"	"	.25	.17	.15	.47	.63	.01	.12	29
30	"		.02	"	"	.09	.15	.01	.15	.59	"	"	30
31	"		.37		"		.19	"		.07		.12	31
Total	4.55	3.39 3.39	5.76	.21	2.06	5.79	2.55	6.82	1.06	5.93	2.41 ✓	5.57	YEAR'S TOTAL 46.00 46.10
Rain Days.	22	23	23	4	12	23	16	25	6	18	18 ✓	26	216

W. 7,500, XI. 12

Imp the

Cor. for auth. 7. VII. 14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

6 JUL 1914

Kept at Old Holls Milverton

in the County of Somerset 3

by Charles Bore

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Milverton

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

W.M.G. " " " " Sea Level 250 about ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·19	·27	·05	·14	"	"	"	·20	·01	·25	·22	1
2	·13	·17	·02	·16	·10	"	·02	"	·03	·08	·16	·01	2
3	·16	"	·09	·03	·25	"	"	"	·05	·80	"	·48	3
4	1·30	"	·12	"	·36	·01	"	"	·17	·03	·02	·39	4
5	·02	·01	·01	"	·19	·18	"	"	·35	"	·08	·33	5
6	·02	·05	·16	"	·02	·12	·05	"	"	·77	·13	·30	6
7	·01	·57	·01	"	·70	·20	·03	"	"	·69	·21	"	7
8	·01	·11	"	"	·43	·07	"	·07	"	·01	"	"	8
9	"	·07	·01	·06	·18	·19	"	·06	"	·01	·25	·03	9
10	·38	·01	·01	"	·16	"	"	·01	·01	·50	·22	"	10
11	·59	"	"	·10	·45	·02	"	·04	"	·07	1·25	·05	11
12	·01	·02	"	"	·08	·01	"	"	·01	"	·35	·02	12
13	·12	·01	"	"	"	"	·08	·15	·03	"	·09	"	13
14	·19	·01	·29	·04	"	"	"	"	·44	"	·22	·03	14
15	·21	·01	·67	·85	"	"	"	·02	"	"	·09	·02	15
16	·22	"	·67	·07	"	·01	·01	·15	·12	"	·02	"	16
17	·08	"	·05	·08	"	"	"	"	·18	"	·03	"	17
18	·22	"	·23	·13	"	"	"	"	"	"	·05	"	18
19	·46	"	·13	"	·02	·13	"	"	"	·01	"	"	19
20	·33	"	·21	·15	"	"	"	"	·40	·06	·10	"	20
21	"	"	·17	·15	·11	"	"	"	"	"	·33	"	21
22	·95	"	·77	·01	·01	·09	·01	·03	·12	·04	"	·05	22
23	·03	"	·01	"	"	·02	"	·05	"	·06	·06	·61	23
24	·04	·06	"	·05	"	"	"	·04	"	·01	·06	"	24
25	"	·04	"	·31	"	"	"	"	·05	·02	·03	·06	25
26	·01	"	"	·96	"	"	"	·16	"	·01	"	·23	26
27	·16	"	·19	·21	"	"	"	"	"	·65	"	·04	27
28	·21	"	·10	·27	·02	"	"	"	"	·59	"	·19	28
29	·08		·49	·28	"	"	"	·02	"	·29	·02	"	29
30	·55		"	·05	"	"	"	"	"	·51	·06	"	30
31	·37		·06		·14		"	·74		·01		"	31
Total	6·57	1·33	~~4·68~~ 4·74	4·01	3·36	·99	·20	1·54	2·16	~~5·24~~ 5·23	4·08	3·06	YEAR'S TOTAL ~~37·52~~
Rain Days.	25	14	~~22~~ 23	20	~~16~~ 17	12	6	13	14	~~23~~ 22	23	17	~~208~~ 209

37·57

W.7,000, XI. 13

cord 6.V.16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

22 FEB 1916

Kept at Old Halls Milverton
in the County of Somerset
by Charles Bore

Lat. 51 N Long. 3·14 W
Time of Observation 9· a· m
Nearest Railway Station Milverton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·35	·10	"	"	01	"	"	·54	·06	·43	·02	·21	1
2	·15	·30	·14	·06	"	"	"	·46	·04	·19	"	·86	2
3	·02	·21	·10	·06	·11	"	·06	"	"	"	"	·45	3
4	·07	·10	"	"	·06	"	·04	"	"	"	"	·41	4
5	·15	·56	"	·06	"	"	·01	·17	"	"	"	·39	5
6	·66	·11	"	·27	"	"	·38	·03	"	"	"	·23	6
7	·37	·37	"	·02	·60	"	·19	"	"	"	"	·31	7
8	·34	·39	"	·08	"	"	"	·10	"	"	·07	·10	8
9	·04	·09	"	·06	"	"	"	·13	"	"	·40	·94	9
10	·28	·25	·01	"	"	"	"	·19	"	·07	·03	·04	10
11	·13	·65	"	·05	"	"	·03	·21	"	"	1·03	·08	11
12	·28	·49	"	"	·63	"	"	1·10	"	·09	·28	·04	12
13	·05	·37	"	"	·67	"	·03	·03	·11	"	·17	·02	13
14	·10	·61	"	"	"	"	·20	·21	·08	·07	"	·95	14
15	·22	"	"	"	·33	"	·16	"	·03	"	·30	·14	15
16	·07	·98	"	"	·19	"	·91	"	"	"	"	·02	16
17	"	·35	"	"	·15	"	"	·04	"	"	"	·01	17
18	"	·37	"	"	"	"	"	"	"	"	·02	"	18
19	"	·62	"	"	·05	"	·22	"	"	"	"	"	19
20	·25	"	"	·07	"	·04	"	"	"	·08	"	·04	20
21	·27	·07	"	·08	"	·01	·06	"	·07	·17	"	·12	21
22	·08	·09	·42	(·08)	"	·03	·37	"	·03	·02	"	·30	22
23	"	·03	·13	"	"	·05	·44	"	·03	1·01	"	·67	23
24	"	"	"	·03	"	"	·13	"	·07	·27	"	·44	24
25	"	"	(·01)	·02	"	·26	·70	"	"	"	"	·26	25
26	·05	·17	"	"	"	·05	"	"	·04	"	"	·80	26
27	"	·12	"	"	"	·11	·03	"	·02	·43	"	·06	27
28	"	·07	"	"	"	·02	"	"	·62	·10	"	·63	28
29	"	"	"	"	"	·10	"	"	·02	"	·10	·08	29
30	·21	✕	"	"	"	"	"	"	"	·53	·24	·57	30
31	"	✕	"	✕	"	✕	·07	"	✕	·62	✕	·32	31
Total	4·14	6·27	·81 ✓	·94 ✓	2·80	·67	4·03	3·21	1·22	4·08	2·66	8·83	YEAR'S TOTAL 39·66 ✓
Rain Days.	21.	24.	6.	13 ✓	10.	9.	18.	12.	·13.	14.	11.	29.	180.

W. 8,000. X. 14.

MILVERTON

THE MOUNT HALSE

SOMERSET

1911 — 1919

FORM A2. BRITISH RAINFALL.

15 JAN 1912

Lat 51 - 5½

11 Long 3 - 16

Kept at The

5 in.

Above Ground ft. 14 in.

in the County of

„ Sea Level 254 ft.

10 o'clock

by Ja

Name Milverton

Distance 1¾ Direction S W.

IMPORTAN … and the result entered to the previous day. I … universal rule, he is earnestly requested to add … year in the space provided for it at the en… …rement of rain, the selection a… … British Rainfall Organization are given … on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	-3	—	-9	—	—	—	—	—	-3	-1	1
2	—	-2	—	-9	-23	—	—	-35	—	-8	-25	-25	2
3	—	—	-3	—	-23	—	—	—	3	—	-12	-3	3
4	—	—	-15	—	—	—	—	-6	—	-16	-15	-40	4
5	-21	—	-22	—	-3	—	—	-40	—	-3	-38	-7	5
6	-20	—	-29	—	—	—	—	—	—	-4	-50	-31	6
7	-5	—	—	-3	—	—	—	—	—	—	-24	-2	7
8	-5	—	-14	—	—	—	—	—	—	—	-6	-44	8
9	—	—	—	—	—	—	—	—	—	—	-24	-34	9
10	-8	-2	-38	—	-79	—	—	—	—	—	-4	-20	10
11	-33	—	—	—	-4	—	—	—	—	—	-43	-28	11
12	—	—	-79	—	—	—	—	-2	-8	—	-26	-48	12
13	—	-4	—	—	—	—	—	—	25	—	-3	-42	13
14	—	—	—	—	—	—	—	—	—	-2	-8	-81	14
15	—	-2	-3	—	—	-12	—	—	—	—	-32	-7	15
16	—	-4	—	—	—	-15	—	—	—	—	-33	-36	16
17	—	-2	-12	—	—	-21	—	—	—	-8	-6	-54	17
18	—	-38	-13	-28	—	-27	—	—	—	-5	-18	-31	18
19	—	-10	—	-20	—	-6	—	—	-64	-12	-11	-36	19
20	—	-5	-10	-9	—	—	—	—	-6	-28	—	-38	20
21	-6	-14	—	—	—	-15	—	—	-11	-48	—	-24	21
22	-8	-6	-5	-10	—	-23	—	—	-7	-23	—	-56	22
23	—	-21	-3	—	—	—	—	—	-4	-37	-7	-10	23
24	—	-25	—	—	—	-35	—	-17	—	-39	—	-19	24
25	2	-18	—	-11	—	-9	—	-3	-6	-14	—	-19	25
26	—	-9	—	-33	—	—	-4	-3	—	-12	-5	-35	26
27	—	-41	-6	-13	—	—	—	-18	-8	-15	-5	-14	27
28	—	-16	—	-39	-2	—	—	-14	—	—	-6	—	28
29	—	—	—	-44	—	-29	-14	—	9	-23	-1	—	29
30	—		—	—	—	—	-13	-12		-20	-4	3	30
31	—		—		—		-3	—		-12			31
Total	1 08	2-18	2-55	2-19	1-43	1-92	-34	1-50	1-51	3-29	4-09	7-88	TOTAL for year 29.96
No. of Rain Days	9	17	-15	11	7	10	4	10	-11	19	25	28	29-96
9,000, IX. '10.		3-26	5-81	8-00	9-43	11-35	11-69	13-19	14-70	17-99	22-08	29-96	166

at 51 - 52
11 Long 3 - 16

FORM A2.
BRITISH RAINFALL.

15 JAN 1912

Kept at The Mount Hele Bishops Lydeard
in the County of Somerset 3
by Janet C Smith

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground ft. 14 in.
" " " Sea Level 254 ft.
Time of Observation 10 o'clock
Nearest Railway Station
Name Milverton
Distance 1 3/4 Direction S W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	-3	—	-9	—	—	—	—	—	-3	-1	1
2	—	-2	—	-9	-23	—	—	-35	—	-8	-25	-26	2
3	—	—	-3	—	-23	—	—	—	3	—	-12	-3	3
4	—	—	-15	—	—	—	—	-6	—	-16	-15	-40	4
5	-21	—	-22	—	-3	—	—	-40	—	-3	-38	-7	5
6	-20	—	-29	—	—	—	—	—	—	-4	-50	-31	6
7	-5	—	—	-3	—	—	—	—	—	—	-24	-2	7
8	-5	—	-14	—	—	—	—	—	—	—	-6	-44	8
9	—	—	—	—	—	—	—	—	—	—	-24	-34	9
10	-8	-2	-38	—	-79	—	—	—	—	—	-4	-20	10
11	-33	—	—	—	-4	—	—	—	—	—	-43	-28	11
12	—	—	-79	—	—	—	—	-2	-8	—	-26	-48	12
13	—	-4	—	—	—	—	—	—	25	—	-3	-42	13
14	—	—	—	—	—	—	—	—	—	-2	-8	-81	14
15	—	-2	-3	—	—	-12	—	—	—	—	-32	-7	15
16	—	-4	—	—	—	-15	—	—	—	—	-33	-36	16
17	—	-2	-12	—	—	-21	—	—	—	-8	-6	-54	17
18	—	-38	-13	-28	—	-27	—	—	—	-5	-18	-31	18
19	—	-10	—	-20	—	-6	—	—	-64	-12	-11	-36	19
20	—	-5	-10	-9	—	—	—	—	-6	-28	—	-38	20
21	-6	-14	—	—	—	-15	—	—	-11	-48	—	-24	21
22	-8	-6	-5	-10	—	-23	—	—	-7	-23	—	-56	22
23	—	-21	-3	—	—	—	—	—	-4	-37	-7	-10	23
24	—	-25	—	—	—	-35	—	-17	—	-39	—	-19	24
25	2	-18	—	-11	—	-9	—	-3	-6	-14	—	-19	25
26	—	-9	—	-33	—	—	-4	-3	—	-12	-5	-35	26
27	—	-41	-6	-13	—	—	—	-18	-8	-15	-5	-14	27
28	—	-15	—	-39	-2	—	—	-14	—	—	-6	—	28
29	—	—	—	-44	—	-29	-14	—	9	-23	-1	—	29
30	—		—	—	—	—	-13	-12	—	-20	-4	3	30
31	—		—		—		-3	—		-12			31
Total	1-08	2-18	2-55	2-19	1-43	1-92	-34	1-50	1-51	3-29	4-09	7-88	TOTAL for year 2996
No. of Rain Days	9	17	-15	11	7	10	4	10	-11	19	25	28	29-96
9,000, IX. '10.		3-26	5-81	8-00	9-43	11-35	11-69	13-19	14-70	17-99	22-08	29-96	166

ent for auth 25.11.13

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 11 JAN 1913

Kept at The Mount Halse Bishops Lydeard

in the County of Somerset 3

by Janet C Smith

RAIN GAUGE
Pattern M
Diameter of top 5 in.
Height of top above Ground ft. 14 in.
" " " Sea Level 254 ft.

Time of Observation 10 o'clock

Nearest Railway Station
Name Milverton
Distance 1 3/4 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	-4	-20	—	-2	-61	-13	4	-10	-96	—	-33	1
2	—	F	-22	—	—	-52	-18	—	—	-2	-4	—	2
3	—	F	-28	—	-3	-15	-7	68	-4	—	-1	-1	3
4	-17	F	-67	—	—	-40	—	-5	—	—	-32	—	4
5	-68	21	-32	—	—	-23	—	-43	-2	—	—	-8	5
6	-45	—	-3	—	-20	-37	-12	-59	—	—	—	-5	6
7	-4	-40	-13	-2	-3	-50	-10	-24	—	—	—	-15	7
8	-33	-5	-17	-3	—	-42	-5	-9	—	—	-2	-2	8
9	-3	-4	—	-11	—	-12	—	-4	—	—	—	-28	9
10	-22	-12	—	-3	—	-1	—	-43	—	2	-23	-11	10
11	-2	—	—	-5	—	—	—	—	—	—	-13	-40	11
12	-5	41	—	—	-3	—	-4	—	—	—	—	-7	12
13	—	—	-10	—	—	—	—	-6	—	3	-2	-27	13
14	-10	-2	-70	—	-16	—	—	-5	—	—	—	-9	14
15	-21	-3	-1	—	-35	-45	—	—	—	—	-14	-42	15
16	-47	—	-15	—	—	-5	—	12	—	6	—	-2	16
17	*17	—	-11	—	-10	-7	—	-58	—	—	—	-10	17
18	-3	—	-24	—	—	—	—	-39	—	-3	-4	-10	18
19	—	-11	-5	—	-20	-5	-23	-21	—	-4	—	-3	19
20	-5	-7	-34	—	-6	—	-11	-20	—	-57	-3	—	20
21	—	-14	-29	—	-58	—	-4	-10	—	-14	—	—	21
22	-29	-12	-16	—	-84	-4	-6	-12	—	-20	—	—	22
23	-46	-63	-15	—	-1	-3	—	-48	—	-7	-11	40	23
24	-5	-3	-5	—	—	-43	—	—	—	-5	—	-17	24
25	-4	—	—	—	—	-16	—	-55	—	-26	-38	-57	25
26	—	-4	—	—	—	—	-4	-12	—	-29	-54	-20	26
27	—	—	—	—	—	-33	-66	-1	—	1·04	-5	-42	27
28	F	-27	—	—	—	-4	-7	-45	-22	-30	-39	-49	28
29	F	-11	—	—	—	-37	-25	-15	-45	-47	—	-11	29
30	F	—	-4	—	—	-9	-15	—	-16	-38	—	—	30
31	F	—	-39	—	-5		-31	—		-5		8	31
Total	3 86	2-93	4 80	-24	2-66	5-44	2-61	6-18	-99	4-98	2-45	4-97	TOTAL for year 42.11
No. of Rain Days.	19	18	22	5	13 4	22	17	24	6	19	15	25	205
	6-79	11-59	11 83	14-49	19-93	22-54	28-72	29-71	34-69	35-64	41-67		

* Snow

W. 8,000, X. '11.

E 28

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 3 JAN 1914

Kept at The Mount Halse Taunton

in the County of Somerset

by Janet C Smith

3

Lat. Long.

Time of Observation 10 O'clock

Nearest Railway Station Milverton 1 3/4 miles S.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

" " " " Sea Level 254 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-02	-21	-22	-05	-15	—	—	—	-19	—	-22	-23	1
2	-08	-18	-01	-12	-12	—	—	—	-5	-7	-12	-03	2
3	22	—	-08	—	-31	—	—	—	-14	-23	-02	-41	3
4	1-05	—	—	-05	-38	-03	—	—	-9	-3	-03	-38	4
5	-03	-03	-10	—	-20	-17	—	—	-20	—	-06	-32	5
6	—	-04	-18	—	-05	-12	—	—	-10	-79	-11	-23	6
7	—	-57	—	—	-57	-20	-05	—	—	-43	-19	-01	7
8	—	-09	—	—	24	-01	-01	-08	—	-3	—	—	8
9	—	-06	—	-09	-36	-15	—	-05	-2	-2	-27	-04	9
10	-47	—	-02	—	-06	—	—	-05	—	-46	-20	—	10
11	-48	-02	—	-19	-51	-03	—	-05	—	-08	1-0	-07	11
12	-03	—	—	—	-03	-01	—	-07	-03	-01	-32	—	12
13	-10	-02	-02	—	—	—	—	-09	-42	—	-12	—	13
14	-17	—	-23	-06	—	—	—	—	-02	—	-13	-02	14
15	-21	—	-69	-82	—	—	—	-02	-16	—	-06	-02	15
16	-17	—	-64	-03	—	-01	—	-21	-10	-02	-01	—	16
17	-12	—	-06	-10	—	—	—	-01	—	—	-03	—	17
18	-16	—	-27	-13	—	—	—	—	—	—	-04	—	18
19	-37	—	-09	—	-03	-13	-02	—	-35	—	—	—	19
20	-31	—	-23	-15	—	—	—	—	-01	-07	-22	-01	20
21	-02	—	-31	-09	-10	—	-03	-01	—	—	-14	—	21
22	87	—	-61	02	-2	—	01	-02	-12	-06	-01	-15	22
23	-04	—	—	—	—	—	—	-03	—	-02	-05	-49	23
24	-04	-06	—	-05	—	—	—	-04	—	-02	-04	-01	24
25	—	-08	—	-27	—	—	—	—	-05	-03	-03	-06	25
26	—	—	—	-59	—	—	—	-14	-01	-01	—	-20	26
27	-25	—	-17	-14	—	—	—	—	—	-28	—	-07	27
28	-12	—	-06	-23	-03	—	—	—	—	-44	—	-32	28
29	-08	—	-43	-27	-05	—	—	-05	—	-19	-02	-02	29
30	-48		—	-17	-05	—	—		—	-48	-03	—	30
31	-30		-06		—		—	-66	—	-01		—	31
Total	6-19	1-36	4-48	3 62	3-26	-86	-12	1-58	2-06	3-78	3-47	3-09	YEAR'S TOTAL 33·87
Rain Days.	25	11	20	20	18	10	5	16	17	22	25	20	209

7-55 | 12-03 | 15-65

W. 7,500, XI. 12

[illegible] 12·III·15

REGISTER OF RAINFALL IN 191~~8~~4

FORM A.
BRITISH RAINFALL.

21 JAN 1915

Kept at The Mount, Halse, Taunton

in the County of Somerset 3

by ~~Janet C Smith~~ Susan C Smith

Lat. .... Long. ....
Time of Observation 10 o'clock
Nearest Railway Station Nearest Railway Melverton 1 3/4 miles S.W.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 14 in.
" " " " Sea Level 254 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
-26

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	-05	-13		-08	-27	-27	—	—	-23	-07	1
2	—	—	-02	-11	-2	—	-60	-01	—	—	-33	-57	2
3	-02	—	-13	-16	-33	—	—	-25	—	—	-03	-17	3
4	-14	—	-05	-26	-28	—	-16	-46	—	—	-47	-58	4
5	-08	—	-14	-37	- 3	-01	-03	-03	—	—	-02	-07	5
6	-01	-07	-05	-21	- 2	—	-26	-05	—	—	-02	-21	6
7	-02	-39	-21	-14	-10	-04	-22	-12	03	—	—	-19	7
8	-04	-01	-90	-03	-16	-45	-01	-02	—	—	-01	-01	8
9	-04	-03	-22	-13	- 7	-60	—	-11	-61	—	-04	-08	9
10	-06	-12	-04	-17	-5	-05	—	—	-82	—	—	—	10
11	—	-08	-38	-01	-6	-17	-13	—	-03	-05	-12	-61	11
12	—	-27	-09	—	-1	—	—	—	-24	-35	-07	-47	12
13	—	-22	-45	—	—	—	-02	—	-20	-25	-32	-11	13
14	—	-27	-33	—	—	-49	—	-68	-06	-04	-29	—	14
15	—	-02	-18	—	—	—	—	-60	—	—	-30	—	15
16	—	—	-15	—	—	—	-02	—	-16	—	-02	-02	16
17	—	-35	-19	—	—	—	-03	—	-01	—	-02	-71	17
18	—	-07	-08	—	—	-02	-06	—	-15	-08	—	-32	18
19	—	-03	-59	—	—	—	2-27	—	-06	-14	-14	-06	19
20	—	-21	-22	—	—	-30		-03	-01	—	0	-27	20
21	—	-45	-02	—	—	-04	-01	-08	—	—	-01	-02	21
22	—	-02	-02	—	-13	-35	—	-02	—	-48	—	-01	22
23	—	-11	-13	—	-01	-01	-01	-01	—	-31	—	—	23
24	—	-01	-01	—	—	—	-05	-20	—	-01	-09		24
25	-14	-01	-58	—	—	—	-09	-23	—	-31	-02	-21	25
26	-07		-08	—	—	—	-13	-21	—	-05	-21	-44	26
27	-02		-01	—	—	—	—	-01	—	-25	-15	-33	27
28	-03		-13	—	-08	—	—	—	—	-18	-04	-99	28
29	-19		-09	—	-10	—	—	-02	—	-29	-44	-03	29
30	-01		-08	—	—	-02	—	—	—	-29	-37	-71	30
31	-02		—	—	-03	—	-31	—	—	-60	—	—	31
Total	89	2-74	5-62	1-72	1-48	2-63	4-68	3-43 3·41	2-38	3-68 3·68	3-76	7-26	YEAR'S TOTAL 40-26 40·25
Rain Days.	15	19	30	11	16	14	19	20	~~19~~ 12	~~16~~ 16	24	25	224 221

W.7,000, XI. 13

W DL cwd pr auth 6.V.16

2181

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 12 JAN 19

Kept at The Mount, Halse, Taunton

in the County of Somerset

3

by Susan C Smith

Lat. Long.

Time of Observation 10 oclock

Nearest Railway Station Milverton 1 3/4 miles S.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 14 in.

" " " " Sea Level 254 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. -21

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-23	-06	—	—	-02		—	-57	-14	-40	-1	-15	1
2	-13	-25	-11	-09	—	—	-02	-21	-08	-12	—	-86	2
3	-03	-19	-09	-04	-12	—	-08	—	-01	—	—	-54	3
4	-08	-47	—	—	-08	—	-07	—	—	—	—	-25	4
5	-11	—	—	-08	—	—	—	—	—	—	—	-24	5
6	-62	-06	—	-20	—	—	-50	-18	—	—	—	-20	6
7	-32	-40	—	-08	-33	—	—	-01	—	-01	—	-18	7
8	-24	-19	—	—	—	—	—	-12	—	—	-09	-22	8
9	-08	-09	—	-10	—	—	—	-73	—	—	-35	-87	9
10	-27	-39	-04	-07	—	—	—	-23	—	-07	-06	-05	10
11	-11	-44	—	—	—	—	-03	-13	—	—	1-04	-08	11
12	-28	-50	—	-09	-63	—	—	-69	—	-08	-25	-02	12
13	-03	-31	—	—	-65	—	-02	-07	-10	-04	-16	-05	13
14	-10	—	—	—	-1	—	-21	-16	-7	-04	—	-70	14
15	-27	-02	-01	—	-7	—	-15	-07	-2	—	-24	-14	15
16	-04	-89	—	=	-29	—	-69	—	—	—	—	-03	16
17	—	-23	—	—	-20	—	-01	—	—	-01	-01	-01	17
18	—	—	—	—	-1	—	—	—	—	-01	—	—	18
19	—	-02	—	-05	-5	—	-21	—	—	—	—	—	19
20	-18	—	—	—	-1	-04	—	—	—	-10	—	-06	20
21	-37	-11	-01	—	-3	-03	-05	—	—	-16	—	-14	21
22	-08	—	-41	—	—	-09	-40	—	-05	-07	—	-26	22
23	—	-07	-08	·13	—	-02	-12	—	-04	-98	—	-66	23
24	—	—	-07	—	—	—	-23	—	-05	-28	—	-38	24
25	-03	-1	—	-08	—	-24	-31	—	—	—	—	-19	25
26	-05	-70	—	—	—	-02	-01	—	-06	—	—	-70	26
27	—	-06	—	—	—	-36	-04	—	-02	-35	—	-04	27
28	—	-07	—	—	—	-01	—	-02	-10	-07	-02	-03	28
29	—	—	—	-01	—	-07	—	—	-53	-07	-08	-06	29
30	-17	X	—	—	—	-02	-06	—	-07	-59	-22	-40	30
31	-01	X	—	X	—	X	-06	—	X	-73	X	—	31
Total	3-83	4 93	-76	1-02	2-50	-60	3-27	2-58	7-28	4-18	2-53	7-50	YEAR'S TOTAL 34-84
Rain Days.	23	22	8	12	13	10	20	13	14	19	12	28	195
						·90		2·53		4·18·		7·51	35·24

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A. RAINFALL

9 JAN 1917

Kept at The Mount, Halse, Taunton

in the County of Somerset

by Susan C Smith

Lat. Long.

Time of Observation 10 oclock

Nearest Railway Station Milverton 1 3/4 miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 14 in.

" " " " Sea Level 254 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. -03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-12	—	-02	—	-65	—	-28	—	-09	-20	-04	—	1
2	-39	-05	—	—	-02	—	—	—	-09	-33	-23	—	2
3	-01	-91	—	—	-40	-02	—	—	-14	-39	-22	—	3
4	-16	-20	—	-03	-06	-47	-06	—	-29	-18	-65	—	4
5	-05	-02	-14	—	-07	-20	—	—	—	-03	-29	—	5
6	-09	-19	S -02	—	-23	-10	-37	—	—	-05	-54	-02	6
7	-04	-21	S -18	—	-07	-12	-05	—	—	-02	1-04	-21	7
8	—	-11	-03	—	-20	-08	—	—	—	—	-24	-13	8
9	—	-07	—	—	-15	-13	-05	—	—	-17	-07	-28	9
10	-01	-36	-01	-06	-04	—	—	—	—	-02	-01	-04	10
11	—	-01	-01	-10	-02	-03	—	—	—	-03	—	—	11
12	-04	-14	-08	-06	-13	-01	-03	-08	—	-05	-02	—	12
13	—	-40	-22	—	—	—	-03	-35	—	—	-01	—	13
14	-01	-58	-01	—	-06	—	—	-32	—	-04	—	—	14
15	-02	-26	-06	-15	-01	—	—	1-42	—	-06	—	-02	15
16	-08	-15	-01	-11	—	—	-04	—	—	-20	—	—	16
17	-09	-17	—	-08	-09	—	—	-03	-22	-13	-50	-02	17
18	—	-20	-26	-03	—	—	—	—	—	-11	-03	-02	18
19	-18	-04	-37	-08	—	—	—	—	-33	—	-10	-02	19
20	-11	-45	-14	-0	—	—	—	—	—	—	-09	-82	20
21	-07	-05	-17	-01	—	-01	—	—	—	—	-02	-17	21
22	-01	—	Snow -01	-02	—	-08	—	-13	—	-40	-02	-62	22
23	-04	Snow -21	—	—	—	-07	—	-10	—	-12	-11	-15	23
24	—	Sn -20	—	-04	-64	-03	—	-08	—	-61	-02	-22	24
25	—	R&S -59	-14	—	—	—	—	-23	-03	-01	-19	—	25
26	-02	S -10	-06	—	—	-33	—	-20	-97	-64	-05	—	26
27	-02	S -05	S&R 1-56	—	—	-04	—	-26	-13	-46	-01	-06	27
28	—	S&R -27	-01	-02	-13	-02	—	-10	-42	-32		-62	28
29	—	R&S -42	-21	—	—	-24	—	2-21	—	-25	-01	-30	29
30	—	╳	—	—	—	-03	—	—	-13	-12	—	-04	30
31	—	╳	-2	╳	-07	╳	—	-04	╳	-27	╳	—	31
Total	1-56	6-41	3-74	-79	3-04	2-01	-91	5-55	2-84	5-21	4-51	3-76	YEAR'S TOTAL 40-33
Rain Days.	20	27	23	13	18	18	8	14	11	26	24	18	~~230~~ 230 220

W. 8,000. X. 15.

2022

FORM A. BRITISH RAINFALL
8. JAN 1918

REGISTER OF RAINFALL IN 1917

end fr month

Kept at The Mount, Hulse Taunton
in the County of Somerset
by Susan C Smith

Lat. Long.
Time of Observation 10 oclock
Nearest Railway Station Milverton 1 3/4 Miles S.W.
Diameter of Funnel of Rain Gauge 5 inch in.
Height of top of Gauge above Ground ft. 14 in.
" " " " Sea Level 254 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. -04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-05	—	-20	Snow -22	—	-17	—	-54	-02	-02	-06	—	1
2	-02	—	-07	Snow -11	—	-05	—	-1	—	—	-05	—	2
3	-06	—	-28	Snow -10	—	—	-36	—	—	-61	-43	—	3
4	—	Snow 19	-29	-31	—	—	-02	—	-5	-29	—	—	4
5	-12	—	-15	—	—	-12	—	—	—	-14	-13	—	5
6	-07	—	—	—	—	-02	—	-02	-15	-08	-22	—	6
7	-25	—		—	—	—	-63	-36	—	-32	-07	—	7
8	-02	—	-14	-13		-26	-81	-30	—	-54	-02	-13	8
9	—	—	-04	-05	-03	—	-03	-23	—	-26	-18	—	9
10	-28	—	-20	-19		-02	—	-30	—	-02	-2	—	10
11	-06	—	-97	-26		—	—	-13	-04	-16	-10	—	11
12	-26	—	-02	—	-47	—	—	-29	-02	-42	—	-01	12
13	—	—	-23	-05	—	-04	—	-16	-09	-03	—	—	13
14	—	—	—	-06	—	—	-03	-13	—	-02	—	-22	14
15	—	—	—	-05	—	—	-08	-03	—	-21	—	—	15
16	—	-10	—	-14	-02	—	-03	-04	-02	-12	-01	-22	16
17	—	-04	—	-06	-02	—	-35	-04	-39	-13	—	—	17
18	-02	—	—	—	-02	-07	-19	-02	-63	—	—	—	18
19	—	-33	-08	—	-39	-15	—	-02	-20	-01	-02	—	19
20	—	-03	-02	—	-02	-02	-04	-03	-02	-07	—	—	20
21	—	—	-20	—	—	-08	—	—	—	—	—	—	21
22	—	—	—	—	-23	-03	—	-19	—	-06	—	—	22
23	—	-17	—	—	—	-02	—	-73	—	-08	—	-05	23
24	—	-01	-02	—	—	-28	-12	-09	—	-12	-11	—	24
25	—	-06	—	—	—	—	—	-10	-03	-22	-10	—	25
26	—	-01	-05	—	-35	-04	—	-58	-13	-09	-04	—	26
27	—	—	—	—	-33	-24	—	-99	-01	-07	—	—	27
28	—	—	-10	—	-04	4-91	—	-20	—	—	—	-04	28
29	—	—	-26	—	—	-28	-08	-02	—	-30	—	-14	29
30	—	X	-11	—	—	—	-17	-13	—	-09	-09	—	30
31	—	X	-01	X	-01	X	—	-09	X	-18	X	—	31
Total	1-15	-94	3-44	1-73	1-93	6-80	2-94 3·94	5-77	1-80	3-66 4·66	1-65	-81	YEAR'S TOTAL 33-62
Rain Days.	11	9	20	13	12	18	14	27	14	27	16	7	188

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 19 18

Summer time or right time I read it at 10 oclock by the Clock

BRITISH RAINFALL FORM 10 S.W.

Kept at The Mount, Halse, Taunton

in the County of Somerset

by Susan C. Smith

Lat. ……… Long. ………

Time of Observation 10 oclock

Nearest Railway Station Milverton 1 3/4 Miles

Diameter of Funnel of Rain Gauge 5 inch in.

Height of top of Gauge above Ground ……ft. 14 in.

" " " " Sea Level 254 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. -01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	-12	—	-15	—	—	—	-90	—	-04	-73	-03	1
2	—	05	—	-12	-13	—	—	-30	—	—	-6	-17	2
3	—	-06	-02	-10	-04	—	—	—	-4	—	-20	-02	3
4	—	-05	—	-01	—	—	—	-10	-26	-08	45	-12	4
5	—	—	-10	-04	—	—	—	-29	-10	-19	-3	-03	5
6	—	-29	—	-26	-02	—	—	-14	-2	-26	—	-10	6
7	-12	-15	—	-04	-19	-02	—	—	-48	-13	-31	-04	7
8	Snow -18	-04	—	—	—	—	-01	—	-30	-26	—	-09	8
9	-04	-16	—	-07	—	-16	-23	—	-34	-03	—	-14	9
10	-07	—	-08	-13	—	—	-71	—	-33	-08	—	-46	10
11	-03	-02	-10	-01	—	—	-17	—	-20	-20	-04	-09	11
12	—	-15	—	—	-20	—	-10	—	-7	-7	—	-07	12
13	Snow -50	-01	—	—	-10	-01	-09	—	-38	-6	-05	-36	13
14	-32	—	—	—	-02		-29	—	-19	-9	—	-08	14
15	1-66	—	—	-48	-05	-10	-30	—	-3	-13	—	-38	15
16	Snow -68	—	-01	-85	—	-04	-04	—	-23	-02	—	-17	16
17	-31	—	—	-22	—	—	-13	-04	-18	—	=	-38	17
18	-91	—	-04	-02	—	-62	-11	—	1-17	-22	—	-27	18
19	-13	-03	—	-14	—	-01	-08	—	-16	—	—	-01	19
20	-14	-06	—	—	—	-01	-75	-02	-27	-13	—	-06	20
21	-05	-13	—	-02	—	-02	-05	—	1-73	—	—	-30	21
22	-05	-01	—	—	-09	—	-60	—	-23	-05	-03	-33	22
23	—	—	—	—	-15	-02	-14	—	-6	—	-02	-13	23
24	—	-14	—	—	—	—	-09	-03	-13	—	-16	-03	24
25	—	—	—	-03	-21	—	-16	-76	-7	—	-12	-06	25
26	—	-02		—	—	—	-67	-02	-20	-05	-16	-12	26
27	—	-05	-16	—	—	—	-10	-15	-6	—	-18	-04	27
28	—	—	-11	—	—	—	—	—	-22	-01	-04	-68	28
29	—	Snow -14	-10	—	—	—	—	—	1-23	—	-02	-08	29
30	—	X	-22	—	—	—	—	—	—	-6	-02	-12	30
31	—	X	-19	X	—	X	—	-5	X		X		31
Total	5-19	1·68	1-13	2-69	1-20	1-01	4-82	2·80	~~4·58~~ 7·68	2·16	~~1·62~~ 2·62	4·90	YEAR'S TOTAL ~~36·58~~ 37·88
Rain Days.	15	19	11	17	11	10	20	12	27	20	17	30	209

W. 8,000, IX. 17.

(18

FORM A.
BRITISH RAIN

REGISTER OF RAINFALL IN 1919

Kept at The Mount, Halse, Taunton

in the County of Somerset.

by Mary Cecil-Smith.

Lat. 51·3 N Long. 3.16. W.
Time of Observation 10 o'clock, whether summer or right time
Nearest Railway Station Milverton, 1¾ miles S.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 14 in.
" " " " Sea Level 254 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-61	—	·05	·13	·17	—	·59	—	·05	·35	·02	·81	1
2	·37	—	·08	—	·02	—	·20	—	·14	—	·14	·11	2
3	-46	—	·21	—	·02	—	—	—	·10	—	—	·31	3
4	-46	·35	·33	—	—	·20	·51	·05	·39	—	—	·12	4
5	-14	·29	·64	—	—	·01	—	—	·35	—	·03	·14	5
6	·55	·25	·13	·02	—	—	—	—	—	·01	—	·28	6
7	·21	—	·18	·07	—	—	—	—	·01	—	—	·19	7
8	·12	—	·23	—	—	—	—	—	—	—	—	—	8
9	·18	—	·03	·15	·04	—	—	—	—	—	·31	—	9
10	·05	—	·24	·06	·04	·04	—	—	—	—	—	·12	10
11	·02	—	·19	·08	·11	·01	·19	—	—	·12	—	(14)	11
12	·28	—	·19	·03	—	·11	—	—	—	—	·10	—	12
13	·04	—	·06	·27	—	—	—	—	—	·09	—	·09	13
14	·37	·16	—	·73	·64	—	·01	—	·01	·09	—	·10	14
15	·22	·09	—	·08	·02	—	—	—	—	·03	—	·15	15
16	·10	·89	—	—	—	—	—	—	—	·13	·06	—	16
17	·02	·63	—	—	—	—	—	·02	—	—	·30	—	17
18	·14	·02	·74	—	—	—	·09	·12	—	—	·23	·04	18
19	·40	·18	·34	—	—	·03	·94	·39	·48	—	·16	·06	19
20	·20	·07	·13	—	—	·14	—	·09	·15	—	·02	·08	20
21	—	·58	—	—	—	—	·06	·01	·06	—	—	·17	21
22	·01	·09	—	—	—	·02	·08	—	·07	—	·02	·07	22
23	—	—	·02	—	—	—	—	—	—	1·11	·08	·10	23
24	·01	—	—	·06	—	·07	—	·07	·04	1·18	·08	·40	24
25	·09	·08	—	·09	—	·05	—	·85	—	—	·05	·11	25
26	—	—	·12	·16	—	·10	—	·05	·12	—	—	·38	26
27	·08	—	·02	sn ·24	—	·59	·10	·83	—	—	—	·04	27
28	·04	—	·37	—	—	—	—	·02	—	—	·28	·45	28
29	—	—	·01	·19	—	—	—	·11	—	·18	—	·15	29
30	—	X	—	·08	—	—	—	·31	—	·02	·41	·46	30
31	·01	X	—	X	—	X	·01	—	X	—	X	·28	31
Total	5·18	3·68	4·31	2·44	1·06	1·37	2·78	2·92	1·97	3·31	2·29	5·35	YEAR'S TOTAL 36·66
Rain Days.	26	13	21	16	8	12	11	13	13	11	16	26	186

W. 6,500, VII. 18. W W C

yearly obs

1827

FORM A. 1. METEOROLOGICAL ... ANIZATION.

REGIST ... 20

MINEHEAD
EDEN LODGE
SOMERSET
1920

20 JAN 192

Kept at Eden Lodge M ... 3.29 W

AM

500 yds

in the County of Somerset ... in Gauge .... in.

ove Ground 1 ft. .... in.

by Wm Tamlyn ... ,, Sea Level 95 ft.

IMPORTANT NOTE.—Rain sh ... entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·38

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	~~May~~	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·13	·13	—	·03	·08	·09	·31	·25	·50	1
2	·10	—	—	·31	—	—	·30	·17	·04	·20	—	·13	2
3	·04	·03	—	·07	·02	—	·43	—	—	·31	—	·07	3
4	—	—	·03	·03	·02	—	·04	·28	—	·08	—	—	4
5	—	—	·16	—	·04	—	(·60)	·16	—	·14	—	—	5
6	—	—	·23	—	·08	—	·05	—	—	·12	·03	—	6
7	—	—	·14	·15	·05	—	·20	—	·04	—	·04	—	7
8	·27	·05	—	·41	·06	—	·62	—	—	—	—	—	8
9	·63	·05	·02	·21	—	·26	·04	—	—	—	—	—	9
10	1·65	·19	·02	·49	—	·16	·02	·02	—	—	—	—	10
11	·21	—	·15	·20	·17	·03	·05	—	—	—	—	—	11
12	·22	·06	·06	·30	—	·03	·02	·05	—	—	·08	—	12
13	·15	—	·50	·03	—	—	—	—	—	·01	—	—	13
14	—	·02	·26	·55	—	—	—	—	·08	·28	·38	·15	14
15	—	·12	·08	·02	·10	·23	—	—	·03	·34	·06	—	15
16	—	—	—	—	—	·08	·07	—	·19	·69	·13	—	16
17	·01	—	—	·08	·26	—	—	—	·46	—	—	—	17
18	·14	—	—	·02	·03	·09	—	·10	·08	—	—	—	18
19	·10	·28	—	·18	—	·32	—	·04	—	·02	—	—	19
20	·05	·04	—	·37	—	·04	—	—	—	·06	—	·18	20
21	—	—	—	·02	—	—	·03	—	—	·03	—	·27	21
22	·01	—	—	—	—	—	·06	—	—	—	—	·42	22
23	—	—	·03	—	—	—	·45	·78	—	—	—	·27	23
24	—	·02	·26	—	—	—	·13	—	—	—	·07	·11	24
25	—	·03	·16	—	—	—	·23	—	—	—	—	—	25
26	·39	—	·39	·02	—	·22	·01	—	—	—	·08	·06	26
27	·51	·10	·17	·25	·04	·31	·05	—	—	—	·76	·25	27
28	·61	—	·14	·03	·01	·02	—	—	—	—	—	·04	28
29	·36	—	·44	—	·15	·04	·03	—	—	—	·08	·31	29
30	·24	✕	—	·07	—	·05	—	—	·38	—	·33	·31	30
31	·19	✕	·41	✕	—	✕	·04	·03	✕	·66	✕	·07	31
TOTAL	5·88	·99	3·63	~~4·04~~ 3·94	1·15	1·88	~~3·39~~ 3·40	1·71	~~1·38~~ 1·39	~~3·55~~ 3·25	~~2·19~~ 2·29	3·14	YEAR'S TOTAL ~~32·93~~ 32·65
Days with ·01 in. or more	19	12	19	22	14	14	22	10	9	14	12	15	182
	17	8	15	15	10	11	16	8	8	11	11	15	145

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1827

20 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920

Kept at Eden Lodge. Minehead

in the County of Somerset

by Wm J Tamlyn

Lat. 51·21 N Long. 3·29 W

Time of Observation 10 AM

Nearest Railway Station 500 yds

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·38

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	·13	·13	—	·03	·08	·09	·31	·25	·50	1
2	·10	—	—	·31	—	—	·30	·17	·04	·20	—	·13	2
3	·04	·03	—	·07	·02	—	·43		—	·31	—	·07	3
4	—	—	·03	·03	·02	—	·04	·28	—	·08	—	—	4
5	—	—	·16	—	·04	—	(·60)	·16	—	·14	—	—	5
6	—	—	·23	—	·08	—	·05	—	—	·12	·03	—	6
7	—	—	·14	·15	·06	—	·20	—	·04	—	·04	—	7
8	·27	·05	—	·41	·06	—	·62	—	—	—	—	—	8
9	·63	·05	·02	·21	—	·26	·04	—	—	—	—	—	9
10	1·65	·19	·02	·49	—	·16	·02	·02	—	—	—	—	10
11	·21	—	·15	·20	·17	·03	·05	—	—	—	—	—	11
12	·22	·06	·06	·30	—	·03	·02	·05	—	—	·08	—	12
13	·18	—	·50	·03	—	—	—	—	—	·01	—	—	13
14	—	·02	·26	·55	—	—	—	—	·08	·28	·38	·15	14
15	—	·12	·08	·02	·10	·23	—	—	·03	·34	·06	—	15
16	—	—	—	—	—	·08	·07	—	·19	·69	·13	—	16
17	·01	—	—	·08	·26	—	—	—	·46	—	—	—	17
18	·14	—	—	·02	·03	·09	—	·10	·08	—	—	—	18
19	·10	·28	—	·18	—	·32	—	·04	—	·02	—	—	19
20	·05	·04	—	·37	—	·04	—	—	—	·06	—	·18	20
21	—	—	—	·02	—	—	·03	—	—	·03	—	·27	21
22	·01	—	—	—	—	—	·06	—	—	—	—	·42	22
23	—	—	·03	—	—	—	·46	·78	—	—	—	·27	23
24	—	·02	·26	—	—	—	·13	—	—	—	·07	·11	24
25	—	·03	·16	—	—	—	·23	—	—	—	—	—	25
26	·39	—	·39	·02	—	·22	·01	—	—	—	·08	·06	26
27	·51	·10	·17	·25	·04	·31	·05	—	—	—	·76	·25	27
28	·61	—	·14	·03	·01	·02	—	—	—	—	—	·04	28
29	·36	—	·44	—	·15	·04	·03	—	—	—	·08	·31	29
30	·24	✕	—	·07	—	·05	—	—	·38	—	·33	·31	30
31	·19	✕	·41	✕	—	✕	·04	·03	✕	·66	✕	·07	31
TOTAL	5·88	·99	3·63	~~4·04~~ 3·94	1·15	1·88	~~3·39~~ 3·40	1·71	~~1·38~~ 1·39	~~3·55~~ 3·25	~~2·19~~ 2·29	3·14	YEAR'S TOTAL ~~32·93~~ 32·65
Days with ·01 in. or more	19	12	19	22	14	14	22	10	9	14	12	15	182
	17	8	16	15	10	11	16	8	8	11	11	15	145

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

TELEGRAMS
TAMLYN, MINEHEAD.

W. J. TAMLYN, M.R.San. I.,
Architect and Surveyor.

Northfield Road,
Minehead,
Somerset,

11 APL 1921

Apr 8th 1921

Dear Sir.

Your corrected totals as per enclosed form. are correct except July which I make to be 3.50

Yours truly.
W J Tamlyn

MINEHEAD
MARIANSLEIGH
SOMERSET
1911 - 1919

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGI 911

Kept at Minehead (

in the County of Som

by J. F. Twis

Snowdon

op 5 in.

above Ground 1 ft. 0

„ Sea Level 45 ft.

10 AM

Name Minehead
Distance ¼ mile Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	–	–	·21	·11	–	–	·02	–	·10	–	–	1
2	–	–	·01	·06	·16	–	–	·08	–	·22	·19	·16	2
3	–	–	–	–	·35	–	–	–	·04	–	·20	·05	3
4	–	–	·21	·01	·02	–	–	·07	–	–	·34	·58	4
5	·34	–	·36	–	–	–	–	·08	–	–	·25	·18	5
6	·26	–	·08	·02	–	–	–	–	–	–	·29	1·01	6
7	·02	–	–	–	–	–	–	–	–	–	·51	–	7
8	·05	–	·10	–	–	–	–	–	–	–	·07	1·02	8
9	·06	–	–	–	–	–	–	–	–	–	·21	·41	9
10	·06	–	·40	–	1·04	–	–	–	–	–	–	·42	10
11	·14	–	·03	–	·01	–	–	–	–	–	·57	·21	11
12	–	–	·42	–	·01	–	–	·11	·22	–	·27	·40	12
13	–	–	–	–	·03	–	–	–	·32	–	·05	·21	13
14	–	·03	–	–	–	–	–	–	–	·06	·10	·62	14
15	–	–	·01	–	–	·05	–	–	–	–	·31	·02	15
16	–	–	–	–	–	·07	–	–	–	–	·14	·29	16
17	–	–	·05	·04	–	·08	–	–	–	–	·17	·43	17
18	–	·39	·07	·29	–	·47	–	–	–	·05	·05	·57	18
19	–	·08	–	·13	–	·53	–	–	·05	·24	·06	·68	19
20	–	·05	·10	·06	–	–	–	–	1·24	·33	–	·23	20
21	–	·24	–	–	–	–	–	·78	·12	·24	–	·26	21
22	·04	·07	–	·02	–	·08	–	–	·16	·46	–	·45	22
23	–	·17	·02	–	–	·07	–	–	·18	·14	–	·12	23
24	–	·28	–	–	–	·64	–	·15	–	·91	–	·18	24
25	–	·07	–	·05	–	·18	–	–	·04	·13	–	·25	25
26	–	·04	–	·18	–	–	·01	–	–	·26	–	·25	26
27	–	·25	·05	·05	–	–	–	·25	·14	·11	–	·25	27
28	–	·19	·01	·45	–	–	–	·05	–	–	·19	–	28
29	–		–	·22	–	·31	·11	–	–	·20	–	–	29
30	–		–	·01	–	·02	·02	–	–	·41	·05	·01	30
31	–		–		–		–	–		·21		–	31
Total	1·03	1·86	1·92	1·80	1·73	2·50	·14	1·59	2·51	4·07	4·02	9·26	TOTAL for year 32·43
No. of Rain Days	9	12	15	15	8	11	3	9	10	16	19	26	153

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

4 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Minehead (Mariansleigh)

in the County of Somerset 4

by T. F. Twist

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0
" " " Sea Level 45 ft.

Time of Observation 10 AM

Nearest Railway Station
Name Minehead
Distance ¼ mile Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	–	–	·21	·11	–	–	·02	–	·10	–	–	1
2	–	–	·01	·06	·16	–	–	·08	–	·22	·19	·16	2
3	–	–	–	–	·35	–	–	–	·04	–	·20	·05	3
4	–	–	·21	·01	·02	–	–	·07	–	–	·34	·58	4
5	·34	–	·36	–	–	–	–	·08	–	–	·25	·18	5
6	·26	–	·08	·02	–	–	–	–	–	–	·29	1·01	6
7	·02	–	–	–	–	–	–	–	–	–	·51	–	7
8	·05	–	·10	–	–	–	–	–	–	–	·07	1·02	8
9	·06	–	–	–	–	–	–	–	–	–	·21	·41	9
10	·06	–	·40	–	1·04	–	–	–	–	–	–	·42	10
11	·14	–	·03	–	·01	–	–	–	–	–	·57	·21	11
12	–	–	·42	–	·01	–	–	·11	·22	–	·27	·40	12
13	–	–	–	–	·03	–	–	–	·32	–	·05	·21	13
14	–	·03	–	–	–	–	–	–	–	·06	·10	·62	14
15	–	–	·01	–	–	·05	–	–	–	–	·31	·02	15
16	–	–	–	–	–	·07	–	–	–	–	·14	·29	16
17	–	–	·05	·04	–	·08	–	–	–	–	·17	·43	17
18	–	·39	·07	·29	–	·47	–	–	–	·05	·05	·57	18
19	–	·08	–	·13	–	·53	–	–	·05	·24	·06	·68	19
20	–	·05	·10	·06	–	–	–	–	1·24	·33	–	·23	20
21	–	·24	–	–	–	–	–	·78	·12	·24	–	·26	21
22	·04	·07	–	·02	–	·08	–	–	·16	·46	–	·45	22
23	–	·17	·02	–	–	·07	–	–	·18	·14	–	·12	23
24	–	·28	–	–	–	·64	–	·15	–	·91	–	·18	24
25	–	·07	–	·05	–	·18	–	–	·04	·13	–	·25	25
26	–	·04	–	·18	–	–	·01	–	–	·26	–	·25	26
27	–	·25	·05	·05	–	–	–	·25	·14	·11	–	·25	27
28	–	·19	·01	·45	–	–	–	·05	–	–	·19	–	28
29	–		–	·22	–	·31	·11	–	–	·20	–	–	29
30	–		–	·01	–	·02	·02	–	–	·41	·05	·01	30
31	–		–		–		–	–		·21		–	31
Total	1·03 ✓	1·86 ✓	1·92 ✓	1·80 ✓	1·73 ✓	2·50 ✓	·14 ✓	1·59 ✓	2·51 ✓	4·07 ✓	4·02 ✓	9·26 ✓	TOTAL for year ✓ 32·43
No. of Rain Days	9	12	15	15	8	11	3	9	10	16	19	26	✓ 153

9,000, IX. '10.

Exd 55

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

2 - JAN 1913

Kept at Minehead (Mariansleigh)

in the County of Somerset 4

by J. F. Twist

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 45 ft.

Time of Observation 10 AM

Nearest Railway Station
Name Minehead
Distance ¼ mile Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·28	–	·02	·65	·02	·19	·15	·76	–	·34	1
2	–	–	·22	·05	–	·48	·11	–	–	–	·06	–	2
3	–	–	·37	–	·04	·07	·07	·84	·03	–	·04	–	3
4	·25	–	·98	–	·04	·22	–	·01	–	–	·33	–	4
5	·55	·09	·27	–	·03	·01	–	·38	–	–	–	·08	5
6	·49	·14	·01	–	·20	·02	–	·64	–	–	–	·01	6
7	·02	·50	·11	–	·04	·68	·03	·78	–	–	–	·04	7
8	·29	·09	·20	–	–	·22	–	·18	–	–	–	–	8
9	·02	·08	·49	·11	–	·38	·02	·26	–	–	·04	·24	9
10	·24	·07	·02	·02	–	·09	–	·05	·01	–	·20	·04	10
11	·01	·03	–	–	–	–	–	–	–	–	·18	·53	11
12	·02	·57	·06	·03	·03	–	·08	–	–	–	–	·07	12
13	·08	–	–	–	–	–	–	·26	–	–	–	·05	13
14	·08	–	·58	–	·09	–	–	·36	–	–	–	–	14
15	·27	–	·03	–	·20	·68	–	·02	–	–	–	·30	15
16	·44	–	·12	–	·35	·04	–	–	–	·04	·03	·13	16
17	·16	–	·03	–	–	·05	–	·37	–	–	·02	·45	17
18	·02	·01	·39	–	–	–	–	·34	–	·09	–	·15	18
19	·03	·09	·15	–	–	·04	·12	·40	–	·04	·04	·01	19
20	·05	·02	·38	–	·07	–	·08	·23	–	·57	·05	–	20
21	·01	·05	·49	–	·65	–	·09	·10	–	·22	–	–	21
22	·36	·13	·07	–	·01	·02	·07	·18	–	·09	–	·01	22
23	·33	·35	·07	–	–	·04	·02	·48	–	·33	·07	·27	23
24	·07	·02	·01	–	–	·21	–	·01	–	·02	–	·14	24
25	·01	–	–	–	–	·40	–	·53	–	·14	·52	·53	25
26	–	·02	–	–	–	·01	·01	·03	–	·31	·74	·23	26
27	–	–	–	–	–	·28	·63	–	–	·90	·20	·45	27
28	–	·13	–	–	–	·12	·15	·46	·09	·17	·50	·57	28
29	–	·11	·08	–	–	·21	·34	·02	·35	·39	–	·12	29
30	–		–	–	·08	·11	·16	–	·04	·54	–	·01	30
31	–		·41		–		·21	·01		–		·08	31
Total	3·80	2·50	5·82	·21	1·85	5·03	2·21	7·13	·67	4·61	3·02	4·85	TOTAL for year 41·70
No. of Rain Days.	22	18	24	4	14	23	17	25	6	15	15	24	207

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

REGISTER Exp OF RAINFALL IN 1913

Kept at Minehead (Mariansleigh)
in the County of Somerset 4
by T. F. Twist

Lat. 51·12 N Long. 3·29 W
Time of Observation 10 A.M.
Nearest Railway Station Minehead
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·20	·24	–	·17	–	–	–	·10	·16	·22	·70	1
2	·02	·27	·03	·15	·06	–	–	–	–	·08	·18	–	2
3	·27	–	·04	–	·38	–	–	–	·05	–	–	·45	3
4	·90	–	·07	–	·07	–	·01	–	·50	–	·06	·36	4
5	·12	·04	·05	–	·05	·44	·07	–	·08	–	·24	·37	5
6	·01	·11	·24	–	·01	·12	·13	–	–	·65	·18	·40	6
7	–	·60	·03	–	·53	·09	·23	–	–	·47	·11	·01	7
8	–	·17	–	–	·24	–	–	·32	–	·11	–	–	8
9	–	·03	–	·01	·06	·06	–	·23	·11	–	·21	·08	9
10	·58	–	–	·03	·07	–	–	·01	–	·34	·14	–	10
11	·67	·01	–	·14	·26	·18	–	·01	·02	·11	·60	–	11
12	·09	–	–	–	·06	–	–	·02	–	–	·48	·01	12
13	·04	–	·04	–	·05	–	·01	·10	·13	–	·16	–	13
14	·15	–	·19	–	–	–	–	–	·08	·09	·52	–	14
15	·03	–	·45	1·12	–	–	–	–	·11	–	·15	·02	15
16	·18	–	·83	·10	–	·03	–	–	·10	–	·01	–	16
17	·10	–	·02	·12	–	–	·01	–	–	–	·01	–	17
18	·17	–	·30	·08	–	–	·06	–	–	–	·06	–	18
19	·45	–	·04	–	·06	·10	·03	–	·13	·03	·01	–	19
20	·36	–	·22	·10	–	–	–	–	·02	·10	·36	–	20
21	·01	–	·09	–	·08	–	·18	·01	–	·01	·12	–	21
22	·92	–	·83	·05	–	·17	·01	·18	·09	·01	–	·06	22
23	–	–	·02	–	–	–	–	·09	–	–	·10	·45	23
24	·03	·06	–	·05	–	–	–	–	–	–	·02	–	24
25	–	·01	–	·30	–	–	–	–	·04	·01	·05	–	25
26	–	–	–	·64	–	–	–	·03	–	–	–	·44	26
27	·17	–	·18	·13	–	–	–	·01	–	1·10	–	·13	27
28	·07	–	·06	·31	·03	–	–	–	–	·41	–	·11	28
29	·01		·29	·18	·03	–	–	·04	–	·14	–	–	29
30	·41		·01	–	–	–	–	–	–	·80	·04	–	30
31	·12		·34		·37		–	·36		–		–	31
Total	5·89	1·50	4·61	3·51	2·58	1·19	·74	1·41	1·56	4·62	4·03	3·59	YEAR'S TOTAL 35·23
Rain Days.	25	10	23	16	18	8	10	13	14	17	23	14	191

W. 7,500, XI. 12

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A2.
BRITISH RAINFALL.
2 JAN 1915

Kept at Minehead (Mariansleigh)

in the County of Somerset 4

by T. F. Twist

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 45 ft.

Time of Observation 10 AM

Nearest Railway Station
Name Minehead
Distance 4 m. Direction SE by E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·05	·08	–	·16	·43	·25	–	–	·25	·12	1
2	–	–	–	–	–	–	1·57	·01	–	–	·37	·56	2
3	·03	–	·26	·13	·29	–	–	–	–	–	·02	·18	3
4	·46	–	·08	·23	·15	–	·14	·43	–	–	·36	·90	4
5	·15	–	·34	·28	·02	–	·01	–	–	–	–	·24	5
6	–	·03	·18	·36	·02	·16	·17	·02	–	–	·36	·30	6
7	·05	·41	·09	·28	·16	·15	·36	·07	·02	–	–	·08	7
8	·01	–	·81	·03	·14	·71	–	–	–	–	–	·04	8
9	–	·01	·29	·12	·09	·74	–	·05	·72	–	–	–	9
10	·21	·33	·05	·45	·02	·04	–	–	·21	–	·04	·02	10
11	–	·13	·50	–	·07	·25	–	–	·03	–	·10	·59	11
12	–	·60	·05	–	–	–	–	–	·18	·05	·09	·47	12
13	–	·29	·42	–	–	–	·03	–	·20	·38	·30	·15	13
14	–	·34	·57	–	–	–	–	·62	·03	·07	·23	–	14
15	·01	–	·19	–	–	–	·06	·46	·06	·02	·31	·02	15
16	–	·01	·03	–	–	–	·06	–	·09	–	–	·03	16
17	·02	·24	·37	–	–	–	–	–	·03	–	–	·68	17
18	–	·08	·25	–	–	–	·02	–	·08	–	–	·32	18
19	–	·08	·38	–	–	–	2·16	–	·04	–	·01	·09	19
20	–	·30	·20	–	–	·08	–	–	–	–	·03	·16	20
21	–	·37	–	–	–	–	·01	–	–	·17	–	·04	21
22	–	·06	·01	–	·14	·27	–	·09	–	·10	–	–	22
23	–	·03	·08	–	·04	–	·09	·01	–	·21	–	–	23
24	–	–	·07	–	–	–	·04	·08	–	·01	–	–	24
25	·15	·01	·66	–	–	–	·08	·15	–	·30	·02	·23	25
26	·14	·02	·09	–	–	–	·37	–	–	·07	·22	·54	26
27	–	–	–	–	–	–	–	–	–	·78	·44	·27	27
28	–	·15	·10	–	·10	–	–	–	–	·54	·13	1·03	28
29	·14		·16	–	·10	–	–	–	–	·03	·58	·07	29
30	·01		·11	–	–	–	–	–	–	·29	·53	·61	30
31	·02		–		·03		·20	–		·41		·40	31
Total	1·40	3·49	6·39	1·96	1·37	2·56	5·80	2·24	1·69	3·43	4·39	8·14	TOTAL for year 42·86
No. of Rain Days	13	19	27	9	14	9	17	12	12	15	19	26	192

7,000. X. '09.

2199

FORM A.
BRITISH RAINFALL.
14 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Mariansleigh. Minehead

in the County of Somerset 4

by T. F. Twist.

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Minehead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·02	-	-	·02	-	-	·23	·42	·39	-	·08	1
2	·08	·24	·07	·05	-	-	·01	·18	·05	·03	-	·46	2
3	·02	·08	·02	·07	·15	-	·01	-	-	-	-	·31	3
4	·01	·10	-	-	·13	-	·53	-	-	-	-	·46	4
5	·22	·53	-	·05	-	-	-	·13	-	-	-	·38	5
6	·35	·06	-	·18	-	-	·26	·04	-	-	-	·26	6
7	·35	·61	-	·02	-	-	·16	-	-	-	-	·18	7
8	·51	·36	-	-	-	-	-	·12	-	-	·08	·12	8
9	·04	·21	-	·13	-	-	-	·03	-	-	·48	·71	9
10	·20	·26	·12	·04	-	·03	-	·24	-	·08	·03	·05	10
11	·02	·16	-	-	-	-	·04	-	-	·04	1·24	·03	11
12	·26	·45	-	·07	·61	-	-	·15	·01	·01	·13	-	12
13	·01	·76	-	-	·70	-	·01	-	·14	·02	·13	·03	13
14	·01	-	-	-	-	-	·24	·12	·03	·02	-	·39	14
15	·24	-	-	-	·20	-	·12	-	·01	·05	·43	·05	15
16	·02	·84	-	·03	·14	-	·67	·01	-	-	-	-	16
17	-	·20	·01	-	·05	-	-	-	-	-	-	·01	17
18	-	·35	-	-	-	-	-	-	-	-	-	-	18
19	-	·01	-	·03	-	-	·07	-	-	-	-	-	19
20	·33	-	-	·02	·05	·03	-	-	-	·09	-	·14	20
21	·23	·17	-	-	-	-	·01	-	-	·25	-	·41	21
22	·04	·07	·15	·10	-	·07	·29	-	-	·15	-	·31	22
23	·01	·04	·09	-	-	·08	·16	-	-	·74	-	·74	23
24	-	-	-	·02	-	-	·04	-	·01	·33	-	·31	24
25	·01	-	·05	-	-	·30	·33	-	-	·07	-	·11	25
26	-	·21	-	-	-	·02	·06	-	-	-	-	·49	26
27	-	·10	-	-	-	·05	·02	-	·01	·34	-	·05	27
28	-	·15	-	-	-	-	-	-	·66	·20	-	-	28
29	-	×	-	-	-	·30	·01	-	·02	-	·03	·14	29
30	·24	×	-	-	-	·06	-	-	-	·43	·20	·40	30
31	-	×	-	×	-	×	·03	·13	×	·58	×	·30	31
Total	3·49	5·98	·51	·81	2·05	·94	3·07	1·38	1·36	3·82	2·75	6·92	YEAR'S TOTAL 33·08
Rain Days.	22	23	7	13	9	9	20	11	10	18	9	26	177

W. 8,000. X. 15.

2134

FORM A.
BRITISH RAINFALL.

10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Minehead (Mariansleigh)

in the County of Somerset

by T. F. Twist

Lat. 51·12 N. Long. 3·29 W

Time of Observation 9 AM.

Nearest Railway Station Minehead

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	–	–	–	·14	·05	·13	–	·02	·67	–	–	1
2	·30	·04	–	–	·04	–	–	–	·05	·50	·14	–	2
3	–	·76	–	–	·41	·02	·03	–	·06	·29	·10	–	3
4	·32	·07	–	·01	·40	·16	–	–	·11	·03	·56	–	4
5	–	·04	·18	–	·08	·21	–	–	–	·04	·44	–	5
6	·08	·23	–	–	·08	·35	·32	–	–	·21	·55	–	6
7	–	·11	·01	–	·19	·03	·03	–	–	–	·68	·32	7
8	–	·24	·04	–	·13	·05	·03	–	–	–	·37	·08	8
9	–	·12	–	–	·14	·04	·01	–	–	–	·08	·10	9
10	·02	·60	·01	·11	–	–	–	–	–	–	–	·03	10
11	–	–	–	·16	·02	·03	–	–	–	–	–	–	11
12	–	·03	·08	·09	·19	–	·13	–	–	·02	–	–	12
13	–	·34	·15	–	–	–	–	·07	·02	–	–	–	13
14	·01	·61	·02	–	·04	–	–	·38	–	–	–	–	14
15	·01	·22	·09	·28	–	–	–	·05	–	–	–	–	15
16	–	·09	–	·10	–	–	·01	·40	–	·24	–	–	16
17	·05	·37	–	·03	–	–	–	·05	·49	·09	·36	–	17
18	–	·54	·28	·11	–	–	–	–	·10	·08	–	·11	18
19	·15	·06	·18	·16	–	–	–	–	–	–	·34	·01	19
20	·07	·49	·35	–	–	–	–	–	–	–	·16	·46	20
21	·05	·15	·29	–	·05	–	·01	–	–	–	–	·10	21
22	–	–	–	–	–	·06	–	·09	–	·72	–	·78	22
23	–	·09	–	·01	–	–	–	·19	–	·04	·22	·18	23
24	–	·05	·02	·01	·32	–	–	·04	–	·47	–	·22	24
25	–	·20	·31	–	–	·02	–	·48	·01	–	·14	–	25
26	–	·05	·18	–	·02	·14	–	·05	·75	·57	–	–	26
27	–	–	1·33	–	–	·10	–	·01	·46	·73	–	–	27
28	–	·42	–	–	–	–	–	·09	·17	·30	–	·17	28
29	–	·56	–	–	–	·16	–	2·62	·19	·46	–	·26	29
30	–	X	–	–	–	–	–	–	–	·28	–	–	30
31	–	X	–	X	–	X	–	·01	X	·29	X	·15	31
Total	1·12	6·48	3·52	1·07	2·25	1·42	·70	4·53	2·43	6·03	4·14	2·97	YEAR'S TOTAL 36·66
Rain Days.	11	25	16	11	15	14	9	14	12	19	13	14	173

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917.

FORM A.
BRITISH RAINFALL.

3. JAN

Kept at Minehead
in the County of Somerset
by Th. F. Twist (p. J. F. Twist)

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Minehead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 45 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02		·18	·33		·15		1·10					1
2				·07		·10			·05		·04		2
3		·03		·14			·84			1·0	·40		3
4			·16				·03		·04	·08		·02	4
5	·13		·36	·22		·05			·12	·11	·10		5
6			·16			·01				·12	·48		6
7	·06						·38	·30		·30	·04		7
8			·12	·14		·04	·19	·29		·41	·14	·09	8
9			·02	·03	·01			·04		·78	·12		9
10			·15	·38				·06	·14		·03		10
11	·04		·38	·37				·20		·10	·08		11
12	·16			·02	·65			·08		1·17			12
13	·09		·17	·04		·06		·38	·18				13
14			·03	·05				·23	·11	·09		·04	14
15										·18		·23	15
16		·11		·03			·12			·01	·02	·15	16
17				·17	·05		·21	·10	·14	·07	·01		17
18		·02			·05	·02	·24		·75				18
19		·26	·02			·64		·05					19
20		·04			·67	·05					·01		20
21			·10			·24		·01					21
22								·36		·17			22
23		·34			·08			·58		·08		·01	23
24							·15	·09		·15	·08		24
25								·10		·18	·07		25
26		·14			·15	·02		·25	·08	·64	·07		26
27			·03		·37	·23		·81		·11			27
28		·07	·11		·03	2.30		·19		·01			28
29		X	·19			·57	·02	·05		·47		·21	29
30		X	·06					·08		·12			30
31		X	·16	X	·12	X		·08	X	·14	X		31
Total	·50	1·01	2·40	1·99	2·18	4.42	2·18	5.43	1·61	6.49	1·69	·75	YEAR'S TOTAL 30.65
Rain Days.	6	8	17	13	10	14	9	22	9	23	15	7	153

W. 8,000, IX. 17.

1.12

123

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

9.1.19

Kept at Minehead (Mariansleigh to Mar 23rd)
(Weirfield, remainder of year)
in the County of Somerset
by T. F. Twist

Lat. 51·12 N Long. 3·29 W
Time of Observation 9 AM
Nearest Railway Station Minehead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 45 (147) ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·04	–	·03	·07	–	–	1·00	–	·02	·63	–	1
2	–	·06	–	·04	–	–	–	·37	–	–	–	·17	2
3	–	·13	–	·09	–	–	–	–	·08	·06	·06	–	3
4	–	·03	–	–	·06	–	–	·04	–	·03	·79	·31	4
5	–	–	·02	·08	–	–	–	·29	·30	·25	·31	–	5
6	·13	·32	–	·28	–	·01	–	–	·26	·21	–	–	6
7	–	·10	–	–	·38	–	–	–	·43	·25	·40	·07	7
8	·11	·04	–	–	–	–	–	–	·10	·19	–	·02	8
9	·08	·18	–	·11	–	·22	·22	–	·52	·19	·02	·19	9
10	·01	–	–	·38	–	–	·60	–	·26	·06	–	·61	10
11	·01	–	·04	–	–	–	·05	–	·35	·02	·08	·21	11
12	·02	·14	–	–	·16	·02	·07	–	–	–	–	–	12
13	·31	·01	–	–	–	–	–	–	·13	·16	–	·21	13
14	·39	–	–	–	–	·06	·75	–	·47	·18	–	·11	14
15	1·97	–	–	·31	–	·57	·20	–	·28	–	–	·60	15
16	·53	–	–	·84	–	·10	–	–	·03	–	–	·17	16
17	·34	–	–	·46	–	–	·20	·03	·13	–	–	·27	17
18	·72	·02	·03	–	–	·58	·22	–	1·37	·11	–	·63	18
19	·10	·10	·01	·03	–	–	·04	–	·11	·08	–	·16	19
20	·18	·05	–	·01	–	–	·78	–	·06	·06	–	–	20
21	·04	–	–	·02	–	·03	·01	–	·52	·02	–	·25	21
22	–	–	–	–	·20	–	·37	–	·39	–	–	·24	22
23	·02	·05	–	–	·15	–	·01	–	·02	–	–	·19	23
24	–	–	–	–	–	–	·07	·15	·18	–	·08	·01	24
25	–	–	–	–	·13	–	·30	·25	–	·02	·08	·02	25
26	–	·09	–	·04	–	–	·21	·02	·11	–	·15	·05	26
27	–	·19	·15	·03	–	–	·04	·09	·35	–	·19	·14	27
28	–	·14	·16	–	–	–	–	–	·05	–	·26	·14	28
29	–	×	·03	–	–	–	–	–	1·16	–	–	·02	29
30	–	×	·25	–	–	–	–	·02	·03	–	·29	·19	30
31	–	×	·19	×	–	×	–	–	×	–	×	·01	31
Total	4·96	1·69	·88	2·75	1·15	1·59	4·14	2·26	7·69	1·91	3·34	4·99	YEAR'S TOTAL 37·35
Rain Days.	16	17	9	15	7	8	17	10	25	17	13	25	(179)

W. 8,000, VIII. 16

Moved

Ex M

1914

FORM A.
BRITISH RAINFALL.
5 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Minehead (Weirfield) moved on June 1st.
in the County of Somerset
by J. F. Twist

Lat. 51·12 N Long. 3·29 W.
Time of Observation 9 AM
Nearest Railway Station Minehead
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 147 + 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·37	—	·01	·03	·15	—	·15	·02	·02	·14	—	1·11	1
2	·15	—	·01		·03	—	·09	—	·22	·03	·05	·21	2
3	·02	—	·13	—	·02	—	—	—	·08	—	·15	·30	3
4	·30	·22	·46		—	·10	—	—	·28	—	—	·09	4
5	·04	·40	·88		·01	—	—	—	·01	—	·03	·48	5
6	·50	·21	·12		—	—	—	—	—	—	·02	·27	6
7	·25	—	·33	·08	—	—	—	—	—	—	—	·09	7
8	·20	—	·24	—	·01	—	—	—	—	—	—	—	8
9	·37	—	—	·26	·02	·01	—	—	—	—	·55	—	9
10	—	—	·66	·01	·14	—	—	—	—	·01	—	·06	10
11	—	—	·42	·04	·06	·01	·20	—	—	·02	—	·14	11
12	·29	—	·16	—	—	·36	—	—	—	·10	·15	—	12
13	·15	·01	·07	·26	—	—	·01	—	·02	·13	—	·06	13
14	·36	·08	—	·61	·27	—	—	—	·12	·02	—	·08	14
15	·43	·02	—	·10	—	—	—	—	—	·06	—	·39	15
16	·15	1·00	—	·04	—	—	—	—	—	—	·05	—	16
17	·01	·40	—	·02	—	·04	—	—	—	—	·39	—	17
18	·12	·01	·61	—	—	—	·03	·06	·06	—	·15	—	18
19	·17	·13	·13	—	—	·02	·67	·76	·38	—	·19	·19	19
20	·18	·10	·29	—	—	·09	—	·03	·15	—	·02	·16	20
21	·01	·53	—	—	—	—	·34	—	·05	—	—	·06	21
22	—	·02	—	—	—	—	·07	—	·19	—	·05	·09	22
23	—	—	—	—	—	—	—	·04	—	·50	·09	·10	23
24	—	—	—	·01	—	·22	—	·02	—	·91	·15	·45	24
25	·12	—	—	—	—	—	—	·35	—	—	·07	·20	25
26	·17	—	·20	·25	—	—	—	·10	·11	—	—	·40	26
27	·13	—	·07	·19	—	·04	—	·67	—	—	—	·06	27
28	·01	—	·23	·04	—	—	—	·03	—	—	·51	·30	28
29	·03	×	—	·14	—	—	—	·12	—	·09	·07	·26	29
30	—	×	·19	·12	—	·19	—	·27	·02	·03	·46	·56	30
31	·02	×	·03	×	·02	×	—	—	×	—	×	·31	31
Total	4·55	3·13	5·24	2·20	·73	1·08	1·46	2·47	1·71	2·04	3·15	6·42	YEAR'S TOTAL 34·18 ✓
Rain Days.	25	13	20	16	10	10	8	12	14	12	18	25	183 ✓

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.

MINEHEAD

SOMERSET

1916

REGIST 6

Kep^t at Clanville, M

in the County of Somerse

by Sir R. Shafto Adair

g. 3°29″ W.

a.m. (10.a.m. S.T.)

n Minehead.

Rain Gauge 5 in.

above Ground 1 ft. — in.

" Sea Level 106 ft.

IMPORTANT NOTE.— nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	—	—	—	0·10	0·05	0·13	—	0·02	0·63	—	—	1
2	0·31	0·01	0·01	—	0·05	—	—	—	0·04	0·49	0·15	—	2
3	—	0·99	—	—	0·18	0·03	0·03	—	0·06	0·29	0·08	—	3
4	0·31	0·07	—	0·01	0·55	0·15	—	—	0·10	0·03	0·53	—	4
5	0·02	0·05	0·16	—	0·06	0·20	—	—	—	0·04	0·39	—	5
6	0·06	0·24	—	—	0·07	0·34	0·31	—	—	0·20	0·57	—	6
7	0·04	0·08	0·02	—	0·18	0·03	0·04	—	—	—	0·57	0·31	7
8	—	0·25	0·04	—	0·13	0·04	—	—	—	—	0·41	0·07	8
9	—	0·10	—	—	0·15	0·02	0·09	—	—	—	0·06	0·09	9
10	—	0·57	0·01	0·09	0·01	—	—	—	—	—	—	0·03	10
11	—	—	—	0·18	0·02	0·02	0·06	—	—	—	—	—	11
12	0·01	0·03	0·06	0·06	0·19	—	0·13	—	—	—	—	—	12
13	—	0·33	0·13	0·01	—	—	—	0·07	0·02	—	0·01	—	13
14	—	0·60	0·02	—	0·04	—	—	0·30	—	0·09	—	—	14
15	0·01	0·20	0·07	0·26	—	—	—	0·07	0·01	0·03	—	—	15
16	0·01	0·10	—	0·10	—	—	—	0·41	—	0·13	—	—	16
17	0·01	0·43	—	0·04	—	—	—	—	0·45	0·15	0·31	—	17
18	0·05	0·43	0·27	0·09	—	—	—	—	0·09	0·07	0·02	0·10	18
19	—	0·05	0·16	0·16	—	—	—	—	—	—	0·39	—	19
20	0·13	0·46	0·33	—	—	—	—	—	—	—	0·07	0·48	20
21	0·01	0·07	0·24	—	0·04	—	0·01	—	—	—	—	—	21
22	0·05	—	0·01	—	—	0·06	—	—	—	0·67	—	0·65	22
23	0·01	0·10	—	0·01	—	0·09	—	0·20	—	0·06	0·22	0·26	23
24	0·03	0·03	0·01	0·02	0·32	—	—	0·02	—	0·46	—	0·20	24
25	—	0·25	0·28	—	—	0·02	—	0·46	0·02	—	0·11	—	25
26	—	0·04	0·17	—	0·02	0·11	—	0·04	0·68	0·51	—	—	26
27	0·01	0·01	0·88	—	—	0·09	—	0·01	0·38	0·74	—	—	27
28	0·02	0·37	—	—	—	—	—	0·07	0·28	0·28	—	0·15	28
29	0·01	0·54	—	—	—	—	—	2·86	0·06	0·43	—	0·26	29
30	—	X	—	—	—	—	—	—	—	0·27	—	—	30
31	—	X	—	X	—	X	—	0·01	X	0·28	X	0·13	31
Total	1·17 ✓	6·40 ✓	2·87 ✓	1·03 ✓	2·11 ✓	1·25 ✓	0·80 ✓	4·51 ✓	2·21 ✓	5·85 ✓	3·89 ✓	2·73	YEAR'S TOTAL 34·82
Rain Days.	19 ✓	26 ✓	18 ✓	12 ✓	16 ✓	14 ✓	8	12	13 ✓	20 ✓	15	12	185

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Clanville, Minehead
in the County of Somerset.
by Sir R. Shafto Adair & Revd. R. Palmer

Lat. 51°12" Long. 3°29" W.
Time of Observation 9 a.m. (10 a.m. S.T.)
Nearest Railway Station Minehead.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 106 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·07	—	—	—	0·10	0·05	0·13	—	0·02	0·63	—	—	1
2	0·31	0·01	0·01	—	0·05	—	—	—	0·04	0·49	0·15	—	2
3	—	0·99	—	—	0·18	0·03	0·03	—	0·06	0·29	0·08	—	3
4	0·31	0·07	—	0·01	0·55	0·15	—	—	0·10	0·03	0·53	—	4
5	0·02	0·05	0·16	—	0·06	0·20	—	—	—	0·04	0·39	—	5
6	0·06	0·24	—	—	0·07	0·34	0·31	—	—	0·20	0·57	—	6
7	0·04	0·08	0·02	—	0·18	0·03	0·04	—	—	—	0·57	0·31	7
8	—	0·25	0·04	—	0·13	0·04	—	—	—	—	0·41	0·07	8
9	—	0·10	—	—	0·15	0·02	0·09	—	—	—	0·06	0·09	9
10	—	0·57	0·01	0·09	0·01	—	—	—	—	—	—	0·03	10
11	—	—	—	0·18	0·02	0·02	0·06	—	—	—	—	—	11
12	0·01	0·03	0·06	0·06	0·19	—	0·13	—	—	—	—	—	12
13	—	0·33	0·13	0·01	—	—	—	0·07	0·02	—	0·01	—	13
14	—	0·60	0·02	—	0·04	—	—	0·30	—	0·09	—	—	14
15	0·01	0·20	0·07	0·26	—	—	—	0·07	0·01	0·03	—	—	15
16	0·01	0·10	—	0·10	—	—	—	0·41	—	0·13	—	—	16
17	0·01	0·43	—	0·04	—	—	—	—	0·45	0·15	0·31	—	17
18	0·05	0·43	0·27	0·09	—	—	—	—	0·09	0·07	0·02	0·10	18
19	—	0·05	0·16	0·16	—	—	—	—	—	—	0·39	—	19
20	0·13	0·46	0·33	—	—	—	—	—	—	—	0·07	0·48	20
21	0·01	0·07	0·24	—	0·04	—	0·01	—	—	—	—	—	21
22	0·05	—	0·01	—	—	0·06	—	—	—	0·67	—	0·65	22
23	0·01	0·10	—	0·01	—	0·09	—	0·20	—	0·06	0·22	0·26	23
24	0·03	0·03	0·01	0·02	0·32	—	—	0·02	—	0·46	—	0·20	24
25	—	0·25	0·28	—	—	0·02	—	0·45	0·02	—	0·11	—	25
26	—	0·04	0·17	—	0·02	0·11	—	0·04	0·68	0·51	—	—	26
27	0·01	0·01	0·88	—	—	0·09	—	0·01	0·38	0·74	—	—	27
28	0·02	0·37	—	—	—	—	—	0·07	0·28	0·28	—	0·15	28
29	0·01	0·54	—	—	—	—	—	2·86	0·06	0·43	—	0·26	29
30	—	X	—	—	—	—	—	—	—	0·27	—	—	30
31	—	X	—	X	—	X	—	0·01	X	0·28	X	0·13	31
Total	1·17	6·40	2·87	1·03	2·11	1·25	0·80	4·51	2·21	5·85	3·89	2·73	YEAR'S TOTAL 34·82
Rain Days.	19	26	18	12	16	14	8	12	13	20	15	12	185

W. 8,000, VIII. 16

MINEHEAD
SOMERSET
1911 - 1915

REGI 911

II·12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Minehea
in the County of Som
by Edward A

nsdew
op 5 in.
above Ground 1 ft.
„ Sea Level 160 ft.
8·45. Greenwich Time
ion { Name Minehead
Distance 1 mi Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·21	·05	—	—	·01	—	·06	—	—	1
2	—	—	—	·05	·21	—	—	·08	—	·22	·18	·11	2
3	—	—	—	—	·37	—	—	—	·04	—	·21	·04	3
4	—	—	·21	—	·01	—	—	·06	—	—	·35	·57	4
5	·33	—	·33	—	—	—	—	·07	—	—	·25	·17	5
6	·27	—	·13	—	—	—	—	—	—	—	·30	·90	6
7	·02	—	—	—	—	—	—	—	—	—	·55	—	7
8	·03	—	·09	—	—	—	—	—	—	—	·08	·96	8
9	·05	—	—	—	—	—	—	—	—	—	·18	·33	9
10	·05	—	·41	—	·88	—	—	—	·01	—	—	·41	10
11	·15	—	·02	—	·01	—	—	—	—	—	·62	·21	11
12	—	—	·46	—	—	—	—	·11	·18	—	·26	·29	12
13	—	[illegible]	—	—	·02	—	—	—	·38	—	·04	·29	13
14	—	·02	—	—	—	—	—	—	—	·05	—	·58	14
15	—	—	—	—	—	·07	—	—	—	—	·40	·02	15
16	—	—	—	—	—	·06	—	—	—	—	·12	·29	16
17	—	—	·04	·02	—	·08	—	—	—	—	·18	·39	17
18	—	·37	·12	·31	—	·31	—	—	—	·03	·05	·60	18
19	—	·07	—	·13	—	·78	—	—	·05	·25	·04	·64	19
20	·01	·04	·09	·04 —	—	—	—	—	1·27	·11	—	·27	20
21	—	·23	—	—	—	—	—	·78	·11	·40	—	·24	21
22	—	·03	·08	—	—	·06	—	—	·14	·45	—	·48	22
23	·01	·21	—	—	—	·07	—	—	·17	·73 ~~·74~~	—	·12	23
24	—	·26	—	·04	—	·61	—	·12	—	·79	—	·17	24
25	—	·06	—	·19	—	·17	—	·04	·03	·11	—	·22	25
26	—	·05	—	·04	—	—	·03	—	—	·28	—	·24	26
27	—	·21	·07	·43	—	—	—	·26	·14	·11	—	·27	27
28	—	·24	—	·21	—	—	—	·05	—	—	·18	·05	28
29	—		—	—	—	·31	·11	—	·03	·20	—	—	29
30	—		—	+	—	·01	·03	—	—	·41	·04	·06	30
31	—		—		—	[illegible]	—	—		·21		—	31
Total	·97	1·79	2·05	1·67	1·55	2·53	·17	1·58	2·55 ~~3·05~~	3·81	4·03	8·92	TOTAL for year 31·62
No. of Rain Days	10	12	12	11	7	11	3	10	12	16	18	27	149

9,000, IX. '10.

II·12

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Minehead

in the County of Somerset 4

by Edward A. Jones

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. —
" " " Sea Level 160 ft.

Time of Observation 8·45, Greenwich Time

Nearest Railway Station
Name Minehead
Distance 1 mi Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	—	·21	·05	—	—	·01	—	·06	—	—	1
2	—	—	—	·05	·21	—	—	·08	—	·22	·18	·11	2
3	—	—	—	—	·37	—	—	—	·04	—	·21	·04	3
4	—	—	·21	—	·01	—	—	·06	—	—	·35	·57	4
5	·33	—	·33	—	—	—	—	·07	—	—	·25	·17	5
6	·27	—	·13	—	—	—	—	—	—	—	·30	·90	6
7	·02	—	—	—	—	—	—	—	—	—	·55	—	7
8	·03	—	·09	—	—	—	—	—	—	—	·08	·96	8
9	·05	—	—	—	—	—	—	—	—	—	·18	·33	9
10	·05	—	·41	—	·88	—	—	—	·01	—	—	·41	10
11	·15	—	·02	—	·01	—	—	—	—	—	·62	·21	11
12	—	—	·46	—	—	—	—	·11	·18	—	·26	·29	12
13	—	[illegible]	—	—	·02	—	—	—	·38	—	·04	·29	13
14	—	·02	—	—	—	—	—	—	—	·05	—	·58	14
15	—	—	—	—	—	·07	—	—	—	—	·40	·02	15
16	—	—	—	—	—	·06	—	—	—	—	·12	·29	16
17	—	—	·04	·02	—	·08	—	—	—	—	·18	·39	17
18	—	·37	·12	·31	—	·31	—	—	—	·03	·05	·60	18
19	—	·07	—	·13	—	·78	—	—	·05	·25	·04	·64	19
20	·01	·04	·09	·04 —	—	—	—	—	1·27	·11	—	·27	20
21	—	·23	—	—	—	—	—	·78	·11	·40	—	·24	21
22	—	·03	·08	—	—	·06	—	—	·14	·45	—	·48	22
23	·01	·21	—	—	—	·07	—	—	·17	~~·74~~ ·13	—	·12	23
24	—	·26	—	·04	—	·61	—	·12	—	·79	—	·17	24
25	—	·06	—	·19	—	·17	—	·04	·03	·11	—	·22	25
26	—	·05	—	·04	—	—	·03	—	—	·28	—	·24	26
27	—	·21	·07	·43	—	—	—	·26	·14	·11	—	·27	27
28	—	·24	—	·21	—	—	—	·05	—	—	·18	·05	28
29	—		—	—	—	·31	·11	—	·03	·20	—	—	29
30	—		—	+	—	·01	·03	—	—	·41	·04	·06	30
31	—		—		—	~~·21~~	—	—		·21		—	31
Total	·97	1·79	2·05	1·67	1·55	2·53	·17	1·58	~~3·05~~ 2·55	3·81	4·03	8·92	TOTAL for year 31·62
No. of Rain Days	10	12	12	11	7	11	3	10	12	16	18	27	149

9,000, IX. '10.

Eoc DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 JAN 1913

Kept at Minehead

in the County of Somerset 4

by Edwd A. Jones

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level ~~150~~ ft. 105

Time of Observation 9 a. m

Nearest Railway Station
Name Minehead
Distance ½ mi Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·28	—	·02	·58	—	·19	·13	·76	—	·30	1
2	—	—	·22	·04	—	·46	·08	—	—	·01	·05	—	2
3	—	—	·37	—	·01	·06	·07	·79	·03	—	·04	—	3
4	·25	—	·98	—	·04	·21	—	—	—	—	·31	—	4
5	·51	·07	·27	—	·04	—	—	·36	—	—	—	·05	5
6	·50	·13	·01	—	·15	—	—	·57	—	—	—	·03	6
7	·02	·45	·06	—	·06	·67	—	·81	—	—	—	·03	7
8	·29	·12	·23	—	—	·21	·02	·18	—	—	—	·01	8
9	·02	·12	·49	·09	—	·40	—	·26	—	—	·04	·25	9
10	·17	·05	·01	·02	—	·08	—	·02	·02	—	·19	·04	10
11	·07	·03	—	—	—	—	—	—	—	—	·19	·45	11
12	·02	·67	·06	·02	·02	—	·07	—	—	—	—	·13	12
13	·07	—	—	—	—	—	—	·25	—	—	—	·06	13
14	·05	—	·56	—	·07	—	—	·36	—	—	—	—	14
15	·22	—	·03	—	·19	·63	—	·30	—	—	—	·30	15
16	·36	—	·13	—	·37	·02	—	—	—	·04	·02	·10	16
17	·35	—	·03	—	—	—	—	·38	—	—	·02	·41	17
18	·05	—	·39	—	—	·05	—	·34	—	·08	—	·16	18
19	·04	·08	·07	—	—	·04	·10	·41	—	·03	·03	·02	19
20	·04	·01	·43	—	·05	—	·07	·25	—	·55	·03	—	20
21	—	·02	·45	—	·62	—	·08	·08	—	·20	·01	—	21
22	·39	·15	·14	—	·01	·01	·05	·16	—	·05	—	·03	22
23	·32	·34	·09	—	·01	—	·01	·46	—	·35	·05	—	23
24	·16	·02	·01	—	—	·20	—	—	—	·02	—	·28	24
25	—	—	—	—	—	·44	—	·51	—	·09	·53	·13	25
26	—	·02	—	—	—	—	—	·03	—	·37	·74	·51	26
27	—	—	—	—	—	·27	·62	—	—	·91	·19	·24	27
28	—	·12	—	—	—	·13	·15	·47	·09	·18	·48	·47	28
29	—	·11	·07	—	—	·20	·33	·02	·34	·40	—	·57	29
30	—		—	—	·07	·10	·17	—	·04	·53	—	·13	30
31	—		·42		—		·20	—		—		·01	31
Total	3·90	2·51	5·80	·17	1·73	4·76	2·02	7·20	0·65	4·57	2·92	4·71	TOTAL for year 40·94
No. of Rain Days	20	17	24	4	15	19	14	22	6	16	16	24	197

9,000, IX. '10.

Crd by own at ats 25·III·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at "Clanville", Minehead
in the County of Somerset
by Edwd A. Jones

Lat. 51°12' Long. 3°29' W
Time of Observation 9, a. m
Nearest Railway Station Minehead
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~·40~~	·20	·24	~~·31~~	·17	—	—	—	·11	·15	·22	·68	1
2	—	·29	·03	01	·03	—	—	—	—	·10	·18	—	2
3	·30	—	·04	14	·40	—	—	—	·05	—	—	·42	3
4	·28	—	·07	—	·04	—	—	—	·49	—	·05	·20	4
5	·91	·03	·01	—	·05	·41	·06	—	·09	—	·24	·45	5
6	·11	·12	·27	—	—	·15	·09	—	—	·62	·17	·46	6
7	·02	·60	·03	—	·34	·10	·31	—	—	·43	·11	—	7
8	—	·20	—	—	·32	—	—	·33	—	·09	—	—	8
9	—	·03	—	·04	·09	·06	—	·23	·11	—	·19	·07	9
10	—	—	—	·03	·05	·01	—	·01	—	·32	·15	—	10
11	·50	—	—	·14	·24	·16	—	—	·70	·10	·60	—	11
12	·57	—	—	—	·08	—	—	—	—	·03	·45	—	12
13	·09	—	·04	—	·03	—	—	·08	·11	—	·16	—	13
14	·03	—	·20	—	—	—	—	—	·09	·07	·47	—	14
15	·13	—	·46	1·15	—	—	—	—	·13	—	·14	—	15
16	·05	—	·77	·08	—	·02	—	—	·07	—	—	—	16
17	·18	—	·03	·14	—	—	·01	—	—	—	—	—	17
18	·06	—	·30	·09	—	—	·02	—	—	—	·05	—	18
19	·16	—	·05	·01	·04	·08	·07	—	·14	·03	·02	—	19
20	·38	—	·20	·09	—	—	—	—	·02	·09	·20	—	20
21	·39	—	—	—	·08	—	·03	—	—	—	·26	—	21
22	—	—	·80	·04	—	·17	·11	·18	·09	—	—	—	22
23	·85	—	—	—	—	—	—	·08	—	—	·09	·49	23
24	—	·05	—	·04	—	—	—	—	—	—	·02	—	24
25	·03	—	—	·26	—	—	—	—	·07	—	·04	—	25
26	—	—	—	·74	—	—	—	·04	—	—	·01	·42	26
27	—	—	#	·10	—	—	—	—	—	1·00	—	·14	27
28	·17	—	·15	·34	·02	—	—	—	—	·42	—	·10	28
29	(·10) ·02		—	·16	·02	—	—	·05	—	·14	—	—	29
30	·40		·42	—	—	—	—	—	—	·77	—	—	30
31	·12		~~·51~~		·34		—	·38		—		—	31
Total	5·85	1·52	4·42	~~3·91~~ 3·60	2·34	1·16	·70	1·38	2·27	4·36	3·82	3·43	YEAR'S TOTAL 35·86
Rain Days.	23	8	19	~~19~~ 18	17	9	8	9	14	15	21	10	172

34·85

W. 7,500, XI. ·12

Exd

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. JAN 1915

Kept at Minehead
in the County of Somerset 4
by Edwd A. Jones

Lat. 51°·12' Long. 3°·29' W.
Time of Observation 9, a. m
Nearest Railway Station Minehead
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 12 in.
" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·03	·06	—	·17	·42	·26	—	—	·23	·08	1
2	—	—	—	·02	—	—	1·49	·03	—	—	·36	·53	2
3	·04	—	·25	·12	·29	—	—	—	—	—	·01	·08	3
4	·44	—	·07	·23	·14	—	·13	·43	—	—	·35	·95	4
5	·16	—	·27	·28	·02	—	—	—	—	—	—	·27	5
6	—	·02	·18	·22	—	·14	·16	·02	—	—	·31	·30	6
7	·05	·43	·08	·36	·15	·13	·34	·07	·02	—	—	·08	7
8	·01	—	·68	·04	·12	·68	—	·01	—	—	—	·04	8
9	·04	—	·42	·11	·06	·73	—	·04	·70	—	—	—	9
10	·20	·34	·04	·46	·03	·04	—	—	·21	—	·02	·01	10
11	—	·12	·50	—	·05	·24	—	—	·04	—	·10	·49	11
12	—	·60	·05	—	—	—	—	—	·17	·04	·05	·48	12
13	—	·29	·40	—	—	—	—	—	·20	·37	·34	·13	13
14	—	·35	·52	—	—	—	—	·60	·03	·07	·23	—	14
15	—	—	·16	—	—	—	·05	·46	·06	·01	·33	—	15
16	—	—	·03	—	—	—	·05	—	·10	—	—	·02	16
17	·02	·25	·34	—	—	—	—	—	·04	—	—	·68	17
18	—	·06	·17	—	—	—	·02	—	·08	—	—	·30	18
19	—	·08	·38	—	—	—	2·04	—	·05	—	—	·09	19
20	—	·30	·20	—	—	·08	—	—	—	—	—	·10	20
21	—	·33	—	—	—	—	—	—	—	·15	·01	·04	21
22	—	·04	—	—	·12	·22	—	·09	—	·08	—	—	22
23	—	·03	·07	—	·03	·03	·09	—	—	·19	—	—	23
24	—	—	—	—	—	—	·05	·10	—	·01	·02	—	24
25	·14	—	·40	—	—	—	·06	·17	—	·30	·01	·22	25
26	·10	—	·30	—	—	—	·35	·01	—	·05	·30	·59	26
27	—	—	—	—	—	—	—	—	—	·60	·50	·27	27
28	—	·14	·08	—	·04	—	—	—	—	·65	·07	·96	28
29	·15		·16	—	·04	—	—	—	—	·03	·57	·05	29
30	—		·10	—	—	—	—	—	—	·28	·52	·62	30
31	·02		—		—		·23	—		·37		·33	31
Total	1·37	3·38	5·88	1·90	1·09	2·46	5·48	2·29	1·70	3·20	4·33	7·71	YEAR'S TOTAL 40·79
Rain Days.	12	15	25	10	12	10	14	13	12	15	19	25	182

W.7,000, XI. 13

W M L cmd 6.V.16

2200

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 3. JAN 1916

Kept at Minehead

in the County of Somerset. 4

by Revd. R. Palmer & Sir R. Shafto. Adair Bart.

Lat. 51°.12" Long. 3°.29" W.

Time of Observation 9. a.m.

Nearest Railway Station Minehead

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 105 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·36	0·01	—	—	0·01	—	0·04	0·24	0·45	0·37	—	0·09	1
2	0·07	0·23	0·05	0·04	—	—	—	0·15	0·02	0·04	—	0·42	2
3	—	0·03	0·01	0·07	0·13	—	—	—	—	0·01	—	0·16	3
4	—	0·10	—	—	0·12	—	0·51	—	—	—	—	0·62	4
5	0·21	0·55	—	0·05	—	—	—	0·12	—	—	—	0·38	5
6	0·34	0·05	—	0·15	—	—	0·25	0·04	—	—	—	0·24	6
7	0·33	0·61	—	0·01	—	—	0·14	—	—	—	0·01	0·19	7
8	0·51	0·35	—	—	—	—	—	0·54	—	—	0·08	0·05	8
9	0·03	0·21	—	0·10	—	—	—	—	—	—	0·43	0·74	9
10	0·21	0·22	0·09	0·03	—	0·04	—	0·23	—	0·07	0·02	0·02	10
11	0·02	0·17	0·04	—	—	—	—	—	—	0·03	1·15	0·06	11
12	0·23	0·40	—	0·07	0·53	—	—	0·14	0·02	0·02	0·15	—	12
13	0·03	0·74	—	—	0·66	—	—	—	0·12	0·01	0·12	0·03	13
14	0·01	—	—	—	—	—	0·24	0·09	0·04	0·03	0·43	0·41	14
15	0·24	—	—	—	0·18	—	0·12	0·01	0·02	0·06	—	0·06	15
16	0·01	0·85	—	—	0·14	—	0·67	0·01	—	—	—	0·01	16
17	—	0·20	—	—	0·05	—	—	—	—	—	—	0·01	17
18	—	0·35	—	—	—	—	—	—	—	—	—	—	18
19	—	0·01	—	0·01	(0·04)	—	—	—	—	—	—	—	19
20	0·31	—	—	0·06	—	0·02	—	—	—	0·04	—	0·07	20
21	0·22	0·10	—	—	—	—	0·07	—	—	0·23	—	0·44	21
22	0·02	0·09	0·13	0·10	—	0·07	0·27	—	—	0·11	—	0·31	22
23	—	0·01	0·08	—	—	0·05	0·14	—	—	0·70	—	0·65	23
24	—	—	—	—	—	—	0·09	—	0·02	0·36	—	0·36	24
25	—	—	—	—	—	0·29	0·28	—	—	0·05	—	0·13	25
26	—	0·21	0·04	—	—	0·01	0·06	—	0·02	—	—	0·50	26
27	—	0·07	—	—	—	0·04	0·02	—	0·01	0·35	—	0·06	27
28	—	0·12	—	—	—	—	—	—	0·62	0·20	—	—	28
29	—	X	—	—	—	0·30	0·01	0·01	0·02	—	0·04	0·11	29
30	0·21	X	—	—	—	—	—	—	—	0·38	0·19	0·41	30
31	—	X	—	X	—	X	0·02	0·12	X	0·53	X	0·30	31
Total	3·36	5·68	0·44	0·69	1·86	0·82	2·93	1·30	1·36	3·59	2·62	6·83	YEAR'S TOTAL 31·48
Rain Days.	18	24	7	11	9	8	16	12	11	19	10	27	172

W. 8,000. X. 14.

141

R 11

FORM A2.
BRITISH RAINFALL.

12 JAN 1912

MONKTON COMBE

CROSSWAYS

SOMERSET

1911-1920

Kept at Crossways

in the County of

by M. J.

5 in.

ove Ground 1 ft. in.

, Sea Level 180 ft.

9 a.m.

Name Limpley Stoke

Distance 1m. Direction South.

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the re year in the space provided for it at the end of t ement of rain, the selection and plac British Rainfall Organization are given i application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·03	·13									1
2	·02			·07	·35			·19		·12	·30	·27	2
3					·35						·06	·07	3
4			·20							·05	·21	·47	4
5	·07							·76		·02	·46		5
6	·35		·15					·08			·17	·51	6
7	·02										·47		7
8	·13		·16								·02	·37	8
9	·11		·07								·08	·50	9
10	·03	·09	·41		·10							·21	10
11	·28				·15						·71	·18	11
12			·68								·31	·14	12
13			·03		·03				·40	·02		·52	13
14		·05										·74	14
15											·40	·06	15
16						·31					·38	·48	16
17		·11				·18					·04	·41	17
18		·37	·12	·13	·08	·60				·04		·40	18
19		·05		·05		·21			·46	·35	·13	·35	19
20		·03	·15	·05				·15	·10	·05		·41	20
21		·20	·07							·62		·15	21
22		·03	·29	·03		·08				·21		·65	22
23		·27	·20			·08		·11	·06	·09	·05	·20	23
24		·14				·54				·70		·15	24
25	·04	·07		·12		·08				·06		·16	25
26		·10		·31	·19	·09		·11		·14	·03	·30	26
27		·26	·19					·06	·10		·05	·20	27
28		·45		·45							·02		28
29				·10		·38			·24	·26			29
30						·02				·17	·03	·02	30
31										·31			31
Total	1·18	2·22	2·75	1·44	1·25	2·57	—	1·46	1·36	3·21	3·92	7·92	TOTAL for year 29·28
No. of Rain Days	10	14	14	10	7	11	—	7	6	16	19	25	139

8,000, IX. '10.

3·30 ~~4·50~~ ~~·98~~ ~~3·62~~ ~~1·71~~ ~~5·95~~ ~~2·33~~ ~~4·63~~ ~~·16~~ ~~4·70~~ ~~4·95~~ ~~6·01~~ (~~42·84~~)

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Crossways, Monkton Combe.

in the County of Somerset.

by M. J. Lipscomb. Esq.,

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 180 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Limpley Stoke
Distance 1 m. Direction South.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·03	·13									1
2	·02			·07	·35			·19		·12	·30	·27	2
3					·35						·06	·07	3
4			·20							·05	·21	·47	4
5	·07							·76		·02	·46		5
6	·35		·15					·08			·17	·51	6
7	·02										·47		7
8	·13		·16								·02	·37	8
9	·11		·07								·08	·50	9
10	·03	·09	·41		·10							·21	10
11	·28				·15						·71	·18	11
12			·68								·31	·14	12
13			·03		·03				·40	·02		·52	13
14		·05										·74	14
15											·40	·06	15
16						·31					·38	·48	16
17		·11				·18					·04	·41	17
18		·37	·12	·13	·08	·60				·04		·40	18
19		·05		·05		·21			·46	·35	·13	·35	19
20		·03	·15	·05				·15	·10	·05		·41	20
21		·20	·07							·62		·15	21
22		·03	·29	·03		·08				·21		·65	22
23		·27	·20			·08		·11	·06	·09	·05	·20	23
24		·14				·54				·70		·15	24
25	·04	·07		·12		·08				·06		·16	25
26		·10		·31	·19	·09		·11		·14	·03	·30	26
27		·26	·19					·06	·10		·05	·20	27
28		·45		·45							·02		28
29				·10		·38			·24	·26			29
30						·02				·17	·03	·02	30
31										·31			31
Total	1·18	2·22	2·75	1·44	1·25	2·57	—	1·46	1·36	3·21	3·92	7·92	TOTAL for year 29·28
No. of Rain Days	10	14	14	10	7	11	—	7	6	16	19	25	139
	3·30	~~4·50~~	~~·98~~	~~3·62~~	~~1·71~~	~~5·95~~	~~2·33~~	~~4·63~~	~~·16~~	~~4·70~~	4·95	~~6·01~~	(~~42·84~~)

9,000, IX. '10.

[illegible] 25.11.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

Kept at Crossways, Monkton Combe,

in the County of Somerset.

by M. J. Lipscomb. Esq.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 180 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Monkton Combe.
Distance 3/4 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·17			·14	·15		·03	·75		·25	1
2			·22	·04		·13	·35		·07	·02			2
3	·03		·10			·25	·09	·38			·04	·04	3
4	·21		1·09		·08	·45		·12			·23		4
5	·43	·03	·26		·15	·07		·65				·21	5
6	·35	·23	·04		·12			1·05			·02	·12	6
7		·26	·13		·04	·46		·05				·18	7
8	·31	·17	·46			·07	·08	·05				·04	8
9		·05	·25	·19		·17						·22	9
10	·06	·08	·02			·12		·17			·07	·24	10
11	·12	·04	·01			·03						·36	11
12	·03	·42	·06				·03				·08		12
13		·03	·01					·08				·10	13
14	·18		·36		·35			·09					14
15	·05	·07			·23	·46					·02	·57	15
16	·95		·15		·02	·03		·19		·12	·04	·07	16
17			·06			·08		·50				·17	17
18			·81					·15		·09		·12	18
S. 19	1·30	·08	·07			·09	·15	·34		·14	·03	·02	19
20	·02		·38		·04		·05	·20		·47	·02		20
21		·05	·30		·74			·10		·28			21
22	·48	·27	·10		·14		·18	·27		·06	·05		22
23	·30	·41	·37			·04		·75		·17	·16	·69	23
24			·09			·21				·06	·02	·25	24
25						·27		·67		·07	·36	·47	25
26		·07					·38	·17		·41	·67	·21	26
27		·02				·19	1·38			1·00	·06	·54	27
28		·08				·03	·06	·44	·18	·55	·47	·63	28
29		·07				·03	·27	·02	·48	·39		·06	29
30			·03			·15	·17		·20	·35			30
31			·22		·06		·31	·04		·02		·12	31
Total	4·82	2·43	5·76	·23	1·97	3·47	3·65	6·48	·96	4·95	2·34	5·68	TOTAL for year 42·74
No. of Rain Days.	15	18	25	2	11	21	14	22	5	17	16	23	189
W. 8,000, X. '11.	~~1·18~~	~~2·22~~	~~2·75~~	~~1·44~~	~~1·25~~	~~2·57~~	0	1·46	1·36	3·21	3·92	7·92	29·28

ackd. 29.III.14 W DL

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
9 JAN 1914

Kept at Crossways, Monkton Combe,
in the County of Somerset.
by M. J. Lipscomb Esq.,

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 180 ft.

Time of Observation 9 a.m.
Nearest Railway Station
Name Monkton Combe.
Distance 3/4 m. Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·27	·22	·02	·06				·47			·24	1
2	·04	·14	·02	·16	·04		·05				·20	·02	2
3	·18	·02	·12	·02	·64				·02	·29		·50	3
4	·79		·08		·44				1·50	·42	·05	·11	4
5		·05			·14	·19	·15		·33		·02	·14	5
6	·02	·05	·18		·17	·12	·14			·54	·11	·66	6
7	·02	·38	·08		·30	·16	·09			·31	·16	·04	7
8		·06			·15	·10				·25		·02	8
9		·21	·08		·07	·09		·70	·18	·02	·09	·06	9
10	·29		·04	·04	·03			·05		·12	·19		10
11	·55			·19	·19			·04		·10	·47	·05	11
12	·08	·04			·15			·02			·09	·03	12
13			·03		·02		·09	·05	·11		·20		13
14	·10		·21	·11	·02			·04		·15	·08		14
15	·18	·07	·45	·67				·07	·06		·22		15
16	·29		·74	·20									16
17	·08		·03	·03			·09				·07		17
18	·09		·23	·16		·03					·07		18
19	·64		·04		·04		·05		·46	·04			19
20	·07		·16	·08						·18	·11		20
21	·65		·12	·20	·11		·10				·45		21
22			·64	·06	·03			·03	·23				22
23	·02		·02			·11		·19			·06		23
24	·04	·02		·04				·02					24
25		·12		·10							·02		25
26		·04		·48				·22				·28	26
27			·13	·32						·12			27
28	·25		·16	·37						·13		·08	28
29	·04		·40	·62				·10		·18	·03		29
30	·59		·02							·35	·11		30
31	·14		·08		·06			·35					31
Total	5·15	1·47	4·28	3·87	2·66	·80	·76	1·88	3·36	3·20	2·80	2·23	TOTAL for year 32·46
No. of Rain Days.	22	13	24	19	18	7	8	13	9	15	20	13	32·44 181

W. 8,000, X. '11.

~~4·82~~ ~~2·43~~ ~~5·76~~ ~~·23~~ ~~1·97~~ ~~3·47~~ ~~3·65~~ ~~6·48~~ ~~·98~~ ~~4·75~~ ~~2·34~~ ~~3·65~~ ~~4·34~~

Ex Ind

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

5 - JAN 1915

Kept at Crossways. Monkton Combe.

in the County of Somerset. 1

by Maurice J. Lipscomb Esq.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Monkton Combe

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·03		·04		·43			·15	·03	1
2				·08			·76				·80	·45	2
3			·03	·23	·22			·20			·17	·15	3
4			·10	·29	·24		·21	·27			·58	·58	4
5	·20		·15	·42	·04		·39	·03			·23	·19	5
6		·09	·07	·22	·05	·06	·14	·09				·33	6
7		·55	·47	·30	·60	·02	·24	·04	·01			·11	7
8	·04	·04	·81	·12	·07	·42	·08	·05	·10				8
9	·15		·37	·22	·04	·77		·07	·20				9
10		·21	·02	·10	·04				·33				10
11		·19	·27	·01	·15	·21	·10		·01		·08	·38	11
12		·14	·12						·30		·09	·20	12
13		·30	·32						·23	·20	·15	·62	13
14		·35	·39					·17	·03	·55	·24		14
15			·22					·49		·06	·15		15
16							·12		·26				16
17		·43	·25						·02			·70	17
18			·02				·31					·50	18
19		·13	·23				·48				·05	·14	19
20		·39	·53									·30	20
21		·42								·15	·02		21
22		·02	·03		·09	·36		·04		·18			22
23		·11	·19		·17					·32			23
24		·04	·05				·07			·18	·10		24
25			·13					·27		·33		·29	25
26							·13			·08	·40	·59	26
27	·10									·03	·10	·11	27
28		·07	·15							·07	·35	1·08	28
29	·19		·09		·09					·17	·34		29
30	·02		·03							·24	·55	·82	30
31					·05		·19			·45		·13	31
Total	·70	3·48	4·74	2·02	1·85	1·88	3·22	2·15	1·49	3·01	4·55	7·70	YEAR'S TOTAL 36·79
Rain Days.	6	16	24	11	13	7	13	12	10	14	18	20	164
	3·16	1·45	4·28	3·87	2·66	·80	·76	1·88	3·36	3·20	2·80	2·23	32·44

W.7,000. XI. 13

Exe 8L

2085

FORM A.
BRITISH RAINFALL.

8. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Crossways, Monkton Combe,
in the County of Somerset.
by Maurice J. Lipscomb Esq.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Monkton Combe.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·43	·13			·08			·18	·13	·28		·12	1
2	·44	·25	·20	·14				·57		·22		·31	2
3	1·05	·09	·05	·08	·14		·04	·04				·29	3
4												·42	4
5	·08	·66		·06				·18				·37	5
6	·38	·05		·34			·48	·10				·14	6
7	·31	·54		·07	·63		·24	·07				·26	7
8	·29	·32		·06				·04			·08		8
9	·04	·07		·13			·05	·08			·31	·93	9
10	·05		·13	·06				·04		·05		·06	10
11	·03		·08	·03				·08			·95	·05	11
12	·23	·29		·18	·53			·65			·41		12
13	·04	·70			·84			·05	·17				13
14	·13						·16	·68	·06	·11		·64	14
15	·42			·04	·14		·14	·12		·04	·18	·14	15
16		·90			·50		·89	·04	·04			·18	16
17		·71			·68			·02					17
18		·35			·03								18
19		·02			·07		·41						19
20	·25			·05	·04					·07		·17	20
21	·07	·17		·03	·04		·02			·10		·23	21
22	·09	·65	·44				·43					·23	22
23			·16				·27		·23	1·05		·57	23
24				·07			·61		·56	·98		·29	24
25			·02			·34	·05					·06	25
26		·19				·03	·14					·61	26
27		·10				·24	·02			·34			27
28		·05							·78	·03			28
29						·46		·06	·02			·07	29
30	·24	X				·35				·32	·48	·35	30
31		X		X		X	·05	·23	X	·89	X	·42	31
Total	4·57	6·24	1·08	1·34	3·72	1·42	4·00	3·23	1·99	4·48	2·41	6·91	YEAR'S TOTAL 41·39
Rain Days.	18	19	7	14	12	5	16	18	8	13	6	23	15-9
W. 8,000.	7·70	3·48	4·74	2·02	1·85	1·88	3·22	2·15	1·49	3·01	4·55	7·70	36·79

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.

8 JAN 1917

Kept at Crossways, Monkton Combe.
in the County of Somerset.
by Maurice J. Lipscomb.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Monkton Combe
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06				·19	·08	·24			·14	·33		1
2	·51	·09			·08					1·26	·03		2
3		1·12			·09				·12	·34	·18		3
4	·16	·11			·18	·63			·75	·22	·60		4
5					·35	·07				·09	·23		5
6	·16	·15			·19	·18	·35			·12	·82		6
7		·10	·36 s		·04					·14	·37	·22	7
8		·05	·04		·23	1·05						·16	8
9					·13	·15				·12		·07	9
10		·47		·18								·08	10
11	·05		·08	·08		·04							11
12		·08	·08	·05	·19		·16			·08			12
13		·37	·14										13
14		·44	·04	·04	·13			·19		·09			14
15		·22	·08	·07				·11					15
16	·10	·02		·28	·05		·08	·25		·04			16
17	·12	·19		·04				·61		·60			17
18		·02	·09	·07				·14	·36	·09	·38		18
19	·28		·37	·18					·15		·28		19
20	·09		·49								·07		20
21	·08		·65		·11							·90	s 21
22				·13						·24		·44	s 22
23		·08		·05		·01				·23	·22	·61	23
24					·40			·23		·47	·03	·11	24
25		·63 s.	·13			·15		·11			·15	·34	25
26		·13 s	·14					·34	·23	·32			26
27	·14		1·90			·38	·42	·68	·33	·22			27
28		·28 s	·30	·37		·21		·11		·73		·60	28
29		·63 s				·28		·03		·70		·60	29
30		╳						1·58		·53		~~[illegible]~~	30
31		╳		╳		╳		·05	╳	13	╳		31
Total	1·75	5·18	4·89	1·54	2·36	3·23	1·25	4·43	1·44	6·90	3·69	4·13	YEAR'S TOTAL 40·79
Rain Days.	11	19	15	12	14	12	5	13	6	22	13	11	153
W. 8,000. A. 15.	~~4·57~~	~~6·24~~	~~1·08~~	~~1·34~~	~~3·72~~	~~1·42~~	~~4·00~~	~~3·23~~	~~1·99~~	~~4·48~~	~~2·41~~	~~6·91~~	~~41·39~~

1938

REGISTER OF RAINFALL ~~IN~~ 1917.

BRITISH RAINFALL
FORM A.

7. JAN 1918

Kept at Crossways, Monkton Combe,
in the County of Somerset.
by Maurice J. Lipscomb.

Lat. Long.
Time of Observation 9 a. m.
Nearest Railway Station Monkton Combe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·24			·10		·86	·31		·06		1
2				·53		·23		·08					2
3	·11						·44	·05		·66			3
4							·10	·15		·33			4
5	·28			·25		·12			·31	·37	·29		5
6			·64							·17	·15		6
7							·17			·16			7
8	·70			·12			·37	·78		·43	·11	·22	8
9			·30		·12			·28	·15	·10	·21		9
10	·12		·33					·23	·04				10
11			·46	·47				·16	·03	·14			11
12	·16				·65			·50		·66			12
13			·19					·43		·06			13
14			·23	·14				·45	·13	·06			14
15							·92	·31				·26	15
16		·33		·16			·35			·42			16
17				·27			·58	·10	·45	·07			17
18					·28		·32	·02	·47				18
19		·39	·06			·10			·09				19
20		·08			·35	·16							20
21													21
22			·36			·60		·18		·10			22
23		·10			·15			·40					23
24		·07				·34	·09	·13					24
25		·10	·11				·03	·05		·70			25
26					·21			·64	·23	·29			26
27					·82			1·05					27
28			·15		·09	N.E. 2·90		·72					28
29			·11		·09	·29		·15		·52		·28	29
30		X	·14				·28	·32		·40			30
31		X	·17	X		X	·02	·02	X	·05	X		31
Total	1·37	1·07	3·49 3·49	1·94	2·76	4·84	3·67	8·06	2·21	5·63	·82	·76	YEAR'S TOTAL 36·42 36.62
Rain Days.	~~5~~	~~6~~	~~14~~ 13	~~7~~	~~9~~	~~9~~	~~12~~	~~24~~	~~10~~	~~19~~	~~5~~	~~3~~	~~123~~
	~~1·75~~	~~5·18~~	~~4·89~~	~~1·54~~	~~2·36~~	~~3·23~~	~~1·25~~	~~4·43~~	~~1·44~~	~~6·90~~	~~3·69~~	~~4·13~~	~~40·79~~

W. 8,000. VIII. 16

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Crossways, Monkton Combe.

in the County of Somerset.

by Maurice J. Lipscomb.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Monkton Combe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1								·28			·55	·10	1
2			~~·13~~					·45				·31	2
3		·08	~~·27~~	·27	·22			·33	·07	·10			3
4				·04				·04			·98	·08	4
5				·07	·24			·24		·20			5
6	·14	·33		·28					·07	·10			6
7		·24		·08	·75				·14	·32	·31		7
8		·05							·71	·24		·12	8
9		·30		·43		·35	·48		·52	·10		·	9
10		·		·15			·40		·31	·14		·43	10
11	·07	·08					·25		·42	·03		·20	11
12					·48		·25					·07	12
13					·04		·22		·32	·12		·31	13
14	·32						·35		·73	·07		·10	14
15	(1·12)			·58		·13	·33		·11			·35	15
16	·55		·10	·53		·08			·25			·06	16
17	·33						·35	·16	·22			·31	17
18	·75					·46	·12		·31			·15	18
19	·10		·18				·09		·38	·10		·07	19
20	·16	·10					·32		·21			·10	20
21	·04			·35			·04		1·26	·10		·32	21
22							·43 4		·29			·	22
23	·09				·31		·74	·09				·82	23
24						·10	·02		·15		·11		24
25							·18	·73					25
26							·67		·11			·09	26
27		·05	·03					·19	·31		·15	·06	27
28		·10	·21								·21	·12	28
29			·08						1·16		·18	·08	29
30		✕	·30						·04			·13	30
31		✕	·18	✕		✕		·05	✕		✕		31
Total	(3·67)	1·33	1·08	2·78	2·04	1·12	5·24	2·56	8·09	1·62	2·49	3·58	YEAR'S TOTAL (35·60)
Rain Days.	11	9	7	10	6	5	17	10	22	12	7	22	~~18~~
	~~1·37~~	~~1·07~~	~~3·29~~	~~1·94~~	~~2·76~~	~~4·84~~	~~3·67~~	~~8·06~~	~~2·21~~	~~5·57~~	~~·82~~	~~·76~~	~~36·36~~

W. 8,000, IX. 17.

29·3·20

End pr auth

1811

FORM A.
BRITISH RAINFALL.

8 JAN 20

REGISTER OF RAINFALL IN 1919 ~~W~~

Kept at Crossways, Monkton Combe,

in the County of Somerset.

by Maurice J. Lipscomb.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Monkton Combe

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·08		·30		·11			·22	·12	1·10	1
2	·35				·11				·19		·15	·23	2
3	·10		·18		·08				·37			·47	3
4	1·15	·19	·53			·05	·60	·08	·28		·05	·09	4
5	·22	·40	·53		·07				·35		·06	·28	5
6			·10		·10						·03	·24	6
7	·25		·41	·12									7
8	·18		·17	·05									8
9	·05		·06	·19							·13		9
10	·08		·16	·								·25	10
11	·04		·24	·15	·18		·34						11
12	·03		·16			·26						·14	12
13	·08			·48									13
14	·54			·43			·14					·09	14
15	·15			·03								·23	15
16	·18	1·02									·23		16
17		·40				·05					·24		17
18	·05		·59				·18	·22			·14	·02	18
19	·26	·34	1·07			·14	1·05	·63	·19		·24	·06	19
20		·07	·22			·39		·19				·24	20
21		·48					·09		·04				21
22		·17					·15		·13			·20	22
23										·73	·11		23
24										1·21	·20	·78	24
25	·14					·12		·46				·07	25
26	·24		·16					·10	·04			·49	26
27				·54				·95	·22				27
28			·34					·32			·44	·45	28
29												·07	29
30		X		·22		·23		·22			·24	·46	30
31		X		X		X			X		X		31
Total	4·09	3·07	~~4·00~~ 5·00	2·21	·84	1·24	2·66	3·17	1·81	2·16	2·38	5·96	YEAR'S TOTAL ~~33·59~~ 34·89
Rain Days.	18	8	16	9	6	7	8	9	9	3	14	20	~~127~~
	~~2·67~~	~~1·33~~	~~1·08~~	~~2·78~~	~~2·04~~	~~1·12~~	~~5·24~~	~~2·56~~	~~3·09~~	~~1·62~~	~~2·49~~	~~3·58~~	~~34·[illegible]~~

W. 8,000, IX. 17.

max daily fall 1·21 in on Oct 24

(~~[illegible] 130~~)

ex + gs:

1779

15 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Crossways, Monkton Combe, Bath
in the County of Somerset
by Maurice J. Lipscomb.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Monkton Combe.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·31	·40		·32	·04		·23	·21	·32	1
2				·09			·20	·25	·09	·12		·10	2
3	·09			·15	·03		·31			·45			3
4			·10				·05	·40		·12			4
5			·06	·06	·14		·55			·33			5
6			·32		·27		·12			·06			6
7							·11						7
8			·02	·55	·07		·47						8
9	·62	·26	·05	·42		·14	·02						9
10	1·13	·23		·06		·25	·73						10
11	·15		·26	·62	·33		·11						11
12	·23	·07		·18		·82	·05				·15		12
13	·10	·10	·46	·10						·40			13
14			·37	·43							·40		14
15		·20	·06	·33		·08	·08		·12	·41			15
16				·15		·14	·15		·07	·18	·43		16
17	·08			·17	·23	·91	·02		·39				17
18	·12			·04	·06			·31	·06				18
19		·19		·30	·06	·22							19
20		·10		·20		·32						·35	20
21							·20		·02				21
22				·09			·05	·09				·41	22
23							1·00					·38	23
24			·23	·04			·04			·08	·08	·13	24
25		·12	·09				·35						25
26	·33		·18			·02	·04				·04	·08	26
27	·30	·05		·19		·53	·05					·29	27
28	1·11		·08	·10	·22		·03						28
29	·19		·19	·04	·04		·15				·12	·29	29
30	·05	✕		·08		·19	·20		·45		·35	·26	30
31	·23	✕	·27	✕		✕	·02		✕	·40	✕	·14	31
TOTAL	4·73	1·32	2·74	4·70	1·85	3·62	5·42	1·09	1·20	2·70	1·78	2·75	YEAR'S TOTAL 33·90
Days with ·01 in. or more	14	9	15	23	11	11	26	5	7	10	8	11	150

(44,283). Wt. 21958—218. 7500. 10/19. Gp. 132. A.&E.W.

14 9 17 23 10 10 22 5 6 10 8 11 142

~~4·09~~ ~~3·07~~ ~~5·00~~ ~~2·21~~ ~~·84~~ ~~1·24~~ ~~2·66~~ ~~3·17~~ ~~1·81~~ ~~2·16~~ ~~2·38~~ ~~5·96~~ ~~34·59~~

~~wet day~~ 12).

MONTACUTE
ODCOMBE
RECTORY
SOMERSET
1911 - 1916

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

RE 1911

Kept at Odcombe Re

in the County of Some

by Rev Hubert Cornis

of top in.
top above Ground ft. in.
„ „ Sea Level ft.
n
tation { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01							.04				.02	1
2				.23	.24			.19		.10	.19	.06	2
3			.02		.22				.01		.08	.08	3
4			.10								.17	.40	4
5	.10		.08	01				.40		.08	.11		5
6	.25		.15					.03		.05	.08	.90	6
7	.06									01	.42		7
8	.06		.15								.02	.80	8
9	.10		.02								.12	.93	9
10	.03	.03	.26		.53						.01	.10	10
11	.31				.02						.68	.06	11
12			.72					.20	.04	.01	.08	.44	12
13									.23		.01	.44	13
14		.02	.01							.02		1.07	14
15		.02	01			.08					.32	.01	15
16						.34					.52	.68	16
17		.02				.15					.12	.88	17
18		.18		.20		.31				.04	.05	.61	18
19		.04		.03		.25			.26	.16	.16	.46	19
20		.08	.56	.03		.02			.18	.08		.50	20
21		.15		.02		.01			.09	.46		.09	21
22		.03		.03					.06	.30		.40	22
23	.30	.10				.18			.08	.20	.03	.30	23
24		.05				.44		.07		.42		.13	24
25	.01	.03		.08		18		07	.06	.12		.18	25
26		.03		.20				.03		.15		.20	26
27		.33	.10	06	.28			.15	.10	.25	.06	.15	27
28		.32		.35				.14					28
29				.95		.15	.09	.01	.06	.16	.06		29
30						.05		.02		.22	.12	.02	30
31										02			31
Total	1.23	1.43	2.18	2.19	1.29	2.16	.09	1.35	1.17	2.85	3.41	9.91	TOTAL for Year 2926
No. of Rain Days.	10	15	17	12	5	12	1	12	11	19	21	26	161

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at Odcombe Rec Montacute

in the County of Somerset

by Rev Hubert Cornish (H a Boys)

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01							.04				.02	1
2				.23	.24			.19		.10	.19	.06	2
3			.02		.22				.01		.08	.08	3
4			.10								.17	.40	4
5	.10		.08	01				.40		.08	.11		5
6	.25		.15					.03		.05	.08	.90	6
7	.06									01	.42		7
8	.06		.15								.02	.80	8
9	.10		.02								.12	.93	9
10	.03	.03	.26		.53			–			.01	.10	10
11	.31				.02			–			.68	.06	11
12			.72					.20	.04	.01	.08	.44	12
13									.23		.01	.44	13
14		.02	.01							.02		1.07	14
15		.02	01			.08					.32	.01	15
16						.34					.52	.68	16
17		.02				.15					.12	.88	17
18		.18		.20		.31				.04	.05	.61	18
19		.04		.03		.25			.26	.16	.16	.46	19
20		.08	.56	.03		.02			.18	.08		.50	20
21		.15		.02		.01			.09	.46		.09	21
22		.03		.03					.06	.30		.40	22
23	.30	.10				.18			.08	.20	.03	.30	23
24		.05				.44		.07		.42		.13	24
25	.01	.03		.08		.18		07	.06	.12		.18	25
26		.03		.20				.03		.15		.20	26
27		.33	.10	06	.28			.15	.10	.25	.06	.15	27
28		.32		.35				.14					28
29				.95		.15	.09	.01	.06	.16	.06		29
30						.05		.02		.22	.12	.02	30
31										02			31
Total	1.23	1.43	2.18	2.19	1.29	2.16	.09	1.35	1.17	2.85	3.41	9.91	TOTAL for year 2926
No. of Rain Days.	10	15	17	12	5	12	1	12	11	19	21	26	161

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

13 MAY 1913

Kept at Odcombe Rectory Montacute
in the County of Somerset 3
by Rev. H. Cornish Rev. H. A. Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.12		.04	.46	.01	.34	.05	.90		.40	1
2			.54	.02			.24	.01		.01		.01	2
3	.01		.15			.07	.15	.82	.02		.05	.05	3
4	.15		.99		.02	18			.01		.46		4
5	.50	.20	.08			09	.02	.66				.30	5
6	.28	.03				05 1.98	.40	.76				.10	6
7	.05	.61	.31			1.00	.30	.23				.26	7
8	23	.18	.90	.02		.63	.02	.25				.02	8
9	.03	.03	.17	.04		.05	.04	.10				.30	9
10	.08	.13	02				.01				.03	.25	10
11	.05	.40		.08			.01	.08				.50	11
12	.01	.59	.08		1.12		.05	.14				.01	12
13	.08					.01	.01	.05				.01	13
14	.01	.02	.42			.05						.32	14
15	.18	.08	.02	.02		.66		.03					15
16	40	.01	.30					.08		.06	.08	.03	16
17	94		.15			.05		.95				.05	17
18	1.08	.03	.36					.36			.03	.05	18
19		.02	.15			.06	.12	.10			.03	.02	19
20	.12	.03	.33				.07	.28		.33			20
21	.01	.18	.15		55			.12		.08			21
22	.45	.25	.08		.66	.02	.01	.10		.12		.03	22
23	.20	.45	.10			.08		.50		.10	.08	.44	23
24	08	.04	.02			.30		.10					24
25	.12	03	.01			.03	.02	.33		20	.30	.61	25
26		.04	.01			.02	.07	.10		.50	.63	.26	26
27			.02			.22	.77			1.25	.05	.25	27
28		.09				.10	.07	.43	.27	.62	.55	.71	28
29		.30	.02			.01	.12	.21	.60	.61		.03	29
30			.01		04	.31	.07	.01	.30	.22	.05		30
31			.37				.32					.09	31
Total	5.06	3.44	5.88	.18	1.88	4.48	2.90	7.14	1.25	5.00	2.34	5.10	YEAR'S TOTAL 44.65
Rain Days.	22	22	27	5	(13)	(22) ~~20~~	22	26	6	13	12	27	217

See Return

W. 7,500, XI. 12

Cor. for aith. 8.IV.14.

FORM A. BRITISH RAINFALL.
8 APR 1914

REGISTER OF RAINFALL IN 1913.

From
Mid. Wessex.
W. M.

Kept at Odcombe Rectory,

in the County of Somerset. 3

by Rev. H. Cornish
Rev. H. A. Boys.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·38	·15	·15		-	-	-	·19		·20	·02	1
2	·04	·10	-	·15	·24	-	·08	-	·03	·12	·16	·02	2
3	·42	-	·03	-	·24	-	-	-	·51	·03	-	·18	3
4	·95	-	·03	-	·40		-	-	·04	·12	·08	·30	4
5	-	·02	-	-	-	·53	-	-	·43	·06	·08	·28	5
6	·10	·10	·15	-		-	·30	-	-	1·60	·07	·40	6
7	·04	·40	·02	-		-	·15	-	-	·38	·29	-	7
8	-	·10	-	-	1·02	-	-	·12	-	·03	-	-	8
9	-	·04	-	·07	·04	-	·15	·30	·05	-	·24	·04	9
10	·45	·02	-	-	·03	-	-	·06	-	·20	·30	-	10
11	·56	·02	-	·15	·16	·06	-	-	-	·18	·72	-	11
12	-	-	·07	-	·28	-	-	-	·01	·02		-	12
13	·06	-	-	-	-	-	-	·06	·53	-	·53	-	13
14	·30	-	·08	·07	-	-	-	-	·33	-		-	14
15	·19	·03	·18	·70	-	-	-	·08	·26	-	·02	-	15
16	·17	-	·32	·02	-	·07	-	-	-	-	-	-	16
17	·02	-	·07	·01	-	-	·07	-	·02	-	-	-	17
18	·10	-	·30	·05	-	-	·07	-	-	-	·08	-	18
19	·75	-	·15	-	-	·07	-	-	·40	·05	-	-	19
20	·05	-	·12	·11	·08	-	-	-	-	·08	·06	-	20
21	-	-	·30	·18	-	-	-	-	-	·06	·80	-	21
22	·58	-	·25	·09	-	·08	-	·08		-	-	-	22
23	·02	-	·05	-	-	-	·05	-	·20	-	·08	·88	23
24	·02	·01	·07	·03	-	-	-	-	-	-	-	-	24
25	-	·08	-	·24	-	-	-	-	-	·07	-	·05	25
26	-	-	-	·81	-	-	-	·26	-	-	-	·18	26
27	·08	-	·23	·66	-	-	-	·03	-	·05	-	·05	27
28	·11	-	·03		-	-	-	-	-	·36	-	·04	28
29	·11		·66	·75	-	-	-	·14	-	·50	-	-	29
30	·44		-	-	-	-	-	·02	-	·62	·02	-	30
31	·15		·02		-			1·12		·08		-	31
Total	5·71	1·30	3·10	4·12	2·49	·75	·75	2·27	3·00	4·55	3·73	2·44	YEAR'S TOTAL ~~34·19~~ 34·21
Rain Days.	23	12	21	18	12	7	7	11	14	20	18	12	~~144~~

·75

W.7,000, XI. 13

From Mid-Wessex Association.

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
23 [illegible] 1915

Kept at Odcombe Rectory, Montacute

in the County of Somerset. 3

by Rev H. Cornish

Rev H A Boys

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·03	–	–	–	·26	·38	–	–	·20	·05	1
2	–	–	–	·03		–	·65	–	–	–	1·65	·50	2
3	–	–	–	·07		–		·03	–	–	·03	·50	3
4	·17	–	·23	·18		–		·60	–	–	·51	·20	4
5	·03	– * (·20)?		·25	1·02	–		–	–	–	·02	·05	5
6	·02	1·32	+	·10		·02		·02	–	–	·06	·48	6
7	–	(1·12)?	·10	·10		·02		·06	·06	–	–	·25	7
8	·04	–	S ·15 (?)	·14		·24		·10	–	–	·03		8
9	–	–	S 1·07	·20	–	·88		·18	·70	–	–	–	9
10	–	·58	·03	·08		–	1·04	–	·33	–	– (?)	–	10
11	–	·08	·30	·02		·22		–	–	–	– (?)	·56	11
12	–	·30	–	–	·10	–		–	·20	–		·53	12
13	–	·34	·50	–		–		–	–	–	·62	·63	13
14	–	·25	·39	–		? 1" missing ·90		·81	·20			–	14
15	–	–	·09	–		–		·33	·02	·60	·06	–	15
16	–	–	·01	–	–	–		–	·22		–	·06	16
17	–	·48	·18	–	–	–		·02	–	–	–	·78	17
18	–	·03	–	–	–	–		–	–	–	–	·30	18
19	–	·03	S ·62	–	–	–		–	·10	–	–	–	19
20	–	·58	·08	–	–	–	1·20	–	–	–	–	·51	20
21	–	·60	·01	–	–	·75		–	–		–	–	21
22	–	·03	·03	–	·08	·10	·20	–	–		–	–	22
23	–	·12	·16	–	·04	–		–	–	1·06	–	–	23
24	–	·02	·02	–	·22	–		–	–		– (·05)	–	24
25	·13	–	·32	–	–	–	·28	·30	–	·28	·05 (·38)	·46	25
26	–	Fog. ·01	·10	–	–	–	·25	·17	–	·03	·38	·64	26
27	·18	Fog. ·01	–	–	–	–	·	–	–	·02	·33	·23	27
28	·02	·09	·32	–	·02	–	–	–	–	·07	·70	1·02	28
29	·15		·12	–	·22	–	·12	–	–	·25		·03	29
30	·02		·08	–	–	·10	–	–	–	·22	·35	1·09	30
31	·10		–		·03	–	·13	–		·66		·60?	31
Total	·86	4·87	4·94	1·17	1·73	3·23	4·13	3·00	1·83	3·19	4·99	9·47	TOTAL for year 43·41
No. of Rain Days	10	18	24	10	12? (16)?	9	? (20)	12	8	11 (14)	17 (18)	22	[illegible]

* Adjustments in red ink by Mr Boys.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterloo and Sons Limited, Printers, London Wall, London.

Price 2d.

from originals returned.

2163

FORM A.
BRITISH RAINFALL.
10. MAY 1916

REGISTER OF RAINFALL IN 1915

esq 93

Kept at Odcombe Rectory

in the County of Somerset.

by Rev. H. Cornish
per Rev. H. A. Boys.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	(.48)	·12			·02			·27	·14	·30		·60	1
2	·60	·15	·05		·02			·23		·15			2
3	·02	·30	·09	·15	·22		·09					·40	3
4	·06	·02				·04						·20	4
5	·69	1·06					2·26	·20				·42	5
6		·06		·42				·03				·18	6
7	·20	·38		·05								·45	7
8	·08	·48						·15				·60	8
9		·02		·02				·01			·34		9
10	·23	·05	·04					·01		·04		·08	10
11		·08	·02	·22	·02			·08		·12	·76		11
12	·25	·62		·16	·60			·20			·40		12
13		·45			·82			·52	·11		·12		13
14	·02	·08						·10	·08			·96	14
15	·10				·23					·06	·10	·44	15
16		1·40			·26								16
17		·71			·38			·03					17
18		·20											18
19		·05			·10								19
20	·13			·24								·38	20
21	·15	·10				·05				·43			21
22	·12	·02	·36	·03					·02			·28	22
23		·03	·03				·05		·05	2·32		·84	23
24			·02	·06			·04		·42				24
25				·02		·40	·50					·10	25
26		·12				·05	·15					·80	26
27		·05				·75	·48			·55		·15	27
28		·07				·10			·68	·15			28
29		×				·62	·30	·02		·66	·08	·53	29
30	·05	×				·18	·02				·50		30
31		×		×		×	·08		×	·64	×	·20	31
Total	3·18	6·62	·61	1·37	2·67	2·19	3·97	1·85	1·50	5·42	2·30	7·61	YEAR'S TOTAL 39·29
Rain Days.	(18)	24	7	10	10	8	(18)	13	(8)	(15)	7	(26)	(164)

W. 8,000. X. 15.

from Mid Wessex M E J R

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2101

Kept at Montacute Odcombe Rectory

in the County of Somersetshire

by Rev H A Boys Rev H Cornish

Lat. ……… Long. ………

Time of Observation ………

Nearest Railway Station ………

Diameter of Funnel of Rain Gauge ……… in.

Height of top of Gauge above Ground ……… ft. ……… in.

" " " " Sea Level ……… ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24					.05	.04		.25	.25	.40		1
2					1.97		.03			.20	.28		2
3	.30	1.83							.03	.66	1.10		3
4		.15				.15			.10	.07			4
5	.04		.04			.07				.04	.31		5
6	.04	.17	.15			.05	.15			.12	.98		6
7		.05	.15			.07	.80			.06	.84		7
8		.04				.04					15		8
9		.08				.19	.15			.08			9
10	.04	.66								.15			10
11									.02				11
12		.02	.08	.25						.04			12
13			.12					.05					13
14	.02	.73	.20					.56					14
15		.02	.02							.04			15
16	.23	.09	.02	.20				1.19	.05	.04			16
17		.17		.12				.32	45	.60	20		17
18	.03	.04	.05	.04				.02					18
19	.17		.68	.04									19
20	.05	.18	.07										20
21	04	.10	.49										21
22		.02			1.12	.03	.03			.62			22
23		.20		.02		.12		.32		.06			23
24				05		.08		.55		.94			24
25		.76	.05						.02				25
26			.09			.20		.66	1.02	1.22			26
27			1.12						.22				27
28		.25	1.14 .02					.20	.60	.60			28
29		.38	.08			.20		2.88		.43			29
30		✕	.02						.22	.42			30
31		✕		✕		✕		.05	✕	.60	✕		31
Total	1.20	5.94	3.45	.72	3.09	1.25	1.20	6.80	2.98	7.24	mp		YEAR'S TOTAL
Rain Days.	12	24	18	8		12	9	14	13	23			

W. 8,000, VIII. 16

NORTH CADBURY

SOMERSET
1911 - 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

9 11

Kept at North Cadb
egretti + Zambra 1868.

op 8 in.

in the County of S
bove Ground 1 ft. in.

„ Sea Level 256 ft.

by Rev. H. A.
9 a.m.

on Name Sparkford G.W.R
Distance 2½ Direction W.S.W

IMPORTANT N and the result entered to the previous day. If an universal rule, he is earnestly requested to add the year in the space provided for it at the end of urement of rain, the selection and p British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04		·02	·04	..			·03			·01	·02	1
2	·01		·01	·31	·27			·12	..	·04	·18	·13	2
3			·01	..	·18			..	·01		·04	·04	3
4	·01	..	·18	·01		..			·01	·02	·16	·41	4
5	·03		·02	·02	..			·56		·06	·17	..	5
6	·17		·12	..				..		·04	·01	·65	6
7	·03	..	·01	·01							·34	·01	7
8	·04	..	·22						..		·02	·60	8
9	·23		·06					·01			·05	·47	9
10	·09	·04	·16		·37						·02	·25	10
11	·36	·04	·01		·01						·50	·17	11
12			·94		·01			·03	..		·09	·35	12
13									·22	·48	·01	·39	13
14		·09	..							·01	·01	·98 }	14
15		·07	·04			·07					·27	·14 }	15
16						·27					·43	·38	16
17		·05	·01			·09					·12	·48	17
18		·22	·07	·10	..	·19				·02	·06	·40	18
19		·17		·05		·13	..		·11	·13	·05	·44	19
20	·03	·03	·14	·05		..		..	·48	·04		·65	20
21	·01	·27	·03	·07		..		·90	·09	·50		·22	21
22	·11	·01	·14	·02		..			·02	·33		·49	22
23	·01	·05	·11	·01		·16			·10	·10	·03	·10	23
24		·16			..	·75		·03		·50		·18	24
25		·08	·01	·16		·10		·27	·03	·08		·14	25
26		·08		·27	·08	..		·01		·10	·01	·34	26
27		·31	·11	·09				·13	·13	·03	·01	·20	27
28		·31		·27				·13			·04		28
29				·79		·22	·05		·17	·36			29
30					·05	·10	..	·02		·15	·08	·02	30
31										·09		..	31
Total	1·17	1·98	2·42	2·27	·97	2·08	·05	2·24	1·37	3·08	2·71	8·65	TOTAL for year 28·99
No. of Rain Days	14	16	21	16	7	10	1	12	11	19	24	27	178

911

egretti + Zambra 1868.

FORM A2.
BRITISH RAINFALL.

3 JAN 1912

Kept at North Cadbury Rectory

in the County of Somerset 3 Red = snow

by Rev. H. A. Boys.

RAIN GAUGE
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 256 ft.

Time of Observation 9 . a . m

Nearest Railway Station
Name Sparkford G. W. R
Distance 2½ Direction W S W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04		.02	.04	..			.03			.01	.02	1
2	.01		.01	.31	.27			.12	..	.04	.18	.13	2
3			.01	..	.18			..	.01		.04	.04	3
4	.01	..	.18	.01		..			.01	.02	.16	.41	4
5	.03		.02	.02	..			.56		.06	.17	..	5
6	.17		.12	..				..		.04	.01	.65	6
7	.03	..	.01	.01							.34	.01	7
8	.04	..	.22						..		.02	.60	8
9	.23		.06					.01			.05	.47	9
10	.09	.04	.16		.37						.02	.25	10
11	.36	.04	.01		.01						.50	.17	11
12			.94		.01			.03	..		.09	.35	12
13									.22	.48	.01	.39	13
14		.09	..							.01	.01	.98	14
15		.07	.04			.07					.27	.14	15
16						.27					.43	.38	16
17		.05	.01			.09					.12	.48	17
18		.22	.07	.10	..	.19				.02	.06	.40	18
19		.17		.05		.13	..		.11	.13	.05	.44	19
20	.03	.03	.14	.05		..		..	.48	.04		.65	20
21	.01	.27	.03	.07		..		.90	.09	.50		.22	21
22	.11	.01	.14	.02		..			.02	.33		.49	22
23	.01	.05	.11	.01		.16			.10	.10	.03	.10	23
24		.16			..	.75		.03		.50		.18	24
25		.08	.01	.16		.10		.27	.03	.08		.14	25
26		.08		.27	.08	..		.01		.10	.01	.34	26
27		.31	.11	.09				.13	.13	.03	.01	.20	27
28		.31		.27				.13			.04		28
29				.79		.22	.05		.17	.36			29
30					.05	.10	..	.02		.15	.08	.02	30
31										.09		..	31
Total	1.17	1.98	2.42	2.27	.97	2.08	.05	2.24	1.37	3.08	2.71	8.65	TOTAL for year 28.99
No. of Rain Days	14	16	21	16	7	10	1	12	11	19	24	27	178

9,000, IX. '10.

S made

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
2 JAN 1913

Kept at North Cadbury Rectory

in the County of Somerset 3

by Rev. H. A. Boys F. R. Met. S

Lat. 51° 2′ 31″ Long. 2° 31′ 15″ W.
Time of Observation 9 a.m
Nearest Railway Station Sparkford G.W.R
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·12		·02	·54	·03	·01	·07	·64		·44	1
2		·02	·39	·03	··	·18	·22	·08		·01	·02	·01	2
3	01	··	·18			·33	·15	·56	·02		·03	·06	3
4	·29	··	·63		07	·23		·01			·34		4
5	·42	·07	·18		··	03		·37	··		·01	·11	5
6	·57	·10			·11	·01	·69	·70				·12	6
7	·01	·34	·23	··	·28	·68		·11			··	·09	7
8	·35	·18	·56	·02		·37	·20	·09	··			·02	8
9	·01	·02	·24	·08		·01	·04	·09	··		·01	·55	9
10	·01	·11					··	·03			·02	·26	10
11	·12	·12	·05				··	·03			·01	·31	11
12	·02	·42	·11	·04	·01	·01	·03	·05			··	··	12
13		·01	·01	··			··	·38			·01	·03	13
14	·14	·01	·38		·06			·15		·01		·01	14
15	12	·07	·08	··	·30	·71		·02			··	·38	15
16	·76}	·01	·15		·09	·01		·05		·09	·07	·06	16
17	{·48} {·52}		·08		·01	·12		·56			·01	·03	17
18	·16}	·01	·35					·44		·02	·03	·16	18
19	·02	·08	·13			·12	·10	·10			·05	·02	19
20	·02	·03	·28		·16	·01	·01	·31		·33	·01		20
21	·01	·14	·15		·26		··	·27		·28			21
22	·34	·14	·05		·20		·07	·31		·08		·02	22
23	·16	·51	·21		·01		··	·89}		·06	·16	·29	23
24	·07	·02	·01			·21		·14}	··	·01		·18	24
25	·06	·01				·05		·44		·15	·26	·58	25
26		·02	··				·15	·04		·29	·41	·21	26
27		··				·11	·70			·66	·02	·32	27
28		·04				·11	·02	·21	·08	·53	·53	·49	28
29		·06	·03				·12	·20	·72	·52	02	·01	29
30			··		·05	·59	·12	··	·25	·20	··		30
31			·51		·03		·36	02		·03		·02	31
Total	4·67	2·54	5·11	·17	1·66	4·43	3·01	6·66	1·14	3·91	2·02	4·78	YEAR'S TOTAL 40·10
Rain Days.	22	24	24	4	15	20	16	29	5	17	19	26	221

W. 7,500, XI. ·12

Red = Snow or Sleet

red = snow. If snow with rain also [illegible] figure to left shews which predominated.

FORM A. BRITISH RAINFALL. 14 JAN 1914

REGISTER OF RAINFALL IN 19

Kept at North Cadbury Rectory

in the County of Somerset

by Rev. H. A. Boys. F. R. Met S

3

Lat. 51° 2′ 31″ N Long. 2° 31′ 15″ W

Time of Observation 9 a.m

Nearest Railway Station Sparkford 2½ m.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·34	·07	·07	12	·07			·27	··	·14	·38	1
2	·10	·08	·01	·12	·08		05		·04	·01	·12	··	2
3	·11	··	·04	·05	·41				·01	··		·17	3
4	·74		·02	··	·50	··	··		·61	·08	·04	·12	4
5	·03	·03			·13	·18	·01		·32		·03	·08	5
6	·02	·04	·06		·19	·23	·70			·87	·06	·53	6
7	·01	·17	·06	··	·25	·01	·06			·47	·14	··	7
8	·01	·03		··	·29	·01	·01			·04		··	8
9		·02		··	·07	·10	·25	·45	·01	··	·17	··	9
10	·25	·01	·03	·01	·07		··	·03		·20	·17		10
11	·65	f. 02	h fr ·01	·29	·09	·01				·04	·22		11
12		f ·02	f ·01	··	·42			··	·01	·05	·33	·02	12
13	·08	f ·01	·01			·01		·04	·50	·01	·26		13
14	·22	f ·01	·15	·01			··		·33	·01	·37	··	14
15	·23	·05	·23	·31			·10	·01	·21		·05	··	15
16	·35		·47	·06		·01	·01	··	·14		··		16
17	·02	·01	·03	·07			·01				·02		17
18	·10		·16	·09	·04	··	·01		··		·04		18
19	·67		·05		·01	62	·01		·48		··	·02	19
20	·06		·10	·08					··	·19	·16		20
21			·10	·21	·09		·05			·05	·57	·01	21
22	·77	h.fr. ·01	·28		··	·07	··	05	·23	·01	·02	·01	22
23	·01		h ·03			·03		·02	··		·03	·61	23
24	·04	·02	··					·03			·04		24
25		·13		·10					··	··	·01	·07	25
26		·03		·45				·27	··		··	·31	26
27	·02		·23	·13				··		·10	··	03	27
28	·10		·05	·32						·20	··	·06	28
29	·08		·45	·35	·03			·12		·36	01	·01	29
30	·39			·04	··				··	·38	07		30
31	·15		01				··	·64		02			31
Total	5·22	1·03	2·66	2·76	2·79	1·35	1·27	1·66	3·16	3·09	3·07	2·43	YEAR'S TOTAL 30·49
Rain Days.	26	18	24	18	16	12	12	10	13	18	23	15	205

W.7,000, XI. 13

82

2/25

23 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at North Cadbury Rectory
in the County of Somersetshire 3
by Rev. H. A. Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·02			·01	·10	·40			·17	·04	1
2				·02	·02		·72	·08			·85	·42	2
3	·02		·14	·12	·33	·01	·04	·38		·02	·15	·05	3
4	·11	—	·04	·11	·04		·13	·26			·58	·39	4
5	·10		·28	·41	·20		·10	·02			·06	·07	5
6	·01	·19	·04	·15	·01	·01	·45	·01			·07	·31	6
7		·50	·05	·10	·50	·01	·29	·06	·03		·01	·21	7
8	·04	·02	·91	·02	·20	·15	·02	·10	·01			·03	8
9	·02		·44	·20	·05	1·09		·17	·87				9
10	·04	·26	·04	·04	·09				·37		·02	·01	10
11		·13	·46		·17	·28	·11		·29		·02	·44	11
12		·13	·12						·32			·46	12
13		·23	·20						·12	·20	·30	·62	13
14		·11	·26			·22	·03	·46	·01	·15	·24	·07	14
15		·04	·13				·18	·38	·03	·02	·08	·01	15
16			·01				·07		·08		·01		16
17		·26	·34				·02		·01			·30	17
18		·04	·03				·39					·50	18
19		·07	·73				1·21		·01		·07	·20	19
20		·32	·16									·34	20
21		·72	·01			·19		·07		·16		·04	21
22		·02			·17	·19		·03		·31		—	22
23		·11	·22		·05	·06				·13		·01	23
24		·04	·05		·14		·18			·30	·08	·07	24
25	·07		·40				·33	·18		·22	·03	·27	25
26		·03	·01				·22	·04	·01	·04	·18	·54	26
27	·17						·01			·07	·15	·10	27
28		·05	·15		·01		·15			·05	·18	·98	28
29	·13		·06		·13			·01		·22	·22	·03	29
30			·04					·01		·17	·23	1·00	30
31	·04						·05			·65		·16	31
Total	·75	3·27	5·34	1·17	2·11	2·22	4·80	2·66	2·16	2·71	3·70	7·67	YEAR'S TOTAL 38·56
Rain Days.	11	19	27	9	15	11	21	17	13	15	21	28	207

W.7,000, XI. 13

[illegible]

2183

FORM A.
BRITISH RAINFALL.
5 JAN 1916

REGISTER OF RAINFALL IN 1915

3

Kept at North Cadbury Rectory

in the County of Somerset

by Rev H. A. Boys.

Lat. 51.. 2.. 31 N Long. 2.. 31.. 15 W
Time of Observation 9 a.m
Nearest Railway Station Sparkford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 256 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·78	·18		··	·04			·28	·21	·26	·01	·12	1
2	·43	·20	·26	·08		·07		·58	·07	·08		·57	2
3	·10	·06	·12	·15	·14	··	·01	·01				·47	3
4	·01	·02	··		·03			··				·17	4
5	·13	·62	··	·10	·01		··	·11				·30	5
6	·60	·09		·28			·65	·07				·10	6
7	·27	·39		·07	·01		·17	··		·01	·01	·32	7
8	·22	·39		··				·11			·03	·02	8
9	·02	·01		·17				·02	·09		·42	·48	9
10	·25	·09	·03	·04			··	·09	·11	·02		·06	10
11	·05	·01	·13	·03	·01			·87	·01	··	·68	·12	11
12	·20	·56		·15	·53			·16	··	·07	·30	·01	12
13	·03	·49			·55		··	·01			·16	·01	13
14	·02	·08					·16	·17		·01		·52	14
15	·10				·18		·04	·05		·09	·15	·17	15
16	··	·53		··	·44		·57	·27				·17	16
17		·40			·38		·01	·63		✗ 01		✗ ·02	17
18		·30	·01		·13			✗ ·01		✗ ··			18
19		·03			·06		·20						19
20	·25			·14						··		·10	20
21	·08	·02				·01	·04		··	·29		·27	21
22	·06	·20	·46	·03		·05	·63		·03	01		·20	22
23		·02	·10				·30		·17	1·34		·32	23
24			··	·05			·04		·34	1·02		·42	24
25			·01	·01		·17	1·13		1·22			·28	25
26		·03				·14	·16		··			·56	26
27		·04	··			·15	·65		··	·41		·01	27
28		·11				·12	·01	·03	·58	·05	··	·01	28
29		X	··			·48	·31	·01	·09		·12	·06	29
30	·08	X		·02		·08				71	·44	·23	30
31	·03	X		X		X	·06		X	88	X	·25	31
Total	3·71	4·87	1·12	1·32	2·51	1·27	5·14	3·48	2·92	5·26	2·32	6·34	YEAR'S TOTAL 40·26
Rain Days.	20	24	8	14	13	9	18	18	11	16	10	29	190

W. 8,000. X. 15.

2093

North Cadbury Rectory . Somerset . April 11. 1916

Crewkerne Som

Ansd. 14.IV.16

Dear Dr Mill

Your printed p.c has reached me this morning. It is the post which is in fault. I sent off my monthly return on April 3 or 4. Certainly not later than 4th.

However I have copied out my return again & enclose it with an added note re snow on Mendips up to date.

And I send also my Return for the whole district, from which the important Cranmore figures are still missing.

How would you deal with the following case? :—

Miss Sparks of Crewkerne puts down .61 for March 23.

On that day a large majority of observers had NIL. A few had .01. I feel sure that she really had .01. but referred question back to her. She repeats .61 is right.

With some observers that would be conclusive, & I shd. assume heavy local rain. But the good lady is loose with her figures; and probably it was a gardener's careless writing in first instance, behind which we cannot easily get.

Yours

H. A. Boys.

North Cadbury Rectory. Somerset. but this is written from
Wotton-under-Edge - Gloucestershire - May 12.

Dear Dr Mill

Here am I weatherbound with my son at a little Inn in this pretty little old Town; but I am provided with occupation, partly in the way of Weather Reports.

And I enclose you ~~the~~ Mid-Wessex figures for April, all except my own figures, which you have already got. and I have not got here.

I came away under much pressure, and left behind me many papers that I had intended to bring.

But you will be sorry to hear that the Editor of the Western Gazette has decided to discontinue printing the Mid Wessex returns. For lack of paper he has to cut down his Gazette to 4 pages, and for the present cannot find room for my reports. I do not know yet whether he will go on printing for me gratis the slips which have hitherto been REprints, of which I enclose you the latest.

It is a pity: but the W. Gaz. has been good in doing an immense lot of printing for us gratis, & I cannot complain now. He has to consider the populace, and it is the select few that appreciate my reports!!

Crewkerne with C

On her April return Miss Sparks writes that on further enquiry she had found that I was right, & she wrong about the figure for March 23. It was ·01 and not ·61. Happily I had in my Reprint assumed that ·01 was the truth, and given 4·80 {not 5·40} for her March Total. Even so her total is rather suspiciously high.

I am grieved in my mind not about early rising, which I have both preached & practised consistently, but at the putting the clocks wrong! Are we come to this - that what we won't do for health's sake, for economy or for patriotism, we will do for a self-deception that will deceive no one!

It will terribly confuse the minds of the multitudes, sufficiently confused already, as to the nature of time. It is not good to encourage the masses to think that clocks are within the jurisdiction of a British Parliament!! Some day I suppose the clocks will be the same the whole world round, & on every degree of Longitude people will adjust their ideas about light & darkness accordingly; but it will want more than an English Parliament to effect this. Perhaps the Kaiser may accomplish it, and England may be adopting the time of Mid-Prussia now as an earnest of universal Prussian domination!

Can't you do something to rub in the antithesis between "True" and "Prussian" time? The cocks at any rate will refuse to crow by "Prussian time"! Cows may refuse to be milked by it! and meteorologists will be bound to disregard it.

I left home on May 10th, hoping that weather was going to settle into decency, but 11th brought a relapse & 12th is worse. & I have not much time available for holiday

Yours v. sincerely H. A. Boys

8L

2/25

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

Kept at North Cadbury Rectory
in the County of Somersetshire
by Rev. H. A. Boys

Lat. ______ Long. ______
Time of Observation ______
Nearest Railway Station ______
Diameter of Funnel of Rain Gauge ______ in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	12		·01		·36	·02	·01		·19	·21	·72		1
2	·20	·07	·01		·02				·02	·32	·07		2
3	·02	1·12			·08	·01			·35	·45	·32		3
4	·22	·17			·08	·23			·25	·05	·72		4
5	·11		·03	·01	·18	·30				·04	·49		5
6	·01	·17	·04		·07	·03	·43			·07	·63		6
7	·03	·04	·30		·11	·01	·25			·02	·45	·22	7
8		·18	·05		·14	·01					·22	·10	8
9		·01			·08	·23	·01			·19	·20	·12	9
10		·50	–	·11	·05		·13			·01		·25	10
11	·01		·05	·19		·06			·01		·01		11
12	·10	·02	·04	·12	·10		·04	·01		·10	·02		12
13		·22	·10	·07			·01	·57			·01		13
14	·04	·38	·04	·07	·10			·01		·06			14
15	·01	·08	·10	·04				·49		·03			15
16	·05	·06	·05	·25	·01		·03	·80		·05			16
17	·13	·24	–	·08				·07	·37	·39	·30		17
18	·01	·09	·18	·04					·10	·10	·21	·18	18
19	·05		·54	·06							·20	·06	19
20	·12	·20	·36	·05							·10	1·02	20
21	·04	·17	·17		·06		·06					·44	21
22	·05		·01	·06		·04				·58	·03	·59	22
23	·01	·19	–	·05		·08		·14		·04	·08	·14	23
24		·10	·01	·07	·61	·18		·05		·90	·05	·23	24
25		·56	·10		·04			·45	·01	·02	·24	·01	25
26		·14	·10			·40		·14	·90	·77	·02	·02	26
27		·12	1·08		·03	·02		·60	·53	·36			27
28		·35	·01		·01			·10	·41	·58		·15	28
29		·70	·01			·27		2·65	·52	·33		·22	29
30		×	·01					·01		·47	·01	·01	30
31		×		×		×		·04	×	·08	×	·08	31
Total	1·33	5·88	3·36	1·27	2·13	1·89	·97	6·13	3·66	6·22	5·10	3·84	YEAR'S TOTAL 41·78
Rain Days.	19	24	24	15	18	15	9	15	12	25	22	17	215

W. 8,000. X. 15.

Dl V E. 81 20/2/25

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at North Cadbury Rectory

in the County of Somerset

by H. A. Boys

Lat. Long. —

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·09	·36		·16		1·00	·05		·10		1
2			·01	·10		·07		·06	·03				2
3				·06			·73			·14	·07		3
4		·18	·18			·11	·03	·02		·34			4
5	·24	·01	·30	·17					·19	·15	·06		5
6			·16							·03	·13		6
7	·27						·26	·43		·20	·01	·04	7
8	·28		·12	·13			·29	·57	·09	·31	·18	·08	8
9			·05	·01	·03		·06	·17	·07	·19	·15		9
10	·16		·28	·16				·24	·01				10
11	·07	·01	·50	·30	·02	·01		·08		·13	·03		11
12	·03		·01		·27			·01		·33	·02		12
13			·21	·22		·01		·39	·12	·11		·01	13
14			·23	·06			·11	·03					14
15		·01					1·58	·16		·07		·28	15
16	·01	·18		·06	·02		·27	·03		·35		·18	16
17		·01		·22	·08		·32	·10	·50	·16			17
18		·06				·01	·21		·33		·01		18
19		·42	·07			·05			·11			·01	19
20	·01	·04	·07		·25	·14		·83	·06				20
21			·33							·04			21
22			·02					·10		·02			22
23		·28			·08			·18				·03	23
24		·05	·02			·12	·10	·04		·15	·03		24
25		·11	·02				·02	·03	·05	·02	·01		25
26			·01		·29	·03		·68	·14		·02		26
27					1·29	·10		·72		·04			27
28		·03	·06		·15	3·84		·68				·03	28
29			·14		—	·10	·05		·01	·61		·11	29
30		✕	·18				·26	·04	·01	·06			30
31		✕	·06	✕		✕		·04	✕	·14	✕	·04	31
													YEAR'S TOTAL
Total	1·07	1·40	3·12	1·85	2·48	4·75	4·29	6·63	1·77	3·59	·82	·81	32·58
Rain Days.	8	14	23	12	10	13	14	24	15	21	13	10	177

W. 8,000, VIII. 16

81

11.0

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

23 · 1 19

Kept at North Cadbury Rectory

in the County of Somerset

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·09	·09			·77	·02		·75	·03	1
2		·02		·26				·37	·01	·01	·03	·06	2
3		·05		·07	·18			·49		·06	·04	·01	3
4		·03		·01				·08	·15	·05	·59	·08	4
5			·04	·04	·05			·18	·24	·17	·02	·04	5
6	·19	·15		·14				·16	·10	·07		·11	6
7		·13		·01	·53	·02		·03	·22	·03	·30	·02	7
8	·01	·13							·19	·19	·05	·05	8
9	·01	·10		·20		·21	·51		·31	·12		·25	9
10	·03			·08			·52		·12	·19	·06	·42	10
11			·02	·01			1·13		·15	·32	·12	·06	11
12		·02	·02		·39		·26		·21	·01		·01	12
13	·23	·02			·19		·38		·59	·06		·14	13
14	·08		·05		·01	·13	·03		·10	·10		·18	14
15	1·10			·48	·04		·26		·01	·01		·12	15
16	·49		·08	·15			·02		·22			·11	16
17	·30			·19			·26		·03	·01		·12	17
18	·53					·40	·17		·19	·02		·18	18
19	·13		·10				·13	·04		·01		·14	19
20	·05	·09		·15			·08		·15	·02			20
21	·04	·01				·03	·08		·28	·06		·12	21
22	·03				·15		·64		·16	·02		·30	22
23	·07				·24		·52	·01	·08		·03	·10	23
24		·14				·05	·08		·12		·04		24
25							·14	·74			·02		25
26							·93		·08	·03	·09	·32	26
27		·15	·03					·12	·14	·03	·15	·01	27
28		·06	·11						·02	·01	·14	·09	28
29			·03						1·08		·01	·02	29
30		X	·43					·04	·03	·03	·10	·06	30
31	·01	X	·14	X		X		·07	X	·02	X		31
Total	3·30	1·10	1·05	1·88	1·87	·84	6·14	3·10	5·00	1·65	2·54	3·15	YEAR'S TOTAL 31·62
Rain Days.	16	14	11	14	10	6	18	13	27	25	17	27	198

W. 8,000, VIII. 16

81

1899

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at North Cadbury Rectory

in the County of Somersetshire

by H. A. Boys

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·01	·03	·11	·07		·42		·02	·19		1·13	1
2	·12		·01		·05		·10		·15		·04	·17	2
3	·98		·21		·16				·15		·07	·36	3
4	·30	·27	·66			·07		·09	·26			·04	4
5	·03	·46	·61		·06				·27		·05	·39	5
6	·67	·16	·13									·23	6
7	·29		·29	·12									7
8	·22		·19			·03					·01		8
9	·03		·01	·13							·12		9
10	·22		·06	·03	·01					·06		·21	10
11	·01		·20	·14	·14		·29					·07	11
12	·09		·01	·01		·08	·01			·11	·11	·09	12
13	·02	·02	·02	·49			·09			·05		·02	13
14	·30	·09		·45	·19		·17		·03	·17		·14	14
15	·17	·01		·01						·09	·01	·27	15
16	·02	·48						·25			·20	·01	16
17	·01	·11						·03			·22		17
18	·02		·57	·01			·28	·01			·26	·02	18
19	·40	·19	1·03			·07	·66	·44	·34		·21	·11	19
20	·28	·05	·11			·21		·17				·06	20
21	·01	·49					·45		·05			·09	21
22		·04					·18		·24		·01	·13	22
23			·01					·01		·44	·01	·10	23
24				·02		·67	·02			·82	·07	·36	24
25	·11	·04		·07				·28			·08	·22	25
26	·06	·03	·10	·12		·02		·14	·11			·17	26
27	·12	·04	·02	·40		·01		1·00				·06	27
28	·01		·35					·24			·55	·39	28
29				·02				·17		·07		·02	29
30			·02	·22		·25		·74		·01	·40	·26	30
31	·02		·01				·01					·40	31
Total	4·91	2·49	4·65	2·35	·68	1·41	2·68	3·57	1·62	2·01	2·42	5·52	YEAR'S TOTAL 34·31
Rain Days.	26	16	22	16	7	9	12	13	10	10	17	27	185

W. 6,500, VII. 18. w w c

2/303

812

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at North Cadbury Rectory
in the County of Somersetshire
by H. A. Boys

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07			·15	·31		·24	·06	·10	·05	·43	·54	1
2	·42		·03	·24			·35	·62	·10	·04		·08	2
3	·16	·10		·03	·01		·50		·01	·77		·03	3
4		·01	·03	·14			·10	·27		·16			4
5			·05		·07		·63	·20		·18			5
6			·20	·04	·12		·19			·04			6
7	·10		·03	·46			·35			·01			7
8	·10	·20		·25	·02		·56						8
9	·43		·02	·11		·14	·02						9
10	·39	·15	·14	·10		·20	·25						10
11	·41		·08	·56	·26	·02	·15						11
12	·18		·03	·20		·47	·02				·06		12
13	·17	·09	·46	·09							·02		13
14	·04	·02	·20	·47					·13	·17	·19		14
15	·01	·09	·04	·40	·04	·18	·02		·03	·43	·04		15
16			·05	·05			·17		·13	·09	·01		16
17	·02			·22	·17		·01		·27				17
18	·06		·04	·09	·13	·09	·02	·42	·11				18
19	·03			·11	·13	·25			·19				19
20	·05	·27		·07		·47	·01					·12	20
21	·01			·02			·14		·01	·02		·22	21
22	·02			·15			·02	·03				·29	22
23							·67					·22	23
24	·02	·01	·10		·05						·10	·02	24
25		·08	·06	·01	·03		·26						25
26	·20		·11			·04	·07				·14	·07	26
27	·36	·03	·06	·39	·02	·27	·02					·24	27
28	·92		·06	·23	·08	·04	·05					·03	28
29	·24		·10		·02	·01	·07				·11	·10	29
30	·04			·17	·08	·14	·17		·47		·27	·16	30
31	·03		·30		·01		·03			·90		·12	31
TOTAL	4·48	1·05	2·19	4·77	1·55	2·32	5·09	1·60	1·55	2·86	1·37	2·24	YEAR'S TOTAL 31·07
Days with ·01 in. or more	25	11	21	25	17	13	27	6	11	12	10	14	192
·04	18	7	16	22	11	11	18	5	8	10	8	11	145

(44283). Wt [illegible],958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.

12 MAR 1912

RE 911

NORTH CADBURY

WOOLSTON HOUSE

SOMERSET.

1911

Kept at Woolston
in the County of Som
by W Wise

top .... in.
above Ground .... ft. .... in.
„ Sea Level .... ft.

tion { Name
Distance .... Direction

IMPORTANT NOT and the result entered to the previous day. If an Ol universal rule, he is earnestly requested to add the rea year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04		.04	.04				.03					1
2	.03		·01	.61	.29			.16					2
3		.01			.21								3
4		01	.09	·02									4
5	.09		.03					.56					5
6	·17		.10	·01									6
7	.03												7
8	.06		.21										8
9	.18		.05										9
10	·12	.06	.21		·37								10
11	.37	03											11
12			.93		·01			.02					12
13													13
14		·10											14
15		.07	.03			.07							15
16						.26							16
17		.05	.03			.08							17
18		.27	.05	.13		.26							18
19		.20		.05		.12							19
20	.05	.06	.12	.13		.02							20
21		.26	.03										21
22	.11	.01	.10	.03									22
23		.05	.10			.14							23
24		.19				.79							24
25		06		.16		.11							25
26		·11		.31	07								26
27		.36	.13	.11									27
28		.29		·26									28
29				.78		.24	·05						29
30					06	·14							30
31							·01						31
Total	1.25	2.19	2·26	2·64	1.01	2·23	.06						TOTAL for year
No. of Rain Days.	11	18	17	13	6	11	2						

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

REGISTER OF RAINFALL IN 1911

Kept at Woolston House N Cadbury

in the County of Somerset 3

by W Wise (H. a Boys)

RAIN GAUGE Pattern ....
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04		.04	.04				.03					1
2	.03		.01	.61	.29			.16					2
3		.01			.21								3
4		01	.09	.02									4
5	.09		.03					.56					5
6	.17		.10	.01									6
7	03												7
8	.06		.21										8
9	.18		.05										9
10	.12	.06	.21		.37								10
11	.37	03											11
12			.93		.01			.02					12
13													13
14		.10											14
15		.07	.03			.07							15
16						.26							16
17		.05	.03			.08							17
18		.27	.05	.13		.26							18
19		.20		.05		.12							19
20	.05	.06	.12	.13		.02							20
21		.26	.03										21
22	.11	.01	.10	.03									22
23		.05	.10			.14							23
24		.19				.79							24
25		.06		.16		.11							25
26		.11		.31	07								26
27		.36	.13	.11									27
28		.29		.26									28
29				.78		.24	.05						29
30					06	.14							30
31							.01						31
Total	1.25	2.19	2.26	2.64	1.01	2.23	.06						TOTAL for year
No. of Rain Days.	11	18	17	13	6	11	2						

W. 8,000, X. '11.

REGI 9 11

NORTH PETHERTON
SHOVELL
SOMERSET
1911-14. 1916-17

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Shovell

in the County of Some

by Alex. M. Wilso

top 8 in.

above Ground 1 ft. – in.

„ Sea Level 206 ft.

9 a.m.

ion { Name Durston
Distance 3 3/4 miles Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10							·02		1
2				·07	·13			·30		·25	·28	·12	2
3			·03		·15				·02		·03	·02	3
4			·12							·03	·13	·14	4
5	·04		·08					·72		·02	·20	·03	5
6	·11		·10								·02	·13	6
7	·01			·01							·37		7
8	·03		·11									·43	8
9	·05										·15	·24	9
10	·02	·06	·10		·36						·07	·15	10
11	·28		·01		·12			·02			·43	·22	11
12			·76					·08	·03		·16	·22	12
13									·23		·01	·44	13
14		·06										1·10	14
15		·01				·03					·20	·04	15
16						·20					·38	·08	16
17		·03	·06			·11				·07	·07	·21	17
18		·31	·10	·15		·10				·05	·08	·25	18
19		·12		·10		·05			·34	·20	·09	·36	19
20		·07	·18	·02					·10	·10		·52	20
21	·04								·11	·42		·18	21
22	·04	·12	·07	·02		·11			·03	·20		·59	22
23		·15	·01	·03		·28			·12	·11	·06	·06	23
24		·17				·40		·13		·41		·18	24
25		·07		·03		·10	·01	·01	·01	·05		·06	25
26		·03		·23	·19			·02		·16	·05	·33	26
27		·17	·08	·08	·04			·05	·19	·05	·02	·11	27
28		·26		·36				·09			·05		28
29				·73		·17	·09		·11	·15	·01		29
30						·01		·05		·12	·03		30
31										·07			31
Total	·62	1·63	1·81	1·93	·99	1·56	·10	1·47	1·29	2·46	2·91	5·21	TOTAL for year 22·98
No. of Rain Days		2·25	4·06	5·99	6·98	8·54	8·64	10·11	11·40	13·86	16·77	22·98	155
9,000, IX. '10.	9	14	14	13	6	11	2	10	11	47	23	25	155

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL. 3 - JAN 1912

Kept at Shovell

in the County of Somerset 3

by Alex. M. Wilson

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 206 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Durston
Distance 3¾ miles Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·10							·02		1
2				·07	·13			·30		·25	·28	·12	2
3			·03		·15				·02		·03	·02	3
4			·12							·03	·13	·14	4
5	·04		·08					·72		·02	·20	·03	5
6	·11		·10								·02	·13	6
7	·01			·01							·37		7
8	·03		·11									·43	8
9	·05										·15	·24	9
10	·02	·06	·10		·36						·07	·15	10
11	·28		·01		·12			·02			·43	·22	11
12			·76					·08	·03		·16	·22	12
13									·23		·01	·44	13
14		·06										1·10	14
15		·01				·03					·20	·04	15
16						·20					·38	·08	16
17		·03	·06			·11				·07	·07	·21	17
18		·31	·10	·15		·10				·05	·08	·25	18
19		·12		·10		·05			·34	·20	·09	·36	19
20		·07	·18	·02					·10	·10		·52	20
21	·04								·11	·42		·18	21
22	·04	·12	·07	·02		·11			·03	·20		·59	22
23		·15	·01	·03		·28			·12	·11	·06	·06	23
24		·17				·40		·13		·41		·18	24
25		·07		·03		·10	·01	·01	·01	·05		·06	25
26		·03		·23	·19			·02		·16	·05	·33	26
27		·17	·08	·08	·04			·05	·19	·05	·02	·11	27
28		·26		·36				·09			·05		28
29				·73		·17	·09		·11	·15	·01		29
30						·01		·05		·12	·03		30
31										·07			31
Total	·62	1·63	1·81	1·93	·99	1·56	·10	1·47	1·29	2·46	2·91	6·21	TOTAL for year 22·98
No. of Rain Days		2·25	4·06	5·99	6·98	8·54	8·64	10·11	11·40	13·86	16·77	22·98	155
	9	14	14	13	6	11	2	10	11	17	23	25	155

9,000, IX. '10.

Ex ℱ

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

22 APR 1913

Kept at Shovell, North Petherton

in the County of Somerset 3

by Alex. McWilson

Lat. Long.

Time of Observation 9. a. m.

Nearest Railway Station Durston 3¾ miles SSE

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1			·08		·01	·21	·01	·02	·07	·98		·22	1
2			·04	·05		·27	·28			·03	·05		2
3			·11			·18	·05	·81	·04		·02	·01	3
4	·19		·47		·05	·15					·38		4
5	·43	·08	·18			·10		·53			·01	·06	5
6	·50	·15	·01		·17	·28	·09	·58				·02	6
7	·03	·23	·05	·03	·03	1·07	·18	·48				·18	7
8	·21	·08	·13	·02		·15	·05	·05				·03	8
9	·02			·08		·08		·08			·02	·15	9
10	·14	·08	·01					·11	·02		·06	·16	10
11	·08	·05						·01			·05	·29	11
12		·37	·05	·06	·02	·01	·03					·04	12
13								·51				·01	13
14	·05	·03	·55		·15			·06				·02	14
15	·11	·03	·03		·48	·62						·37	15
16	·30		·08		·06	·02		·22		·06	·13	·08	16
17	·20		·18		·01	·05		·68			·03	·06	17
18	·05		·24					·07			·06	·11	18
19	·42	·05	·06			·03	·21	·07		·02		·01	19
20	·06	·03	·25		·23		·03	·23		·45	·04		20
21	·01	·04	·25		·47		·09	·04		·22			21
22	·39	·12	·07		·58		·22	·15		·10	·02	·05	22
23	·37	·58	·18			·03		·57		·19	·05	·24	23
24	·11	·03	·01			·19		·02		·07		·08	24
25	·01	·01				·13		·57		·17	·20	·47	25
26		·01					·02	·08		·30	·37	·18	26
27						·27	·66			·67	·20	·22	27
28		·05				·02	·11	·29	·19	·25	·70	·53	28
29		·21	·04			·20	·14	·13	·71	·43		·08	29
30			·02		·01	·04	·21		·17	·40			30
31			·30				·23	·02		·04		·04	31
Total	3·68	2·23	3·39	·24	2·27	4·10	2·61	6·38	1·20	4·38	2·39	3·71	YEAR'S TOTAL
Rain Days.		5·91	9·30	9·54	11·81	15·91	18·52	24·90	26·10	30·48	32·87	36·58	209

20 19 24 5 13 21 17 25 6 16 17 26

W. 7,500, XI. 12

Cod by own stats 25-4-14 DL

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL
2 - JAN 1914

Kept at Skovell. North Petherton

in the County of Somerset 3

by Alex Mill Wilson

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Durston
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·15	·10	·07	·14				·16		·10	·60x	1
2	·08	·18x	·03	·06	·07		·02		·08	·05	·09		2
3	·12		·08		·39x				·17			·40	3
4	·90x		·09		·26		·05		·57	·05	·02	·21	4
5	·02	·02	·01		·26	·15			·58x		·07	·36	5
6	·01	·03	·11		·04	·18	·29x			1·12x	·11	·35	6
7		·16	·07		·32	·16	·12			·55	·17	·03	7
8	·01	·03	·01		·18			·12		·11		·02	8
9		·03		·06	·06	·04		·38		·05	·19		9
10	·22				·04			·03		·31	·27	·01	10
11	·63	·02		·05	·26	·03		·02		·03	·82x	·03	11
12		·01			·23					·01	·44		12
13		·01					·07	·12	·25		·15		13
14	·20		·18	·09					·01	·02	·44	·01	14
15	·20		·40	·42x					·07		·03		15
16	·16		·58x	(·11) ·01				·03	·17				16
17	·06		·04	·05							·03		17
18	·15		·12	·07	·10	·04					·05		18
19	·41		·10		·01	·20x			·48	·04			19
20	·17		·16	·11		·01				·06	·05		20
21	·78		·18	·12	·05		·06				·28		21
22	·03		·55	·07		·05		·02	·18	·04		·04	22
23	·02					·02		·03	·01	·01	·05	·59	23
24	~~·16~~	·02		·04				·01					24
25	~~·10~~	·05		·22					·02	·02	·02	·04	25
26	~~·08~~	·01		·24				·13				·21	26
27	·16 ~~·25~~		·18	·20				·02		·14			27
28	·18		·01	·17						·36		·02	28
29	·08		·43	·26	·02			·12		·17	·01		29
30	·25									·33	·03		30
31	·25		·03		·15			·85x		·01			31
Total	5·09	·72	3·46	2·41 ✓	2·58	·88	·61	1·88	2·75	3·48	3·42	2·92	YEAR'S TOTAL 30·20 ✓
Rain Days.	23	13	21	18	17	10	6	13	13	20	21	15	190 ✓

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
- 6 FEB 1915

Kept at Shovell. North Petherton
in the County of Somerset 3
by Alex. M. Wilson

Lat. Long.
Time of Observation 9. a. m.
Nearest Railway Station Durston
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·02	·08		·07	·21	·45			·18	·10	1
2				·17			·54	·03			·38	·28	2
3			·25	·17	·16						·14	·09	3
4	·20		·03	·10	·12		·12	·36			·58	·49	4
5	·12		·22	·25	·10		·07				·01	·08	5
6	·03	·06	·02	·21	·05	·02	·32	·01			·12	·12	6
7		·31	·13	·12	·09		·26	·05	·03			·17	7
8	·02	·02	1·05	·04	·08	·57							8
9	·01	·01	·35	·08	·04	·95		·09	1·10				9
10	·02	·05	·03	·12	·14	·03			·35		·04	·04	10
11		·04	·23		·11	·26	·17		·06		·03	·42	11
12		·15	·06						·24	·04	·02	·53	12
13		·22	·28				·05		·20	·39	·54	·25	13
14		·16	·22			·14		·54		·16	·17		14
15			·12				·26	·37	·05	·03	·25		15
16			·02				·04		·09				16
17		·15	·30									·47	17
18		·02	·02				·22		·07			·30	18
19		·08	·22				1·04				·09	·08	19
20		·20	·36			·02						·28	20
21		·55				·21		·03		·29			21
22		·03			·11	·22	·02	·05		·36			22
23		·07	·19		·02	·02	·06			·34		·06	23
24			·02		·02		·02	·05		·13	·08	·03	24
25	·12		·15		·01		·32	·48		·25	·02	·15	25
26	·01		·22				·43	·04			·15	·31	26
27	·03									·24	·16	·12	27
28	·02	·09	·11		·06					·16	·05	·90	28
29	·04		·03		·18		·02			·11	·26	·09	29
30		X	·03			·09				·23	·24	·38	30
31		X		X	·03	X	·27		X	·45	X	·25	31
Total	·62	2·21	4·68	1·34	1·32	2·60	4·44	2·55	2·19	3·18	3·51	5·99	YEAR'S TOTAL 34·63
Rain Days.	11	2·83 17	7·51 26	8·85 10	10·17 16	12·77 12	17·21 19	19·76 13	21·95 9	25·13 14	28·64 20	34·63 24	191

W. 8,000. X. 14.

Ex DB

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

JAN 1917

Kept at Shovell, North Petherton

in the County of Somerset

by Alex. M. Wilson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Durston

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11		·66		·42	·03	·25		·06	·18	·07		1
2	·40		·07		·03				·03	·35	·24		2
3		·70			·25	·04	·02		·04	·31	·17		3
4	·17	·16			·13	·32			·05	·13	·48		4
5	·05	·02	·05		·34	·17				·01	·36		5
6	·03	·20			·20	·02	·35			·06	·22		6
7		·21	·12		·09	·03	·05				·67	·15	7
8		·10	·06		·29	·15					·38	·08	8
9		·10			·16	·09	·01			·15	·09	·08	9
10		·54		·04	·05		·05					·18	10
11		·07		·20	·02					·05			11
12	·08		·07	·02	·18		·04				·01		12
13		·32	·17	·04	·03			·48		·08			13
14		·36	·01		·04			·04		·03			14
15		·16	·10	·06	·01			·18					15
16		·23		·23			·05	·92		·14			16
17	·12	·35		·12					·29	·30	·23		17
18			·15	·07					·19	·04	·03		18
19			·70	·05							·18		19
20	·30	·28	·30								·04	·75	20
21	·07	·07	·26		·11	·01						·36	21
22	·01		·02			·10		·04		·40	·03	·69	22
23	·04		·03	·08		·06		·26		·13	·05	·10	23
24				·01	·83	·05		·04		·75	·03	·27	24
25		·35	·14					·30	·04		·12		25
26		·18	·10			·32		·12	1·00	·67	·08		26
27		·37	1·11			·05		·31	·19	·20			27
28		·30		·07	·10			·07	·23	·23	~~·4~~	·22	2
29		·21	·04			·21		1·62	·67	·31		·23	
30		X								·14			
31		X		X		X		·04	X	·10	X	·10	
Total	1·38	5·28	4·16	·99	3·28	1·65	·82	4·42	2·79	4·76	3·48	3·21	YEA 3
Rain Days.	11	21	19	12	18	15	8	13	11	22	19	12	18

W. 8,000, VIII. 16

181, 36·22

2027

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

4 JAN 1918

Kept at Shovell.
in the County of Somerset.
by Alex. M. Wilson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Durston.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 216. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·22	·25		·08		·56	·12		·03		1
2	·02			·05		·05		·03			·03		2
3	·04			·10			·69	·02		·42	·09		3
4		·21	·13				·04	·03	·03	·48		·03	4
5	·25		·27	·25		·10			·13	·11	·09		5
6			·05			·01				·05	·28	·01	6
7	·24						·44	·30		·17	·04	·02	7
8	·02					·08	·23	·41	·04	·30	·14	·02	8
9			·14	·09			·03	·42	·02	·26	·10		9
10	·34		·17	·12				·16		·01			10
11	·03		1·12	·38				·27	·09	·08	·10		11
12	·10			·03	·72			·16		·39			12
13			·21	·03		·03		·34	·12	·05			13
14				·14				·12	·02	·02			14
15				·06			·05	·02		·05		·15	15
16		·23		·05			·34			·20		·05	16
17				·04	·04		·30	·02	·33	·07			17
18	·02	·05			·03	·03	·18		·54				18
19		·48				·16			·07				19
20		·04	·05		·59	·08		·43	·02				20
21			·15			·02				·05			21
22			·04					·16		·06			22
23		·15			·11			·41		·14		·08	23
24						·24	·12	·07		·10	·04		24
25		·07	·02				·08		·02	·14	·02		25
26			·05		·51	·01		·31	·08	·09	·02		26
27					·50	·22		·72		·15	·03		27
28		·02	·04		·07	4·80		·27				·02	28
29			·17			·40	·30			·28	·02	·11	29
30		✕	·11				·22			·14	·01		30
31		✕		✕		✕			✕	·14	✕	·02	31
Total	1·07	1·25	2·94	1·59	2·57	6·31	3·02	5·23	1·63	3·95	1·04	·51	YEAR'S TOTAL 31·11
Rain Days.	10	8	16	13	8	15	13	21	14	25	15	10	168

W. 8,000, IX. 17.

1·13

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

REGI 911

NORTH PETHERTON
OLD RECTORY HSE
SOMERSET
1911 - 1917

Kept at Old Rectory Hous
pp 8 in.
bove Ground — ft. 6 in.

in the County of Som
„ Sea Level 136 ft.

7 am daily

by Es Constable C

n { Name Bridgwater
Distance 4 Direction NNE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·1	·9	—	—	—	—	—	—	—	—	1
2	—	—	—	·11	·16	—	—	·31	—	·21	·30	·15	2
3	—	—	·4	—	·18	—	—	—	—	—	·4	·1	3
4	—	—	·16	—	—	—	—	—	·1	·2	·12	·18	4
5	·4	—	·5	—	—	—	—	·77	—	—	·17	·1	5
6	·17	—	·15	—	—	—	—	—	—	·1	·3	·22	6
7	·3	—	—	·2	—	—	—	—	—	—	·41	—	7
8	·4	—	·12	—	—	—	—	—	—	—	—	·48	8
9	·6	—	—	—	—	—	—	—	—	—	·15	·43	9
10	·4	·9	·16	—	·37	—	—	—	—	—	·7	·23	10
11	·35	—	—	—	·10	—	—	—	—	—	·44	·24	11
12	—	—	·82	—	—	—	—	·10	·2	—	·15	·17	12
13	—	—	—	—	—	—	—	—	·23	—	—	·50	13
14	—	·8	—	—	—	—	—	—	—	—	—	1·13	14
15	—	—	—	—	—	—	—	—	—	—	·22	·4	15
16	—	—	—	—	—	·21	—	—	—	—	·41	·14	16
17	—	·8	·5	—	—	·12	—	—	—	—	·8	·30	17
18	—	·32	·10	·26	—	·10	—	—	—	·10	·5	·41	18
19	—	·11	—	·10	—	—	—	—	·37	·13	·10	·27	19
20	·5	·8	·16	—	—	—	—	—	·9	·9	—	·57	20
21	—	·9	·3	·3	—	—	—	—	·4	·45	—	·31	21
22	·6	·2	·5	·3	—	·14	—	—	·4	·18	—	·58	22
23	—	·17	·5	·4	—	·28	—	—	·13	·6	·5	·8	23
24	—	·13	—	—	—	·43	—	·14	—	·43	—	·18	24
25	—	·20	—	·3	—	·9	—	—	—	·2	—	·5	25
26	—	·6	—	·26	·19	—	—	·2	—	·20	·5	·37	26
27	—	·20	·9	·9	—	—	—	·5	·20	·3	—	·12	27
28	—	·32	—	·38	·5	—	—	·9	—	—	·7	—	28
29	—	—	—	·69	—	·17	·10	—	·12	18	—	—	29
30	—	—	—	—	—	—	—	·3	—	16	·2	—	30
31	—	—	—	—	—	—	—	—	—	6		—	31
Total	·84	1·95	2·04	2·13	1·05	1·54	·10	1·51	1·25	2·33	2·93	7·17	TOTAL for year 24·84
No. of Rain Days	9	14	15	13	6	8	1	8	10	16	19	25	184 ~~144~~

9,000, IX. '10.

1

REGI 911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912
6

Kept at Old Rectory House, North Petherton

in the County of Somerset 3

by E. Constable Curtis Esqre

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground – ft.
" " " Sea Level 136 ft.

Time of Observation 7 a.m. daily

Nearest Railway Station
Name Bridgwater
Distance 4 Direction NNE.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·1	·9	–	–	–	–	–	–	–	–	1
2	–	–	–	·11	·16	–	–	·31	–	·21	·30	·15	2
3	–	–	·4	–	·18	–	–	–	–	–	·4	·1	3
4	–	–	·16	–	–	–	–	–	·1	·2	·12	·18	4
5	·4	–	·5	–	–	–	–	·77	–	–	·17	·1	5
6	·17	–	·15	–	–	–	–	–	–	·1	·3	·22	6
7	·3	–	–	·2	–	–	–	–	–	–	·41	–	7
8	·4	–	·12	–	–	–	–	–	–	–	–	·48	8
9	·6	–	–	–	–	–	–	–	–	–	·15	·43	9
10	·4	·9	·16	–	·37	–	–	–	–	–	·7	·23	10
11	·35	–	–	–	·10	–	–	–	–	–	·44	·24	11
12	–	–	·82	–	–	–	–	·10	·2	–	·15	·17	12
13	–	–	–	–	–	–	–	–	·23	–	–	·50	13
14	–	·8	–	–	–	–	–	–	–	–	–	1·13	14
15	–	–	–	–	–	–	–	–	–	–	·22	·4	15
16	–	–	–	–	–	·21	–	–	–	–	·41	·14	16
17	–	·8	·5	–	–	·12	–	–	–	–	·8	·30	17
18	–	·32	·10	·26	–	·10	–	–	–	·10	·5	·41	18
19	–	·11	–	·10	–	–	–	–	·37	·13	·10	·27	19
20	·5	·8	·16	–	–	–	–	–	·9	·9	–	·57	20
21	–	·9	·3	·3	–	–	–	–	·4	·45	–	·31	21
22	·6	·2	·5	·3	–	·14	–	–	·4	·18	–	·58	22
23	–	·17	·5	·4	–	·28	–	–	·13	·6	·5	·8	23
24	–	·13	–	–	–	·43	–	·14	–	·43	–	·18	24
25	–	·20	–	·3	–	·9	–	–	–	·2	–	·5	25
26	–	·6	–	·26	·19	–	–	·2	–	·20	·5	·37	26
27	–	·20	·9	·9	–	–	–	·5	·20	·3	–	·12	27
28	–	·32	–	·38	·5	–	–	·9	–	–	·7	–	28
29	–	–	–	·69	–	·17	·10	–	·12	18	–	–	29
30	–	–	–	–	–	–	–	·3	–	16	·2	–	30
31	–	–	–	–	–	–	–	–	–	6		–	31
Total	·84	1·95	2·04	2·13	1·05	1·54	·10	1·51	1·25	2·33	2·93	7·17	TOTAL for year 24·84
No. of Rain Days	9	14	15	13	6	8	1	8	10	16	19	25	184 ~~144~~

9,000, IX. '10.

Ex J.C.

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Old Rectory House, North-Petherton

in the County of Somerset 3

by E. Constable Curtis Esqr

RAIN GAUGE
Pattern Negretti - Zambra
Diameter of top 8 in.
Height of top above Ground - ft. 6 in.
" " " Sea Level 136 ft.

Time of Observation 8 am

Nearest Railway Station
Name Bridgwater
Distance 4 Mls Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·4

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·13	-	-	·20	-	-	·7	·98	-	·23	1
2	-	-	·8	·7	-	·30	·20	-	-	·4	·6	-	2
3	-	-	·6	-	-	·18	·5	·65	·5	-	·2	-	3
4	·20	-	·61	-	·5	·14	-	-	-	-	·38	-	4
5	·40	·9	·17	-	-	·12	-	·50	-	-	-	·6	5
6	·63	·13	-	-	·5	·32	·8	·46	-	-	-	·5	6
7	·3	·25	·10	-	·15	·96	·13	·37	-	-	-	·23	7
8	·25	·10	·17	·5	-	·24	·5	·10	-	-	-	·3	8
9	-	·1	-	·6	-	·7	-	·5	-	-	-	·17	9
10	·6	·10	·1	-	-	-	-	·13	-	-	·9	·18	10
11	·15	·4	-	-	-	-	-	-	-	-	·5	·34	11
12	-	·40	·7	·5	·1	-	·4	-	-	-	-	·5	12
13	·1	-	-	-	-	-	-	·46	-	-	-	·5	13
14	·5	-	·62	-	·10	-	-	·5	-	-	-	·5	14
15	·15	·6	·4	-	·61	·61	-	-	-	-	-	·40	15
16	·28	-	·10	-	·6	-	-	·19	-	·6	·13	·8	16
17	·55	-	·16	-	-	·7	-	·73	-	-	-	·2	17
18	·13	-	·25	-	-	-	-	·5	-	-	·6	·19	18
19	·2	·5	·8	-	-	·3	·22	·16	-	·1	·5	·2	19
20	·5	·1	·28	-	·21	·2	·2	·20	-	·46	-	-	20
21	-	·4	·23	-	·40	-	·10	·7	-	·25	-	-	21
22	·36	·19	·8	-	·60	-	·17	·9	-	·13	·1	·5	22
23	·32	·60	·26	-	-	·3	·2	·58	-	·19	·6	·24	23
24	·15	·3	·1	-	-	·4	-	·16	-	·8	-	·10	24
25	-	·1	-	-	-	·30	-	·57	-	·6	·23	·54	25
26	-	·2	-	-	-	·2	-	·7	-	·45	·42	·23	26
27	-	-	-	-	-	·28	74	-	-	·72	·20	·24	27
28	-	·6	-	-	-	·3	·12	·33	·17	·28	·65	·51	28
29	-	·27	·3	-	-	·21	·16	·15	·68	·41	·11	·8	29
30	-	-	-	-	-	·5	·12	-	·17	·45	-	-	30
31	-	-	·34	-	-	-	·32	·2	-	·4	-	·4	31
Total	3·79	2·46	3·88	·23	2·24	4·22	2·54	6·14	1·14	4·61	2·52	4·18	TOTAL for year 37·95
No. of Rain Days.	18	19	22	4	10	21	16	23	5	16	15	25	194

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Old Rectory House, North Petherton

in the County of Somerset 3

by E. Constable Curtis Esqr.

Lat. 51°5'29" Long. 3°0'49" West

Time of Observation 7 am

Nearest Railway Station Bridgwater.

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground - ft. 6 in.

" " " " Sea Level 136 ft ft.

JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·17	·16	·10	·15	-	-	-	·14	-	·10	·60	1
2	·7	·22	-	·10	·5	-	-	-	·7	·9	·10	-	2
3	·18	-	·13	-	·47	-	-	-	-	-	-	·46	3
4	·98	-	·13	-	·25	·14	·3	-	·56	·5	-	·20	4
5	-	·2	-	-	·17	·21	-	-	·72	1	·7	·32	5
6	·3	·4	·13	-	·14	·16	·21	-	-	1·16	·10	·42	6
7	-	·27	·10	-	·22	·1	·20	-	-	·54	·17	-	7
8	·2	·6	-	-	·39	·3	-	-	-	·5	-	·3	8
9	-	·3	-	·6	·7	-	-	·50	-	·9	·20	·3	9
10	·20	-	-	-	·7	-	-	·2	-	27	·32	-	10
11	·76	·4	-	·16	·32	·2	-	-	-	2	·87	·3	11
12	·1	·3	-	-	·28	-	-	-	-	-	·44	·2	12
13	·7	-	-	-	-	-	·2	·14	·29	-	·16	-	13
14	·19	-	·21	·10	·4	-	·5	-	-	-	·40	-	14
15	·22	-	·44	·30	-	-	-	-	·3	-	·5	-	15
16	·20	-	·60	·24	-	-	-	·4	·19	-	-	-	16
17	·5	-	·4	·6	-	-	-	-	·1	-	·3	-	17
18	·15	-	·14	·8	·7	-	-	-	-	-	·14	-	18
19	·45	-	·10	·5	·1	·23	-	-	·50	·4	-	-	19
20	·30	-	·18	·8	-	·7	-	-	-	·8	·3	-	20
21	-	-	·22	·20	·7	-	-	-	-	-	·30	-	21
22	·86	-	·63	·8	-	-	·5	·2	·20	-	-	-	22
23	·4	-	-	-	-	·7	-	·3	·1	-	6	·63	23
24	·2	-	-	·5	-	-	-	-	-	-	-	-	24
25	-	·5	-	·21	-	-	-	-	·3	·2	2	·2	25
26	-	·2	-	·46	-	-	-	·13	-	-	-	·22	26
27	·18	-	·19	·26	-	-	-	-	-	·14	-	·3	27
28	·23	-	·1	·20	-	-	-	-	-	·35	-	·3	28
29	·8	-	·50	·27	·4	-	-	·13	-	·23	·2	·5	29
30	·31	-	-	-	-	-	-	-	-	·35	·2	-	30
31	·30	-	-	-	·17	-	-	·75	-	-	-	-	31
Total	5·90	·95	3·91	3·06	2·98	·94	·56	1·76	2·75	3·49	3·60	3·09	YEAR'S TOTAL 32·99
Rain Days.	24	11	17	19	18	9	6	9	12	16	20	15	176

W. 7,500, XI. 12

Ex 8L

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

7 JAN 1915

Kept at Old Rectory House, North Petherton

in the County of Somerset 3

by E. Constable Curtis Esqr

Lat. 51° 5′ 29″ Long. 3° 0′ 49″ West

Time of Observation 7 am

Nearest Railway Station Bridgwater

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 136 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	—	—	—	·7	·35	·47	—	—	·11	·11	1
2	—	—	—	·25	—	—	·50	·5	—	—	·40	·34	2
3	—	—	·23	·18	·18	—	·7	·16	—	—	·15	·11	3
4	·16	—	·5	·15	·10	—	·12	·30	—	—	·58	·62	4
5	·12	—	·25	·28	·10	—	·5	—	—	—	—	·12	5
6	·1	·8	·2	·22	·5	—	27	·4	—	—	·11	·15	6
7	—	·47	·20	·13	·8	·8	·26	—	·3	—	—	·18	7
8	·7	·1	·95	·5	·9	·56	—	·5	—	—	—	—	8
9	·2	·3	·44	·10	—	1·30	—	8	1·18	—	—	—	9
10	—	·5	·5	·11	·15	—	—	—	·30	—	·4	—	10
11	—	·9	·30	·2	·13	·28	·20	—	·5	—	—	·47	11
12	—	·25	·7	—	—	—	—	—	·23	·4	—	·49	12
13	—	26	·22	—	—	—	·3	—	·21	·29	·61	·27	13
14	—	·22	·40	—	—	·14	—	·49	—	·16	·20	—	14
15	—	—	·13	—	—	—	·48	·35	6	·3	·25	—	15
16	—	—	·3	—	—	—	·3	—	·9	—	—	—	16
17	—	20	·31	—	—	—	—	—	—	—	—	·25	17
18	—	—	·2	—	—	—	·10	—	·10	—	—	·60	18
19	—	·9	25	—	—	—	1·17	—	·3	—	·8	·10	19
20	—	·25	·27	—	—	—	—	—	—	—	—	·28	20
21	—	·63	·7	—	—	·23	—	—	—	·31	—	·7	21
22	—	·3	—	—	·13	·18	·2	·7	—	·37	—	—	22
23	—	·8	·20	—	—	·4	·5	—	—	·15	—	—	23
24	—	—	·2	—	—	—	·8	·7	—	·26	·9	·25	24
25	·15	—	·12	—	—	—	·37	·51	—	·27	—	·35	25
26	·3	—	·27	—	—	—	·38	·7	—	4	·16	45	26
27	·4	—	—	—	—	—	·5	—	—	·24	·15	·15	27
28	·3	14	·13	—	·8	—	—	—	—	·22	·10	1·04	28
29	·5		·5	—	·19	—	·5	—	—	·10	·30	10	29
30	—		·5	—	—	—	—	—	—	·22	27	57	30
31	—		—		·3		27	—		·55		21	31
Total	·68	2·88	5·10	1·49	1·31	2·88	4·90	2·71	2·28	3·25	3·60	7·28	YEAR'S TOTAL 38·36
Rain Days.	10	16	·26	10	12 ~~13~~	9	21	13	10	15	·16	23	18~~2~~ 181

W. 8,000. X. 14.

2187

FORM A.
BRITISH RAINFALL.

JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Old Rectory House, North Petherton
in the County of Somerset
by E. Constable Curtis. Esqre

3

Lat. 51°. 5'. 29" Long. 3°. 0'. 49" W
Time of Observation 7 am
Nearest Railway Station Bridgwater
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 136 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. .25

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.39	.14	—	—	.5	—	—	.18	.28	.29	4	.13	1
2	.15	25	.6	.3	—	.4	—	.41	.7	.22	—	.75	2
3	.6	.11	.5	.13	.18	—	—	—	—	—	—	.43	3
4	.3	.5	—	—	.9	—	.11	—	—	—	—	.34	4
5	.17	.45	—	—	—	—	—	.17	—	—	—	.30	5
6	.53	.11	—	.16	—	—	.47	—	—	—	—	.13	6
7	.35	.36	—	.15	—	—	.10	—	—	—	—	.36	7
8	.31	.36	—	—	—	—	—	.11	—	—	.2	4	8
9	—	.6	—	.7	—	—	—	.11	—	—	.35	.92	9
10	21	.14	.3	—	—	32	—	.11	—	.10	.7	.3	10
11	.7	.33	.2	.8	—	—	—	.9	—	.5	.75	.7	11
12	.21	37	—	9	.57	—	—	55	—	7	.18	—	12
13	.5	65	—	—	1.02	—	—	.3	.7	—	.18	—	13
14	.10	.5	—	—	—	—	.8	.12	9	—	—	.34	14
15	.20	.2	—	—	.24	—	—	—	—	—	.20	.7	15
16	—	.37	—	—	.10	—	.77	—	.1	—	—	.4	16
17	—	.21	—	—	.25	—	.3	—	—	—	—	.3	17
18	—	.16	—	—	.3	—	—	—	—	—	—	—	18
19	—	.3	—	—	.5	—	.19	—	—	—	—	—	19
20	.15	—	—	.10	—	.3	—	—	—	—	—	.6	20
21	.16	.6	—	—	—	—	.3	—	—	.12	—	.10	21
22	.7	.14	.47	.10	—	—	.30	—	.3	.2	—	.10	22
23	—	6	.25	—	—	—	.10	—	7	1.25	—	46	23
24	—	—	.3	—	—	—	42	—	.9	.43	—	.47	24
25	—	—	.10	.4	—	.68	.38	—	—	—	—	.35	25
26	—	.6	—	—	—	—	.3	—	.7	—	—	.50	26
27	—	6	—	—	—	.2	.3	—	—	.42	—	—	27
28	—	.10	—	—	—	.8	—	—	.70	.11	—	—	28
29	—	X	—	—	—	.18	.12	.7	—	—	.10	7	29
30	.15	X	—	—	—	.29	—	—	—	.72	.15	.27	30
31	—	X	—	X	—	X	.8	—	X	.50	X	.25	31
Total	3.36	4.70	1.01	.95	2.58	1.64	3.24	1.95	1.48	4.30	2.04	6.61	YEAR'S TOTAL 33.86
Rain Days.	18	25	8	10	10	8	16	11	10	13	10	25	164

. X. 15

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Old Rectory House North Petherton

in the County of Somerset

by E. Constable Curtis Esqr.

Lat. 51° 5' 29" Long. 3° 0' 49" West

Time of Observation 7 am

Nearest Railway Station Bridgwater

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 136 ft ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	–	–	–	·40	–	·27	–	·3	·20	·17	–	1
2	·46	·5	–	–	·11	–	–	–	·5	·37	·14	–	2
3	–	·83	–	–	·5	·5	·5	–	·23	·35	·43	–	3
4	·22	·15	–	–	·35	·35	·4	–	·7	·17	·70	–	4
5	·6	·5	·8	–	·40	·20	–	–	–	·3	·40	–	5
6	·5	·23	–	–	·25	·2	·35	–	–	·10	·30	–	6
7	–	·19	·15	–	·10	–	·7	–	–	·2	·63	·17	7
8	–	·13	7	–	·33	·25	–	–	–	–	·45	·10	8
9	–	·16	–	–	·18	·10	·2	–	–	·10	·13	·12	9
10	–	57	–	5	·5	·3	·10	–	–	·25	·2	·20	10
11	–	–	·1	·20	–	–	–	–	–	·2	–	–	11
12	7	·9	·7	·7	·20	–	·3	·10	–	5	–	–	12
13	–	·36	·22	·8	·4	–	–	·40	–	·2	–	–	13
14	–	35	–	–	·7	–	–	·5	–	·10	–	–	14
15	–	·22	·12	·10	–	–	–	·20	–	·7	–	–	15
16	·8	·24	–	·23	–	–	·10	92	–	·15	–	–	16
17	·7	·23	–	·10	–	–	–	·4	25	·58	·30	–	17
18	–	·14	26	·6	–	–	–	–	·18	·7	·10	–	18
19	·18	–	·75	·7	–	–	–	–	–	–	·20	–	19
20	·17	·22	·35	–	–	–	–	–	–	–	5	·91	20
21	·8	·20	·25	–	·12	–	–	–	–	–	–	·50	21
22	–	–	–	6	–	·15	–	–	–	·33	·10	·85	22
23	·11	·4	·10	·5	–	·10	–	·30	–	·15	·10	·15	23
24	–	·43	·2	·5	·90	·8	–	·3	–	·90	·8	·30	24
25	–	·16	·18	–	·4	–	–	·31	4	–	·17	5	25
26	–	·30	·12	–	–	·30	–	·13	·95	·65	·10	–	26
27	·6	·25	1·11	–	–	·10	–	·35	·19	·25	–	–	27
28	–	13	–	–	·15	·10	–	·5	·17	·28	–	·25	28
29	–	·76	·5	–	–	·26	–	1·60	·77	·44	–	·30	29
30	–	X	–	–	–	–	–	2	–	·15	–	·5	30
31	–	X	–	X	–	X	–	5	X	·5	X	10	31
Total	1·73	6·48	3·91	1·12	3·74	2·09	1·03	4·55	2·93	5·85	4·57	4·05	YEAR'S TOTAL 42·05
Rain Days.	13	25	17	12	17	14	9	15	11	26	19	14	192.

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Old Rectory House, North Petherton
in the County of Somerset
by E. Constable Curtis Esqre

Lat. 51. 5'. 29" Long. 3°. 0'. 49" W
Time of Observation 7 am
Nearest Railway Station Bridgwater
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground — ft. 6 in.
" " " " Sea Level 136 ft. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·5	—	·22	·33	—	·10	—	·56	·9	—	·2	—	1
2	—	—	—	·6	—	·7	—	·2	·4	·2	—	—	2
3	·18	—	—	·12	—	—	·68	—	—	·27	·7	—	3
4	—	·20	·13	—	—	—	·4	·2	·3	·47	—	·5	4
5	·25	—	·27	·25	—	·10	—	—	·15	·12	·11	—	5
6	—	—	·9	—	—	—	—	—	—	—	·22	—	6
7	·25	—	—	—	—	—	·22	·25	—	·23	·4	·2	7
8	·10	—	·12	·15	—	·11	·34	·44	·5	·36	·11	·3	8
9	—	—	·10	·12	·5	—	·3	·40	·3	·23	·10	—	9
10	·45	—	·21	·25	—	—	—	·12	—	·8	—	—	10
11	·20	—	1·20	·45	—	—	—	·37	·4	·10	·9	—	11
12	·12	—	—	—	·65	—	—	·21	—	·35	—	—	12
13	—	—	·30	·2	—	·4	—	·35	·14	·10	—	—	13
14	—	—	—	·20	—	—	—	·15	·2	—	—	—	14
15	—	—	—	·10	—	—	·5	·4	—	·5	—	·14	15
16	—	·13	—	·12	—	—	·30	—	—	·22	—	·12	16
17	—	·7	—	·5	·7	—	·30	·3	·34	·7	—	—	17
18	—	·6	—	—	·5	·2	·19	—	·46	—	—	—	18
19	—	·47	·5	—	—	—	—	—	·14	—	—	—	19
20	—	·7	·10	—	—	·15	—	·48	·3	—	—	—	20
21	—	—	·30	—	·62	·8	—	—	—	·2	—	—	21
22	—	—	·7	—	—	·2	—	·17	—	·6	—	—	22
23	—	·15	—	—	·12	—	—	·29	—	·11	—	·5	23
24	—	·5	—	—	—	—	·11	·23	—	·12	·5	—	24
25	—	·10	·5	—	—	·25	·13	—	—	·12	—	—	25
26	—	—	—	—	·45	—	—	·33	·8	·10	·2	—	26
27	—	—	—	—	·65	—	—	·65	—	·13	—	—	27
28	—	·5	·13	—	·9	4·25	—	·31	—	—	—	—	28
29	—		·18	—	—	·52	·12	·3	—	·31	—	·14	29
30	—		·20	—	—	—	·22	·5	—	·12	—	—	30
31	—		·15		—		—	—		·16		·2	31
Total	1·60	1·35	3·87	2·22	2·75	5·71	2·73	5·50	1·64	3·92	·83	·57	YEAR'S TOTAL 32·69
Rain Days.	8	10	18	13	9	12	13	22	14	24	10	8	161

W. 8 000, IX. 17.

FORM A.
BRITISH RAINFALL.

6 - JAN 1912

RE

Kept at Orchardle
near
in the County of Som
by Revd. W. Arthur

Long. 2° 17
tion Frome 2½ miles
n 9 A.M.
8 in.
Ground — ft. 9½ in.
Sea Level 303 ft.

NOTE.—Full instructions respectin … nfall Organization are given in
"Rules for Rainfall Obs … Square, London, N.W.

ORCHARDLEIGH
PARK

SOMERSET
1911 - 13, 1915

Date.	JAN.	FEB.	MARCH							OCT.	NOV.	DEC.	Date.
	in.	in.	in.							in.	in.	in.	
1	·02		·03								·01	·02	1
2	·02									·08	·20	·28	2
3	·01				·38						·21	·11	3
4		·01	·08	·01							·27	·38	4
5	·08		·03					·72		·22	·23	·01	5
6	·59			·02							·22	·39	6
7	·01										·45		7
8	·04		·12								·02	·36	8
9	·04										·02	·55	9
10	·09	·05	·41		·07							·30	10
11	·51		·01		·53						·75	·21	11
12	·01		·64								·26	·31	12
13			·01		·09				·25	·14	·19	·34	13
14		·04									·03	·67	14
15		·04	·03			·02					·35	·03	15
16		·01				·23					·70	·50	16
17		·01				·09					·07	·40	17
18		·25	·10		·01	·19				·03	·01	·43	18
19		·01		·03		·26			·31	·16	·03	·17	19
20	·02	·02	·14	·18		·01			·17	·11		·66	20
21		·32	·03	·01		·02		·01		·56		·20	21
22	·04	·04		·01		·02		·02		·37		·62	22
23		·22				·07			·03	·03	·03	·39	23
24		·22				·30		·05		·65		·20	24
25	·01	·22	·02	·20		·15		·03	·03	·02		·14	25
26		·02		·30	·03	·01				·14		·40	26
27		·32		·08	·04			·08	·05		·05	·17	27
28		·59		·38				·19			·06		28
29				·28		·25	·05		·07	·40			29
30						·03				·29	·04	·01	30
31										·12			31
Totals	1.49	2.39	1.65	1.66	1.54	1.65	·05	1.34	·91	3.26	4.20	8.25	28.37
Total from Jan. 1		3.88	5.53	7.19	8.73	10.38	10.43	11.77	12.68	15.94	20.14	28.39	
	14	17	13	13	8	14	1	9	7	15	22	27	160

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

FORM A.
BRITISH RAINFALL.

6 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Orchardleigh (Gardens) near Frome
in the County of Somerset
by Revd W. Arthur Duckworth

Lat. 51° 15 Long. 2° 17
Nearest Railway Station Frome 2½ m
RAIN GAUGE.
Time of Observation 9 A.M.
Diameter 8 in.
Height of top above Ground — ft. 9½ in.
" " Sea Level 303 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·03	·08				·03			·01	·02	1
2	·02			·08	·39			·21		·08	·20	·28	2
3	·01				·38						·21	·11	3
4		·01	·08	·01							·27	·38	4
5	·08		·03					·72		·22	·23	·01	5
6	·59			·02							·22	·39	6
7	·01										·45		7
8	·04		·12								·02	·36	8
9	·04										·02	·55	9
10	·09	·05	·41		·07							·30	10
11	·51		·01		·53						·75	·21	11
12	·01		·64								·26	·31	12
13			·01		·09				·25	·14	·19	·34	13
14		·04									·03	·67	14
15		·04	·03			·02					·35	·03	15
16		·01				·23					·70	·50	16
17		·01				·09					·07	·40	17
18		·25	·10		·01	·19				·03	·01	·43	18
19		·01		·03		·26			·31	·16	·03	·17	19
20	·02	·02	·14	·18		·01			·17	·11		·66	20
21		·32	·03	·01		·02		·01		·56		·20	21
22	·04	·04		·01		·02		·02		·31		·62	22
23		·22				·07			·03	·03	·03	·39	23
24		·22				·30		·05		·65		·20	24
25	·01	·22	·02	·20		·15		·03	·03	·02		·14	25
26		·02		·30	·03	·01				·14		·40	26
27		·32		·08	·04			·08	·05		·05	·17	27
28		·59		·38				·19			·06		28
29				·28		·25	·05		·07	·40			29
30						·03				·29	·04	·01	30
31										·12			31
Totals	1.49	2.39	1.65	1.66	1.54	1.65	·05	1.34	·91	3.26	4.20	8.25	28.39
Total from Jan. 1		3.88	5.53	7.19	8.73	10.38	10.43	11.77	12.68	15.94	20.14	28.39	
	14	17	13	13	8	14	1	9	7	15	22	27	160

K/1000/11/05. EDWARD STANFORD, 12, 13, & 14 LONG ACRE, W.C. Price, on extra tough paper. 3d.

FORM A2.
BRITISH RAINFALL
2 JAN 1913

Exd 531

REGISTER OF RAINFALL IN 1912

Kept at Orchardleigh Gardens near Frome

in the County of Somerset

by Revd W. Arthur Duckworth

RAIN GAUGE
Pattern Negretti & Zambra
Diameter of top 8 in.
Height of top above Ground — ft. 9½ in.
" " " Sea Level 303 ft.

Time of Observation 9 AM

Nearest Railway Station
Name Frome
Distance 2½ miles Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·13	·23		·19	·08		·02	·59	·04	·45	1
2			·37			·18	·21						2
3		·02	·10			·20	·04	·38	·04		·04	·02	3
4	·14		·83			·44		·05			·14		4
5	·40	·01	·21		·07			·50			·04	·20	5
6	·40	·29	·01		·09		·15	1·45				·08	6
7	·01	·21	·09		·05	·55	·01	·03				·21	7
8	·37	·27	·49			·11	·03	·09				·06	8
9	·02	·04	·28	·06		·09	·03	·03			·01	·34	9
10	·01	·08				·26		·06			·04	·14	10
11	·12	·03	·03			·01						·48	11
12	·04	·34	·08	·03		·01	·03				·04	·03	12
13		·03	·01					·09				·09	13
14	·13		·50		·17	·01		·28				·02	14
15	·06	·07	·01			·49		·03				·55	15
16	·77		·38		·02	·02		·09		·12	·02	·06	16
17	1·02		·10			·04		·70			·03	·09	17
18	·66		·83					·03		·02	·01	·06	18
19	·04	·06	·11			·03	·17	·14		·15	·01	·01	19
20	·04		·43		·02	·01	·04	1·12		·50			20
21	·02	·07	·50		·64		·01	·05		·31			21
22	·41	·30	·01		·13		·08	·17		·03	·03	·10	22
23	·31	·33	·28			·02	·03	·50		·10	·14	·31	23
24	·07	·03	·01			·21		·10				·39	24
25	·01	·01				·16	·01	·40		·01	·31	·64	25
26		·01					·38	·15		·65	·52	·32	26
27		·01				·19	1·32	·01		1·14	·03	·64	27
28		·11				·07	·08	·51	·10	·55	·49	·56	28
29		·07				·30	·21	·03	·45	·47		·04	29
30						·15	·24	·02	·21	·37			30
31					·04		·38	·02		·04		·34	31
Total	5·05	2·39	5·79	·32	1·23	3·74	3·53	7·03	·82	5·05	1·94	6·23	TOTAL for year 43.12
No. of Rain Days.	21	21	23	3	9	23	20	27	5	15	17	26	210

W. 8,000, X. '11.

Ex DL

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
8 JAN 1914

Kept at Orchardleigh Gardens near Frome
in the County of Somerset
by Revd. W. Arthur Duckworth

Lat. ______ Long. ______
Time of Observation 9 AM
Nearest Railway Station Frome
Diameter of Rain Gauge top 8 in.
Height of top of Gauge above Ground — ft. 9½ in.
" " " " Sea Level 303 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·32	·21	·02	·05				·42	·01	·17	·20	1
2	·05	·12	·04	·27	·06		·01			·03	·15		2
3	·06		·06	·01	·44		·01		·01			·28	3
4	·89		·06		·47				1·01	·23	·02	·12	4
5	·01	·01			·09	·27	·06		·34		·02	·12	5
6	·03	·03	·15		·20	·13	·09		·01	·69	·07	·68	6
7	·01	·41	·01		·31	·11	·02			·39	·19	·01	7
8	·01	·06			·27	·03	·01			·16		·01	8
9		·13			·13	·08	·01	·15	·05	·01	·07	·03	9
10	·11		·01	·01	·02	·01				·17	·24		10
11	·52			·09	·31	·03				·12	·42	·02	11
12	·05	·02			·17				·01		·16	·01	12
13			·04		·01			·01	·09	·01	·15		13
14	·06		·11	·08					·02	·05	·30		14
15	·14	·05	·30	·61			·01	·01	·01		·22		15
16	·20		·61	·13					·01		·01		16
17	·13	·02	·01	·02		·01	·03		·01		·01		17
18	·05		·20	·16		·03					·03		18
19	·55		·01		·01	·12	·01		·50				19
20	·07		·13	·05						·13	·20		20
21			·03	·20	[illegible]	·05	·11			·01	·45		21
22	·66		·55	·16	·13	·05		·04	·19			·40	22
23	·01					·04		·10			·03		23
24	·03	·01	·02	·05				·02			·01		24
25		·16		·10						·01	·01	·06	25
26		·05		·42				·15		·01			26
27	·02		·15	·16						·06			27
28	·27		·07	·34						·14			28
29	·05		·39	·54				·08		·21	·02		29
30	·61			·01	·02			·09		·43	·02		30
31	·25		·06					·50		·01			31
Total	4·84	1·39	3·22	3·43	2·69	·91	·37	1·15	2·68	2·88	2·97	1·94	YEAR'S TOTAL 28·47
Rain Days.	25	13	22	20	16	12	11	10	14	20	23	12	198

W. 7,500, XI. 12

2071

FORM A2.
BRITISH RAINFALL.
17. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Orchardleigh (Garden) near Frome
in the County of Somerset
by Revd. W. Arthur Duckworth

Rain Gauge
Pattern
Diameter of top 8 in.
Height of top above Ground ~~ft.~~ 10 in.
" " " Sea Level 303 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Frome
Distance 2½ mile Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·57	·15	·04		·06			·10	·35	·28	·01	·30	1
2	·45	·42	·12	·11				·52	·01	·17		·43	2
3	·65	·08	·09	·04	·21		·06	·02		·03		·35	3
4	·08	·02			·01							·40	4
5	·43	·65			·01			·18				·30	5
6	·12	·06		·34			·52	·08				·18	6
7	·26	·50		·03	·46		·23	·02				·37	7
8	·21	·38		·01			·01	·11			·01	·02	8
9	·02	·05		·12							·60	1·14	9
10	·22	·06	·04	·06				·11			·03	·06	10
11			·05	·05	·02			·19			·74	·05	11
12	·16	·32		·14	·58			·29		·03	·40		12
13		·86			·99				·11			·01	13
14	·06	·02					·05	·60	·05	·05		1·16	14
15	·47	·02		·02	·16		·06	·64		·04	·18	·07	15
16		1·10			·36		1·07	·01	·01			·10	16
17		·67			·64		·01	·02				·02	17
18		·41	·01		·06								18
19		·01			·05		·25						19
20	·16			·07	·02					·02		·11	20
21	·03	·18					·06			·10		·30	21
22	·14	·76	·54				·70		·03	·01		·39	22
23		·02	·11	·05			·46		·16	1·07	·01	·35	23
24			·02	·09			·48		·49	1·21		·30	24
25				·03		·06	·14					·15	25
26	·01	·12				·10	·08					·65	26
27		·04				·07	·43			·40		·01	27
28		·12				·01			·76	·05			28
29						·15		·05			·10	·05	29
30	·18			·01		·24				·39	·30	·18	30
31							·04			·79		·44	31
Total	4·22	7·02	1·02	1·17	3·63	·63	4·65	2·94	1·97	4·64	2·38	7·89	TOTAL for year 42·16
No. of Rain Days.	18	24	9	15	14	6	17	15	9	15	10	27	179

Wallis 16.III.15
C

REGIST

OTTERH~~EAD~~

BLACK DOWN HILLS

1914 - 1916

FORM A.
BRITISH RAINFALL.

15 MAR 1915

Kept at Otterhead, Black D

in the County of Somerset

by Wm. Black Esq

g.

in.

above Ground ft. in.

„ Sea Level ft.

IMPORTANT NOTE.— nd the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·09	-	-	·05	·15	·67	-	-	·40	·05	1
2	-	-	·05	·04	·03	-	·59	-	-	-	·49	·46	2
3	-	-	·10	·17	·46	-	-	28	-	·02	·07	·17	3
4	·16	-	·10	·33	·14	-	35	·08	-	-	·62	·52	4
5	·06	-	·14	·53	·07	-	·03	-	-	-	·02	·09	5
6	-	·18	-	·21	·26	-	·65	·04	-	-	·10	·38	6
7	-	·91	·21	·12	·17	·08	·40	·08	-	-	-	·23	7
8	·02	-	1·14	·30	·25	·65	·16	·06	-	-	-	·03	8
9	·03	·02	·27	·05	·07	·73	-	·10	·84	-	-	-	9
10	·02	·24	·03	·15	·05	·06	-	-	·76	-	·01	·05	10
11	-	·14	·55	-	·13	·38	-	-	-	·01	·05	·58	11
12	-	·30	·10	-	-	-	-	-	·22	·06	·03	·56	12
13	-	·30	·58	-	-	-	·06	-	·16	·42	·25	·38	13
14	-	·17	·46	-	-	·36	-	·74	-	·44	·36	·02	14
15	-	-	·25	-	-	-	-	1·53	·30	·09	·26	·01	15
16	·02	·03	·04	-	-	-	-	-	·28	-	·01	-	16
17	-	·52	·33	-	-	-	-	-	·01	-	-	·99	17
18	-	·06	·12	-	-	·15	-	-	·22	-	·01	·49	18
19	-	·03	-	-	-	-	3·20	-	-	·01	·09	·08	19
20	-	·43	·85	-	-	·06	-	-	-	·41	-	·41	20
21	-	·97	·26	-	-	·03	-	-	-	·40	-	·05	21
22	-	-	-	-	·10	·06	-	-	-	·51	-	-	22
23	-	·17	·39	-	·07	·02	-	-	-	·04	·01	·01	23
24	-	·01	·05	-	·35	-	-	·03	-	·56	·09	·01	24
25	·14	-	·40	-	-	-	·13	·62	-	·04	·02	·39	25
26	·07	-	-	-	-	-	·06	·18	-	·09	·31	·47	26
27	·05	-	-	-	-	-	·64	-	-	·10	·24	·20	27
28	·04	·14	·43	-	·09	-	-	-	-	-	·35	1·03	28
29	·23		-	-	·14	-	-	-	-	·38	·40	·01	29
30	-		·18	-	-	-	-	-	-	·44	·34	1·11	30
31	·07		-		·06		·41	-		1·02		·48	31
Total	·91	4·62	7·12	1·90	2·44	2·63	6·23	4·41	2·79	5·04	4·53	9·26	YEAR'S TOTAL 51·88
Rain Days.	12	17	~~23~~ 24	9	~~14~~ 16	~~14~~ 12	~~11~~ 13	~~14~~ 12	8	~~16~~ 18	23	28	192

W. 8,000. X. 14.

Write 16.III.15

Ex L McC

REGIST

FORM A.
BRITISH RAINFALL.
15 MAR 1915

Kept at Otterhead, Black Down Hills

in the County of Somerset

by Wm Black, Esq

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·09	-	-	·05	·15	·67	-	-	·40	·05	1
2	-	-	·05	·04	·03	-	·59	-	-	-	·49	·46	2
3	-	-	·10	·17	·46	-	-	28	-	·02	·07	·17	3
4	·16	-	·10	·33	·14	-	35	·08	-	-	·62	·52	4
5	·06	-	·14	·53	·07	-	·03	-	-	-	·02	·09	5
6	-	·18	-	·21	·26	-	·65	·04	-	-	·10	·38	6
7	-	·91	·21	·12	·17	·08	·40	·08	-	-	-	·23	7
8	·02	-	1·14	·30	·25	·65	·16	·06	-	-	-	·03	8
9	·03	·02	·27	·05	·07	·73	-	·10	·84	-	-	-	9
10	·02	·24	·03	·15	·05	·06	-	-	·76	-	·01	·05	10
11	-	·14	·55	-	·13	38	-	-	-	·01	·05	·58	11
12	-	·30	·10	-	-	-	-	-	·22	·06	·03	·56	12
13	-	·30	·58	-	-	-	·06	-	·16	·42	·25	·38	13
14	-	·17	·46	-	-	·36	-	·74	-	·44	·36	·02	14
15	-	-	·25	-	-	-	-	1·53	·30	·09	·26	·01	15
16	·02	·03	·04	-	-	-	-	-	·28	-	·01	-	16
17	-	·52	·33	-	-	-	-	-	·01	-	-	·99	17
18	-	·06	·12	-	-	·15	-	-	·22	-	·01	·49	18
19	-	·03	-	-	-	-	3·20	-	-	·01	·09	·08	19
20	-	·43	·85	-	-	·06	-	-	-	·41	-	·41	20
21	-	·97	·26	-	-	·03	-	-	-	·40	-	·05	21
22	-	-	-	-	·10	·06	-	-	-	·51	-	-	22
23	-	·17	·39	-	·07	·02	-	-	-	·04	·01	·01	23
24	-	·01	·05	-	·35	-	-	·03	-	·56	·09	·01	24
25	·14	-	·40	-	-	-	·13	·62	-	·04	·02	·39	25
26	·07	-	-	-	-	-	·06	·18	-	·09	·31	·47	26
27	·05	-	-	-	-	-	·04	-	-	·10	·24	·20	27
28	·04	·14	·43	-	·09	-	-	-	-	-	·35	1·03	28
29	·23		-	-	·14	-	-	-	-	·38	·40	·01	29
30	-		·18	-	-	-	-	-	-	·44	·34	1·11	30
31	·07		-		·06		·41	-		1·02		·48	31
Total	·91	4·62	7·12	1·90	2·44	2·63	6·23	4·41	2·79	5·04	4·53	9·26	YEAR'S TOTAL 51·88
Rain Days.	12 12	17	24 ~~26~~	9	16 ~~14~~	12 ~~11~~	13 ~~11~~	12 ~~11~~	8	18 ~~16~~	23	28	192

W. 8,000. X. 14.

Examd

2212

FORM A.
BRITISH RAINFALL.
7 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Otterhead

in the County of Somerset 6

by W. H. Black.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Taunton

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 4 ft. in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·48	·13	·07	·03	–	–	–	·57	·12	·15	·09	·17	1
2	·18	·37	·08	·06	–	·01	–	·77	·17	·06	·01	·32	2
3	·02	·25	–	·05	·16	·01	·23	–	–	·01	–	·49	3
4	·08	·12	–	–	·04	–	·02	·01	–	–	–	·30	4
5	·07	1·02	–	·08	–	–	–	·25	–	–	–	·58	5
6	·74	·09	–	·38	–	–	·98	·01	·01	–	–	·32	6
7	·38	·40	–	·12	–	–	·27	·03	–	–	–	·20	7
8	·17	·47	–	–	–	–	–	·11	–	–	·42	·06	8
9	·04	·02	–	·07	–	–	–	·01	–	–	·05	·84	9
10	·26	·18	·05	·07	–	–	–	·28	–	·14	–	·01	10
11	·20	·62	–	·04	·01	–	·02	·22	–	·01	1·04	·05	11
12	·15	·72	–	·25	·50	–	–	·55	–	·05	·23	·01	12
13	–	·44	–	–	·62	–	–	·05	·10	·01	·24	·01	13
14	–	·01	–	–	–	–	·09	·14	·08	·06	·21	1·09	14
15	·20	·01	·01	–	·21	–	·17	–	·04	·11	·08	·01	15
16	·01	1·42	–	–	·06	–	·78	–	–	–	–	·07	16
17	–	·48	–	–	·14	–	–	–	–	·01	–	·01	17
18	–	·16	–	–	·01	–	–	–	–	·01	·01	–	18
19	·02	–	–	–	·10	–	·16	–	–	–	–	–	19
20	·25	·01	–	·72	–	·09	·01	–	–	·11	–	·07	20
21	·01	·02	–	–	–	·01	·09	–	–	·12	–	·05	21
22	·26	·08	·23	·09	–	·04	·71	–	·01	·03	–	·25	22
23	·15	·06	·07	–	–	·04	·33	–	·15	1·32	·01	·47	23
24	–	–	–	·05	–	–	·30	–	·38	·44	–	·58	24
25	·08	–	·10	·07	–	·49	·42	–	–	·01	·01	·22	25
26	·11	·14	–	–	–	–	·05	–	·07	–	–	·83	26
27	–	·17	–	–	–	·16	·07	–	·04	·69	–	–	27
28	–	·04	–	–	–	·13	–	·01	·53	·17	–	·01	28
29	–		–	–	–	·09	·12	·01	–	·01	·17	·08	29
30	·17	✕	–	–	–	·02	·01	–	–	1·17	·44	·44	30
31	–	✕	–	✕	–	✕	·07	·02	✕	1·31	✕	·25	31
Total	4·03	7·43	·71	1·46	1·85	1·09	4·90	3·04	1·70	6·00	3·01	7·79	YEAR'S TOTAL 43·81
Rain Days.	22	25	7	14	10	11	20	16	12	22	14	28	201

W. 8,000. X. 15.

W J.L.

2148

FORM A.
BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Otterhead

in the County of Somerset

by W. A. Black

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	–	·52	–	1·08	·08	·10	–	·14	·25	·27	–	1
2	·23	·09	–	–	·01	–	·01	–	·08	·35	·30	–	2
3	–	1·50	–	–	·25	–	·01	–	·16	·55	·60	–	3
4	·14	·16	–	·04	·09	·30	·19	–	·14	·24	1·17	–	4
5	·02	–	·10	–	·08	·10	–	–	–	·03	·63	–	5
6	–	·26	·03	–	·20	·10	·60	–	–	·10	·87	·03	6
7	–	·11	·09	–	·02	·05	·35	–	–	·02	·90	·18	7
8	–	·11	·17	–	·42	·33	–	–	–	–	·09	·25	8
9	–	·23	·19	–	·07	·06	–	–	–	·21	·11	·23	9
10	–	·38	–	·05	·05	–	·02	–	–	·04	–	·01	10
11	–	·01	·07	·05	–	·01	–	–	–	–	–	–	11
12	·06	·05	·07	·11	·17	–	·06	–	–	·02	–	–	12
13	–	·36	·17	·05	–	–	–	·08	·01		–	–	13
14	·02	·46	–	·02	·14	–	–	·59	–	·06	–	–	14
15	·01	·11	·16	·07	·02	–	–	·01	–	·06	–	–	15
16	·13	·16	–	·25	–	–	·02	·21	–	·09	·06	–	16
17	·13	·14	–	·07	·01	–	–	1·04	·33	·42	·01	–	17
18	·06	·11	·23	·01	–	–	–	·28	·22	·06	(·06)	·04	18
19	·10	–	·65	·05	–	–	–	–	–	–	·59	·20	19
20	·16	·34	·17	·01	–	–	–	–	–	–	–	·70	20
21	·01	·45	·33	–	·06	·01	–	–	–	–	–	·30	21
22	–	·17	·01	–	–	·09	–	·15	–	·43	·05	1·02	22
23	–	–	·01	·04	–	·09	–	·20	–	·12	–	·20	23
24	–	–	–	·03	·52	–	–	·08	–	1·05	–	·25	24
25	–	·18	·13	–	·05	–	–	·59	·03	·06	·16	·10	25
26	·01	·01	·15	–	–	·56	–	·11	·76	1·02	·05	–	26
27	·03	·08	1·54	–	–	·03	–	·16	·47	·33	–	–	27
28	–	·62	·11	–	–	·01	–	·15	1·04	·19	–	·33	28
29	–	·43	·05	–	–	·69	–	1·50	·27	·30	–	·28	29
30	–	X	–	–	–	–	–	–	–	·20	–	–	30
31	–	X	–	X	–	X	–	·05	X	·19	X	–	31
Total	1·31	6·52	4·95	0·85	3·24	2·71	1·06	5·20	3·65	6·37	5·91 ✓	4·12	YEAR'S TOTAL 45·89 ✓
Rain Days.	15	24	21	14	17	15	9	15	12	25	16	15	198

W. 8,000, VIII. 16

PENSFORD
NORTON COURT
SOMERSET
1911 - 1915

4 - JAN 1912

REGIST 911

Kept at Norton Court, P H Palairet

in the County of Some 5 inches

above Ground 1 foot

Lat. 57. 23 N. Lon. 2. 35. W. ,, Sea Level 300 feet

NOTE.—Full instructions respecti *especting the Systematic Observation and Record of the Rainfall of the British Isles* NS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.11	.02			.03			.04	.02	1
2	.03			.15	.27			.13		.05	.39	.15	2
3			.02		.41					.01	.13	.01	3
4			.18	.01				.01	.05	.02	.30	.51	4
5	.04		.04					.41		.03	.49	.02	5
6	.25		.14					.08			.16	.45	6
7	.09										.56		7
8	.15		.26								.01	.47	8
9	.12										.07	.40	9
10	.22	.03	.34		.04						.02	.36	10
11	.40		.02		.01						.67	.30	11
12			.68						.06		.47	.17	12
13			.07		.10				.46	.16	.03	.45	13
14		.05			.01					.01	.01	.83	14
15		.04	.01			.03				.01	.48	.10	15
16		.08				.16					.40	.22	16
17	.01	.06				.05					.04	.45	17
18		.49	.09	.21		.15				.03	.04	.41	18
19	.02	.04		.11		.13			.31	.09	.05	.20	19
20	.01	.03	.08	.12		.05			.33	.06		.55	20
21		.24	.13	.03		.04		.30		.49		.30	21
22	.03	.03	.44	.03		.33				.25		.68	22
23		.24	.21	.04		.07			.08	.02	.01	.11	23
24	.02	.14				.38		.06		.83	.01	.27	24
25		.17		.16		.13			.01			.28	25
26	.02	.03		.24	.09	.01	.69	.04		.20	.07	.30	26
27		.33	.19	.10	.10			.13	.14		.01	.16	27
28		.61		.57		.02		.11			.08	.02	28
29				.15		.45			.26	.23	.01		29
30				.01		.09		.14		.17		.02	30
31							.02			.40			31
Totals	1.41	2.61	2.93	2.04	1.05	2.09	.71	1.44	1.70	3.06	4.55	8.21	3180
Total from Jan. 1		4.02	6.95	8.99	10.04	12.13	12.84	14.28	15.98	~~19.04~~	23.59	31.80	

K/4,000/10/97.

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

14 16 17 15 9 15 2 11 9 18 25 28 179

REGISTER OF RAINFALL IN 1911

4 - JAN 191

Kept at Norton Court, Pensford, Bristol by H H Palairet

in the County of Somerset

Lat. 57. 23 N. Lon. 2. 35. W. Time of Observation 9 a m

RAIN GAUGE.
Diameter 5 inches
Height of top above Ground 1 foot
" " Sea Level 300 feet

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles*," which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.11	.02	.		.03			.04	.02	1
2	.03			.15	.27			.13		.05	.39	.15	2
3			.02		.41					.01	.13	.01	3
4			.18	.01				.01	.05	.02	.30	.51	4
5	.04		.04					.41		.03	.49	.02	5
6	.25		.14					.08			.16	.45	6
7	.09										.56		7
8	.15		.26								.01	.47	8
9	.12										.07	.40	9
10	.22	.03	.34		.04						.02	.36	10
11	.40		.02		.01						.67	.30	11
12			.68						.06		.47	.17	12
13			.07		.10				.46	.16	.03	.45	13
14		.05			.01					.01	.01	.83	14
15		.04	.01			.03				.01	.48	.10	15
16		.08				.16					.40	.22	16
17	.01	.06				.05					.04	.45	17
18		.49	.09	.21		.15				.03	.04	.41	18
19	.02	.04		.11		.13			.31	.09	.05	.20	19
20	.01	.03	.08	.12		.05			.33	.06		.55	20
21		.24	.13	.03		.04		.30		.49		.30	21
22	.03	.03	.44	.03		.33				.25		.68	22
23		.24	.21	.04		.07			.08	.02	.01	.11	23
24	.02	.14				.38		.06		.83	.01	.27	24
25		.17		.16		.13			.01		.	.28	25
26	.02	.03		.24	.09	.01	.69	.04		.20	.07	.30	26
27		.33	.19	.10	.10			.13	.14		.01	.16	27
28		.61		.57		.02		.11			.08	.02	28
29				.15		.45			.26	.23	.01		29
30				.01		.09		.14		.17		.02	30
31							.02			.40			31
Totals	1.41	2.61	2.93	2.04	1.05	2.09	.71	1.44	1.70	3.06	4.55	8.21	3180
Total from Jan. 1		4.02	6.95	8.99	10.04	12.13	12.84	14.28	15.98	~~19.04~~	23.59	31.80	

K/4,000/10/97. EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS. PRICE 3D.

	14	16	17	15	9	15	2	11	9	18	25	28	179

FORM A2.
BRITISH RAINFALL.
6 JAN 191

REGISTER OF RAINFALL IN 1912

Kept at Norton Court, Pensford
in the County of Somerset
by H H Palairet

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 300 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Pensford
Distance 2½ Direction 2.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.14			.20	.32		.01	.72		.21	1
2			.10			.16	.23			.41			2
3	.02		.02	.01		.18	.03	.73	.19		.02	.01	3
4	.41		1.05		.65	.30		.16			.14		4
5	.44	.01	10	.01	.04	.01	.7	.48				.11	5
6	.38	.18	02		.06		.24	.53			.03	.10	6
7		.19	06		.17	.44		.17			.01	.04	7
8	.36	.18	.30			.06	.16	.05			.01	.03	8
9	.04	.01	.25	.17		.16	.05	.01				.46	9
10	.01	.10	.01			.14		.10			.15	.12	10
11	.16	.03										.45	11
12	.02	.02	.07	.08	.01	.03	.03				.02	.12	12
13		.01	.02								.01	.21	13
14	.12		.38		.20	.01		.06				.08	14
15		.08	.01		.23	.82		.03				.18	15
16	.68	.01	.25		.04	.03		.12		.14	.12	.09	16
17	.47		.26		.03	.19		.64			.03	.20	17
18	.16		.55		.01			.07		.13		.23	18
19	.13	.10	.10			.03	.15	.31		.18	.01	.02	19
20	.02	.03	.33		.19		.11	.43		.61	.03		20
21	.01	.05	.25		.46		.04	.27		.36			21
22	.49	.36	.06		.20		.04	.10		.02	.06	.15	22
23	.37	.63	.40		.01	.10		1.09		.19	.10	.39	23
24	.07	.02	.12			.41	.03	.24		.01	.02	.15	24
25			.02			.83		.65		.10	.57	.58	25
26		.04					.17	.35		.49	.76	.21	26
27		.02				.13	.85			.84	.05	.54	27
28		.11				.12	.31	.60	.04	.37	.45	.80	28
29		.06	.05			.03	.46	.03	.40	.31		.12	29
30						.08	.26		.10	.50		.02	30
31			.21				.46	.03		.02		.15	31
Total	4.36	2.24	5.13	.27	2.30	4.46	3.94	7.25	.74	5.10	2.53	5.77	TOTAL for year 44.09
No. of Rain Days.	19	6.60 21	11.73 26	12.00 4	14.30 14	18.76 22	22.70 18	29.95 24	30.69 5	35.79 17	38.32 19	44.09 27	216

W. 8,000, X. '11.

✓

C X M

REGISTER OF RAINFALL IN 1913

12 JAN 1914

Kept at Norton Court, Pensford
in the County of Somerset
Lat. Lon. Time of Observation 9 a.m.

RAIN GAUGE.
by
Diameter 5 in
Height of top above Ground 1 ft
" " Sea Level 300 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.16	.27	.08	.22				.37	.01	.13	.27	1
2	.02	.14	.04	.10	.02		.03		.03	.04	.19	.02	2
3	.28	.02	.19		.46					.13	.03	.52	3
4	.91		.20		.41				.75	.20	.04	.15	4
5	.02	.06	.01		.06	.21	.15		.48	.02	.03	.13	5
6	.02	.05	.19		.17	.10	.06			.82	.13	.46	6
7	.01	.26	.05		.27	.04	.07			.47	.15	.13	7
8		.04		.01	.30	.30	.01			.09	~~22~~	.03	8
9		.12	.04		.02	.31	.01	.25	.11		.10	.02	9
10	.15		.05	.03	.04	.01	.05	.11		.10	.13		10
11	.89		.01	.11	.12	.01		.01		.05	.65	.07	11
12	.10				.17		.02		.05		.18	.03	12
13	.06		.07				.01	.05	.60		.21		13
14	.25		.26	.13			.01	.01	.15	.20	.14	.04	14
15	.14	.08	.46	.72				.05	.05		.27	.10	15
16	.27		.49	.27			.01	.01	.16		.02		16
17	.02		.01	.03			.05		.02		.25		17
18	.20		.19	.14		.04	.03				.10	.01	18
19	.36				.06	.04	.01		.30	.02	.01		19
20	.15		.25	.08					.02	.12	.07		20
21	.03		.28	.09	.30		.13	.21			.39		21
22	.71		.54	.02	.04	.01	.03	.05	.25				22
23	.01					.08		.24	.04		.09	.21	23
24	.13			.01		.01		.12			.01		24
25		.05		.16					.02	.01	.04	.25	25
26		.12		.32				.25	.01			.20	26
27	.03		.13	.34						.13	.02		27
28	.19		.12	.17						.11	.01	.17	28
29	.04		.56	.47				.10		.21	.03		29
30	.44			.01				.02		.38	.11		30
31	.25		.07		.07			.17					31
Totals	5.72	1.10	4.48	3.29	2.73	1.16	.68	1.65	3.41	3.11	3.53	2.81	
Total from Jan. 1		6.82	11.30	14.59	17.32	18.48	19.16	20.81	24.22	27.33	30.86	33.67	✓

K/4,000/10/97.

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

27 11 23 20 18 12 16 15 17 18 27 18 220

Exet 11

20 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at [illegible] Court, Pensford, Bristol by H. H. [illegible]

in the County of Somerset

Lat. 57.23 N Lon. 2.35 W. Time of Observation 9 am

RAIN GAUGE.
Diameter 5"
Height of top above Ground ~~200~~ 1'
" " Sea Level 300'

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. Symons, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01	.09		.02	.69	.40			.06	.04	1
2				.04	.01		.74	.44			.77	.48	2
3	.02		.05	.18	.22		.04	.55			.06	.12	3
4	.15		.23	.20	.26		.18	.22			.62	.54	4
5	.17		.15	.54	.04		.15	.14			.07	.14	5
6	.04	.07	.05	.15	.06	.02	.11	.07			.04	.34	6
7	.01	.56	.36	.34	.27	.02	.29	.06				.23	7
8	.15	.01	1.03	.06	.10	.47	.14	.08	.27			.08	8
9	.30	.01	.42	.15	.03	.88		.07	.14				9
10	.02	.16	.02	.09	.06	.01			.49		.02	.02	10
11		.10	.33	.01	.18	.25	.25		.02		.11	.44	11
12		.14	.16		.01	.01	.04		.32		.13	.29	12
13		.33	.22			.01	.01		.37	.23	.15	.40	13
14		.20	.42					.22	.08	.22	.27	.01	14
15	.01	.02	.30					.40	.11	.04	.20		15
16			.01				.13		.22			.01	16
17		.35	.18				.05		.05	.01		.55	17
18		.03	.03				.21		.03			.40	18
19		.19	.10				.75		.01		.07	.16	19
20		.44	.30			.09	.01					.10	20
21		.45				.11				.24		.02	21
22		.03	.11	.02	.13	.68	.01	.09		.10			22
23			.15		.04	.02	.01	.01		.10			23
24			.17		.02	.01	.13			.06	.08		24
25	.10		.13		.01		.01	.26		.60	.02	32	25
26		.01	.01				.15	.07		.13	.35	.49	26
27	.14									.06	.30	.17	27
28		.10	.14		.02		.01			.07	.60	1.12	28
29	.24		.04		.10		.05			.11	.30	.01	29
30	.03		.03		.01					.25	.42	.69	30
31	.01				.03		.17			.27		.15	31
Totals	1.39	3.20	5.15	1.87	1.60	2.60	4.33	3.08	2.11	2.49	4.64	7.32	
Total from Jan. 1		4.59	9.74	11.61	13.21	15.81	20.14	23,22	25.33	27.82	32.46	39.78	
	14	18	27	12	19	14	24	15	12	15	20	26	216

K/4,000/10/97.

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

CK ML

2089

6 JAN 1916

REGISTER OF RAINFALL IN ~~18~~ 1915

Kept at Norton Court, Pensford by H H Palairet

in the County of Somerset

Lat. 51. 23 N Lon. 2. 35 W Time of Observation 9 a m

RAIN GAUGE.
Diameter 5 In
Height of top above Ground 1 ft
" " Sea Level 300 ft

NOTE.—Full instructions respecting the measurement of rain are given in "*Arrangements respecting the Systematic Observation and Record of the Rainfall of the British Isles,*" which is sent post-free on application to Mr. G. J. SYMONS, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.13			.14			.04					1
2	.30	.27	.16	.24			.01	.78	.36				2
3	.36	.06	.09	.15	.20		.05	.08	.15				3
4	.04	.01	.02	.01			.97						4
5	.09	.65	.01	.01				.12					5
6	.47	.03		.36	.01		.32	.05					6
7	.40	.40		.10	.10		.44	.03					7
8	.49	.23		.03			.02	.13					8
9	.01	.07		.10				.07					9
10	.22	.04	.10	.05			.01	.42					10
11	.04	.01	.06	.03	.02			.24					11
12	.15	.35		.26	.42			.11					12
13	.05	.61			1.16		.02	.58	.13				13
14	13	.02					.20	1.08	.06				14
15	48	.01		.03	.11		.04	.35	.12				15
16		.98		.01	.45		.84	.04	.01				16
17		.35			.75		.02						17
18		.35	.05		.03								18
19	.02	.05			.05		.35						19
20	.52	.		.12									20
21	.05	.03			.03		.01						21
22	.08	.22	.45	.06	.01		.48						22
23	.24	.04	.12				.20						23
24	.26		.02	.07		.23	.45		.47				24
25	.16		.03	.01			.28						25
26	.24	.15					.22		1.30				26
27	.18	.06				.10	.18						27
28	.20	.15	.02			.03							28
29	.17					.33		.02					29
30	.28			.01		.12							30
31							14	.12					31
Totals	5.98	5.27	1.13	1.65	3.48	.81	5.25	4.26	✓				
Total from Jan. 1		11.25	12.38	14.03	17.51	18.32	23.57	27.83					

Left. Sept. 25. H H P.

K/4,000/10/97.

EDWARD STANFORD, COCKSPUR STREET, CHARING CROSS.

PRICE 3D.

27 25 12 18 14 5 21 14 7

PENSFORD

PUBLOW SCHOOL

SOMERSET

1911, 1913 — 1920

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

11

Kept at Publ

tish Assocn

5 in.

ove Ground 1 ft. — in.

in the County of S

" Sea Level 230 ft.

9 a.m

by Pupils sup

A Hayes

Name Pensford G.W.R

Distance ½ mil Direction N

IMPORTANT N… nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the r… year in the space provided for it at the end of t… rement of rain, the selection and pla… British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, C…

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							—	·03	—	—	·03	·02	1
2							—	·16	—	·04	·32	·18	2
3							—	—	—	—	·11	—	3
4							—	—	—	·01	·32	·48	4
5							—	·53	—	·02	·47	·02	5
6							—	·06	—	—	·23	·46	6
7							—	—	—	—	·47	·01	7
8							—	—	—	—	—	·41	8
9							—	—	—	—	·11	·36	9
10							—	—	—	—	—	·34	10
11							—	—	—	—	·60	·26	11
12							—	—	·07	—	·42	·19	12
13							—	—	·45	·11	—	·42	13
14							—	—	—	—	—	·80	14
15							—	—	—	—	·53	·06	15
16							—	—	—	·01	·38	·37	16
17							—	—	—	—	·03	·57	17
18							—	—	—	·03	·02	·51	18
19							—	—	·27	·15	·04	·22	19
20							—	—	·19	·03	—	·46	20
21							—	·25	—	·72	—	·27	21
22							—	—	·01	·21	—	·61	22
23							—	—	·06	·12	—	·14	23
24							—	·03	—	·82	—	·19	24
25							—	—	—	·05	—	·22	25
26							·27	·01	—	·10	·06	·24	26
27							—	·14	·10	—	·03	·14	27
28							—	·06	—	—	·05	—	28
29							·01	—	·28	·19	—	—	29
30							—	·05	—	·20	·01	·01	30
31							·01	—	//////////	·32	//////////	—	31
Total							·29	1·32	1·43	3·13	4·23	7·96	TOTAL for year ~~18·36~~
No. of Rain Days.							3	10	8	17	19	27	~~84~~

Only obtained rain gauge beginning of July 1911

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Publow School

in the County of Somerset

by Pupils superintended by A Hayes A.C.P Hd master

RAIN GAUGE
Pattern British Assocn
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 230 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Pensford G.W.R
Distance ½ mile Direction N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Only obtained rain gauge beginning of July 1911

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							—	·03	—	—	·03	·02	1
2							—	·16	—	·04	·32	·18	2
3							—	—	—	—	·11	—	3
4							—	—	—	·01	·32	·48	4
5							—	·53	—	·02	·47	·02	5
6							—	·06	—	—	·23	·46	6
7							—	—	—	—	·47	·01	7
8							—	—	—	—	—	·41	8
9							—	—	—	—	·11	·36	9
10							—	—	—	—	—	·34	10
11							—	—	—	—	·60	·26	11
12							—	—	·07	—	·42	·19	12
13							—	—	·45	·11	—	·42	13
14							—	—	—	—	—	·80	14
15							—	—	—	—	·53	·06	15
16							—	—	—	·01	·38	·37	16
17							—	—	—	—	·03	·57	17
18							—	—	—	·03	·02	·51	18
19							—	—	·27	·15	·04	·22	19
20							—	—	·19	·03	—	·46	20
21							—	·25	—	·72	—	·27	21
22							—	—	·01	·21	—	·61	22
23							—	—	·06	·12	—	·14	23
24							—	·03	—	·82	—	·19	24
25							—	—	—	·05	—	·22	25
26							·27	·01	—	·10	·06	·24	26
27							—	·14	·10	—	·03	·14	27
28							—	·06	—	—	·05	—	28
29							·01	—	·28	·19	—	—	29
30							—	·05	—	·20	·01	·01	30
31							·01	—	▨	·32	▨	—	31
Total							·29	1·32	1·43	3·13	4·23	7·96	TOTAL for year ½ 18·36
No. of Rain Days.							3	10	8	17	19	27	84

W. 8,000, X. '11.

FORM A. BRITISH RAINFALL. 1979

10 JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Publow School

in the County of Somerset GWR

by A Hayes Hd Teacher

Lat. Long.

Time of Observation 9·a·m

Nearest Railway Station Pensford G.W.R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·18	·31	·06	·09	—	—	—	·35	—	·13	·17	1
2	·03	·11	·01	·12	·03	—	·03	—	·01	·04	·17	·02	2
3	·15	—	—	—	·42	—	—	—	—	·09	·01	·58	3
4	·86	—	·10	—	·35	—	—	—	·72	·32	—	·14	4
5	·01	·04	—	—	·16	·15	·14	—	·34	—	—	·09	5
6	·03	·03	·15	—	·11	—	·02	—	—	·83	—	·56	6
7	·01	·28	·03	—	·09	·34	·15	—	—	·27	·23	·02	7
8	·01	·05	—	—	·50	·10	—	—	—	·07	—	·01	8
9	—	·13	·07	·01	—	·22	—	·20	·10	—	—	—	9
10	·19	—	·03	—	·02	—	·01	·11	—	·17	·09	—	10
11	·75	·02	—	·11	·10	—	—	—	—	·07	·81	·07	11
12	·20	—	·02	—	·16	—	·01	—	·03	—	·10	—	12
13	·04	·02	·03	—	—	—	·01	·03	·62	—	·18	—	13
14	·19	·07	·20	·04	—	—	·04	—	·04	·17	·14	·02	14
15	·09	·05	·34	·76	—	—	—	·01	·01	—	·26	·07	15
16	·23	—	·48	·21	—	—	—	·02	·24	—	—	—	16
17	·05	—	—	—	—	—	·04	—	·02	—	·18	—	17
18	·14	—	·16	·10	—	—	·02	—	—	—	·07	—	18
19	·43	—	—	—	·04	·05	—	—	·31	—	—	—	19
20	·13	—	·09	·11	—	—	·02	—	—	·17	·09	—	20
21	—	—	·16	·10	·21	—	·13	—	—	·02	·36	—	21
22	·78	—	·55	—	—	—	—	·03	·22	—	—	—	22
23	—	—	—	—	—	·07	—	·20	·02	—	·08	·28	23
24	·09	·02	—	·01	—	—	—	·13	—	—	—	—	24
25	—	·06	—	·17	—	—	—	—	—	—	·03	·01	25
26	—	—	—	·36	—	—	—	·28	—	—	—	·16	26
27	·03	—	·15	·31	—	—	—	—	—	·13	·01	—	27
28	·21	—	·08	·20	—	—	—	—	—	—	—	Snow ·15	28
29	·01		·57	·43	—	—	—	·07	—	·23	·01	—	29
30	·45		·01	—	—	—	—	—	—	·36	·10	—	30
31	·15		·08		—		—	·19		—		—	31
Total	5·28	1·06	3·62	3·10	2·28	·93	·62	1·27	3·03	2·94	3·05	2·35	YEAR'S TOTAL 29·53
Rain Days.	26	13	21	16	13	6	12	11	14	14	19	15	180

W.7,000, XI. 13

Esc. Mg.

1979

FORM A.
BRITISH RAINFALL.
6 JAN

REGISTER OF RAINFALL IN 1914

Kept at Publow School · Pensford
in the County of Somerset
by Mr A Hayes (+ pupils)

Lat. Long.
Time of Observation 9 a·m
Nearest Railway Station Pensford · G W R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	–	·10	–	·01	·33	·37	–	–	·06	·02	1
2	–	–	–	–	·01	–	·60	·12	–	–	·90	·43	2
3	–	–	·03	·17	·27	–	·03	·32	–	–	·63	·16	3
4	·11	–	·17	·26	·25	–	·19	·10	–	–	·60	·45	4
5	·13	–	·13	·45	·02	–	·20	·07	–	–	·03	·12	5
6	–	·05	–	·16	·04	–	·12	·12	–	–	·06	·26	6
7	·02	·68	·21	·25	·25	·03	·30	·03	–	–	·01	·10	7
8	·08	·02	·84	·02	·05	·44	·06	·04	·09	–	–	·03	8
9	–	–	·31	·27	·03	·80	–	·04	·20	–	–	–	9
10	·02	·20	–	·10	·03	–	–	–	·33	–	·02	·02	10
11	–	·10	·35	–	·17	·22	·06	–	–	–	·03	·45	11
12	–	·15	·12	–	–	·01	–	–	·28	–	·07	·26	12
13	–	·34	·39	–	–	–	–	–	·29	·18	·11	·43	13
14	–	·23	·40	–	–	–	–	·20	·02	·20	·28	–	14
15	–	–	·20	–	–	–	–	·38	·07	·03	·16	·01	15
16	–	–	–	–	–	–	·12	–	·21	–	–	–	16
17	–	·42	·22	–	–	–	·02	–	–	–	–	·73	17
18	–	·01	·02	–	–	–	·11	–	·03	–	–	·35	18
19	–	·17	·11	–	–	–	·78	–	–	–	–	·03	19
20	–	·50	·26	–	–	–	–	–	–	–	–	·21	20
21	–	·45	·01	–	–	·21	–	–	–	·20	–	–	21
22	–	·01	·03	·01	·15	·45	–	·06	–	·11	–	–	22
23	–	·05	·20	–	·03	·01	–	–	–	·26	–	–	23
24	–	–	·04	–	·03	–	·14	–	–	·07	·13	–	24
25	·07	·44	·17	–	–	–	–	·24	–	·38	–	·34	25
26	–	–	–	–	–	–	·12	·04	–	·10	·35	·54	26
27	·08	–	–	–	–	–	–	–	–	·07	·19	·15	27
28	–	·05	·15	–	–	–	–	–	–	–	·46	1·10	28
29	·17	×	·03	–	·12	–	–	–	–	·12	·14	·01	29
30	–	×	·02	–	–	–	·01	–	–	·21	·37	·74	30
31	–	×	–	×	·03	×	·14	–	×	·28	×	·21	31
Total	·68	3·87	4·41	1·79	1·48	2·18	3·33	2·13	1·52	2·21	4·00	7·15	YEAR'S TOTAL 34·75
Rain Days.	8	17	23	10	15	9	17	14	9	13	19	24	178

W. 8,000. X. 14.

2088

1979

Form A.
British Rainfall.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Publow School

in the County of Somerset

by A Hayes Hd Master

Lat. — Long. —

Time of Observation 9 a.m

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·13	—	—	·08	—	—	·11	—	—	—	·14	1
2	·35	·21	·12	·16	—	—	—	·60	·26	—	—	·24	2
3	·39	·09	·05	·10	·15	—	·02	·05	—	—	—	·28	3
4	·02	·02	—	—	·08	—	·33	—	—	—	—	·50	4
5	·10	·60	—	—	—	—	—	·07	—	—	—	·22	5
6	·32	·03	—	·35	—	—	·35	·10	—	—	—	·09	6
7	·41	·35	—	—	·08	—	·28	·02	—	·01	—	·20	7
8	·31	·27	—	·02	—	—	·01	·11	—	—	·03	—	8
9	—	·07	—	·06	—	—	—	·02	—	—	·30	·90	9
10	·11	·02	·08	·03	—	—	—	·26	—	—	—	·08	10
11	·02	—	—	—	—	—	—	·11	—	·01	·85	·02	11
12	·12	·44	—	·15	·52	—	—	·34	—	·01	·28	—	12
13	·02	·65	—	—	1·03	—	—	·25	·12	·02	·03	—	13
14	·11	—	—	—	—	—	·16	1·11	·03	—	—	·66	14
15	·30	—	—	—	·09	—	·07	·25	·11	·03	·13	·04	15
16	—	1·10	—	·01	·36	—	·82	·02	—	—	—	·09	16
17	—	·38	—	—	·62	—	—	·02	—	—	—	·02	17
18	—	·38	—	—	·02	—	—	—	—	—	—	—	18
19	—	·03	—	—	·04	—	·35	—	—	—	—	—	19
20	·38	—	—	·13	—	—	—	—	—	·02	—	·11	20
21	·04	·03	—	—	—	—	—	—	—	·03	—	·15	21
22	—	·30	·42	—	—	·02	·43	—	—	—	—	·19	22
23	·05	—	·10	—	—	—	·25	—	·11	1·22	—	·52	23
24	—	—	·02	·07	—	—	·30	—	·35	·58	—	·46	24
25	—	—	—	—	—	·20	·13	—	—	—		·14	25
26	—	·12	—	—	—	·11	·12	—	—	—	·01	·53	26
27	—	—	—	—	—	·10	·18	—	·03	·36	—	—	27
28	—	·11	·02	—	—	·01	—	—	·66	·03	—	—	28
29	—	✕	—	—	—	·45	—	·01	·07	—	·10	·05	29
30	·25	✕	—	—	—	·19	—	—	—	·45	·30	·33	30
31	—	✕	—	✕	—	✕	·10	·36	✕	1·13	✕	·23	31
Total	3·60	5·33	·81	1·08	3·07	1·08	3·90	3·81	1·74	3·90	2·03	6·19	YEAR'S TOTAL 36·54
Rain Days.	18	20	7	10	11	7	16	18	9	13	9	24	162

W. 8,000. X. 15.

Ex DL

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
3 JAN
1979

Kept at School House. Publow Pensford.
in the County of Somerset.
by (Mr) A Hayes.

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Pensford G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	–	–	–	·21	·11	·22	–	·03	·37	·14	–	1
2	·70	·03	–	–	–	–	–	–	·06	·96	·06	–	2
3	–	·99	Snow ·03	–	·10	–	–	–	·04	·39	·16	–	3
4	·25	·03	–	–	·10	1·11	–	–	·24	·26	·57	–	4
5	·05	–	Snow ·03	–	·20	·11	–	–	–	·02	·39	–	5
6	·14	·20	–	–	–	·31	·27	–	–	·07	·62	–	6
7	·01	·07	Snow ·17	–	–	–	–	–	–	·12	·65	–	7
8	–	·12	Snow ·07	–	–	·07	–	–	–	–	·02	·31	8
9	–	–	–	–	·12	·27	–	–	–	·06	·02	·05	9
10	–	·36	–	·13	·07	·01	·02	–	–	·10	·02	·04	10
11	·03	·02	–	·18	·20	·10	–	–	·02	–	–	–	11
12	·03	·10	·09	·06	·09	–	·27	·15	–	·19	–	–	12
13	–	·45	·15	–	–	–	–	·28	–	·02	–	–	13
14	–	·58	·12	·03	·17	–	–	·25	–	·02	–	–	14
15	·03	·18	·09	·08	·02	–	–	·68	–	·03	–	–	15
16	·02	·11	–	–	·03	–	–	·70	–	·02	–	–	16
17	·11	–	–	·02	–	–	–	·12	·47	·40	·11	–	17
18	·01	·02	–	–	–	–	–	–	·04	·19	·17	–	18
19	·18	–	·33	·32	–	–	–	–	–	–	·11	–	19
20	·19	·03	·43	·07	–	–	–	·01	–	–	·30	·96	20
21	·18	·03	·68	–	·15	–	·10	–	–	–	–	Snow ·80	21
22	·01	–	–	–	–	·06	–	–	–	·31	·03	·48	22
23	·02	Snow ·25	–	·03	–	·03	–	·29	–	·05	·22	·15	23
24	–	Snow ·10	–	–	1·00	–	–	·03	–	·40	·01	–	24
25	–	Snow ·47	·13	–	–	·01	–	·33	–	·02	·24	·40	25
26	·02	Snow ·03	·12	–	–	·30	–	·50	·56	·39	–	–	26
27	·12	Snow ·14	Sleet. Snow 1·05	–	·13	–	–	·09	·30	·60	–	–	27
28	–	Snow ·22	·25	–	–	·22	–	·02	·03	1·05	·01	·59	28
29	–	·55	·08	–	–	·28	–	1·75	·04	·61	–	·72	29
30	–	✕	–	–	–	–	–	·01	–	·40	–	·02	30
31	–	✕	–	✕	–	✕	–	·04	✕	·12	✕	·11	31
Total	2·14	5·08	3·82	·92	2·59	2·99	·88	5·25	1·83	7·17	3·85	4·63	YEAR'S TOTAL 41·15
Rain Days.	19	23	16	9	14	14	5	16	11	26	19	12	184

W. 8,000, VIII. 16

1942

FORM A. BRITISH RAINFALL. 3. JAN 1918 1979

REGISTER OF RAINFALL IN 1917

Kept at School House. Publow.

in the County of Somerset.

by (Mr) A Hayes.

Lat. .... Long. ....

Time of Observation 9 a.m

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	Snow ·05	·27	Snow ·42	—	·16	—	·90	·43	—	·07	—	1
2	·03	—	·01	·05	—	·09	—	·12	—	—	—	—	2
3	·07	—	—	·01	—	—	·18	·04	—	·98	·06	—	3
4	—	Snow ·30	·15	—	—	—	·07	—	·02	·25	—	—	4
5	·27	—	·22	·42	—	·19	—	—	·53	·40	·10	—	5
6	—	—	·67	·11	—	—	—	—	—	·15	·26	—	6
7	—	—	—	—	—	—	·10	·43	—	·35	·01	·08	7
8	·25	—	Snow ·10	·16	—	—	·70	·65	—	·54	·12	—	8
9	—	—	·10	·02	·10	—	—	·18	·07	·20	·18	—	9
10	·14	—	·22	·18	—	—	—	·14	·18	·02	—	—	10
11	·03	—	·53	·30	—	—	—	·25	·03	·10	—	—	11
12	—	—	·02	—	Thunder ·54	—	—	·63	—	·74	·01	—	12
13	—	—	·10	·02	—	·03	—	·20	·18	·03	—	·02	13
14	—	—	·27	·11	·01	—	—	·75	·09	—	—	—	14
15	—	—	—	·02	—	—	·05	·03	·01	·09	—	·19	15
16	—	·06	—	·21	·20	·02	·07	—	—	·24	—	—	16
17	—	·02	—	·20	—	—	·53	·10	·58	·15	—	—	17
18	·05	—	—	—	—	·02	·62	·02	·69	—	·02	—	18
19	Frost — ,,	·42	·05	—	—	·02	—	·03	·09	—	·02	—	19
20	— ,,	·20	·05	—	·31	·05	—	—	·13	—	—	—	20
21	— ,,	·02	·30	—	—	—	—	·02	—	·03	—	—	21
22	— ,,	—	·03	—	—	—	—	·09	—	·13	—	—	22
23	— ,,	·16	—	—	·09	·01	—	·42	—	—	—	·07	23
24	— ,,	—	·03	—	—	·57	·02	·43	—	·15	—	—	24
25	— ,,	·11	—	—	—	—	—	·01	—	·70	—	—	25
26	— ,,	—	—	—	·13	—	·02	·88	·21	·25	·12	—	26
27	— ,,	—	—	—	·94	·02	—	1·10	—	—	—	—	27
28	— ,,	—	·15	—	·03	** 1·83	—	1·02	—	—	—	—	28
29	— ,,	X	·07	—	—	·55	·05	·15	—	·80	—	·17	29
30	— ,,	X	·08	—	—	—	·09	·18	—	·38	—	—	30
31	— ,,	X	·15	X	·01	X	—	·13	X	·05	X	·03	31
Total	·85	1·34	3·57	2·23	2·36	3·56	2·50	8·90	3·24	6·73	·97	·56	YEAR'S TOTAL 36·81
Rain Days.	8	9	21	14	10	13	12	26	14	22	11	6	166

W. 8,000, IX. 17.

25

FORM H. BRITISH RAINFALL 7·1·19 1979

REGISTER OF RAINFALL IN 1918

Kept at Publow: School House

in the County of Somerset

by A Hayes

Lat. Long.

Time of Observation 9 a·m

Nearest Railway Station Pensford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·03	—	·12	·04	—	—	·28	—	·02	·66	·02	1
2	—	·03	—	·05	—	—	—	·45	—	·02	·06	·36	2
3	—	·04	—	·17	·18	—	—	·10	·07	·11	·02	—	3
4	—	—	—	·04	—	—	—	·38	—	·03	·78	·06	4
5	—	—	—	—	·21	—	—	·10	·02	·26	—	·01	5
6	·12	·57	—	·36	—	—	—	—	—	·16	—	·07	6
7	—	·17	—	—	·77	—	—	—	·32	·35	·38	—	7
8	—	·01	—	—	—	—	—	—	·95	·16	—	·02	8
9	—	·17	—	·46	—	·34	·55	—	·65	·10	·03	·18	9
10	·02	·01	—	·17	—	—	·52	—	·29	·11	—	·43	10
11	—	·57	·02	—	—	—	·35	—	·76	·02	—	·23	11
12	—	·27	·28	—	·31	—	·19	—	·03	—	—	·13	12
13	Snow ·23	—	—	—	—	·02	·13	—	·35	·05	—	·42	13
14	·18	—	—	—	—	—	·53	—	·26	·08	—	·18	14
15	Rain-Snow 1·32	—	—	·39	·11	·24	·28	—	·03	·01	—	·23	15
16	·32	—	—	·80	—	—	·03	·01	·10	·02	—	·15	16
17	·33	—	·10	·10	—	—	·12	·17	·03	·02	—	·27	17
18	·66	—	—	—	—	·62	·40	—	·37	·03	—	·15	18
19	·05	—	·17	—	—	—	·05	·04	·56	·02	—	·12	19
20	·02	·13	—	·13	—	—	·28	—	·27	·04	—	—	20
21	·04	·06	—	—	—	—	·04	—	·90	·02	—	·07	21
22	—	·03	—	—	·03	—	·27	—	·22	·03	—	·40	22
23	·05	—	—	—	·15	—	·54	·02	—	—	—	—	23
24	—	·13	—	—	—	—	·05	·04	·12	—	·04	—	24
25	—	—	—	·01	—	—	·12	·83	—	·02	·04	—	25
26	—	—	—	·04	—	—	·42	—	·08	·03	—	·30	26
27	—	—	—	—	—	—	—	·27	—	—	·10	·03	27
28	—	·17	·24	·01	—	—	—	—	·02	—	·18	·23	28
29	—	X	·05	—	—	—	—	—	1·00	—	—	·01	29
30	—	X	·31	—	—	—	—	—	·03	—	·06	·08	30
31	—	X	·10	X	—	X	—	·02	X	·04	X	—	31
Total	3·37	2·39	1·27	2·85	1·80	1·22	4·87	2·71	7·43	1·75	2·35	4·15	YEAR'S TOTAL 36·16
Rain Days.	13	15	8	14	8	4	18	13	23	24	11	24	175

W, 6,500, VII. 18, W W C

1875

1979

13 JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919

Kept at Sch: Hse. Publow

in the County of Somerset

by Mr A. Hayes

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Pensford. G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·38	·01	·04	·02	·38	–	·35	–	·03	·25	–	·97	1
2	·11	–	·01	–	·08	–	·04	–	·08	–	–	·35	2
3	rain. snow 1·13	–	·21	–	·03	–	–	–	·10	–	·12	·67	3
4	·28	·09	·47	–	–	·02	·29	·02	·21	–	–	·11	4
5	–	·34	·57	–	·05	–	–	–	·40	–	–	·52	5
6	·35	·04	·09	–	–	–	–	–	–	–	–	·21	6
7	·11	–	·36	·13	·02	–	–	–	–	–	·03	–	7
8	·25	–	·16	·03	–	–	–	–	–	–	–	–	8
9	·10	–	·06	·06	–	–	–	–	–	–	·12	–	9
10	·02	–	·24	–	·03	–	–	–	–	·02	–	·31	10
11	·04	–	·23	·13	·11	–	·23	–	–	·05	–	·08	11
12	·02	–	·12	·10	–	·22	–	–	–	·03	snow ·08	–	12
13	·06	–	–	·30	–	–	·02	–	–	·01	–	·05	13
14	·72	·06	–	·62	–	–	·12	–	·02	·03	–	·11	14
15	·32	–	–	·06	–	–	–	–	–	·09	–	·30	15
16	·20	·79	–	–	–	–	–	–	–	–	·17	·02	16
17	–	–	–	–	–	–	–	–	–	–	·30	–	17
18	–	–	·48	–	–	–	·11	·23	·05	–	·09	·06	18
19	·19	·15	1·22	–	–	·10	·98	·16	·15	–	–	·06	19
20	·33	·13	·22	–	–	·11	–	·22	·01	–	–	·21	20
21	–	·56	–	–	–	–	·11	·01	·01	–	–	·03	21
22	–	·26	–	–	–	–	·10	–	·15	–	·03	·37	22
23	–	–	–	–	–	–	–	–	–	·89	·18	·05	23
24	–	+	–	·03	–	·10	–	–	–	1·14	·21	·92	24
25	·11	–	–	–	–	·02	–	·94	–	–	·07	·03	25
26	·12	·03	·17	·42	–	–	–	–	–	–	·03	·46	26
27	·07	–	–	–	–	–	–	·75	–	–	snow ·39	·05	27
28	·02	–	·31	–	–	–	–	·20	–	–	·04	·36	28
29	–	✕	–	·11	–	–	–	–	–	·11	–	·23	29
30	–	✕	–	·20	–	·24	–	·28	–	–	·25	·44	30
31	·01	✕	–	✕	–	✕	–	·01	✕	–	✕	·12	31
TOTAL	4·94	2·46	4·96	2·21	·70	·81	2·35	2·82	1·21	2·62	2·11	7·03	YEAR'S TOTAL 34·22
Days with ·01 in. or more	22	11	17	13	7	7	10	10	11	10	15	26	159

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1732
1979
1921

ORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at School House Publow
in the County of Somt
by (Mr) A. Hayes

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Pensford G.W.Ry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
„ „ „ „ Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·50

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10	–	–	·21	·33	–	·35	·03	·06	·33	·22	·47	1
2	·03	–	–	·11	·08	–	1·28	·23	·05	·23	–	·07	2
3	–	·05	–	·10	·03	·01	·08	·01	–	·57	–	·05	3
4	–	–	·07	·07	·01	–	·21	·44	–	·18	–	–	4
5	–	–	·06	·01	·10	–	·45	·01	–	·12	–	–	5
6	–	–	–	·01	·33	–	·16	–	–	–	–	–	6
7	·03	–	·04	·10	·03	–	·07	–	–	–	–	–	7
8	·02	·08	–	·47	·12	–	·44	–	–	·01	·03	–	8
9	·68	·23	·08	·88	–	·09	·14	·02	–	–	–	·01	9
10	1·28	·49	·05	·08	–	·18	·34	–	–	–	–	–	10
11	·16	–	–	·46	·31	–	·07	–	–	–	–	–	11
12	·21	·02	–	·14	·04	·88	·07	–	–	–	·11	–	12
13	·12	·18	·47	·13	–	–	–	–	–	–	–	·01	13
14	·03	–	·37	·58	–	·06	·05	–	·05	·23	·38	–	14
15	·02	·17	·03	·52	·08	·08	·02	–	–	·33	·28	–	15
16	·02	·01	–	·08	·04	·21	·26	·01	·24	–	·50	·05	16
17	·18	–	·03	·17	·24	·63	·01	–	·32	–	·02	–	17
18	·08	·01	–	·05	·11	·04	–	·38	·25	–	–	·01	18
19	·03	·13	–	·37	·11	–	–	–	–	–	–	–	19
20	·02	–	–	·23	–	·55	·02	–	–	–	–	·27	20
21	·01	–	–	·01	–	–	·09	–	–	·02	–	·14	21
22	·01	–	–	·07	–	–	·04	·12	·03	–	–	·35	22
23	–	–	–	–	–	–	·90	·03	–	–	–	·35	23
24	–	–	·24	·05	–	–	·02	·02	–	–	·11	·73	24
25	·09	·13	·15	–	–	–	·27	–	–	–	–	–	25
26	·32	–	·18	–	–	·01	·03	–	–	–	·07	·09	26
27	·25	·02	·05	·13	–	·84	·03	–	–	–	–	·25	27
28	·95	·02	·10	·02	·22	·01	·01	–	–	–	–	·02	28
29	·27	·01	·12	·06	·05	·03	·03	–	–	–	·11	·35	29
30	·09		–	·04	–	·21	·40	·02	·37	–	·32	·39	30
31	·22		·25		·02		·01	–		·77		·25	31
TOTAL	5·22	1·55	2·29	5·15	2·25	3·83	5·85	1·32	1·37	2·79	2·15	3·26	YEAR'S TOTAL ~~31·81~~ 37·03
Days with ·01 in. or more	25	14	16	27	18	15	28	12	8	10	11	18	202
Days with ·04 in. or more	15	8	14	23	14	11	19	4	7	8	9	14	146

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Days irregular

REGIST

PENSELWOOD
RECTORY
SOMERSET
1911 - 1916

FORM A2.
BRITISH RAINFALL.
6 - JAN 1914

Kept at The Rectory . Pen 5 in.
e Ground ft. 10 in.
in the County of Som Sea Level 650 ft. about
d. m
by Newton Pais Name Wincanton
Distance 4 Direction N.E

IMPORTANT NOTE.—Rain d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·	·10	·05	·	·	·	·	·	·	·02	·10	1
2	·10	·	·04	·22	·34	·	·	·15	·	·05	·29	·20	2
3	·	·	·	·	·26	·	·	·05	·01	·	·08	·08	3
4	·01	·02	·10	·08	·	·	·	·01	·	·09	·22	·55	4
5	·09	·	·	·	·	·10	·	·24	·	·06	·15	·02	5
6	·40	·	·17	·	·	·	·	·	·	·02	·11	·65	6
7	·03	·	·	·	·	·	·	·	·	·	·38	·	7
8	·11	·	·20	·	·	·	·	·	·	·	·14	·45	8
9	·19	·	·	·	·	·	·	·	·	·	·07	·47	9
10	·16	·09	·30	·	1·00	·	·	·	·	·	·65	·33	10
11	·38	·01	}·93	·	·04	·	·	·	·	·	·	·17	11
12	·03	·		·	·	·	·	·	·01	·	·14	·30	12
13	·	·	·02	·	·	·	·	·	·25	·	·	·45	13
14	·	·09	·	·	·	·02	·	·	·	·	·01	}·02	14
15	·	·	·	·	·	·43	·	·	·	·	·40	·98	15
16	·	·	·	·	·	·12	·	·	·	·	·55}	·47	16
17	·	·11	·03	·	·	·	·	·	·	·		·96[	17
18	·	·36	·	·04	·	·22	·	·	·	·04	·04		18
19	·	·17	·	·09	·03	·19	·	·	·18	·21	·02	·50	19
20	·05	·03	·08	·15	·	·04	·	·	·56	·09	·	·69	20
21	·	}·42	·01	·	·	·	·	·02	·09	·62	·01	·28	21
22	·14		·25	·04	·	·	·	·02	·01	·72	·	·49	22
23	·	·11	·08	·	·	}·71	·	·	·18	·08	·	·22	23
24	·	·27	·	·	·		·	·16	[illegible]	·36	·	·20	24
25	·	·10	·	·22	·	·15	·	·	·03	·06	·	·30	25
26	·	·04	·	·41	·01	·	·	·03	·13	·12	·	·38	26
27	·	·66	·15	·	·	·	·	·06	·	·01	snow ·03	·23	27
28	·	·42	·	·42	·	}·39	·	·07	·	·	·06	·	28
29	·	·	·	·83	·		·05	·	·13	·56	·	·	29
30	·	·	·	·04	·	·	·	·	·	·21	·09	·	30
31	·	·	·	·	·	·	·	·	·	·06	·	·03	31
Total	1·71	2·90	2·46	2·59	1·68	2·37	·05	·81	1·58	3·36	3·46	9·52	TOTAL for year 32·49
No. of Rain Days.	13	16	~~14~~ 15	12	6	12	1	10	11	17	21	27	160 161

W. 8,000, X. '11.

Days irregular

REGISTER OF RAINFALL IN 19

FORM A2.
BRITISH RAINFALL.
6 - JAN 1914

Kept at The Rectory . Pen Selwood

in the County of Somerset

by Newton Parsons

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 650 ft. about

Time of Observation 9 a. m

Nearest Railway Station
Name Wincanton
Distance 4 Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·	·10	·05	·	·	·	·	·	·	·02	·10	1
2	·10	·	·04	·22	·34	·	·	·15	·	·05	·29	·20	2
3	·	·	·	·	·26	·	·	·05	·01	·	·08	·08	3
4	·01	·02	·10	·08	·	·	·	·01	·	·09	·22	·55	4
5	·09	·	·	·	·	·10	·	·24	·	·06	·15	·02	5
6	·40	·	·17	·	·	·	·	·	·	·02	·11	·65	6
7	·03	·	·	·	·	·	·	·	·	·	·38	·	7
8	·11	·	·20	·	·	·	·	·	·	·	·14	·45	8
9	·19	·	·	·	·	·	·	·	·	·	·07	·47	9
10	·16	·09	·30	·	1·00	·	·	·	·	·	·65	·33	10
11	·38	·01	}·93	·	·04	·	·	·	·	·	·	·17	11
12	·03	·		·	·	·	·	·	·01	·	·14	·30	12
13	·	·	·02	·	·	·	·	·	·25	·	·	·45	13
14	·	·09	·	·	·	·02	·	·	·	·	·01	}·02	14
15	·	·	·	·	·	·43	·	·	·	·	·40	·98	15
16	·	·	·	·	·	·12	·	·	·	·	·55}	·47	16
17	·	·11	·03	·	·	·	·	·	·	·		·96{	17
18	·	·36	·	·04	·	·22	·	·	·	·04	·04		18
19	·	·17	·	·09	·03	·19	·	·	·18	·21	·02	·50	19
20	·05	·03	·08	·15	·	·04	·	·	·56	·09	·	·69	20
21	·	}·42	·01	·	·	·	·	·02	·09	·62	·01	·28	21
22	·14		·25	·04	·	·	·	·02	·01	·72	·	·49	22
23	·	·11	·08	·	·	}·71	·	·	·18	·08	·	·22	23
24	·	·27	·	·	·		·	·16	·[illegible]	·36	·	·20	24
25	·	·10	·	·22	·	·15	·	·	·03	·06	·	·30	25
26	·	·04	·	·41	·01	·	·	·03	·13	·12	·	·38	26
27	·	·66	·15	·	·	·	·	·06	·	·01	snow ·03	·23	27
28	·	·42	·	·42	·	}·39	·	·07	·	·	·06	·	28
29	·	·	·	·83	·		·05	·	·13	·56	·	·	29
30	·	·	·	·04	·	·	·	·	·	·21	·09	·	30
31	·	·	·	·	·	·	·	·	·	·06	·	·03	31
Total	1·71	2·90	2·46	2·59	1·68	2·37	·05	·81	1·58	3·36	3·46	9·52	TOTAL for year 32·49
No. of Rain Days.	13	16	~~14~~ 15	12	6	12	1	10	11	17	21	27	~~160~~ 161

W. 8,000, X. '11.

Co.ty Bays 5.III.13.

REGISTER OF RAINFALL IN 1912

~~W~~ [illegible]

FORM A.
BRITISH RAINFALL.

22 JAN 1913

Kept at Pen Selwood
in the County of Somerset 7
by Newton Parsons

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Wincanton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 650 abt ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			15			31	75			67		50	1
2			40	02		18	47	03			10		2
3			91			·34 ~~37~~	12	50				07	3
4	24				02	45		05	04		27		4
5	52	15	23					86				27	5
6	68	15	02				87	72				04	6
7	03	25	23		42	1·02		09				14	7
8	45	25	48			08	27	34				09	8
9	·	07		10		06	05	09			02	60	9
10	·	07				01		18			14	27	10
11	15	12				01		06			03	40	11
12	09	48	12	02			03	05					12
13	·		03					10				10	13
14	25		41		07	18		05					14
15	11	16	03		16	61		04			03	68	15
16	1·07		34		19	14		09		13	02	05	16
17	1·01		15			04		70			05	05	17
18	·	01	35			02		30		06	03	12	18
19	18	20	09			16	18	14				03	19
20	04	05	34		09	01	03	36		36	07		20
21	38	24	27		65			19		43			21
22		26	03		13			36		09		06	22
23	09	44	26			01	05	87			25	25	23
24	06					66	04	18		11		26	24
25	08	04				17		·31 30		33	28	72	25
26		03					27	~~27~~		27	45	20	26
27		01				21	91			60		41	27
28		05				07	02	27	15	50		67	28
29		10				11	29	03	66	50	57	81	29
30			03		04	37				45			30
31			52				46	04	32	38		09	31
Total	5·43	3·13	5·39	·14	1·77	5·22	4·81	7·35 ~~7·36~~	1·17	4·78	2·25	6·08	YEAR'S TOTAL 47·52
Rain Days.	18	20	23	3	9	23	17	28.	4	14	14	24	197

✓ Cnd 25. III. 14

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A. 3 JAN 1914

Kept at Pen Selwood
in the County of Somerset
by Newton Parsons

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Wincanton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ...... ft. 10 in.
" " " " Sea Level 680 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·47	·12			·13	·02			·01	·38	·35	1
2		·05	·02		·03				}51	·27	·22	·20}	2
3	·13		·07	14	·44					·20			3
4	·97		·02	05	·49				1·38	·27	·04	·41	4
5	·05	·03			·20	{39			·21		·04	·14	5
6	·07	·27	·14		·18		·20					·67	6
7					·30	01					·25	·01	7
8		·05			·35		·06			97}		·04	8
9		·04			·18	·11	·08	·26	·09		·12		9
10	·20		·01		·02					·34	·34		10
11	·80				·10	·05				·06	·28		11
12				·42	·48						·46	·02	12
13	·03	·02	·15					·03	·21		}57	·01	13
14	·16	02	·14	·03			·02		·06				14
15	·	·04	·26	·70		·01	·09	·04	·08		·09		15
16	·16		·53	·05			·02				·01		16
17	·05		·01				·03		·04		·02		17
18	·07		·20	·21							·09		18
19	·69		·08		·07	·15	·09		·63		·01	02	19
20	·03		·13	·09	·07					·22	·34	·	20
21			·11	·18			·10				·62		21
22	·94		·37	·02				·03	·27		~~·01~~		22
23	·02		·02			·07						·61	23
24		·03		·16				·13			·10		24
25		·25		{·51						·01		·34	25
26		·02						·24		·01			26
27	·03		·25	·16						·10			27
28	22}		·22	·35						13		snow ·07	28
29			·46	·50	{·05					·45		·01	29
30	·63									·62	·07		30
31	·20		·04					1·00					31
Total	5·46	1·29	3·35	3·57	2·96	·92	·71	1·73 1·73	3·48	3·66	4·05	2·90	YEAR'S TOTAL 34·08 34·08
Rain Days.	21	13	21	16	15	9	10	7	11	19	20	16.	178

W. 7,500, XI. 12

From Mid: Wessex Association

Ex MO

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
23 MAR 1915

Kept at Pen Selwood, Bath

in the County of Somerset 7

by Rev. N. Parsons

Rev. H. A. Boys.

Lat. ______ Long. ______

Nearest Railway Station ______

Time of Observation ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " Sea Level ______ ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·04	–	–	–	·12	·38	–	–	·13	·04	1
2	–	–	–	–	–	–	·77	·16	–	–	·66	·26	2
3	–	–	·40	·16	·36	–	·40	·13	–	·05	·12	~~(?)~~	3
4	·10	–	·15	·17	·04	–	·26	·58	–	–	·47	·50	4
5	·12	–	·31	·53	·20	–	·31	–	–	–	·16	~~(?)~~	5
6	–	·23	–	·22	–	–	·13	·07	–	–	·05	·38	6
7	–	·56	·07	·09	·48	–	·24	·10	–	–	–	} ·20	7
8	– *	·03	·81	–	·36	·25	–	·41	·10	–	–	} (?).	8
9	·15	–	·33	·35	–	1·10	–	·11	·40	–	–	} – .	9
10	·29	·23	–	·07	·11	–	–	–	·39	–	–	} – .	10
11	·06	·19	·72	–	·05	·20	·22	–	·28	–	·11	·30	11
12	–	·15	·22	–	–	–	–	–	·33	–	–	·28	12
13	–	·31	·26	–	–	–	–	–	·11	·23	·46	·42	13
14	–	·19	·21	–	–	–	·08	·41	–	·38	·34	·06	14
15	–	–	·20	–	–	–	·39	·35	·05	–	·06	–	15
16	–	–	–	–	–	–	·08	–	·16	–	–	–	16
17	–	·56	·25	–	–	–	–	–	·04	–	–	·57	17
18	–	–	·06	–	–	–	·26	–	–	–	–	·61	18
19	–	·12	·54	–	–	–	1·15	–	–	–	·19	·20	19
20	–	·45	s ·14	–	–	–	–	–	–	–	–	·38	20
21	–	·89	–	–	–	–	–	·03	–	·26	–	–	21
22	–	—	·04	–	·18	·24	–	·04	–	·53	–	–	22
23	–	·10	·20	–	·07	·05	–	–	–	·18	–	–	23
24	–	·05	·10	–	·14	–	·48	–	–	·26	·15	–	24
25	–	–	·32	–	–	–	·08	·27	–	·33	·05	·40	25
26	·07	–	–	–	–	–	·09	·06	–	–	·23	·60	26
27	–	–	–	–	–	–	–	–	–	·07	·15	·15	27
28	·10	·11	·20	–	–	–	–	–	–	–	·28	1·00	28
29	·33		·12	–	·12	–	–	–	–	·27	·29	} (?) .	29
30	–		·06	–	–	–	–	–	–	·20	·35	} ·91 .	30
31	·06		–		–		·11	–		·42		·10	31
Total	1·28	4·17	5·75	1·59	2·11	1·84	5·17	3·10	1·86	3·18	4·25	7·36	TOTAL for year 41·66
No. of Rain Days	9	15	23	7	11	5	17	14	9	12	18	~~19(?)~~ (23)	(163)

* Adjustments in red ink made by Mr. Boys

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

from originals returned

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
11 MAY 1916

Kept at Penselwood Rectory Bath

in the County of Somersetshire

by Rev Newton Parsons

per Rev. H. A. Boys.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.90	.46			.07			.37	.15	.35	?	.24	1
2	.68	.31	.26	.15		(.04)		.77		.25		.52	2
3	.19	.10	.18	.06	.16					.06		.37	3
4		.03										.35	4
5	.12	.68		.07				.11				.36	5
6	.67			.40			62					.07	6
7	.29	.62		.06	.15		.36					.50	7
8	.20	.65						.14			?		8
9				.22							.45	.77	9
10	.33			.10								.10	10
11			.16	.08				.70			.85		11
12	.22	.50		.21	.50			.14		.14	.40	.10	12
13		.87			.75			.13	.14		?		13
14	.09						.26	.26	.07			.53	14
15	.18				.21		.11	.08		.13	?	.18	15
16		.78			.35		1.06	.33				.08	16
17		.38			.41			.22					17
18		.20			.05								18
19		.15			.11		20						19
20	.40			.12									20
21	.05						.08			.62		.42	21
22	.11	.37	.50				.73					.35	22
23		07	.16				.72		.21	1.80		.33	23
24				.13			.26		.54	.84		.43	24
25						.24	.53		.10			.22	25
26						.20	.12					.76	26
27		17				.34	.42			.37			27
28		10				.10			.72				28
29						.42	.08	.07			.22	.06	29
30	10	X				05				.61	.44	.31	30
31		X		X		X			X	1.00	X	.35	31
Total	4.53	6.44	1.26	1.60	2.76	1.39	5.55	3.32	1.93	6.17	2.36	7.70	YEAR'S TOTAL 45.01
Rain Days.	15	17	5	11	10	7	14	12	7	11	5 9	22	140

W. 8,000. X. 15.

Sealack

~~W~~ [illegible] cd by Boys

2153

FORM A. BRITISH RAINFALL.

1 JAN 1917

REGISTER OF RAINFALL IN 1916.

Kept at Pen Selwood
in the County of Somerset
by Newton Parsons

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Wincanton
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 680 about. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·20				·39	04			·23	·50	·71		1
2	·33	·19	·04		·10					·54			2
3	·03	1·04			·05				·14	·48	·37		3
4	·26	·27			·09	·36			·27		·68		4
5	·18				·35	·42				~~1·00~~	1·00		5
6		·22	10		05		·80			21	80		6
7	·07		10		25		22			08	56	23	7
8		·25	20		32						08	14	8
9					08	24				20	09	06	9
10		72		·14	04		10					25	10
11	·06			·12		18							11
12	·12	07	10	·28	10		14			22			12
13		33	20					65					13
14		41	04	06	17								14
15		21	10					42		05			15
16	·09	07		30			04	39		06			16
17	·22	31		18					60	60			17
18		28	25	17					06	13	30	19	18
19	·12		50	22							36	15	19
20	·31		36								07	22	20
21	·05	17	20		06							1·50	21
22						05				45	07	30	22
23			05			10				05	17	45	23
24			07	15	36	31		20		45	07	23	24
25					06			60			16	18	25
26		snow	14			25		22	65	71			26
27		1·13	1·00			43		2·00	70	38			27
28		38	05					08	80	34		26	28
29		42	04			34		1·83	50	56		29	29
30		X								58			30
31		X		X		X		07	X	11	X	10	31
Total	2·04	6·47	3·54	1·62	2·47	2·72	1·30	6·46	3·95	6·78 6·70	5·49	4·55	YEAR'S TOTAL 47·30 47·31
Rain Days.	13	20	18	9	15	11	5	10	9	20	15	15	160

W. 8,000, VIII, 16

PORTISHEAD
WEST HILL
SOMERSET
1920

FORM A. 1. METEOROLO L ORGANIZATION.

REC N 19 20.

13 JAN

Kept at Highfield, W Long
in the County of So ion 9 a.m
by Rev. A. Le Station Portishead, 1 mile
nel of Rain Gauge 5 in.
Gauge above Ground 1 ft. — in.
" " Sea Level 250? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·22	·31	—	·40	·31	·17	·06	·18	·51	1
2	·01	·07	·01	·11	—	—	·27	·15	·03	·13	—	·12	2
3	·01	·10	—	·07	—	—	·30	—	—	·17	—	·01	3
4	—	—	·02	·03	—	—	·07	·64	—	·24	—	—	4
5	—	—	·13	·01	·13	—	·36	·01	—	·21	—	—	5
6	—	—	·19	—	·47	—	·07	—	—	·03	—	—	6
7	·11	—	—	·05	·00	—	·32	—	—	—	·01	—	7
8	—	·01	—	·63	·11	—	·27	·09	—	—	—	—	8
9	·36	·35	·01	·67	—	·06	·02	·03	·01	—	—	—	9
10	1.12	·21	·05	·29	—	·13	·31	—	—	—	—	—	10
11	·01	—	·07	·40	·46	·84	·10	—	—	—	—	—	11
12	·15	·10	·01	·13	—	·88	·04	—	—	—	·06	—	12
13	·16	·04	·37	·17	—	+✓	—	—	—	—	—	—	13
14	·02	·01	·40	·35	—	·15	·07	—	·10	·44	·58	—	14
15	·05	·29	·06	·18	·13	·05	·01	—	·11	·52	·14	·03	15
16	·01	—	—	·01	·01	·01	·53	·01	·35	·13	·23	—	16
17	·23	—	·01	—	·27	·28	—	·15	·60	·03	—	·01	17
18	·19	—	—	·02	·11	·05	—	·47	·19	—	—	·02	18
19	·01	·37	—	·39	—	·06	—	—	—	—	—	—	19
20	·01	·04	—	·17	—	·27	·01	—	·05	—	—	·14	20
21	—	—	—	·01	—	—	·01	—	—	·18	—	·04	21
22	·01	—	—	·06	—	·02	·07	·11	·03	—	—	·27	22
23	—	—	—	—	—	—	·64	·65	—	—	—	·50	23
24	—	—	·24	—	—	—	—	·01	—	—	·03	·24	24
25	—	·04	·07	—	—	—	·53	·01	—	—	—	—	25
26	·27	—	·45	—	—	·43	—	—	—	—	·04	·06	26
27	·24	·02	·01	·02	·04	·09	·09	—	—	—	—	·17	27
28	·62	—	·10	—	·03	·09	·01	—	—	—	—	·03	28
29	·11	—	·15	·02	·11	·39	·20	—	—	—	·10	·44	29
30	·10	✕	·09	·08	—	—	·13	—	·36	—	·42	·44	30
31	·27	✕	·25	✕	·01	✕	—	—	✕	·36	✕	·19	31
TOTAL	4.08	1.65	2.69	4.11	2.28	3.00	4.71	2.04	2.00	2.50	1.79	3.22	YEAR'S TOTAL 34.07
Days with ·01 in. or more	23	13	20	23	14	17?	24	13	11	12	10	17	197
	14	10	14	16	11	5	17	8	8	11	8	12	144

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

13 JAN 1921

Kept at Highfield, West Hill, Portishead
in the County of Somerset
by Rev. A. Lewis

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Portishead, 1 mile
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 250 ? ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	—	·24	·31	—	·40	·31	·17	·06	·18	·57	1
2	·01	·07	·01	·11	—	—	·27	·15	·03	·13	—	·12	2
3	·01	·10	—	·07	—	—	·30	—	—	·17	—	·01	3
4	—	—	·02	·03	—	—	·07	·64	—	·29	—	—	4
5	—	—	·13	·01	·13	—	·15	·01	—	·21	—	—	5
6	—	—	·19	—	·47	—	·07	—	—	·08	—	—	6
7	·11	—	—	·05	·09	—	·02	—	—	—	·01	—	7
8	—	·01	—	·63	·11	—	·27	·09	—	—	—	—	8
9	·31	·55	·01	·67	—	·06	·02	·03	·01	—	—	—	9
10	1·12	·21	·05	·29	—	·13	·31	—	—	—	—	—	10
11	·01	—	·07	·40	·46	·04	·10	—	—	—	—	—	11
12	·15	·10	·01	·13	—	·88	·04	—	—	—	·06	—	12
13	·16	·04	·37	·17	—	·10	—	—	—	—	—	—	13
14	·02	·01	·40	·35	—	·15	·03	—	·10	·44	·57	—	14
15	·05	·09	·06	·18	·13	·05	·01	—	·11	·52	·14	·03	15
16	·01	—	—	·01	·01	·01	·55	·01	·35	·13	·23	—	16
17	·23	—	·01	—	·27	·28	—	·15	·60	·03	—	·01	17
18	·19	—	—	·02	·11	·05	—	·47	·19	—	—	·02	18
19	·01	·37	—	·39	—	·06	—	—	—	—	—	—	19
20	·01	·04	—	·17	—	·27	·01	—	·05	—	—	·14	20
21	—	—	—	·01	—	—	·01	—	—	·18	—	·04	21
22	·01	—	—	·06	—	·02	·07	·11	·03	—	—	·27	22
23	—	—	—	—	—	—	·14	·65	—	—	—	·50	23
24	—	—	·24	—	—	—	—	·01	—	—	·03	·24	24
25	—	·04	·07	—	—	—	·53	·01	—	—	—	—	25
26	·27	—	·45	—	—	·43	—	—	—	—	·04	·06	26
27	·24	·02	·01	·02	·04	·09	·09	—	—	—	—	·17	27
28	·62	—	·10	—	·03	·09	·01	—	—	—	—	·03	28
29	·11	—	·15	·02	·11	·39	·20	—	—	—	·10	·44	29
30	·10	✕	·09	·08	—	—	·13	—	·36	—	·42	·44	30
31	·27	✕	·25	✕	·01	✕	—	—	✕	·26	✕	·19	31
TOTAL	4·08	1·65	2·69	4·11	2·28	3·00	4·71	2·04	2·00	2·50	1·79	3·22	YEAR'S TOTAL 34·07 ✓
Days with ·01 in. or more	23	13	20	23	14	17?	24	13	11	12	10	17	197 ✓
	14	10	14	16	11	5	17	8	8	11	8	12	141

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

S. made

350

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

PRIDDY
SOMERSET
1911 - 1914

REG… 1911

Kept at Priddy

in the County of North…

by

…top .... in.
…above Ground .... ft. .... in.
„ Sea Level .... ft.

…tion Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23			·26				·10					1
2				·40	·35								2
3			·44		·33			·50					3
4								·08		·08			4
5								·87					5
6	·34		·18							·05	2·80		6
7													7
8	·49		·37										8
9	·21												9
10	·12	·09	·33		·30								10
11	·32											5·16	11
12			·87					·05	·02				12
13									·26	·59			13
14											1·65		14
15													15
16						·30							16
17						·14							17
18		·76	·16	·19		·07			·30				18
19		·08							·19				19
20				·57								1·28	20
21						1·11		·19		·89			21
22	·09		·34	·15							·33		22
23									·40			·53	23
24								·23		1·62			24
25		2·18		·15		·20						1·18	25
26							·01			·15			26
27								·15	·10				27
28		·15										·38	28
29						·60			·23	1·35			29
30											·08		30
31					·10							·02	31
Total	1·80	3·26	2·69	1·72	1·08	2·42	·01	2·17	1·50	4·73	4·86	8·55	TOTAL for year 34·79
No. of Rain Days	7						1						

9,000, IX. '10.

S. made

350

FORM A2.
BRITISH RAINFALL
26 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Priddy

in the County of North Somerset 2

by

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·23			·26				·10					1
2				·40	·35								2
3			·44		·33			·50					3
4								·08		·08			4
5								·87					5
6	·34		·18							·05	2·80		6
7													7
8	·49		·37										8
9	·21												9
10	·12	·09	·33		·30								10
11	·32											5·16	11
12			·87					·05	·02				12
13									·26	·59			13
14											1·65		14
15													15
16						·30							16
17						·14							17
18		·76	·16	·19		·07			·30				18
19		·08							·19				19
20				·57								1·28	20
21						1·11		·19		·89			21
22	·09		·34	·15							·33		22
23									·40			·53	23
24								·23		1·62			24
25		2·18		·15		·20						1·18	25
26							·01			·15			26
27								·15	·10				27
28		·15										·38	28
29						·60			·23	1·35			29
30											·08		30
31					·10							·02	31
Total	1·80	3·26	2·69	1·72	1·08	2·42	·01	2·17	1·50	4·73	4·86	8·55	TOTAL for year 34·79
No. of Rain Days	7						1						

9,000, IX. '10.

DL

Wrote for May
27 II 13 J.C.

339

REGISTER ~~OF~~ RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

Kept at Priddy

in the County of Somerset 2

by

RAIN GAUGE: Pattern ..... Diameter of top ..... in. Height of top above Ground ..... ft. ..... in. ,, ,, ,, Sea Level ..... ft.

Time of Observation .....

Nearest Railway Station: Name ..... Distance ..... Direction .....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1						.45	.06					.30	1
2				.01		22	48						2
3						29	13	83	.17	.50	.30	.25	3
4	1.86					.22							4
5						.01		.46				.20	5
6			1.50				.13	1.35				.05	6
7						.55		.45				.05	7
8		.73				.01	.17					.01	8
9	.50					.07	.02	.54				.75	9
10												.10	10
11												.50	11
12			1.87				.02			.26		.25	12
13	.21	1.05		.17								.10	13
14								1.13					14
15						.05						1.00	15
16	1.03		.53			.86		.61				.20	16
17								.95				.25	17
18	.38							.08				.17	18
19			2.36			.30	.21	.10			(2.05)		19
20		1.25					.06	.74		1.00			20
21								47					21
22	.55						.72	54				.12	22
23	.31							1.58				.40	23
24			.21			61				2.02		.13	24
25			.02					.58				.68	25
26							.09	.14				.20	26
27						.83	.94					.56	27
28		.07					.33	.58	.05				28
29			.02				.29	.10	.47	1.54		.55	29
30							.23		.33				30
31			.32				.26	.16				.25	31
Total	4.84	3.10	6.83	.18	2.10	4.27	4.14	11.09	1.02	5.32	2.35 ✓	7.07	TOTAL for year 52.51
No. of Rain Days.								20					

W. 8,000, X. '11.

82 ✓

REGISTER OF RAINFALL IN 1913

Ex. Hole

349

FORM A.
BRITISH RAINFALL.
28 JAN 1914

Kept at Priddy

in the County of Somerset

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·26			·26				·27	·07		·42	1
2	·02										·15	·04	2
3	·29		·27	·11	·77							·23	3
4	1·25				·78				·49	·18			4
5	·04	·05	·19		·42		·03		·35		·23	·27	5
6	·09				·11		·07			·70		·50	6
7	·02	·30			·40	1·96	·15			·25	·19	·03	7
8		·05			·15					·17			8
9							·35	·23	·13				9
10	·30		·16	·07				·20			·28		10
11	·66			·27	·30					·25	·69	·19	11
12					·19						·14		12
13								·14	·97		·17		13
14	·29		·29	·14			·08			·11	·63		14
15	·20		·27	·48				·06	·24		·34	·17	15
16	·33		·63				·05		·16				16
17	·16						·22		·05		·20		17
18	·15		·21	·28							·15		18
19	·26				·18	·22	·03		·55				19
20	·10												20
21				·57			·10				·50		21
22	1·04		·60			·08			·20	·11			22
23											·05	·38	23
24	·15							·51					24
25				·25								·20	25
26		·13		·25				·18					26
27				·34							·12		27
28	·30		·28	·26						·39		·37	28
29			·60	·35				·10		·30			29
30	·40		·02							·70	·34		30
31	·11		·07					·32					31
Total	6·16	·79	3·59	3·37	3·56	2·26	1·08	1·74	3·41	3·23	4·18	2·80	YEAR'S TOTAL 36·17
Rain Days.	20	5	12	12	10	–	9	8	10	11	15	11	–

W. 7,500, XI. ·12

82

333

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Priddy

in the County of Somersetshire 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3			·25	·15									3
4	·22		·38	·34									4
5			·53	·80			2·36						5
6		·25	·06										6
7		·65		·50	1·50								7
8	·24		1·29										8
9	·61	·15	·34	·20									9
10						1·67							10
11		·07	·90	·40									11
12		·13	·30										12
13		·24	·22										13
14		·35	·47										14
15													15
16													16
17			·37										17
18		·57											18
19			·20										19
20		·54	·25										20
21		·60	·12			·10							21
22					·19								22
23		·15	·50			·48							23
24			·11										24
25			·15										25
26													26
27	·32				·41								27
28		·26	·38										28
29	·19												29
30			·03										30
31													31
Total	1·58	3·96	6·85	2·39	2·10	2·25	4·68	4·22	2·52				YEAR'S TOTAL
Rain Days.	5	12	20	7	3	5							

W.7,000, XI. 13

Slips made

FORM A2. BRITISH RAINFALL. 18 JAN 1912

PUBLOW VIC.
SOMERSET

1911

REGIS ... 11

Kept at Publow Vic. Sch (ho...
in the County of Somer...
by Henry H. Tripp...

...nowdon
... 5 in.
...ove Ground 1 ft. — in.
,, Sea Level 96 ft.
9 a.m.
Name Penford
Distance about 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	·08	—	—	—	·03	—	—	·03	·02	1
2	—	—	—	·01	·28	—	—	·16	—	·04	·32	·18	2
3	—	—	—	—	·40	—	—	—	—	—	·11	—	3
4	—	—	·24	—	—	—	—	—	—	·01	·32	·48	4
5	·13	—	·05	—	—	—	—	·53	—	·02	·47	·02	5
6	·38	—	·09	—	—	—	—	·06	—	—	·23	·46	6
7	·02	—	·02	—	—	—	—	—	—	—	·47	·01	7
8	·16	—	·15	—	—	—	—	—	—	—	—	·41	8
9	·20	—	—	—	—	—	—	—	—	—	·11	·36	9
10	·05	·09	·53	—	·02	—	—	—	—	—	—	·34	10
11	·41	·03	·02	—	—	—	—	—	—	—	·60	·26	11
12	—	—	·65	—	—	—	—	—	·07	—	·42	·19	12
13	—	—	·01	—	·15	—	—	—	·45	·11	—	·42	13
14	—	·03	—	—	—	—	—	—	—	—	—	·80	14
15	—	·03	—	—	—	—	—	—	—	—	·53	·06	15
16	—	·07	—	—	—	·24	—	—	—	·01	·38	·37	16
17	—	·09	—	—	—	·08	—	—	—	—	·03	·57	17
18	—	·45	·09	·15	—	·22	—	—	—	·03	·02	·51	18
19	—	·05	—	·06	—	·08	—	—	·27	·15	·04	·22	19
20	—	—	·15	·03	—	·04	—	—	·19	·03	—	·46	20
21	—	·23	·15	·02	—	·02	—	·25	—	·72	—	·27	21
22	·01	·05	·57	·02	—	·19	—	—	·01	·21	—	·61	22
23	—	·25	·21	—	—	·05	—	—	·06	·12	—	·14	23
24	—	·16	—	—	—	·39	—	·03	—	·82	—	·19	24
25	—	·13	—	·12	—	·12	—	—	—	·05	—	·22	25
26	·01	·09	—	·21	—	·01	·24	·01	—	·10	·06	·24	26
27	—	·42	·20	·08	·27	—	—	·14	·10	—	·03	·14	27
28	—	·38	—	·63	—	·01	—	·06	—	—	·05	—	28
29	—		—	·04	—	·38	—	—	·28	·19	—	—	29
30	—		—	—	—	·05	—	·05	—	·20	·01	·01	30
31	—		—		—		—	—		·32		—	31
Total	1·37	2.55	3.16	1.45	1.12	1.88	·24	1·32	1·43	3·13	4·23	7·96	TOTAL for year 29·84
No. of Rain Days.	9	16	16	12	5	14	1	10	8	17	19	27	154

W. 8,000, X. '11.

Slips made

FORM A2.
BRITISH RAINFALL.

18 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Publow Vic. Penford (Sch (from Aug))
in the County of Somerset
by Henry H. Tripp + A. Hayes Esqr

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 96 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Penford
Distance about 1 mile Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·03	·08	—	—	—	·03	—	—	·03	·02	1
2	—	—	—	·01	·28	—	—	·16	—	·04	·32	·18	2
3	—	—	—	—	·40	—	—	—	—	—	·11	—	3
4	—	—	·24	—	—	—	—	—	—	·01	·32	·48	4
5	·13	—	·05	—	—	—	—	·53	—	·02	·47	·02	5
6	·38	—	·09	—	—	—	—	·06	—	—	·23	·46	6
7	·02	—	·02	—	—	—	—	—	—	—	·47	·01	7
8	·16	—	·15	—	—	—	—	—	—	—	—	·41	8
9	·20	—	—	—	—	—	—	—	—	—	·11	·36	9
10	·05	·09	·53	—	·02	—	—	—	—	—	—	·34	10
11	·41	·03	·02	—	—	—	—	—	—	—	·60	·26	11
12	—	—	·65	—	—	—	—	—	·07	—	·42	·19	12
13	—	—	·01	—	·15	—	—	—	·45	·11	—	·42	13
14	—	·03	—	—	—	—	—	—	—	—	—	·80	14
15	—	·03	—	—	—	—	—	—	—	—	·53	·06	15
16	—	·07	—	—	—	·24	—	—	—	·01	·38	·37	16
17	—	·09	—	—	—	·08	—	—	—	—	·03	·57	17
18	—	·45	·09	·15	—	·22	—	—	—	·03	·02	·51	18
19	—	·05	—	·06	—	·08	—	—	·27	·15	·04	·22	19
20	—	—	·15	·03	—	·04	—	—	·19	·03	—	·46	20
21	—	·23	·15	·02	—	·02	—	·25	—	·72	—	·27	21
22	·01	·05	·57	·02	—	·19	—	—	·01	·21	—	·61	22
23	—	·25	·21	—	—	·05	—	—	·06	·12	—	·14	23
24	—	·16	—	—	—	·39	—	·03	—	·82	—	·19	24
25	—	·13	—	·12	—	·12	—	—	—	·05	—	·22	25
26	·01	·09	—	·21	—	·01	·24	·01	—	·10	·06	·24	26
27	—	·42	·20	·08	·27	—	—	·14	·10	—	·03	·14	27
28	—	·38	—	·63	—	·01	—	·06	—	—	·05	—	28
29	—		—	·04	—	·38	—	—	·28	·19	—	—	29
30	—		—	—	—	·05	—	·05	—	·20	·01	·01	30
31	—		—		—		—	—		·32		—	31
Total	1·37	2·55	3·16	1·45	1·12	1·88	·24	1·32	1·43	3·13	4·23	7·96	TOTAL for year 29·84
No. of Rain Days.	9	16	16	12	5	14	1	10	8	17	19	27	154

W. 8,000, X. '11.

DL

QUANTOCK~~SH~~ED

ST AUDRIES

SOMERSET

1911 - 1920

FORM A2.
BRITISH RAINFALL.

344

26 JAN 1912

R… 11

Kept at St Aud…

in the County of S…

by Mr F. S. F…

… 8 in.

…ove Ground 1 ft. in.

„ Sea Level 260 ft.

Name

Distance Direction

IMPORTANT NO… …nd the result entered to the previous day. If an … …niversal rule, he is earnestly requested to add the r… …year in the space provided for it at the end of … …ement of rain, the selection and pla… …British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·02							·02	1
2				·04	·28			·18		·17	·25	·27	2
3					·25					·01	·09	·02	3
4	·21		·21	·01	·07			·01	·01	·06	·16	·54	4
5	·30		·25					·24		·02	·37	·11	5
6			·15								·12	·66	6
7	·03										·52		7
8	·01		·03								·02	·85	8
9	·02										·15	·37	9
10	·03		·21		·46						·02	·23	10
11	·21										·50	·27	11
12			·45						·55		·17	·31	12
13		·10	·02					·06			·06	·46	13
14		·04									·02	1·25	14
15						·04				·01	·34	·04	15
16						·23					·12	·27	16
17			·10	·02		·23				·05	·04	·47	17
18		·32	·29	·45		·72				·14	·05	·33	18
19		·12		·09		·33			·08	·11	·03	·56	19
20		·04	·16	·01					·52	·56		·41	20
21		·12	·01					·07	·07	·41		·18	21
22		·02	·12			·17			·06	·14		·64	22
23		·14	·02			·17			·16	·65	·05		23
24		·25				·60		·04		·08		·10	24
25		·23		·04		·15			·05	·14		·09	25
26		·06		·12						·06		·08	26
27		·15	·08	·03				·38	·11			·21	27
28		·17	·01	·41						·13	·24	·12	28
29				·18		·20	·05		·04	·32			29
30						·02	·03			·12	·08	·03	30
31													31
Total	·81	1·76	2·11	1·53	1·08	2·86	·08	·98	1·65	3·18	3·40	8·89	TOTAL for year 28·33
No. of Rain Days	7	13	15	12	5	11	2	7	10	18	21	27	148

9,000, IX. '10.

DL /

I 11

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

344

Kept at St Audries, Bridgwater

in the County of S. Somerset 4

by Mr F. S. Hayne

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 260 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·13	·02							·02	1
2				·04	·28			·18		·17	·25	·27	2
3					·25					·01	·09	·02	3
4	·21		·21	·01	·07			·01	·01	·06	·16	·54	4
5	·30		·25					·24		·02	·37	·11	5
6			·15								·12	·66	6
7	·03										·52		7
8	·01		·03								·02	·85	8
9	·02										·15	·37	9
10	·03		·21		·46						·02	·23	10
11	·21										·50	·27	11
12			·45						·55		·17	·31	12
13		·10	·02					·06			·06	·46	13
14		·04									·02	1·25	14
15						·04				·01	·34	·04	15
16						·23					·12	·27	16
17			·10	·02		·23				·05	·04	·47	17
18		·32	·29	·45		·72				·14	·05	·33	18
19		·12		·09		·33			·08	·11	·03	·56	19
20		·04	·16	·01					·52	·56		·41	20
21		·12	·01					·07	·07	·41		·18	21
22		·02	·12			·17			·06	·14		·64	22
23		·14	·02			·17			·16	·65	·05		23
24		·25				·60		·04		·08		·10	24
25		·23		·04		·15			·05	·14		·09	25
26		·06		·12						·06		·08	26
27		·15	·08	·03				·38	·11			·21	27
28		·17	·01	·41						·13	·24	·12	28
29				·18		·20	·05		·04	·32			29
30						·02	·03			·12	·08	·03	30
31													31
Total	·81	1·76	2·11	1·53	1·08	2·86	·08	·98	1·65	3·18	3·40	8·89	TOTAL for year 28·33
No. of Rain Days	7	13	15	12	5	11	2	7	10	18	21	27	148

9,000, IX. '10.

344

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at St Audries, Bridgwater

in the County of Somersetshire 4

by F. S. Hayne

RAIN GAUGE	Pattern	
	Diameter of top	in.
	Height of top above Ground	ft. in.
	" " " Sea Level	ft.

Time of Observation

Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.31		.03	.76	.08	.15	.08			.23	1
2			.14	.02		.75	.12			.92	.04		2
3			.22			.11	.05	.79		.04	.03	.02	3
4	.21		.82		.04	.68		.01			.65		4
5	.41	.11	.18		.05			.42				.04	5
6	.45	.05	.03		.19			.61				.01	6
7	.07	.48	.16		.04	1.01		.42				.06	7
8	.33	.18	.25	.01		.30	.07	.20				.01	8
9	.01	.05		.07		.22	.05	.07			.03	.23	9
10	.18	.23				.03		.09			.20	.10	10
11	.07	.10	.05								.03	.41	11
12		.50		.02			.04		—			.05	12
13	.02		.47					.64				.04	13
14	.11				.12			.17	.03				14
15	.27	.04			.42	.59		.08				.21	15
16	.76	.02	.11		.08	.03		.08			.11	.12	16
17	.35		.18			.07		.56			.04	.16	17
18	.14		.27					.41			.03	.21	18
19	.08	.07	.08			.02	.12	.76		.05		.08	19
20	.06	.02	.44		.15		.04	.21		.46	.01	.01	20
21	.02	.05	.23		.56		.08	.07		.18			21
22	.71	.12	.06		.68	.02	.21	.23		.08	.01		22
23	.92	.69	.11		.07		.01	.91		.21		.17	23
24	.21	.02				.26						.08	24
25	.09					.52		.56		.07	.39	.36	25
26		.04						.02		.25	.51	.40	26
27						.23	.77			1.23	.23	.35	27
28		.11	.04			1.07	.09	.78	.18	.15	.49	.74	28
29		.16			.06	.19	.15		.61	.57		.08	29
30						.03	.17		.08	.35			30
31			.43				.27					.05	31
Total	5.47	3.04	4.58	.12	2.49	6.89	2.32	8.24	.98	4.56	2.80	4.22	TOTAL for year 45.71
No. of Rain Days.	21	19	20	4	13	19	16	23	5	13	15	25	193

W. 8,000, X. '11.

81 ✓ cnd for audit 25.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JAN 1914

335

4

Kept at St. Audries, Bridgwater

in the County of Somerset

by F. S. Hayne

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·20	·22	·02	·14				·12	·12	·16	·86	1
2	·12	·16	·03	·11	·08		·05			·03	·13		2
3	·18		·04		·31				·06	·23		·24	3
4	1·15		·03		·10		·04		1·08		·01	·19	4
5	·02	·01			·13	·27	·01		·47		·13	·20	5
6	·01	·08	·19			·15	·23			·92	·12	·33	6
7		·42	·02		·57	·02	·54			·35	·15		7
8		·07			·47			·10		·20			8
9		·03		·05	·13	·05			·04		·22		9
10	·54				·10			·87		·61	·05		10
11	·77			·14	·27	·17				·05	·77		11
12	·13				·26						·43		12
13	·06							·14	·35		·07		13
14	·12		·13							·04	·35		14
15	·07		·44	·82					·19		·04		15
16	·36		·60	·02				·19	·20				16
17	·02		·03	·07									17
18	·16		·25	·05									18
19	·34		·11			·23	·06		·20	·02			19
20	·17		·18	·16						·03	·18		20
21	·82		·08	·11	·05		·16				·22		21
22	·01		·95	·07		·14		·06	·13				22
23	·06										·09	·53	23
24		·06		·01				·04					24
25		·02		·27					·02		·02		25
26				1·01				·10				·27	26
27	·08		·19	·14				·13		·44		·05	27
28	·10		·07	·36	·03					·47		·05	28
29	·06		·75	·38				·10		·25			29
30	·32			·10						·56			30
31	·14		·09		·24			·53					31
Total	5·81	1·05	4·40	3·89	2·88	1·03	1·09	2·26	2·86	4·32	3·14	2·72 2·72	YEAR'S TOTAL 35·45
Rain Days.	24	9	19	18	14	7	7	10	11	15	17	9	160

W. 7,500, XI. 12

8L

[illegible] 12.11.15

339

FORM A.
BRITISH RAINFALL.

28 JAN 191

REGISTER OF RAINFALL IN 1914

Kept at St. Audries, Bridgwater

in the County of Somersetshire

by F. S. Hayne

4

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·01	·11		·13	·35	·10			·30	·09	1
2				·02			1·10				·22	·74	2
3			·26	·22	·25			·03				·27	3
4	·23 ~~·28~~		·02	·21	·06		·22	·18			·73	·68	4
5	·13		·23	·15								·06	5
6		·03	·07	·23	·05	·04	·15				·18	·22	6
7		·39	·04	·08	·10	·11	·28	·05	·03			·06	7
8			·63		·08	·63						·03	8
9	·04		·34	·09	·09	·78			·63				9
10		·27	·02	·30	·03	·03			·43			·05	10
11		·11	·30		·07	·26	·06		·05		·12	·56	11
12		·36	·04						·15			·81	12
13		·22	·42				·02		·25	·53	·30	·16	13
14		·17	·34					·60	·02	·08			14
15			·12				·40	·25		·02	·27	·02	15
16			·03				·08		·11		·16		16
17		·11	·23									·55	17
18		·04	·06			·15	·05		·08			·18	18
19		·06	·33				2·08				·06	·10	19
20		·19	·16			·05						·21	20
21		·50						·02		·28		·10	21
22					·15	·53	·04	·11		·10			22
23		·02	·12		·02	·04	·05			·31			23
24			·05		·09			·09		·04	·03		24
25	·17		·29				·25	·22		·25	·02	·09	25
26			·20				·26	·02		·05	·13	·64	26
27										·69	·21	·25	27
28		·08	·16		·07					·25		·84	28
29	·07		·39		·14					·15	·12	·05	29
30			·08							·45	·44	·65	30
31					·03		·25			·76		·29	31
Total	·64 ~~·69~~	2·55	4·94	1·41	1·23	2·75	5·64	1·67	1·75	3·96 3·96	3·29	7·70	YEAR'S TOTAL 37·53
Rain Days.	5	14	26	9	14	11	16	11	9	14	15	25	169

W.7,000, XI. 13

DL

cmd by Ohr 11·V·16

~~332~~ 2198

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at St. Audries, Bridgwater

in the County of Somersetshire

by F. S. Hayne

4

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·02		·04	·01			·52	·62	·26		·09	1
2	·12	·14	·03					·30	·25			·43	2
3	·02	·09	·01	·10	·16							·48	3
4		·09		·06	·08		·93					·56	4
5	·12	·64		·04				·21				·39	5
6	·32	·08		·03				·02				·11	6
7	·20	·37					·14					·22	7
8	·33	·27						·12					8
9		·06		·05				·02			·26	·56	9
10	·02	·15	·06	·07				·16		·09		·02	10
11	·06	·55									·92	·03	11
12	·03	·67		·13	·58			·32		·05	·10		12
13	·29	·57			·88				·10		·12		13
14	·02				·25		·24	·12	·17	·07		·38	14
15	·02						·15				·32	·03	15
16	·28	·88			·12		·79						16
17	·02	·22			·68								17
18		·11											18
19		·02			·06		·06						19
20	·17			·07						·02		·08	20
21	·15	·14							·04	·15		·19	21
22	·04	·06	·30	·07			·18					·15	22
23		·02	·25			·25	·06		·06	·15		·42	23
24							·02		·03	·45		·16	24
25			·05			·63	·61					·25	25
26	·07	·10				·04			·04			·50	26
27		·03				·07				·36		·03	27
28		·06							·58	·40			28
29						·26		·08			·03	·24	29
30	·14	×				·03				·51	·26	·40	30
31		×		×		×	·05		×	·88	×	·28	31
Total	2·76	5·34	·70	·66	2·82	1·28	3·23	1·87	1·89	3·39	2·01	6·00	YEAR'S TOTAL 31·95
Rain Days.	20	23	6	10	9	6	11	10	~~10~~ 9	12	7	23	146

W. 8,000. X. 14.

8L Ex 8L 2133 ~~295~~

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at St. Audries, Bridgwater
in the County of Somersetshire
by F. S. Hayne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07		·05		·28	·04	·15	—	·06	·50	·08		1
2	·23				·02				·02	·47	·15		2
3		·73			·27		·25		·08	·28	·37		3
4	·22	·07			·35	·09			·01	·06	·67		4
5		·02	·10		·27	·50				·02	·26		5
6	·02	·20			·08	·12	·36			·03	·55		6
7		·07	·05		·26		·06				·66	·42	7
8		·26	·03		·15						·39	·08	8
9		·04			·27					·01	·07	·20	9
10		·52	·01	·08									10
11				·15	·07								11
12		·03	·07		·18		·03						12
13		·33	·34	·03				·06					13
14		·60			·09			·15		·09			14
15		·15		·16				·35		·02			15
16	·05	·33		·15			·05	1·06		·09			16
17	·05	1·27		·06					·25	·20	·55		17
18		·37	·26	·08					·09	·10		·16	18
19	·09	·04	·37	·08							·19		19
20	·06	·61	·29								·10	·80	20
21	·06	·13	·40		·03							·21	21
22	·01					·05				·28	·01	·86	22
23	·03	·24						·24		·03	·19	·15	23
24		·10			·82			·03		·80		·36	24
25		·29	·19					·43			·08		25
26		·07	·13			·30		·19	·86	·78	·04		26
27		·01	1·80			·08		·10	·27	·85			27
28		·25						·04	·05	·50		·11	28
29		·62				·13		3·05	·33	·27		·24	29
30								·01		·20			30
31										·10		·15	31
Total	·89	7·35	4·09	·79	3·14	1·31	·90	5·71	2·02	5·68	4·36	3·74	YEAR'S TOTAL 39·98
Rain Days.	11	25	14	8	14 ~~15~~	8	6	12	10	21	16	12	157

W. 8,000. X. 15.

8L

203/378

FORM A.
BRITISH RAINFALL.

5. APR. 1918

REGISTER OF RAINFALL IN 1917

Kept at St. Audries, Nr. Taunton

in the County of Somersetshire

by F. S. Hayne

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05		·17	·37		·14		1·09	—		·08		1
2	·05		·04	·08		·16		·01		·48	·23		2
3				·10			·85			·25			3
4		·20	·15				·08		·09	·05	·05		4
5	·09		·53	·11		·05			·21	·02	·38		5
6			·11							·22	·07		6
7	·06						·15	·26		·26	·07		7
8			·06	·11		·19	·31	·45	·06	·57	·05	·05	8
9			·03	·07	·01			·10					9
10	·33		·25	·24				·08			·13		10
11	·12		1·05	·36				·22		·76			11
12	·13				·50			·14		·06			12
13			·12			·05		·39	·17	·02			13
14				·02				·19	·03	·11		·01	14
15				·12			·08			·07		·15	15
16		·15								·12		·18	16
17				·10	·06		·24	·07	·17				17
18					·04		·21		·59				18
19		·50	·09			·28			·02		·03		19
20					·56	·06		·09					20
21			·14			·04		·01		·01			21
22								·50		·07			22
23		·25			·20			·42		·07		·03	23
24						·05	·04	·05					24
25		·12						·04		·30	·07		25
26					·39			·66	·03	·12			26
27					·36	·14		·66		·06			27
28		·09	·06		·05	3·75		·27		·35			28
29			·10			·55	·04	·01		·12		·20	29
30		×	·04				·07	·05		·10			30
31		×	·02	×	·02	×			×		×		31
Total	·83	1·31	2·96	1·68	2·19	5·46	2·07	5.96 ~~5·98~~	1·37	4·19	1·16	·62	YEAR'S TOTAL 29·60
Rain Days.	7	6	16	11	10	12	10	22	9	22	10	6	141

W. 8,000, VIII. 16

1.21

8L

121.
~~262~~

FORM A.
BRITISH RAINFALL.

30.1.19

REGISTER OF RAINFALL IN 1918

Kept at St. Audries, Taunton

in the County of Somersetshire

by F. S. Hayne

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·03		·01				·79		·03	·80		1
2		·05		·01				·46	·09	·01		·10	2
3		·14		·14	·10				·05	·07	·05		3
4		·14		·01				·04	·03		·70	·26	4
5			·07	·02	·01			·26	·20	·15	·12	·02	5
6	·20	·20		·15						·18			6
7		·13		·04	·40				·45	·15	·28	·05	7
8	·04								·15	·45		·08	8
9	·02	·11		·09		·16	·20		·33	·02		·22	9
10				·22			·50		·21	·19		·37	10
11				·03			·16		·35	·02	·12	·11	11
12		·09	·25		·12	·03	·04		·05				12
13	·30								·55	·10		·19	13
14	·17					·02	·17		·25	·12		·08	14
15	1·77			·20		·39	·22		·01	·03		·25	15
16	·48			·95		·16			·21			·14	16
17	·35		·03	·20			·29	·04		·01		·15	17
18	·60					·54	·33		1·47	·41		·30	18
19	·08	·12	·06				·13	·03	·05	·05		·08	19
20	·20	·15		·05			·56		·12	·20			20
21	·08			·02					·67	·04		·25	21
22					·13		·32		·10	·03		·20	22
23	·02	·01			·18		·20		·08			·08	23
24		·11							·15		·06		24
25				·05	·30		·21	·56		·06	·08	·03	25
26							·43	·01	·06	·01	·06	·04	26
27		·10	·05				·10	·16	·20		·19	·02	27
28		·05	·20						·03		·08	·04	28
29			·04						1·35			·05	29
30		X	·21								·18	·05	30
31		X	·22	X	~~1·24~~	X		·08	X		X		31
Total	4·31	1·43	1·13	2·19	1·24 ~~2·48~~	1·30	3·86	2·43	7·21	2·06 ~~2·33~~	2·72	3·16	YEAR'S TOTAL 33·04 ~~34·55~~
Rain Days.	13	14	9	16	~~8~~ 7	6	15	10	25	21	12	24	172

W. 8,000, IX. 17.

82

1911
~~242~~

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

The Gardens
Kept at St. Audries, Nr. Taunton

in the County of Somersetshire

by F. S. Hayne

8" Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·27	–	·01		·08		·35		·03	·21		·71	1
2	·07				·01		·04		1·43		·02	·21	2
3	·17		·30		·09				·09		·14	·27	3
4	·52	·36	·35			·28	·16	·05	·31			·05	4
5	·01	·40	·67		·07		·01		·42		·05	·22	5
6	·65	·16	·02									·30	6
7	·30		·14	·12								·09	7
8	·16		·25			·02							8
9	·26		·04	·15	·02						·69		9
10			·32	·04	·12					·19		·18	10
11	·03		·29	·02	·05		·13					·17	11
12	·20		·11			·12			·05	·07	·09		12
13	·04		·05	·22			·01		·03	·09		·05	13
14	·26	·05		·50	·16		·03		·07	·01		·20	14
15	·24	·03		·02						·09		·27	15
16	·08	·80									·03		16
17		·46				·02		·04			·21		17
18	·13	·10	·61					·13	·06		·06		18
19	·22	·22	·33			·05	·76	·37	·31		·09	·11	19
20	·26	·06	·20			·13		·20	·02			·02	20
21	·02	·79					·26		·07			·09	21
22		·02					·10		·04			·04	22
23										·52	·06	·03	23
24				·06		·10				1·10	·07	·35	24
25	·10					·03		·46			·06	·08	25
26	·04		·12	·01				·16	·19			·20	26
27	·17		·06	·22				·59				·07	27
28			·40					·14			·40	·21	28
29	·03			·16				·12		·03	·03	·10	29
30		X	·03	·13		·39		·26		·02	·28	·46	30
31		X		X		X	·12		X		X	·42	31
Total	4·23	3·45	4·30	1·65	·60	1·14	1·97	2·52	3·12	2·33	2·28	4·90	YEAR'S TOTAL 32·49
Rain Days.	23	12	19	12	8	9	11	11	14	10	15	25	169

W. 6,500, VII. 18. W W C

Exe St

O

24 M

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Quantockshead, St. Audries

in the County of Somersetshire

by F. S. Hayne

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 9 5 in.

Height of top of Gauge above Ground ft in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·21		·72	1
2											·02	·21	2
3											·13	·28	3
4												·06	4
5											·05	·24	5
6												·31	6
7												·09	7
8													8
9											·70		9
10										·19		·21	10
11												·17	11
12										·07	·09		12
13										·09		·05	13
14										·01		·21	14
15										·09		·28	15
16											·03		16
17											·27		17
18											·06		18
19											·09	·11	19
20												·03	20
21												·10	21
22												·04	22
23										·51	·06	·03	23
24										1·09	·07	·36	24
25											·06	·08	25
26												·22	26
27												·07	27
28											·41	·21	28
29										·03	·05	·10	29
30		X								·02	·29	·48	30
31		X		X		X			X		X	·42	31
TOTAL										2·31	2·32	5·08	YEAR'S TOTAL
Days with ·01 in. or more										10	15	25	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

305

complete

Cfd

3 MAR 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Quantockshead, St. Audries

in the County of Somersetshire

by F. S. Hayne 5" Gauge

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·03			·13	·19		·20	·09	·15	·22	·30	·49	1
2	·35			·26			·19	·28	·05	·12		·08	2
3	·04	·03		·07			·41			·61		·04	3
4			·04	·05			·44	·44		·09			4
5			·07		·04		·55	·03		·06			5
6			·25		·04		·02			·09			6
7			·06	·07			·33						7
8	·13	·10		·25	·10		·71	·02	·03				8
9	·26		·03	·31		·20	·06		·01				9
10	1·10	·05	·02	1·31		·24	·11						10
11	·24		·20	·42	·25		·07						11
12	·13	·03		·20		·08					·07		12
13	·14		·52							·04			13
14		·02	·21	·66					·03	·36	·34		14
15		·07	·03	·36	·30	·10			·12	·36	·06		15
16				·03	·01	·22	·10		·19	·41	·12		16
17	·01			·11	·19	·08			·23				17
18	·08		·02	·01	·05	·06	·02	·20	·29				18
19	·08	·38		·28		·59		·05	·04				19
20	·03	·02		·18		·10	·01					·17	20
21				·02			·10	·02		·02		·26	21
22				·08		·01	·03	·01				·54	22
23							·48	·03				·28	23
24	·02		·18								·05	·04	24
25	·02	·06	·21				·37					·01	25
26	·20		·38			·06					·06	·08	26
27	·45	·05	·18	·13	·25	·47					·18	·25	27
28	·73		·06	·14	·03	·08	·09						28
29	·33		·48		·11	·02					·08	·12	29
30	·05	✕	·06	·06		·07	·04		·45	·03	·26	·21	30
31	·08	✕	·51	✕		✕	·08		✕	·83	✕	·08	31
TOTAL	4·50	·81	3·51	5·13	1·56	2·38	4·01	1·17	1·59	3·24	1·52	2·65	YEAR'S TOTAL 32·07
Days with ·01 in. or more	21	10	19	22	12	15	21	10	11	13	10	14	178
4·04	16	6	15	19	10	13	17	5	8	11	10	13	143

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGI ORGANIZATION.

REGI 920.

QUEENS CAMEL
SCHOOL
SOMERSET
1920

18 JUN 1921

Kept at Queens

in the County of Somerse

by T. L. F.

…ong 2° 34'

9 a.m.

…ion Sparkford G.W.R.

…f Rain Gauge 5 in.

…e above Ground – ft. 10 in.

„ Sea Level 100 ft.

IMPORTANT NOTE.—Rai … the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

not Received

Records taken in Millimetres should not be entered on this form.

Received from the Rev. H. A. Boys.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·04	·43	·35	1
2										·70	0	·12	2
3										·22	0	0	3
4										·13	0	0	4
5										·04	0	0	5
6										0	0	0	6
7										0	0	0	7
8										0	0	0	8
9										0	0	0	9
10									(90)	0	0	0	10
11										0	0	0	11
12										0	0	0	12
13										0	·03	·03	13
14										·25	·05	0	14
15										·42	·20	0	15
16										·11	·07	0	16
17										0	0	·01	17
18										0	0	·02	18
19									·17	0	0	0	19
20									Fog. ·01	0	0	·05	20
21									·02	·02	0	·15	21
22									0	0	0	·16	22
23									0	0	0	·42	23
24									0	0	·08	0	24
25									0	0	0	·10	25
26									0	0	0	·12	26
27									0	0	0	0	27
28									0	0	0	0	28
29									·36	0	0	0	29
30		×							·11	0	·09	·20	30
31		×		×		×			×	·73	×	·32	31
TOTAL								(1·60)	(1·57)	2·66	·95	2·05	YEAR'S TOTAL (29·59)
Days with ·01 in. or more										10	7	13	
Days with ·04 in. or more										9	6	10	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JUN 1921

Kept at Queens Camel School.

in the County of Somersetshire.

by T. L. Perry.

Lat. 51° 1′ Long. 2° 34′

Time of Observation 9 a.m.

Nearest Railway Station Sparkford G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground - ft. 10 in.

„ „ „ „ Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

not Received

Records taken in Millimetres should not be entered on this form.

Received from the Rev. H. A. Boys.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·04	·43	·35	1
2										·70	0	·12	2
3										·22	0	0	3
4										·13	0	0	4
5										·04	0	0	5
6										0	0	0	6
7										0	0	0	7
8										0	0	0	8
9										0	0	0	9
10									(90)	0	0	0	10
11										0	0	0	11
12										0	0	0	12
13										0	·03	·03	13
14										·25	·05	0	14
15										·42	·20	0	15
16										·11	·07	0	16
17										0	0	·01	17
18										0	0	·02	18
19									·17	0	0	0	19
20									Fog. ·01	0	0	·05	20
21									·02	·02	0	·15	21
22									0	0	0	·16	22
23									0	0	0	·42	23
24									0	0	·08	0	24
25									0	0	0	·10	25
26									0	0	0	·12	26
27									0	0	0	0	27
28									0	0	0	0	28
29									·36	0	0	0	29
30									·11	0	·09	·20	30
31										·73		·32	31
TOTAL								(1·60)	(1·57)	2·66	·95	2·05	YEAR'S TOTAL (29·59)
Days with ·01 in. or more										10	7	13	
Days with ·04 in. or more										9	6	10	

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

18 JUN 1921

Somerset County Education Committee

Queen Camel School,
Somerset.

17 - 6 - 1921.

Dear Sir,

I am sorry I Cannot give you a complete record of rainfall for months August to Dec. 1920. We had a long holiday extending from August well into September and I was unable to arrange for the measuring of the rainfall over this period. I have however entered the daily records for the rest of the year and trust that they will be of use to you.

Yours faithfully

T. L. Perry.

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Queen Camel School

in the County of Somersetshire

by per Boys T. L. Perry

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		·03	·01	·15	·32		·32						1
2				·22			·43						2
3		·08		·03			·70						3
4			·03				·29						4
5			·05		·06		·44						5
6			·22	·11	·11		·31						6
7			·03	·40	·05		·40						7
8		·17		·32			·52						8
9				·09		·07							9
10		·16	·11	·06		·20	26						10
11			·08	46	·24		·12						11
12	2.38	·03	·04	·16		·39	·02						12
13	·20	03	·41	08									13
14	·3		·20	48									14
15		·19	·03	·34	·08	14	·03						15
16			03	·09		·03	17						16
17				·14	·14								17
18	·06			·05	·13	·07							18
19	·05	·15	·02	·15	·15	·27							19
20	·03	·12		·11		38							20
21							·12						21
22			·01	17			·02						22
23							·63						23
24			12		·01								24
25	·04	·06	·08		·03		25						25
26	·15		·13			·02	·04						26
27	·43		·06	·34		22	·03						27
28	·85		·06	14	·20	·04	·06						28
29	·27		·14		·01								29
30	·04	✕		07	·07	11	·13						30
31		✕	·31	✕		✕	·05		✕		✕		31
TOTAL	4.53	1.02	2.17	4.16	1.60	1.94	5.34						YEAR'S TOTAL
Days with ·01 in. or more	20	10	21	22	14	12	22						
Days with ·04 in. or more		7	14	21	11	10	18						

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.